

# BASIX™ Certificate

Building Sustainability Index

[www.planningportal.nsw.gov.au/development-and-assessment/basix](http://www.planningportal.nsw.gov.au/development-and-assessment/basix)

## Multi Dwelling

Certificate number: 1817138M\_03

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at [www.planningportal.nsw.gov.au/definitions](http://www.planningportal.nsw.gov.au/definitions)

Secretary

Date of issue: Wednesday, 28 January 2026

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



When submitting this BASIX certificate with a development application or complying development certificate application, it must be accompanied by NatHERS certificate XRPQRWP1LS.

### Project summary

|                                              |                                                                                |
|----------------------------------------------|--------------------------------------------------------------------------------|
| Project name                                 | Merrylands Community Living 1_03                                               |
| Street address                               | 215, 229-239 PITT ST MERRYLANDS 2160                                           |
| Local Government Area                        | CUMBERLAND                                                                     |
| Plan type and plan number                    | Deposited Plan -                                                               |
| Lot no.                                      | Lot 1 DP1079960, Lot J DP10354, Lot 1 DP537031, Lot 2 DP501597, Lot 2 DP537031 |
| Section no.                                  | -                                                                              |
| No. of residential flat buildings            | 1                                                                              |
| Residential flat buildings: no. of dwellings | 238                                                                            |
| Multi-dwelling housing: no. of dwellings     | 0                                                                              |
| No. of single dwelling houses                | 0                                                                              |

### Project score

|                     |        |             |
|---------------------|--------|-------------|
| Water               | ✓ 40   | Target 40   |
| Thermal Performance | ✓ Pass | Target Pass |
| Energy              | ✓ 68   | Target 63   |
| Materials           | ✓ -100 | Target n/a  |

### Certificate Prepared by

Name / Company Name: INTRAX CONSULTING ENGINEERS PTY. LTD.

ABN (if applicable): 31106481252

# Description of project

| Project address                              |                                                                                |
|----------------------------------------------|--------------------------------------------------------------------------------|
| Project name                                 | Merrylands Community Living 1_03                                               |
| Street address                               | 215, 229-239 PITT ST MERRYLANDS 2160                                           |
| Local Government Area                        | CUMBERLAND                                                                     |
| Plan type and plan number                    | Deposited Plan -                                                               |
| Lot no.                                      | Lot 1 DP1079960, Lot J DP10354, Lot 1 DP537031, Lot 2 DP501597, Lot 2 DP537031 |
| Section no.                                  | -                                                                              |
| Project type                                 |                                                                                |
| No. of residential flat buildings            | 1                                                                              |
| Residential flat buildings: no. of dwellings | 238                                                                            |
| Multi-dwelling housing: no. of dwellings     | 0                                                                              |
| No. of single dwelling houses                | 0                                                                              |
| Site details                                 |                                                                                |
| Site area (m <sup>2</sup> )                  | 2106                                                                           |
| Roof area (m <sup>2</sup> )                  | 397                                                                            |
| Non-residential floor area (m <sup>2</sup> ) | -                                                                              |
| Residential car spaces                       | 185                                                                            |
| Non-residential car spaces                   | -                                                                              |

| Common area landscape                            |                                        |             |
|--------------------------------------------------|----------------------------------------|-------------|
| Common area lawn (m²)                            | 0                                      |             |
| Common area garden (m²)                          | 630                                    |             |
| Area of indigenous or low water use species (m²) | 630                                    |             |
| Assessor details and thermal loads               |                                        |             |
| Assessor number                                  | HERA10229                              |             |
| Certificate number                               | XRPQRWP1LS                             |             |
| Climate zone                                     | 56                                     |             |
| Project score                                    |                                        |             |
| Water                                            | <div><div><div>✓</div></div>40</div>   | Target 40   |
| Thermal Performance                              | <div><div><div>✓</div></div>Pass</div> | Target Pass |
| Energy                                           | <div><div><div>✓</div></div>68</div>   | Target 63   |
| Materials                                        | <div><div><div>✓</div></div>-100</div> | Target n/a  |

## Description of project

The tables below describe the dwellings and common areas within the project

### Residential flat buildings - Building1, 238 dwellings, 35 storeys above ground

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| 1001         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 1005         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 1009         | 1               | 49.7                                     | 4.8                                        | 0                                       | 0                                             |
| 1104         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1108         | 1               | 47.9                                     | 4.8                                        | 0                                       | 0                                             |
| 1203         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 1207         | 2               | 73.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1302         | 1               | 49.7                                     | 4.8                                        | 0                                       | 0                                             |
| 1306         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 1401         | 2               | 72.7                                     | 8.8                                        | 0                                       | 0                                             |
| 1405         | 3               | 88.7                                     | 12.6                                       | 0                                       | 0                                             |
| 1409         | 1               | 49.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1504         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1508         | 1               | 47.9                                     | 4.8                                        | 0                                       | 0                                             |
| 1603         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 1607         | 2               | 73.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1702         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 1706         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 1801         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 1805         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 1809         | 1               | 49.7                                     | 4.8                                        | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| 1002         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 1006         | 1               | 41.4                                     | 4.8                                        | 0                                       | 0                                             |
| 1101         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 1105         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 1109         | 1               | 49.7                                     | 4.8                                        | 0                                       | 0                                             |
| 1204         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1208         | 1               | 47.9                                     | 4.8                                        | 0                                       | 0                                             |
| 1303         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 1307         | 2               | 73.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1402         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 1406         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 1501         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 1505         | 3               | 87.2                                     | 12.8                                       | 0                                       | 0                                             |
| 1509         | 1               | 49.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1604         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1608         | 1               | 47.9                                     | 4.8                                        | 0                                       | 0                                             |
| 1703         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 1707         | 2               | 73.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1802         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 1806         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 1901         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| 1003         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 1007         | 2               | 73.7                                     | 7.6                                        | 0                                       | 0                                             |
| 1102         | 1               | 49.7                                     | 4.8                                        | 0                                       | 0                                             |
| 1106         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 1201         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 1205         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 1209         | 1               | 49.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1304         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1308         | 1               | 47.9                                     | 4.8                                        | 0                                       | 0                                             |
| 1403         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 1407         | 2               | 73.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1502         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 1506         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 1601         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 1605         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 1609         | 1               | 49.7                                     | 4.8                                        | 0                                       | 0                                             |
| 1704         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1708         | 1               | 47.9                                     | 4.8                                        | 0                                       | 0                                             |
| 1803         | 2               | 72.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1807         | 1               | 73.7                                     | 4.8                                        | 0                                       | 0                                             |
| 1902         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| 1004         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1008         | 1               | 47.9                                     | 4.8                                        | 0                                       | 0                                             |
| 1103         | 2               | 72.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1107         | 2               | 73.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1202         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 1206         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 1301         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 1305         | 3               | 87.2                                     | 12.8                                       | 0                                       | 0                                             |
| 1309         | 1               | 49.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1404         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1408         | 1               | 47.9                                     | 4.8                                        | 0                                       | 0                                             |
| 1503         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 1507         | 2               | 73.7                                     | 6.7                                        | 0                                       | 0                                             |
| 1602         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 1606         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 1701         | 2               | 72.9                                     | 6.7                                        | 0                                       | 0                                             |
| 1705         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 1709         | 1               | 49.7                                     | 4.8                                        | 0                                       | 0                                             |
| 1804         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1808         | 2               | 47.9                                     | 6.7                                        | 0                                       | 0                                             |
| 1903         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| 1904         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 1908         | 1               | 47.9                                     | 6.7                                        | 0                                       | 0                                             |
| 2003         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 2007         | 2               | 73.7                                     | 7.8                                        | 0                                       | 0                                             |
| 2102         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2106         | 2               | 66.6                                     | 6.7                                        | 0                                       | 0                                             |
| 2202         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2206         | 2               | 66.6                                     | 6.7                                        | 0                                       | 0                                             |
| 2302         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2306         | 2               | 66.6                                     | 6.7                                        | 0                                       | 0                                             |
| 2402         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2406         | 2               | 66.6                                     | 6.7                                        | 0                                       | 0                                             |
| 2502         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2506         | 2               | 66.6                                     | 6.7                                        | 0                                       | 0                                             |
| 2602         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2606         | 2               | 66.6                                     | 6.7                                        | 0                                       | 0                                             |
| 2702         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2706         | 2               | 66.6                                     | 6.7                                        | 0                                       | 0                                             |
| 2802         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2806         | 2               | 66.6                                     | 7.8                                        | 0                                       | 0                                             |
| 2902         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2906         | 2               | 78.2                                     | 6.7                                        | 0                                       | 0                                             |
| 3004         | 2               | 66.6                                     | 7.8                                        | 0                                       | 0                                             |
| 302          | 3               | 87.5                                     | 6.8                                        | 0                                       | 0                                             |
| 3101         | 3               | 85.8                                     | 10.1                                       | 0                                       | 0                                             |
| 3301         | 3               | 86.3                                     | 10.1                                       | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| 1905         | 3               | 88.7                                     | 12.6                                       | 0                                       | 0                                             |
| 1909         | 1               | 49.7                                     | 4.8                                        | 0                                       | 0                                             |
| 2004         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 2008         | 1               | 48.4                                     | 6.7                                        | 0                                       | 0                                             |
| 2103         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 2107         | 2               | 79.8                                     | 7.8                                        | 0                                       | 0                                             |
| 2203         | 2               | 72.9                                     | 7.8                                        | 0                                       | 0                                             |
| 2207         | 2               | 79.8                                     | 7.8                                        | 0                                       | 0                                             |
| 2303         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 2307         | 2               | 79.8                                     | 7.8                                        | 0                                       | 0                                             |
| 2403         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 2407         | 2               | 79.8                                     | 7.8                                        | 0                                       | 0                                             |
| 2503         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 2507         | 2               | 79.8                                     | 7.8                                        | 0                                       | 0                                             |
| 2603         | 2               | 72.9                                     | 7.8                                        | 0                                       | 0                                             |
| 2607         | 2               | 79.8                                     | 4.8                                        | 0                                       | 0                                             |
| 2703         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 2707         | 2               | 79.8                                     | 4.8                                        | 0                                       | 0                                             |
| 2803         | 2               | 72.9                                     | 7.8                                        | 0                                       | 0                                             |
| 2807         | 2               | 79.8                                     | 4.8                                        | 0                                       | 0                                             |
| 2903         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 3001         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 3005         | 2               | 79.8                                     | 7.8                                        | 0                                       | 0                                             |
| 303          | 2               | 66.6                                     | 8.0                                        | 0                                       | 0                                             |
| 3102         | 3               | 86.5                                     | 10.1                                       | 0                                       | 0                                             |
| 3302         | 3               | 85.9                                     | 10.1                                       | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| 1906         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 2001         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2005         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 2009         | 1               | 49.7                                     | 4.8                                        | 0                                       | 0                                             |
| 2104         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 2108         | 2               | 50.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2204         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 2208         | 2               | 78.2                                     | 6.7                                        | 0                                       | 0                                             |
| 2304         | 2               | 66.9                                     | 4.1                                        | 0                                       | 0                                             |
| 2308         | 2               | 75.3                                     | 6.7                                        | 0                                       | 0                                             |
| 2404         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 2408         | 2               | 75.3                                     | 6.7                                        | 0                                       | 0                                             |
| 2504         | 2               | 66.9                                     | 7.8                                        | 0                                       | 0                                             |
| 2508         | 2               | 78.3                                     | 6.7                                        | 0                                       | 0                                             |
| 2604         | 2               | 66.9                                     | 4.1                                        | 0                                       | 0                                             |
| 2608         | 2               | 73.2                                     | 6.7                                        | 0                                       | 0                                             |
| 2704         | 2               | 66.6                                     | 4.1                                        | 0                                       | 0                                             |
| 2708         | 2               | 78.2                                     | 6.7                                        | 0                                       | 0                                             |
| 2804         | 2               | 66.9                                     | 4.1                                        | 0                                       | 0                                             |
| 2808         | 2               | 78.2                                     | 7.8                                        | 0                                       | 0                                             |
| 2904         | 2               | 66.6                                     | 4.1                                        | 0                                       | 0                                             |
| 3002         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 3006         | 2               | 78.2                                     | 6.7                                        | 0                                       | 0                                             |
| 304          | 2               | 79.8                                     | 5.3                                        | 0                                       | 0                                             |
| 3201         | 3               | 85.8                                     | 10.1                                       | 0                                       | 0                                             |
| 3401         | 3               | 86.3                                     | 10.1                                       | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m <sup>2</sup> ) | Unconditioned floor area (m <sup>2</sup> ) | Area of garden & lawn (m <sup>2</sup> ) | Indigenous species (min area m <sup>2</sup> ) |
|--------------|-----------------|------------------------------------------|--------------------------------------------|-----------------------------------------|-----------------------------------------------|
| 1907         | 2               | 73.7                                     | 7.8                                        | 0                                       | 0                                             |
| 2002         | 1               | 44.2                                     | 4.8                                        | 0                                       | 0                                             |
| 2006         | 1               | 41.1                                     | 4.8                                        | 0                                       | 0                                             |
| 2101         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2105         | 3               | 88.7                                     | 12.6                                       | 0                                       | 0                                             |
| 2201         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2205         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 2301         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2305         | 3               | 79.8                                     | 12.6                                       | 0                                       | 0                                             |
| 2401         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2405         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 2501         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2505         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 2601         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2605         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 2701         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2705         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 2801         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2805         | 3               | 87.2                                     | 12.6                                       | 0                                       | 0                                             |
| 2901         | 2               | 72.9                                     | 8.8                                        | 0                                       | 0                                             |
| 2905         | 2               | 78.9                                     | 7.8                                        | 0                                       | 0                                             |
| 3003         | 2               | 72.7                                     | 7.8                                        | 0                                       | 0                                             |
| 301          | 2               | 68.8                                     | 6.3                                        | 0                                       | 0                                             |
| 305          | 2               | 75.3                                     | 5.3                                        | 0                                       | 0                                             |
| 3202         | 3               | 86.5                                     | 10.1                                       | 0                                       | 0                                             |
| 3402         | 3               | 86.2                                     | 10.1                                       | 0                                       | 0                                             |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| 3501         | 3               | 86.2                        | 10.1                          | 0                          | 0                                |
| 403          | 1               | 41.1                        | 4.8                           | 0                          | 0                                |
| 501          | 2               | 69.1                        | 8.8                           | 0                          | 0                                |
| 505          | 1               | 47.9                        | 4.8                           | 0                          | 0                                |
| 603          | 2               | 72.7                        | 7.8                           | 0                          | 0                                |
| 607          | 2               | 73.9                        | 6.7                           | 0                          | 0                                |
| 702          | 1               | 44.2                        | 4.8                           | 0                          | 0                                |
| 706          | 1               | 71.1                        | 4.8                           | 0                          | 0                                |
| 801          | 2               | 72.9                        | 8.8                           | 0                          | 0                                |
| 805          | 3               | 87.2                        | 12.6                          | 0                          | 0                                |
| 809          | 1               | 49.7                        | 4.8                           | 0                          | 0                                |
| 904          | 2               | 66.9                        | 7.8                           | 0                          | 0                                |
| 908          | 1               | 47.9                        | 4.8                           | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| 3502         | 3               | 86.0                        | 10.1                          | 0                          | 0                                |
| 404          | 2               | 73.7                        | 7.8                           | 0                          | 0                                |
| 502          | 3               | 87.2                        | 12.2                          | 0                          | 0                                |
| 506          | 1               | 49.7                        | 4.8                           | 0                          | 0                                |
| 604          | 2               | 66.9                        | 7.8                           | 0                          | 0                                |
| 608          | 1               | 47.9                        | 4.8                           | 0                          | 0                                |
| 703          | 2               | 72.7                        | 7.8                           | 0                          | 0                                |
| 707          | 2               | 73.7                        | 6.7                           | 0                          | 0                                |
| 802          | 1               | 44.2                        | 4.8                           | 0                          | 0                                |
| 806          | 1               | 41.1                        | 4.8                           | 0                          | 0                                |
| 901          | 2               | 72.9                        | 8.8                           | 0                          | 0                                |
| 905          | 3               | 87.2                        | 12.6                          | 0                          | 0                                |
| 909          | 1               | 49.7                        | 4.8                           | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| 401          | 2               | 66.6                        | 8.8                           | 0                          | 0                                |
| 405          | 1               | 47.9                        | 4.8                           | 0                          | 0                                |
| 503          | 1               | 41.1                        | 4.8                           | 0                          | 0                                |
| 601          | 2               | 72.9                        | 8.8                           | 0                          | 0                                |
| 605          | 3               | 87.2                        | 12.6                          | 0                          | 0                                |
| 609          | 2               | 49.1                        | 6.7                           | 0                          | 0                                |
| 704          | 2               | 66.9                        | 7.8                           | 0                          | 0                                |
| 708          | 1               | 47.9                        | 4.8                           | 0                          | 0                                |
| 803          | 2               | 72.7                        | 7.8                           | 0                          | 0                                |
| 807          | 2               | 73.7                        | 6.7                           | 0                          | 0                                |
| 902          | 1               | 44.2                        | 4.8                           | 0                          | 0                                |
| 906          | 1               | 41.1                        | 4.8                           | 0                          | 0                                |

| Dwelling no. | No. of bedrooms | Conditioned floor area (m²) | Unconditioned floor area (m²) | Area of garden & lawn (m²) | Indigenous species (min area m²) |
|--------------|-----------------|-----------------------------|-------------------------------|----------------------------|----------------------------------|
| 402          | 3               | 87.2                        | 12.2                          | 0                          | 0                                |
| 406          | 1               | 49.7                        | 4.8                           | 0                          | 0                                |
| 504          | 2               | 73.7                        | 7.8                           | 0                          | 0                                |
| 602          | 1               | 44.2                        | 4.8                           | 0                          | 0                                |
| 606          | 1               | 41.1                        | 4.8                           | 0                          | 0                                |
| 701          | 2               | 72.9                        | 8.8                           | 0                          | 0                                |
| 705          | 3               | 87.2                        | 12.6                          | 0                          | 0                                |
| 709          | 2               | 49.7                        | 4.8                           | 0                          | 0                                |
| 804          | 2               | 66.9                        | 7.8                           | 0                          | 0                                |
| 808          | 1               | 47.9                        | 4.8                           | 0                          | 0                                |
| 903          | 2               | 72.7                        | 7.8                           | 0                          | 0                                |
| 907          | 2               | 73.7                        | 6.7                           | 0                          | 0                                |

## Description of project

The tables below describe the dwellings and common areas within the project

### Common areas of unit building - Building1

| Common area                          | Floor area (m²) |
|--------------------------------------|-----------------|
| Undercover car park area (No. 1)     | 6130            |
| Garbage room - Non-resi              | 35              |
| Ground floor lobby type - Resi lobby | 100             |
| Lift bank (No. 1)                    | -               |

| Common area                                | Floor area (m²) |
|--------------------------------------------|-----------------|
| Switch room (No. 1)                        | 26              |
| Plant or service room (No. 1)              | 55              |
| Ground floor lobby type - Commercial lobby | 79              |

| Common area                   | Floor area (m²) |
|-------------------------------|-----------------|
| Garbage room - Resi           | 171             |
| Plant or service room (No. 2) | 48              |
| Hallway/lobby type (No. 1)    | 2292            |

# Schedule of BASIX commitments

## 1. Commitments for Residential flat buildings - Building1

### (a) Buildings

#### (i) Materials

### (b) Dwellings

#### (i) Water

#### (ii) Energy

#### (iii) Thermal Performance

### (c) Common areas and central systems/facilities

#### (i) Water

#### (ii) Energy

## 2. Commitments for common areas and central systems/facilities for the development (non-building specific)

### (b) Common areas and central systems/facilities

#### (i) Water

#### (ii) Energy

## Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

### 1. Commitments for Residential flat buildings - Building1

#### (a) Buildings

| (i) Materials                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.               |                  |                              | ✓               |
| (b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.                                                                                                              |                  | ✓                            |                 |
| (c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted. | ✓                | ✓                            | ✓               |
| (d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.                                                                                                                                                             |                  |                              | ✓               |

#### Floor types

| Floor type                                                              | Area (m2) | Insulation | Low emissions option |
|-------------------------------------------------------------------------|-----------|------------|----------------------|
| suspended floor above enclosed subfloor, frame: suspended concrete slab | 708       | -          | -                    |
| floors above habitable rooms, frame: suspended concrete slab            | 2402      | -          | -                    |
| floors above habitable rooms, frame: suspended concrete slab            | 20213     | -          | -                    |
| floors above habitable rooms, frame: suspended concrete slab            | 4247      | -          | -                    |

#### External wall types

| External wall type   | Construction type                                         | Area (m2) | Low emissions option | Insulation |
|----------------------|-----------------------------------------------------------|-----------|----------------------|------------|
| External wall type 1 | off form concrete, frame: heavy steel post and beam frame | 2604      | none                 | -          |

| External wall types  |                                                             |           |                      |            |
|----------------------|-------------------------------------------------------------|-----------|----------------------|------------|
| External wall type   | Construction type                                           | Area (m2) | Low emissions option | Insulation |
| External wall type 2 | framed (metal clad), frame: heavy steel post and beam frame | 13972     | -                    | -          |

| Internal wall types  |                                        |           |            |
|----------------------|----------------------------------------|-----------|------------|
| Internal wall type   | Construction type                      | Area (m2) | Insulation |
| Internal wall type 1 | plasterboard, frame: light steel frame | 21657     | -          |

| Reinforcement concrete frames/columns           |             |                      |
|-------------------------------------------------|-------------|----------------------|
| Building has reinforced concrete frame/columns? | Volume (m³) | Low emissions option |
| -                                               | -           | -                    |

| Ceiling and roof types                                      |           |                 |                    |
|-------------------------------------------------------------|-----------|-----------------|--------------------|
| Ceiling and roof type                                       | Area (m²) | Roof Insulation | Ceiling Insulation |
| framed - metal roof, frame: heavy steel post and beam frame | 397       | -               | -                  |

| Glazing types       |                     |                     | Frame types           |                    |                  |                   |                       |
|---------------------|---------------------|---------------------|-----------------------|--------------------|------------------|-------------------|-----------------------|
| Single glazing (m²) | Double glazing (m²) | Triple glazing (m²) | Aluminium frames (m²) | Timber frames (m²) | uPVC frames (m²) | Steel frames (m²) | Composite frames (m²) |
| 9780                | -                   | -                   | 9780                  | -                  | -                | -                 | -                     |

**(b) Dwellings**

| (i) Water                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.                                                                                                                                                                                                                                                                                                                    |                  |                              |                 |
| (b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).                                                     | ✓                | ✓                            |                 |
| (c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.                                                                                                                                                                                                                                             |                  | ✓                            | ✓               |
| (d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.                                                                                                                                                                                                                    |                  | ✓                            | ✓               |
| (e) The applicant must install:<br><br>(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and<br><br>(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling. |                  | ✓<br>✓                       | ✓<br>✓          |
| (e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.                                                                                                                                                                                                                                                                                                     | ✓                | ✓                            |                 |
| (f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).                                                                                                                                                                                                                                                                                                                                                    |                  | ✓                            |                 |
| (g) The pool or spa must be located as specified in the table.                                                                                                                                                                                                                                                                                                                                                                                            | ✓                | ✓                            |                 |
| (h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.                                                  | ✓                | ✓                            | ✓               |

|               | Fixtures                     |                             |                  |                   |                               | Appliances          |                  | Individual pool     |            |               |             | Individual spa      |           |            |
|---------------|------------------------------|-----------------------------|------------------|-------------------|-------------------------------|---------------------|------------------|---------------------|------------|---------------|-------------|---------------------|-----------|------------|
| Dwelling no.  | All shower-heads             | All toilet flushing systems | All kitchen taps | All bathroom taps | HW recirculation or diversion | All clothes washers | All dish-washers | Volume (max volume) | Pool cover | Pool location | Pool shaded | Volume (max volume) | Spa cover | Spa shaded |
| All dwellings | 4 star (> 6 but ≤ 7.5 L/min) | 5 star                      | 5 star           | 5 star            | -                             | not specified       | 2 star           | -                   | -          | -             | -           | -                   | -         | -          |

|               | Alternative water source         |      |               |                      |                       |                    |             |            |
|---------------|----------------------------------|------|---------------|----------------------|-----------------------|--------------------|-------------|------------|
| Dwelling no.  | Alternative water supply systems | Size | Configuration | Landscape connection | Toilet connection (s) | Laundry connection | Pool top-up | Spa top-up |
| All dwellings | No alternative water supply      | -    | -             | -                    | -                     | -                  | -           | -          |

| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  |                              |                 |
| (b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.                                                                                                                                                                                                                                                  | ✓                | ✓                            | ✓               |
| (c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.                                                                                                                                                                                                                                                                                                                                                                           |                  | ✓                            | ✓               |
| (d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.                                                |                  | ✓                            | ✓               |
| (e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.            |                  | ✓                            | ✓               |
| (f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.                                                                                                                                                                                                                                                                                                                 | ✓                | ✓                            | ✓               |
| (g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:<br>(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and<br>(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump. |                  | ✓<br>✓                       |                 |
| (h) The applicant must install in the dwelling:<br>(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;                                                                                                                                                                                                                                                                                                                                                                                                                                    |                  | ✓                            |                 |

| (ii) Energy                                                                                                                                                                                           | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and |                  | ✓                            | ✓               |
| (cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.                                                                          |                  | ✓                            |                 |
| (i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".                                                     |                  | ✓                            |                 |

|               | Hot water                        | Bathroom ventilation system              |                                     | Kitchen ventilation system               |                      | Laundry ventilation system               |                       |
|---------------|----------------------------------|------------------------------------------|-------------------------------------|------------------------------------------|----------------------|------------------------------------------|-----------------------|
| Dwelling no.  | Hot water system                 | Each bathroom                            | Operation control                   | Each kitchen                             | Operation control    | Each laundry                             | Operation control     |
| All dwellings | Central hot water system (No. 1) | individual fan, ducted to façade or roof | interlocked to light with timer off | individual fan, ducted to façade or roof | manual switch on/off | individual fan, ducted to façade or roof | manual on / timer off |

|                                                                        | Cooling                                              |                                                      | Heating                                              |                                                      | Natural lighting            |              |
|------------------------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|-----------------------------|--------------|
| Dwelling no.                                                           | living areas                                         | bedroom areas                                        | living areas                                         | bedroom areas                                        | No. of bathrooms or toilets | Main kitchen |
| 1007, 1606, 1607, 1608, 1609, 1706, 1707, 1708, 1709, 1809, 1909, 2009 | -                                                    | -                                                    | -                                                    | -                                                    | 0                           | -            |
| All other dwellings                                                    | 1-phase airconditioning - non ducted / EER 3.0 - 3.5 | 1-phase airconditioning - non ducted / EER 3.0 - 3.5 | 1-phase airconditioning - non ducted / EER 3.0 - 3.5 | 1-phase airconditioning - non ducted / EER 3.0 - 3.5 | 0                           | no           |

|                         | Individual pool     |           |       | Individual spa     |       | Appliances other efficiency measures |            |               |                                         |                                                    |
|-------------------------|---------------------|-----------|-------|--------------------|-------|--------------------------------------|------------|---------------|-----------------------------------------|----------------------------------------------------|
| Dwelling no.            | Pool heating system | Pool Pump | Timer | Spa heating system | Timer | Kitchen cooktop/oven                 | Dishwasher | Clothes dryer | Indoor or sheltered clothes drying line | Private outdoor or unsheltered clothes drying line |
| 1007, 1606, 1607, 1608, | -                   | -         | -     | -                  | -     | electric cooktop & electric oven     | -          | -             | -                                       | -                                                  |

|                                                | Individual pool     |           |       | Individual spa     |       | Appliances other efficiency measures |            |               |                                         |                                                    |
|------------------------------------------------|---------------------|-----------|-------|--------------------|-------|--------------------------------------|------------|---------------|-----------------------------------------|----------------------------------------------------|
| Dwelling no.                                   | Pool heating system | Pool Pump | Timer | Spa heating system | Timer | Kitchen cooktop/oven                 | Dishwasher | Clothes dryer | Indoor or sheltered clothes drying line | Private outdoor or unsheltered clothes drying line |
| 1609, 1706, 1707, 1708, 1709, 1809, 1909, 2009 |                     |           |       |                    |       |                                      |            |               |                                         |                                                    |
| All other dwellings                            | -                   | -         | -     | -                  | -     | electric cooktop & electric oven     | -          | -             | no                                      | no                                                 |

| (iii) Thermal Performance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development. |                  |                              |                 |
| (b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.                                                                                                                                                                                                                                                                                                                                                                                                              |                  |                              |                 |
| (c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.                                                                                                                                                                                                                                                                                                                               |                  |                              |                 |
| (d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.                                                                                                                                                                                                                           | ✓                |                              |                 |
| (e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.                                                                                                                                                                                                     |                  | ✓                            |                 |
| (f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.                                                                                                                                                                                                              |                  | ✓                            | ✓               |
| (g) Where there is an in-slab heating or cooling system, the applicant must:                                                                                                                                                                                                                                                                                                                                                                                                                                                               | ✓                | ✓                            | ✓               |
| (aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or                                                                                                                                                                                                                                                                                                                                                                                                                    |                  |                              |                 |

| (iii) Thermal Performance                                                                                                                                                                                                      | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.                                                             |                  |                              |                 |
| (h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.                                                                                      | ✓                | ✓                            | ✓               |
| (i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.                                             | ✓                |                              |                 |
| (j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate. |                  | ✓                            |                 |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| 2104         | 7.8                                                   | 6.8                                                   | 14.600                                              |
| 2105         | 22.3                                                  | 7.8                                                   | 30.100                                              |
| 2106         | 29.0                                                  | 6.3                                                   | 35.300                                              |
| 2107         | 25.6                                                  | 10.5                                                  | 36.100                                              |
| 2108         | 25.6                                                  | 1.9                                                   | 27.500                                              |
| 2203         | 8.9                                                   | 6.1                                                   | 15.000                                              |
| 2208         | 21.5                                                  | 4.6                                                   | 26.100                                              |
| 2302         | 11.6                                                  | 3.1                                                   | 14.700                                              |
| 2303         | 8.9                                                   | 6.0                                                   | 14.900                                              |
| 2308         | 21.7                                                  | 4.7                                                   | 26.400                                              |
| 2401         | 8.5                                                   | 6.4                                                   | 14.900                                              |
| 2402         | 11.1                                                  | 3.2                                                   | 14.300                                              |
| 2403         | 9.0                                                   | 6.1                                                   | 15.100                                              |
| 2404         | 8.0                                                   | 6.7                                                   | 14.700                                              |
| 2405         | 22.5                                                  | 7.8                                                   | 30.300                                              |
| 2406         | 29.4                                                  | 6.3                                                   | 35.700                                              |
| 2407         | 24.5                                                  | 10.5                                                  | 35.000                                              |
| 2408         | 21.8                                                  | 4.9                                                   | 26.700                                              |
| 2501         | 8.6                                                   | 6.4                                                   | 15.000                                              |
| 2502         | 11.2                                                  | 3.1                                                   | 14.300                                              |
| 2503         | 9.1                                                   | 6.0                                                   | 15.100                                              |

|              | Thermal loads                                         |                                                       |                                                     |
|--------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no. | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| 2504         | 8.7                                                   | 6.7                                                   | 15.400                                              |
| 2505         | 22.6                                                  | 7.8                                                   | 30.400                                              |
| 2506         | 29.5                                                  | 6.3                                                   | 35.800                                              |
| 2507         | 24.5                                                  | 10.4                                                  | 34.900                                              |
| 2508         | 22.0                                                  | 4.5                                                   | 26.500                                              |
| 2601         | 8.7                                                   | 6.5                                                   | 15.200                                              |
| 2602         | 11.2                                                  | 3.2                                                   | 14.400                                              |
| 2603         | 9.1                                                   | 6.1                                                   | 15.200                                              |
| 2604         | 8.1                                                   | 6.7                                                   | 14.800                                              |
| 2606         | 29.6                                                  | 6.3                                                   | 35.900                                              |
| 2607         | 24.6                                                  | 10.4                                                  | 35.000                                              |
| 2608         | 22.1                                                  | 4.4                                                   | 26.500                                              |
| 2701         | 8.7                                                   | 6.4                                                   | 15.100                                              |
| 2703         | 9.1                                                   | 6.2                                                   | 15.300                                              |
| 2704         | 8.2                                                   | 6.6                                                   | 14.800                                              |
| 2706         | 29.6                                                  | 6.2                                                   | 35.800                                              |
| 2707         | 24.6                                                  | 10.5                                                  | 35.100                                              |
| 2708         | 22.2                                                  | 4.4                                                   | 26.600                                              |
| 2801         | 8.8                                                   | 6.3                                                   | 15.100                                              |
| 2804         | 12.2                                                  | 8.2                                                   | 20.400                                              |
| 2805         | 25.8                                                  | 9.6                                                   | 35.400                                              |
| 2806         | 29.8                                                  | 6.1                                                   | 35.900                                              |
| 2807         | 24.8                                                  | 10.4                                                  | 35.200                                              |
| 2808         | 23.3                                                  | 10.6                                                  | 33.900                                              |
| 2902         | 11.0                                                  | 3.1                                                   | 14.100                                              |
| 2904         | 29.9                                                  | 6.1                                                   | 36.000                                              |
| 2905         | 24.9                                                  | 10.3                                                  | 35.200                                              |
| 2906         | 23.4                                                  | 4.6                                                   | 28.000                                              |
| 3002         | 11.0                                                  | 3.2                                                   | 14.200                                              |
| 3004         | 30.0                                                  | 6.1                                                   | 36.100                                              |
| 3005         | 24.9                                                  | 11.6                                                  | 36.500                                              |

|                     | Thermal loads                                         |                                                       |                                                     |
|---------------------|-------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------|
| Dwelling no.        | Area adjusted heating load (in MJ/m <sup>2</sup> /yr) | Area adjusted cooling load (in MJ/m <sup>2</sup> /yr) | Area adjusted total load (in MJ/m <sup>2</sup> /yr) |
| 3006                | 21.7                                                  | 5.4                                                   | 27.100                                              |
| 3101                | 9.0                                                   | 5.7                                                   | 14.700                                              |
| 3201                | 9.1                                                   | 5.7                                                   | 14.800                                              |
| 3301                | 9.2                                                   | 8.2                                                   | 17.400                                              |
| 3401                | 9.3                                                   | 7.1                                                   | 16.400                                              |
| 3501                | 14.1                                                  | 8.2                                                   | 22.300                                              |
| 3502                | 13.9                                                  | 8.6                                                   | 22.500                                              |
| 2102, 2202          | 11.5                                                  | 3.1                                                   | 14.600                                              |
| 2201, 2301          | 8.4                                                   | 6.4                                                   | 14.800                                              |
| 2204, 2304          | 7.9                                                   | 6.8                                                   | 14.700                                              |
| 2205, 2305          | 22.4                                                  | 7.8                                                   | 30.200                                              |
| 2206, 2306          | 29.2                                                  | 6.3                                                   | 35.500                                              |
| 2207, 2307          | 24.3                                                  | 10.5                                                  | 34.800                                              |
| 2605, 2705          | 22.8                                                  | 7.8                                                   | 30.600                                              |
| 2702, 2802          | 10.9                                                  | 3.2                                                   | 14.100                                              |
| 2901, 3001          | 8.9                                                   | 6.2                                                   | 15.100                                              |
| 3102, 3302          | 9.8                                                   | 4.2                                                   | 14.000                                              |
| 3202, 3402          | 9.9                                                   | 4.2                                                   | 14.100                                              |
| 2803, 2903, 3003    | 9.3                                                   | 6.1                                                   | 15.400                                              |
| All other dwellings | 8.8                                                   | 6.1                                                   | 14.900                                              |

**(c) Common areas and central systems/facilities**

| (i) Water                                                                                                                                                                                                                                                                               | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.                                                                                 |                  | ✓                            | ✓               |
| (b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table. | ✓                | ✓                            | ✓               |
| (c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.                                                                                                                                            | ✓                | ✓                            |                 |
| (d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.                                                                                                                                                                       |                  | ✓                            |                 |
| (e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.                                                                                                                                               |                  | ✓                            | ✓               |
| (f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.                                                                                                                                                              |                  | ✓                            | ✓               |

| Common area      | Showerheads rating            | Toilets rating | Taps rating | Clothes washers rating |
|------------------|-------------------------------|----------------|-------------|------------------------|
| All common areas | 4 star (> 6 but <= 7.5 L/min) | 5 star         | 5 star      | not specified          |

| Central systems                                            | Size                                                                                                                              | Configuration                                                                                                                                                                                                                                                                                                                                                                                         | Connection (to allow for...)                                                                                               |
|------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Central water tank - rainwater or stormwater (No. 1)       | 10000                                                                                                                             | To collect run-off from at least:<br>- 331 square metres of roof area of buildings in the development<br>- 0 square metres of impervious area in the development<br>- 0 square metres of garden/lawn area in the development<br>- 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system). | - irrigation of 630 square metres of common landscaped area on the site<br>- car washing in 1 car washing bays on the site |
| Central on-site recycled/ alternative water supply (No. 1) | To supply at least 2 litres of recycled water per day to the development (over and above the system's committed capacity, if any) | -                                                                                                                                                                                                                                                                                                                                                                                                     | -                                                                                                                          |
| Fire sprinkler system (No. 1)                              | -                                                                                                                                 | -                                                                                                                                                                                                                                                                                                                                                                                                     | -                                                                                                                          |

| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.                                                                                                                                            |                  | ✓                            | ✓               |
| (b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified. |                  | ✓                            | ✓               |
| (c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.                                                                                                                                                                          | ✓                | ✓                            | ✓               |

|                                            | Common area ventilation system |                                   | Common area lighting                |                                    |                              |
|--------------------------------------------|--------------------------------|-----------------------------------|-------------------------------------|------------------------------------|------------------------------|
| Common area                                | Ventilation system type        | Ventilation efficiency measure    | Primary type of artificial lighting | Lighting efficiency measure        | Lighting control system/ BMS |
| Undercover car park area (No. 1)           | ventilation (supply + exhaust) | carbon monoxide monitor + VSD fan | fluorescent                         | time clock and motion sensors      | yes                          |
| Switch room (No. 1)                        | ventilation supply only        | none i.e., continuous             | fluorescent                         | manual on / manual off             | yes                          |
| Garbage room - Resi                        | ventilation exhaust only       | -                                 | fluorescent                         | motion sensors                     | yes                          |
| Garbage room - Non-resi                    | ventilation exhaust only       | -                                 | fluorescent                         | motion sensors                     | yes                          |
| Plant or service room (No. 1)              | ventilation supply only        | none i.e., continuous             | fluorescent                         | manual on / manual off             | yes                          |
| Plant or service room (No. 2)              | ventilation supply only        | none i.e., continuous             | fluorescent                         | manual on / manual off             | yes                          |
| Ground floor lobby type - Resi lobby       | ventilation supply only        | time clock or BMS controlled      | light-emitting diode                | zoned switching with motion sensor | yes                          |
| Ground floor lobby type - Commercial lobby | air conditioning system        | time clock or BMS controlled      | light-emitting diode                | zoned switching with motion sensor | yes                          |
| Hallway/lobby type (No. 1)                 | ventilation supply only        | time clock or BMS controlled      | light-emitting diode                | zoned switching with motion sensor | yes                          |
| Lift bank (No. 1)                          | -                              | -                                 | light-emitting diode                | connected to lift call button      | yes                          |

| Central energy systems | Type                                                        | Specification                                                                                                                                                                                                      |
|------------------------|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Lift bank (No. 1)      | gearless traction with V V V F motor and regenerative drive | Number of levels with apartments served by a lift: 42<br>number of levels from the bottom of the lift shaft to the top of the lift shaft: 42<br>number of lifts: 3<br>lift load capacity: >= 1001 kg but <= 1500kg |

| Central energy systems           | Type                             | Specification                                                                                                                                                                                          |
|----------------------------------|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Central hot water system (No. 1) | electric heat pump – air sourced | Piping insulation (ringmain & supply risers):<br>(a) Piping external to building: R1.0 (~38 mm);<br>(b) Piping internal to building: R1.0 (~38 mm)<br>(c) Unit Efficiency: $3.5 < \text{COP} \leq 4.0$ |
| Central hot water system (No. 2) | electric heat pump – air sourced | Piping insulation (ringmain & supply risers):<br>(a) Piping external to building: R1.0 (~38 mm);<br>(b) Piping internal to building: R1.0 (~38 mm)<br>(c) Unit Efficiency: $3.5 < \text{COP} \leq 4.0$ |

## 2. Commitments for common areas and central systems/facilities for the development (non-building specific)

### (b) Common areas and central systems/facilities

| (i) Water                                                                                                                                                                                                                                                                               | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.                                                                                 |                  | ✓                            | ✓               |
| (b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table. | ✓                | ✓                            | ✓               |
| (c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.                                                                                                                                            | ✓                | ✓                            |                 |
| (d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.                                                                                                                                                                       |                  | ✓                            |                 |
| (e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.                                                                                                                                               |                  | ✓                            | ✓               |
| (f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.                                                                                                                                                              |                  | ✓                            | ✓               |

| Common area      | Showerheads rating            | Toilets rating | Taps rating | Clothes washers rating |
|------------------|-------------------------------|----------------|-------------|------------------------|
| All common areas | 4 star (> 6 but <= 7.5 L/min) | 5 star         | 5 star      | not specified          |

| (ii) Energy                                                                                                                                                                                                                                                                                                                                                                                                             | Show on DA plans | Show on CC/CDC plans & specs | Certifier check |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|-----------------|
| (a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.                                                                                                                                            |                  | ✓                            | ✓               |
| (b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified. |                  | ✓                            | ✓               |
| (c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.                                                                                                                                                                          | ✓                | ✓                            | ✓               |

| Central energy systems    | Type                                       | Specification                             |
|---------------------------|--------------------------------------------|-------------------------------------------|
| Alternative energy supply | Photovoltaic system                        | Rated electrical output (min): 50 peak kW |
| Other                     | Building management system installed?: yes | -                                         |

## Notes

1. In these commitments, "applicant" means the person carrying out the development.
2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
5. If a star or other rating is specified in a commitment, this is a minimum rating.
6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

## Legend

1. Commitments identified with a "✔" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
2. Commitments identified with a "✔" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
3. Commitments identified with a "✔" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfilment it is required to monitor in relation to the building or part, has been fulfilled).

# Nationwide House Energy Rating Scheme®

## Class 2 Summary

### NatHERS® Certificate No. XRPQRWP1LS

Generated on 9 Dec 2025 using FirstRate5 v5.5.5a

#### Property

**Address** Pitt Street,  
Merrylands, NSW, 2160

**Lot/DP**

**NatHERS Climate Zone** Mascot (Sydney Airport)



#### Accredited assessor

**Name** David Barham

**Business name** Sustainaspace

**Email** info@sustainaspace.com.au

**Phone** 0400 754 762

**Accreditation No.** HERA10229

**Assessor Accrediting Organisation** HERA

#### Verification

To verify this certificate, scan the QR code or visit <https://www.fr5.com.au/QRCodeLanding?PublicId=XRPQRWP1LS&GrpCert=1>

When using either link, ensure you are visiting [www.fr5.com.au](https://www.fr5.com.au).



#### National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at [www.abcb.gov.au](https://www.abcb.gov.au).

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

#### Summary of all dwellings

| Certificate number and link | Unit number | Heating load (load limit) [MJ/m²/p.a.] | Cooling load (load limit) [MJ/m²/p.a.] | Total load [MJ/m²/p.a.] | Star rating | Whole of Home Rating |
|-----------------------------|-------------|----------------------------------------|----------------------------------------|-------------------------|-------------|----------------------|
| ZJPQM4XXR8-01               | 1001        | 7.3 ( N/A )                            | 6.8 ( N/A )                            | 14.1                    | 8.7         | NA                   |
| ZAA1KMZ6EY-01               | 1002        | 13.3 ( N/A )                           | 2.8 ( N/A )                            | 16.1                    | 8.4         | NA                   |

#### Thermal performance Star rating



**NATIONWIDE  
HOUSE**  
ENERGY RATING SCHEME®

The rating above is the average of all dwellings in this summary.

For more information on your dwelling's rating see:  
[www.nathers.gov.au](https://www.nathers.gov.au)

#### NCC heating and cooling maximum loads MJ/m²/p.a.

Limits taken from ABCB Standard 2022

|                         | Heating | Cooling |
|-------------------------|---------|---------|
| Modelled block average  | 15.7    | 6.6     |
| Maximum allowable limit | N/A     | N/A     |

#### Whole of Home performance rating

No Whole of Home performance rating conducted for this summary certificate or not completed for all dwellings

The rating above is the lowest of all dwellings in this summary



## Summary of all dwellings

| Certificate number and link | Unit number | Heating load (load limit) [MJ/m <sup>2</sup> /p.a.] | Cooling load (load limit) [MJ/m <sup>2</sup> /p.a.] | Total load [MJ/m <sup>2</sup> /p.a.] | Star rating | Whole of Home Rating |
|-----------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|--------------------------------------|-------------|----------------------|
| 9TL4C5PG0T-01               | 1003        | 7.8 ( N/A )                                         | 6.5 ( N/A )                                         | 14.3                                 | 8.7         | NA                   |
| T3CKNKZX5S-01               | 1004        | 6.0 ( N/A )                                         | 7.0 ( N/A )                                         | 13.0                                 | 8.9         | NA                   |
| GJLW5B01W0-01               | 1005        | 20.6 ( N/A )                                        | 8.3 ( N/A )                                         | 28.9                                 | 7.1         | NA                   |
| 2AP1DF8VOQ-01               | 1006        | 28.7 ( N/A )                                        | 5.7 ( N/A )                                         | 34.4                                 | 6.4         | NA                   |
| PR67P58ZOA-01               | 1007        | 17.5 ( N/A )                                        | 8.7 ( N/A )                                         | 26.2                                 | 7.4         | NA                   |
| WCAWRZHY8A-01               | 1008        | 13.9 ( N/A )                                        | 5.9 ( N/A )                                         | 19.8                                 | 8.1         | NA                   |
| FXU90SOKHH-01               | 1009        | 19.9 ( N/A )                                        | 6.3 ( N/A )                                         | 26.2                                 | 7.4         | NA                   |
| 4C9V68YWH0-01               | 1101        | 7.4 ( N/A )                                         | 6.7 ( N/A )                                         | 14.1                                 | 8.7         | NA                   |
| DANWDZ93JO-01               | 1102        | 10.0 ( N/A )                                        | 2.9 ( N/A )                                         | 12.9                                 | 8.9         | NA                   |
| N7LMIUSYSV-01               | 1103        | 7.8 ( N/A )                                         | 6.1 ( N/A )                                         | 13.9                                 | 8.8         | NA                   |
| RXSGYS3WT2-01               | 1104        | 6.9 ( N/A )                                         | 6.7 ( N/A )                                         | 13.6                                 | 8.8         | NA                   |
| M3R86EK75B-01               | 1105        | 20.8 ( N/A )                                        | 8.3 ( N/A )                                         | 29.1                                 | 7.1         | NA                   |
| TVA2JBR4CK-01               | 1106        | 28.9 ( N/A )                                        | 5.7 ( N/A )                                         | 34.6                                 | 6.4         | NA                   |
| 1QGKSQRG7V-01               | 1107        | 17.6 ( N/A )                                        | 8.8 ( N/A )                                         | 26.4                                 | 7.4         | NA                   |
| 5NJRCE2XQG-01               | 1108        | 14.0 ( N/A )                                        | 6.0 ( N/A )                                         | 20.0                                 | 8.1         | NA                   |
| R9BFN6WZ7W-01               | 1109        | 20.1 ( N/A )                                        | 6.2 ( N/A )                                         | 26.3                                 | 7.4         | NA                   |
| B9TIA6XGQQ-01               | 1201        | 7.6 ( N/A )                                         | 6.6 ( N/A )                                         | 14.2                                 | 8.7         | NA                   |
| XD9KFGLS0F-01               | 1202        | 10.1 ( N/A )                                        | 2.9 ( N/A )                                         | 13.0                                 | 8.9         | NA                   |
| J3N522OB7W-01               | 1203        | 8.0 ( N/A )                                         | 6.2 ( N/A )                                         | 14.2                                 | 8.7         | NA                   |
| 32JKT63ARG-01               | 1204        | 7.0 ( N/A )                                         | 6.7 ( N/A )                                         | 13.7                                 | 8.8         | NA                   |
| 42LPEJZDWY-01               | 1205        | 21.0 ( N/A )                                        | 8.2 ( N/A )                                         | 29.2                                 | 7.1         | NA                   |
| CAM9WYLMNH-01               | 1206        | 29.2 ( N/A )                                        | 5.7 ( N/A )                                         | 34.9                                 | 6.4         | NA                   |
| CZTH4S98XI-01               | 1207        | 18.0 ( N/A )                                        | 8.8 ( N/A )                                         | 26.8                                 | 7.3         | NA                   |
| LUSHRTHHOS-01               | 1208        | 14.2 ( N/A )                                        | 6.5 ( N/A )                                         | 20.7                                 | 8           | NA                   |
| TMR7DGUOEW-01               | 1209        | 20.4 ( N/A )                                        | 6.2 ( N/A )                                         | 26.6                                 | 7.3         | NA                   |
| 4ONDAEJEVV-01               | 1301        | 7.6 ( N/A )                                         | 6.8 ( N/A )                                         | 14.4                                 | 8.7         | NA                   |
| K0QOND4C2V-01               | 1302        | 10.3 ( N/A )                                        | 3.1 ( N/A )                                         | 13.4                                 | 8.8         | NA                   |
| WNPKFGSF7Y-01               | 1303        | 8.1 ( N/A )                                         | 6.2 ( N/A )                                         | 14.3                                 | 8.7         | NA                   |
| 8V3BN7HPHM-01               | 1304        | 7.1 ( N/A )                                         | 6.8 ( N/A )                                         | 13.9                                 | 8.8         | NA                   |
| KDW2H26CU9-01               | 1305        | 21.2 ( N/A )                                        | 8.2 ( N/A )                                         | 29.4                                 | 7.1         | NA                   |
| LRVT5MTREK-01               | 1306        | 29.3 ( N/A )                                        | 5.7 ( N/A )                                         | 35.0                                 | 6.4         | NA                   |
| 6XA6XY7OAP-01               | 1307        | 18.1 ( N/A )                                        | 8.8 ( N/A )                                         | 26.9                                 | 7.3         | NA                   |
| 5O5PKY5BXG-01               | 1308        | 14.3 ( N/A )                                        | 6.5 ( N/A )                                         | 20.8                                 | 8           | NA                   |
| 3FAEMQ9JFB-01               | 1309        | 20.5 ( N/A )                                        | 6.2 ( N/A )                                         | 26.7                                 | 7.3         | NA                   |
| OZL6QXCZES-01               | 1401        | 7.7 ( N/A )                                         | 6.7 ( N/A )                                         | 14.4                                 | 8.7         | NA                   |
| 4RCED6WGJG-01               | 1402        | 10.5 ( N/A )                                        | 3.1 ( N/A )                                         | 13.6                                 | 8.8         | NA                   |
| QR47R1W6UH-01               | 1403        | 8.2 ( N/A )                                         | 6.6 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |



## Summary of all dwellings

| Certificate number and link | Unit number | Heating load (load limit) [MJ/m <sup>2</sup> /p.a.] | Cooling load (load limit) [MJ/m <sup>2</sup> /p.a.] | Total load [MJ/m <sup>2</sup> /p.a.] | Star rating | Whole of Home Rating |
|-----------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|--------------------------------------|-------------|----------------------|
| ZXI9BGD89X-01               | 1404        | 7.2 ( N/A )                                         | 6.8 ( N/A )                                         | 14.0                                 | 8.8         | NA                   |
| VG7ELLD6AP-01               | 1405        | 21.3 ( N/A )                                        | 8.1 ( N/A )                                         | 29.4                                 | 7.1         | NA                   |
| 32A9V65NOZ-01               | 1406        | 29.5 ( N/A )                                        | 5.7 ( N/A )                                         | 35.2                                 | 6.4         | NA                   |
| AGF73HICD7-01               | 1407        | 18.3 ( N/A )                                        | 8.8 ( N/A )                                         | 27.1                                 | 7.3         | NA                   |
| 3XHWVKU0WF-01               | 1408        | 14.4 ( N/A )                                        | 6.5 ( N/A )                                         | 20.9                                 | 8           | NA                   |
| Y06FN6XJNF-01               | 1409        | 20.7 ( N/A )                                        | 6.2 ( N/A )                                         | 26.9                                 | 7.3         | NA                   |
| L0TKXPA9KE-01               | 1501        | 7.8 ( N/A )                                         | 6.7 ( N/A )                                         | 14.5                                 | 8.7         | NA                   |
| DA2CWFVNOL-01               | 1502        | 10.5 ( N/A )                                        | 3.1 ( N/A )                                         | 13.6                                 | 8.8         | NA                   |
| LE1JAJK9U6-01               | 1503        | 8.3 ( N/A )                                         | 6.5 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |
| T8Z7WCE79F-01               | 1504        | 7.3 ( N/A )                                         | 6.8 ( N/A )                                         | 14.1                                 | 8.7         | NA                   |
| JVPRCX73TH-01               | 1505        | 21.5 ( N/A )                                        | 8.2 ( N/A )                                         | 29.7                                 | 7           | NA                   |
| LK5C3G9KJN-01               | 1506        | 29.6 ( N/A )                                        | 6.1 ( N/A )                                         | 35.7                                 | 6.3         | NA                   |
| FAPOUEK5QT-01               | 1507        | 18.3 ( N/A )                                        | 8.8 ( N/A )                                         | 27.1                                 | 7.3         | NA                   |
| BXOIC0ZJGN-01               | 1508        | 14.4 ( N/A )                                        | 6.5 ( N/A )                                         | 20.9                                 | 8           | NA                   |
| LQQMUJDxEQ-01               | 1509        | 20.8 ( N/A )                                        | 6.2 ( N/A )                                         | 27.0                                 | 7.3         | NA                   |
| C3YV9IGA78-01               | 1601        | 7.9 ( N/A )                                         | 6.5 ( N/A )                                         | 14.4                                 | 8.7         | NA                   |
| NCN9FY6W9D-01               | 1602        | 10.8 ( N/A )                                        | 3.1 ( N/A )                                         | 13.9                                 | 8.8         | NA                   |
| Q0E5CZTC4L-01               | 1603        | 8.4 ( N/A )                                         | 6.4 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |
| BX1ARI92J3-01               | 1604        | 7.4 ( N/A )                                         | 6.8 ( N/A )                                         | 14.2                                 | 8.7         | NA                   |
| UYMIAIDRG6-01               | 1605        | 21.6 ( N/A )                                        | 8.0 ( N/A )                                         | 29.6                                 | 7           | NA                   |
| NQXA9MY2TK-01               | 1606        | 29.8 ( N/A )                                        | 6.0 ( N/A )                                         | 35.8                                 | 6.3         | NA                   |
| YDGV7ZLNS7-01               | 1607        | 18.5 ( N/A )                                        | 8.8 ( N/A )                                         | 27.3                                 | 7.3         | NA                   |
| YDNGT2O653-01               | 1608        | 14.7 ( N/A )                                        | 6.9 ( N/A )                                         | 21.6                                 | 7.9         | NA                   |
| WC577U90BE-01               | 1609        | 21.0 ( N/A )                                        | 6.2 ( N/A )                                         | 27.2                                 | 7.3         | NA                   |
| TGI8FQS0LK-01               | 1701        | 8.0 ( N/A )                                         | 6.5 ( N/A )                                         | 14.5                                 | 8.7         | NA                   |
| 6Z9JHJCRRH-01               | 1702        | 10.8 ( N/A )                                        | 3.1 ( N/A )                                         | 13.9                                 | 8.8         | NA                   |
| 8260YWIJYM-01               | 1703        | 8.5 ( N/A )                                         | 6.4 ( N/A )                                         | 14.9                                 | 8.6         | NA                   |
| G061D8K7CD-01               | 1704        | 7.4 ( N/A )                                         | 6.8 ( N/A )                                         | 14.2                                 | 8.7         | NA                   |
| JXVV66CW0X-01               | 1705        | 21.7 ( N/A )                                        | 8.0 ( N/A )                                         | 29.7                                 | 7           | NA                   |
| SSJ4G1JSKT-01               | 1706        | 29.9 ( N/A )                                        | 6.1 ( N/A )                                         | 36.0                                 | 6.3         | NA                   |
| IJC8ULNW5Z-01               | 1707        | 18.6 ( N/A )                                        | 8.8 ( N/A )                                         | 27.4                                 | 7.3         | NA                   |
| OXQO7KHL32-01               | 1708        | 14.8 ( N/A )                                        | 6.9 ( N/A )                                         | 21.7                                 | 7.9         | NA                   |
| TVTA4HMSGW-01               | 1709        | 21.2 ( N/A )                                        | 6.0 ( N/A )                                         | 27.2                                 | 7.3         | NA                   |
| INFR4AVWBV-01               | 1801        | 8.1 ( N/A )                                         | 6.7 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |
| SQ0AJ4C465-01               | 1802        | 10.9 ( N/A )                                        | 3.1 ( N/A )                                         | 14.0                                 | 8.8         | NA                   |
| T8YR9W0CEM-01               | 1803        | 8.5 ( N/A )                                         | 6.3 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |



## Summary of all dwellings

| Certificate number and link | Unit number | Heating load (load limit) [MJ/m <sup>2</sup> /p.a.] | Cooling load (load limit) [MJ/m <sup>2</sup> /p.a.] | Total load [MJ/m <sup>2</sup> /p.a.] | Star rating | Whole of Home Rating |
|-----------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|--------------------------------------|-------------|----------------------|
| 95PJQBS8U6-01               | 1804        | 7.6 ( N/A )                                         | 6.7 ( N/A )                                         | 14.3                                 | 8.7         | NA                   |
| ZVKHKC5S09-01               | 1805        | 21.9 ( N/A )                                        | 8.1 ( N/A )                                         | 30.0                                 | 7           | NA                   |
| FRVLCKYXSH-01               | 1806        | 30.0 ( N/A )                                        | 6.1 ( N/A )                                         | 36.1                                 | 6.2         | NA                   |
| KTRYWWBQTI-01               | 1807        | 18.7 ( N/A )                                        | 8.8 ( N/A )                                         | 27.5                                 | 7.2         | NA                   |
| MEKAG8YQH7-01               | 1808        | 15.0 ( N/A )                                        | 6.9 ( N/A )                                         | 21.9                                 | 7.9         | NA                   |
| 0HLFHRKEHG-01               | 1809        | 21.3 ( N/A )                                        | 6.0 ( N/A )                                         | 27.3                                 | 7.3         | NA                   |
| N4QMVGDVVX-01               | 1901        | 8.2 ( N/A )                                         | 6.5 ( N/A )                                         | 14.7                                 | 8.7         | NA                   |
| BP8SWBGUED-01               | 1902        | 11.2 ( N/A )                                        | 3.1 ( N/A )                                         | 14.3                                 | 8.7         | NA                   |
| VHQVQDHLQE-01               | 1903        | 8.6 ( N/A )                                         | 6.2 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |
| M7JN5RY8OA-01               | 1904        | 7.6 ( N/A )                                         | 6.7 ( N/A )                                         | 14.3                                 | 8.7         | NA                   |
| 5C5T5LJ2SG-01               | 1905        | 22.0 ( N/A )                                        | 8.0 ( N/A )                                         | 30.0                                 | 7           | NA                   |
| KZ9DUFO45S-01               | 1906        | 30.3 ( N/A )                                        | 6.1 ( N/A )                                         | 36.4                                 | 6.2         | NA                   |
| 81FQLEFVXF-01               | 1907        | 18.9 ( N/A )                                        | 8.9 ( N/A )                                         | 27.8                                 | 7.2         | NA                   |
| NIFEITL6ZF-01               | 1908        | 15.1 ( N/A )                                        | 6.9 ( N/A )                                         | 22.0                                 | 7.9         | NA                   |
| 3O3K4W7G2Z-01               | 1909        | 21.5 ( N/A )                                        | 6.0 ( N/A )                                         | 27.5                                 | 7.3         | NA                   |
| C3D6CD7OI1-01               | 2001        | 8.2 ( N/A )                                         | 6.5 ( N/A )                                         | 14.7                                 | 8.7         | NA                   |
| FYFN2CT44B-01               | 2002        | 11.3 ( N/A )                                        | 3.1 ( N/A )                                         | 14.4                                 | 8.7         | NA                   |
| 4SF0YT84WZ-01               | 2003        | 8.7 ( N/A )                                         | 6.2 ( N/A )                                         | 14.9                                 | 8.6         | NA                   |
| G928CUFJCF-01               | 2004        | 7.7 ( N/A )                                         | 6.8 ( N/A )                                         | 14.5                                 | 8.7         | NA                   |
| W7Y79FJPS1-01               | 2005        | 22.1 ( N/A )                                        | 8.0 ( N/A )                                         | 30.1                                 | 6.9         | NA                   |
| CDL15UXNHT-01               | 2006        | 30.5 ( N/A )                                        | 6.1 ( N/A )                                         | 36.6                                 | 6.2         | NA                   |
| FC1TVG5HKI-01               | 2007        | 19.0 ( N/A )                                        | 8.9 ( N/A )                                         | 27.9                                 | 7.2         | NA                   |
| 6K2ZO64H0T-01               | 2008        | 17.8 ( N/A )                                        | 6.8 ( N/A )                                         | 24.6                                 | 7.6         | NA                   |
| JSM4WDYBDS-01               | 2009        | 21.6 ( N/A )                                        | 6.2 ( N/A )                                         | 27.8                                 | 7.2         | NA                   |
| 62BS9TFEM3-01               | 2101        | 8.3 ( N/A )                                         | 6.4 ( N/A )                                         | 14.7                                 | 8.7         | NA                   |
| KCFJ41KVM8-01               | 2102        | 11.5 ( N/A )                                        | 3.1 ( N/A )                                         | 14.6                                 | 8.7         | NA                   |
| ZQWYJW066S-01               | 2103        | 8.8 ( N/A )                                         | 6.1 ( N/A )                                         | 14.9                                 | 8.6         | NA                   |
| S3D1MEIKZ4-01               | 2104        | 7.8 ( N/A )                                         | 6.8 ( N/A )                                         | 14.6                                 | 8.7         | NA                   |
| 0Z57JHNC94-01               | 2105        | 22.3 ( N/A )                                        | 7.8 ( N/A )                                         | 30.1                                 | 7           | NA                   |
| 2CZE3PFNJN-01               | 2106        | 29.0 ( N/A )                                        | 6.3 ( N/A )                                         | 35.3                                 | 6.3         | NA                   |
| 2JI3KQ8N60-01               | 2107        | 25.6 ( N/A )                                        | 10.5 ( N/A )                                        | 36.1                                 | 6.2         | NA                   |
| LHQ4UDBZ5B-02               | 2108        | 25.6 ( N/A )                                        | 1.9 ( N/A )                                         | 27.5                                 | 7.3         | NA                   |
| 85IB1HZJZL-01               | 2201        | 8.4 ( N/A )                                         | 6.4 ( N/A )                                         | 14.8                                 | 8.6         | NA                   |
| JANWDIL5EL-01               | 2202        | 11.5 ( N/A )                                        | 3.1 ( N/A )                                         | 14.6                                 | 8.7         | NA                   |
| IIO6FN5ST-01                | 2203        | 8.9 ( N/A )                                         | 6.1 ( N/A )                                         | 15.0                                 | 8.6         | NA                   |
| 2IKZ67M59L-01               | 2204        | 7.9 ( N/A )                                         | 6.8 ( N/A )                                         | 14.7                                 | 8.7         | NA                   |



## Summary of all dwellings

| Certificate number and link | Unit number | Heating load (load limit) [MJ/m <sup>2</sup> /p.a.] | Cooling load (load limit) [MJ/m <sup>2</sup> /p.a.] | Total load [MJ/m <sup>2</sup> /p.a.] | Star rating | Whole of Home Rating |
|-----------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|--------------------------------------|-------------|----------------------|
| FU3BBL341L-01               | 2205        | 22.4 ( N/A )                                        | 7.8 ( N/A )                                         | 30.2                                 | 6.9         | NA                   |
| 1FVU2ZG4FW-01               | 2206        | 29.2 ( N/A )                                        | 6.3 ( N/A )                                         | 35.5                                 | 6.3         | NA                   |
| 341GTBZYZF-01               | 2207        | 24.3 ( N/A )                                        | 10.5 ( N/A )                                        | 34.8                                 | 6.4         | NA                   |
| 6P63GXPMU-01                | 2208        | 21.5 ( N/A )                                        | 4.6 ( N/A )                                         | 26.1                                 | 7.4         | NA                   |
| MTDG2WX06G-01               | 2301        | 8.4 ( N/A )                                         | 6.4 ( N/A )                                         | 14.8                                 | 8.6         | NA                   |
| 0R0NRL3XRA-01               | 2302        | 11.6 ( N/A )                                        | 3.1 ( N/A )                                         | 14.7                                 | 8.7         | NA                   |
| WFEVPLJ2OF-01               | 2303        | 8.9 ( N/A )                                         | 6.0 ( N/A )                                         | 14.9                                 | 8.6         | NA                   |
| KTSUKJ0VN7-01               | 2304        | 7.9 ( N/A )                                         | 6.8 ( N/A )                                         | 14.7                                 | 8.7         | NA                   |
| N81SPOYSL5-01               | 2305        | 22.4 ( N/A )                                        | 7.8 ( N/A )                                         | 30.2                                 | 6.9         | NA                   |
| 42FM8GPS0Q-01               | 2306        | 29.2 ( N/A )                                        | 6.3 ( N/A )                                         | 35.5                                 | 6.3         | NA                   |
| M5M16G9GDI-01               | 2307        | 24.3 ( N/A )                                        | 10.5 ( N/A )                                        | 34.8                                 | 6.4         | NA                   |
| UIJUWXNVFB-01               | 2308        | 21.7 ( N/A )                                        | 4.7 ( N/A )                                         | 26.4                                 | 7.4         | NA                   |
| X0QTLROFWD-01               | 2401        | 8.5 ( N/A )                                         | 6.4 ( N/A )                                         | 14.9                                 | 8.6         | NA                   |
| 3H47VSWAWI-01               | 2402        | 11.1 ( N/A )                                        | 3.2 ( N/A )                                         | 14.3                                 | 8.7         | NA                   |
| OSPDKVTUZZ-01               | 2403        | 9.0 ( N/A )                                         | 6.1 ( N/A )                                         | 15.1                                 | 8.6         | NA                   |
| 34MY3VO2QO-01               | 2404        | 8.0 ( N/A )                                         | 6.7 ( N/A )                                         | 14.7                                 | 8.7         | NA                   |
| 23T9OMOL9D-01               | 2405        | 22.5 ( N/A )                                        | 7.8 ( N/A )                                         | 30.3                                 | 6.9         | NA                   |
| AM87WELNIZ-01               | 2406        | 29.4 ( N/A )                                        | 6.3 ( N/A )                                         | 35.7                                 | 6.3         | NA                   |
| 83PLJ95FE9-01               | 2407        | 24.5 ( N/A )                                        | 10.5 ( N/A )                                        | 35.0                                 | 6.4         | NA                   |
| D3UHQU9PZ7-01               | 2408        | 21.8 ( N/A )                                        | 4.9 ( N/A )                                         | 26.7                                 | 7.3         | NA                   |
| HHVWKR5PBY-01               | 2501        | 8.6 ( N/A )                                         | 6.4 ( N/A )                                         | 15.0                                 | 8.6         | NA                   |
| KBU0Q8OI0P-01               | 2502        | 11.2 ( N/A )                                        | 3.1 ( N/A )                                         | 14.3                                 | 8.7         | NA                   |
| RIHA9G11QC-01               | 2503        | 9.1 ( N/A )                                         | 6.0 ( N/A )                                         | 15.1                                 | 8.6         | NA                   |
| F5YLS1I3A2-01               | 2504        | 8.1 ( N/A )                                         | 6.7 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |
| DPDPZCJ41S-01               | 2505        | 22.6 ( N/A )                                        | 7.8 ( N/A )                                         | 30.4                                 | 6.9         | NA                   |
| G0ZJQ8AVWD-01               | 2506        | 29.5 ( N/A )                                        | 6.3 ( N/A )                                         | 35.8                                 | 6.3         | NA                   |
| ZE89TONIY-01                | 2507        | 24.5 ( N/A )                                        | 10.4 ( N/A )                                        | 34.9                                 | 6.4         | NA                   |
| 0UI7MBF1K7-01               | 2508        | 22.0 ( N/A )                                        | 4.5 ( N/A )                                         | 26.5                                 | 7.4         | NA                   |
| 77985OGO4T-01               | 2601        | 8.7 ( N/A )                                         | 6.5 ( N/A )                                         | 15.2                                 | 8.6         | NA                   |
| 1WH6D8RD5K-01               | 2602        | 11.2 ( N/A )                                        | 3.2 ( N/A )                                         | 14.4                                 | 8.7         | NA                   |
| ZAWC1WS17O-01               | 2603        | 9.1 ( N/A )                                         | 6.1 ( N/A )                                         | 15.2                                 | 8.6         | NA                   |
| 3IKYG1EAE-01                | 2604        | 8.1 ( N/A )                                         | 6.7 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |
| I8OY7DNL4N-01               | 2605        | 22.8 ( N/A )                                        | 7.8 ( N/A )                                         | 30.6                                 | 6.9         | NA                   |
| UB5AI6L7GJ-01               | 2606        | 29.6 ( N/A )                                        | 6.3 ( N/A )                                         | 35.9                                 | 6.3         | NA                   |
| 6OQQZSMS0M-01               | 2607        | 24.6 ( N/A )                                        | 10.4 ( N/A )                                        | 35.0                                 | 6.4         | NA                   |
| 4QA0B0W7FY-01               | 2608        | 22.1 ( N/A )                                        | 4.4 ( N/A )                                         | 26.5                                 | 7.4         | NA                   |



## Summary of all dwellings

| Certificate number and link | Unit number | Heating load (load limit) [MJ/m <sup>2</sup> /p.a.] | Cooling load (load limit) [MJ/m <sup>2</sup> /p.a.] | Total load [MJ/m <sup>2</sup> /p.a.] | Star rating | Whole of Home Rating |
|-----------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|--------------------------------------|-------------|----------------------|
| JH7U42MJQK-01               | 2701        | 8.7 ( N/A )                                         | 6.4 ( N/A )                                         | 15.1                                 | 8.6         | NA                   |
| PH34I4R79O-01               | 2702        | 10.9 ( N/A )                                        | 3.2 ( N/A )                                         | 14.1                                 | 8.8         | NA                   |
| 04URTD9F9R-01               | 2703        | 9.1 ( N/A )                                         | 6.2 ( N/A )                                         | 15.3                                 | 8.6         | NA                   |
| JO1RAZQ6V6-01               | 2704        | 8.2 ( N/A )                                         | 6.6 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |
| GCCP6WWFSG-01               | 2705        | 22.8 ( N/A )                                        | 7.8 ( N/A )                                         | 30.6                                 | 6.9         | NA                   |
| IY808OWQB0-01               | 2706        | 29.6 ( N/A )                                        | 6.2 ( N/A )                                         | 35.8                                 | 6.3         | NA                   |
| 1HK8BBPL3T-01               | 2707        | 24.6 ( N/A )                                        | 10.5 ( N/A )                                        | 35.1                                 | 6.4         | NA                   |
| OVMCIX1FV6-01               | 2708        | 22.2 ( N/A )                                        | 4.4 ( N/A )                                         | 26.6                                 | 7.3         | NA                   |
| Q5W2JUQATV-01               | 2801        | 8.8 ( N/A )                                         | 6.3 ( N/A )                                         | 15.1                                 | 8.6         | NA                   |
| CA55F82EO5-01               | 2802        | 10.9 ( N/A )                                        | 3.2 ( N/A )                                         | 14.1                                 | 8.8         | NA                   |
| HLM92XM5SK-01               | 2803        | 9.3 ( N/A )                                         | 6.1 ( N/A )                                         | 15.4                                 | 8.6         | NA                   |
| WR4EJ6VSZQ-01               | 2804        | 12.2 ( N/A )                                        | 8.2 ( N/A )                                         | 20.4                                 | 8.1         | NA                   |
| UO1HQNZQ7K-01               | 2805        | 25.8 ( N/A )                                        | 9.6 ( N/A )                                         | 35.4                                 | 6.3         | NA                   |
| 5X0ZZFTX9V-01               | 2806        | 29.8 ( N/A )                                        | 6.1 ( N/A )                                         | 35.9                                 | 6.3         | NA                   |
| HUSJ9VF0VI-01               | 2807        | 24.8 ( N/A )                                        | 10.4 ( N/A )                                        | 35.2                                 | 6.4         | NA                   |
| NKO7K2TETO-01               | 2808        | 23.3 ( N/A )                                        | 4.6 ( N/A )                                         | 27.9                                 | 7.2         | NA                   |
| 93XK0OKE5F-01               | 2901        | 8.9 ( N/A )                                         | 6.2 ( N/A )                                         | 15.1                                 | 8.6         | NA                   |
| QJ8RONDITZ-01               | 2902        | 11.0 ( N/A )                                        | 3.1 ( N/A )                                         | 14.1                                 | 8.7         | NA                   |
| XBBD22HGIQ-01               | 2903        | 9.3 ( N/A )                                         | 6.1 ( N/A )                                         | 15.4                                 | 8.6         | NA                   |
| 77WUX6E8YZ-01               | 2904        | 29.9 ( N/A )                                        | 6.1 ( N/A )                                         | 36.0                                 | 6.3         | NA                   |
| 6QPZ95TQ21-01               | 2905        | 24.9 ( N/A )                                        | 10.3 ( N/A )                                        | 35.2                                 | 6.4         | NA                   |
| CBSLE72TR7-01               | 2906        | 23.4 ( N/A )                                        | 4.6 ( N/A )                                         | 28.0                                 | 7.2         | NA                   |
| GD6OITXO4S-01               | 3001        | 8.9 ( N/A )                                         | 6.2 ( N/A )                                         | 15.1                                 | 8.6         | NA                   |
| IFT33GWLE7-01               | 3002        | 11.0 ( N/A )                                        | 3.2 ( N/A )                                         | 14.2                                 | 8.7         | NA                   |
| J0ORO5PKPZ-01               | 3003        | 9.3 ( N/A )                                         | 6.1 ( N/A )                                         | 15.4                                 | 8.6         | NA                   |
| DUQ1S2UARP-01               | 3004        | 30.0 ( N/A )                                        | 6.1 ( N/A )                                         | 36.1                                 | 6.3         | NA                   |
| HFWKS7RYR7-01               | 3005        | 24.9 ( N/A )                                        | 11.6 ( N/A )                                        | 36.5                                 | 6.2         | NA                   |
| LRPUXQZPAM-01               | 3006        | 21.7 ( N/A )                                        | 5.4 ( N/A )                                         | 27.1                                 | 7.3         | NA                   |
| M5HK7B151S-01               | 301         | 13.8 ( N/A )                                        | 10.5 ( N/A )                                        | 24.3                                 | 7.6         | NA                   |
| X14O94G2R7-01               | 302         | 18.5 ( N/A )                                        | 11.3 ( N/A )                                        | 29.8                                 | 7           | NA                   |
| 8JI107CKYS-01               | 303         | 23.8 ( N/A )                                        | 6.4 ( N/A )                                         | 30.2                                 | 6.9         | NA                   |
| MTAAG1VLJE-01               | 304         | 23.4 ( N/A )                                        | 12.2 ( N/A )                                        | 35.6                                 | 6.3         | NA                   |
| I1WSRE8RMV-01               | 305         | 27.7 ( N/A )                                        | 5.1 ( N/A )                                         | 32.8                                 | 6.7         | NA                   |
| EM8EOYY2LA-01               | 3101        | 9.0 ( N/A )                                         | 5.7 ( N/A )                                         | 14.7                                 | 8.7         | NA                   |
| WV3YZEEE8Q-01               | 3102        | 9.8 ( N/A )                                         | 4.2 ( N/A )                                         | 14.0                                 | 8.8         | NA                   |
| O02ROWF6DC-01               | 3201        | 9.1 ( N/A )                                         | 5.7 ( N/A )                                         | 14.8                                 | 8.7         | NA                   |



## Summary of all dwellings

| Certificate number and link | Unit number | Heating load (load limit) [MJ/m <sup>2</sup> /p.a.] | Cooling load (load limit) [MJ/m <sup>2</sup> /p.a.] | Total load [MJ/m <sup>2</sup> /p.a.] | Star rating | Whole of Home Rating |
|-----------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|--------------------------------------|-------------|----------------------|
| DF9FK4GR54-01               | 3202        | 9.9 ( N/A )                                         | 4.2 ( N/A )                                         | 14.1                                 | 8.7         | NA                   |
| JYNRLZY04T-01               | 3301        | 9.2 ( N/A )                                         | 8.2 ( N/A )                                         | 17.4                                 | 8.4         | NA                   |
| LUQU7NTRZ2-01               | 3302        | 9.8 ( N/A )                                         | 4.2 ( N/A )                                         | 14.0                                 | 8.8         | NA                   |
| S1ZJ7QWXN5-01               | 3401        | 9.3 ( N/A )                                         | 7.1 ( N/A )                                         | 16.4                                 | 8.4         | NA                   |
| 7WJEGZNLFZ-01               | 3402        | 9.9 ( N/A )                                         | 4.2 ( N/A )                                         | 14.1                                 | 8.8         | NA                   |
| 7OCT0SZPI7-01               | 3501        | 14.1 ( N/A )                                        | 8.2 ( N/A )                                         | 22.3                                 | 7.8         | NA                   |
| KZ2CLS8DT5-01               | 3502        | 13.9 ( N/A )                                        | 8.6 ( N/A )                                         | 22.5                                 | 7.8         | NA                   |
| TGRQDDXPT9-01               | 401         | 4.8 ( N/A )                                         | 7.4 ( N/A )                                         | 12.2                                 | 8.9         | NA                   |
| 9RGJGE13II-01               | 402         | 17.2 ( N/A )                                        | 9.1 ( N/A )                                         | 26.3                                 | 7.4         | NA                   |
| I4SNYGWZJW-01               | 403         | 24.9 ( N/A )                                        | 7.2 ( N/A )                                         | 32.1                                 | 6.7         | NA                   |
| 9V7C9FCT7D-01               | 404         | 14.8 ( N/A )                                        | 9.3 ( N/A )                                         | 24.1                                 | 7.6         | NA                   |
| DG1JF1UNLN-01               | 405         | 12.9 ( N/A )                                        | 6.9 ( N/A )                                         | 19.8                                 | 8.1         | NA                   |
| NFJENYXD26-01               | 406         | 16.2 ( N/A )                                        | 6.6 ( N/A )                                         | 22.8                                 | 7.8         | NA                   |
| Q8F7AOTEKA-01               | 501         | 5.1 ( N/A )                                         | 7.1 ( N/A )                                         | 12.2                                 | 8.9         | NA                   |
| CH6EFCDIJ7-01               | 502         | 17.5 ( N/A )                                        | 8.7 ( N/A )                                         | 26.2                                 | 7.4         | NA                   |
| VJN6I3L3ZK-01               | 503         | 25.3 ( N/A )                                        | 7.2 ( N/A )                                         | 32.5                                 | 6.7         | NA                   |
| S81AWFAI0-01                | 504         | 15.1 ( N/A )                                        | 9.3 ( N/A )                                         | 24.4                                 | 7.6         | NA                   |
| HQDKLFJE8K-01               | 505         | 11.2 ( N/A )                                        | 6.7 ( N/A )                                         | 17.9                                 | 8.3         | NA                   |
| VO54KHUJYG-01               | 506         | 16.4 ( N/A )                                        | 6.5 ( N/A )                                         | 22.9                                 | 7.8         | NA                   |
| C0O9SDQ5S9-01               | 601         | 9.2 ( N/A )                                         | 6.3 ( N/A )                                         | 15.5                                 | 8.6         | NA                   |
| CJAR0EGCVD-01               | 602         | 22.5 ( N/A )                                        | 3.4 ( N/A )                                         | 25.9                                 | 7.4         | NA                   |
| UH4OZDC60O-01               | 603         | 9.3 ( N/A )                                         | 6.3 ( N/A )                                         | 15.6                                 | 8.6         | NA                   |
| U0FBYQCD2H-01               | 604         | 5.2 ( N/A )                                         | 7.1 ( N/A )                                         | 12.3                                 | 8.9         | NA                   |
| ZNV9IMONEF-01               | 605         | 17.8 ( N/A )                                        | 8.5 ( N/A )                                         | 26.3                                 | 7.4         | NA                   |
| BRYVW469JP-01               | 606         | 25.6 ( N/A )                                        | 7.1 ( N/A )                                         | 32.7                                 | 6.7         | NA                   |
| BTEEPLD83J-01               | 607         | 15.4 ( N/A )                                        | 9.3 ( N/A )                                         | 24.7                                 | 7.5         | NA                   |
| CCKNNGW5FN-01               | 608         | 11.5 ( N/A )                                        | 6.4 ( N/A )                                         | 17.9                                 | 8.3         | NA                   |
| YY2UNCCTP3-01               | 609         | 17.4 ( N/A )                                        | 6.8 ( N/A )                                         | 24.2                                 | 7.6         | NA                   |
| UC4MGGJRU7-01               | 701         | 6.0 ( N/A )                                         | 7.4 ( N/A )                                         | 13.4                                 | 8.8         | NA                   |
| IQU5C8HKIP-01               | 702         | 11.8 ( N/A )                                        | 3.3 ( N/A )                                         | 15.1                                 | 8.6         | NA                   |
| VNL9YUFN0T-02               | 703         | 6.4 ( N/A )                                         | 6.9 ( N/A )                                         | 13.3                                 | 8.8         | NA                   |
| IUS9YAI8HG-01               | 704         | 5.5 ( N/A )                                         | 6.9 ( N/A )                                         | 12.4                                 | 8.9         | NA                   |
| 7ELIEID6RO-01               | 705         | 18.2 ( N/A )                                        | 8.5 ( N/A )                                         | 26.7                                 | 7.3         | NA                   |
| 52LAVTI7V3-01               | 706         | 26.0 ( N/A )                                        | 7.0 ( N/A )                                         | 33.0                                 | 6.6         | NA                   |
| PZ0IZY8VGC-01               | 707         | 15.4 ( N/A )                                        | 9.3 ( N/A )                                         | 24.7                                 | 7.5         | NA                   |
| 0JCBRE0V2R-01               | 708         | 11.8 ( N/A )                                        | 6.5 ( N/A )                                         | 18.3                                 | 8.3         | NA                   |



## Summary of all dwellings

| Certificate number and link | Unit number | Heating load (load limit) [MJ/m <sup>2</sup> /p.a.] | Cooling load (load limit) [MJ/m <sup>2</sup> /p.a.] | Total load [MJ/m <sup>2</sup> /p.a.] | Star rating | Whole of Home Rating |
|-----------------------------|-------------|-----------------------------------------------------|-----------------------------------------------------|--------------------------------------|-------------|----------------------|
| I4CLQPIROF-01               | 709         | 17.2 ( N/A )                                        | 6.6 ( N/A )                                         | 23.8                                 | 7.6         | NA                   |
| 2KMO1INCSP-01               | 801         | 7.1 ( N/A )                                         | 6.9 ( N/A )                                         | 14.0                                 | 8.8         | NA                   |
| KS0PYWZJTR-01               | 802         | 13.6 ( N/A )                                        | 3.1 ( N/A )                                         | 16.7                                 | 8.4         | NA                   |
| 2WFDUVXP1J-01               | 803         | 7.5 ( N/A )                                         | 6.6 ( N/A )                                         | 14.1                                 | 8.7         | NA                   |
| PQHAKP6YKJ-01               | 804         | 5.6 ( N/A )                                         | 6.9 ( N/A )                                         | 12.5                                 | 8.9         | NA                   |
| 0XCMH0DWW3-01               | 805         | 18.5 ( N/A )                                        | 8.5 ( N/A )                                         | 27.0                                 | 7.3         | NA                   |
| 0987MFFI3G-01               | 806         | 26.3 ( N/A )                                        | 6.9 ( N/A )                                         | 33.2                                 | 6.6         | NA                   |
| U8LJA3KZEJ-01               | 807         | 17.1 ( N/A )                                        | 8.9 ( N/A )                                         | 26.0                                 | 7.4         | NA                   |
| ZA9J0FT264-01               | 808         | 13.4 ( N/A )                                        | 5.9 ( N/A )                                         | 19.3                                 | 8.2         | NA                   |
| RA27TQSKYF-01               | 809         | 17.6 ( N/A )                                        | 6.7 ( N/A )                                         | 24.3                                 | 7.6         | NA                   |
| JY5EY2M3MN-01               | 901         | 7.1 ( N/A )                                         | 6.8 ( N/A )                                         | 13.9                                 | 8.8         | NA                   |
| POSNDZ9YGG-01               | 902         | 13.7 ( N/A )                                        | 2.8 ( N/A )                                         | 16.5                                 | 8.4         | NA                   |
| 8C3YTPGP0G-01               | 903         | 7.6 ( N/A )                                         | 6.5 ( N/A )                                         | 14.1                                 | 8.7         | NA                   |
| LAB99BF5U8-01               | 904         | 5.8 ( N/A )                                         | 7.0 ( N/A )                                         | 12.8                                 | 8.9         | NA                   |
| 30QTODSO33-01               | 905         | 20.3 ( N/A )                                        | 8.4 ( N/A )                                         | 28.7                                 | 7.1         | NA                   |
| Q3DRT6M6PE-01               | 906         | 28.3 ( N/A )                                        | 5.7 ( N/A )                                         | 34.0                                 | 6.5         | NA                   |
| W8C2BPNSOC-01               | 907         | 17.3 ( N/A )                                        | 8.7 ( N/A )                                         | 26.0                                 | 7.4         | NA                   |
| TEDHN472VV-01               | 908         | 13.6 ( N/A )                                        | 5.9 ( N/A )                                         | 19.5                                 | 8.2         | NA                   |
| B0T6CS6TQD-01               | 909         | 19.6 ( N/A )                                        | 6.3 ( N/A )                                         | 25.9                                 | 7.4         | NA                   |



## Explanatory notes

### About this report

The thermal performance star rating in this Certificate is the average rating of all NCC Class 2 dwellings in an apartment block. The Whole of Home performance rating in this Certificate is the lowest rating for the apartment block. Individual unit ratings are listed in the 'Summary of all dwellings' section of this Certificate. (accessible via link).

NatHERS ratings use computer modelling to evaluate a home's energy efficiency and performance. They use localised climate data and standard assumptions on how people use their home to predict the energy loads and energy value\*. The thermal performance star rating uses the home's building specifications, layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings) to predict the heating and cooling energy loads. The Whole of Home performance rating uses information about the home's appliances and onsite energy production and storage to estimate the home's energy value\*.

For more details about an individual dwelling's assessment, refer to the individual dwelling's NatHERS Certificate (accessible via link)

### Accredited Assessors

For high quality NatHERS Certificates, always use an accredited or licenced assessor registered with an Assessor Accrediting Organisation (AAO). AAOs have strict quality assurance processes, and professional development requirements ensuring consistently high standards for assessments.

Non-accredited assessors (Raters) have no ongoing training requirements and are not quality assured.

Licensed assessors in the Australian Capital Territory (ACT) can produce assessments for regulatory purposes only, using endorsed software, as listed on the ACT licensing register

Any queries about this report should be directed to the assessor. If the assessor is unable to address questions or concerns, contact the AAO specified on the front of this certificate.

### Disclaimer

The NatHERS Certificate format is developed by the NatHERS Administrator. However, the content in certificates is entered by the assessor. It is the assessor's responsibility to use NatHERS accredited software correctly and follow the NatHERS Technical Note to produce a NatHERS Certificate.

The predicted annual energy use, cost and greenhouse gas emissions in this NatHERS Certificate are an estimate based on an assessment of the dwelling's design by the assessor. It is not a prediction of actual energy use, cost or emissions. The information and ratings may be used to compare how other dwellings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the assessor who prepared this report), including assumptions about occupancy, behaviour, appliance performance, indoor air temperature and local climate.

Not all assumptions made by the assessor while using the NatHERS accredited software tool are presented in this report and further details or data files may be available from the assessor