

OUT18/11485

Pamela Morales
Acting Team Leader - Industry
Industry Assessments
NSW Department of Planning and Environment

pamela.morales@planning.nsw.gov.au

Dear Ms Morales

North Byron Parklands Cultural Events Site (SSD 8169) Response to Submissions

I refer to your email of 27 July 2018 to the Department of Industry (DoI) in respect to the above matter. Comment has been sought from relevant branches of Lands & Water and Department of Primary Industries. Any further referrals to Department of Industry can be sent by email to landuse.enquiries@dpi.nsw.gov.au.

The department provides the following recommendations for consideration in assessment of the proposal.

Recommendations

The RTS has not adequately demonstrated that it complies with the Guidelines for Controlled Activities on Waterfront Land (NRAR 2018). Specifically, the RTS has not incorporated vegetated buffer zones as requested in previous advice dated 16 February 2018. The proposal should include a:

- 20 metre vegetated buffer between Yelgun Creek (3rd order stream) and road near south west carpark, and
- 10 metre buffers between:
 - (i) proposed structures and the top water level of the existing dam near the conference centre,
 - o (ii) conference centre car park and 2nd order stream, and
 - (iii) proposed amenities near existing bus stop (at western car park) and the top bank of the nearby watercourse.

Yours sincerely

aleser los las

Alison Collaros

A/Manager Assessment Advice

Lands and Water - Strategy and Policy

17 September 2018