


Development Consent

Section 4.38 of the Environmental Planning and Assessment Act 1979

As the Minister for Planning and Public Spaces, I grant consent to the Development Application referred to in Schedule 1, subject to the conditions specified in Schedule 2.

The conditions imposed under this consent are required to:

- prevent, minimise, or offset adverse environmental impacts
- set standards and performance measures for acceptable environmental performance



The Hon Paul Scully MP
Minister for Planning and Public Spaces

Sydney

22 June 2016 File: SSD 83256463

SCHEDULE 1

Application Number:	SSD 83256463
Application lodged by:	NSW Land and Housing Corporation
Consent Authority:	Minister for Planning and Public Spaces
Site:	150 The Boulevarde and 34 Dudley Street, Punchbowl and Lot 1 in DP 735045 and Lot 34 Section 4 in DP 5701
Development:	• Site preparation works including bulk excavation and site remediation • Construction of two 8 storey residential flat buildings comprising: ◦ 114 residential apartments for the purpose of affordable housing ◦ single level basement car park with 58 car parking spaces, bicycle parking and building services ◦ communal room and open space at ground level • Associated landscaping, site access, servicing and public domain works. • Lot consolidation

DEFINITIONS

Interpretation

References in the conditions of this consent to any guideline, protocol, or policy are to such documents in the form they are in as at the date of this consent.

Definitions

Unless otherwise defined in the following definitions table, words and expressions that occur in this development consent have the same meanings as they have in the EP&A Act and EP&A Regulations.

Above Ground Works	Includes all works above and including the Ground Floor as nominated on the plans approved by Condition A1 but excludes Demolition Works, Enabling Works, Bulk Excavation Works, Below Ground Works, Landscape Works and Public Domain Works.
Applicant	The person having the benefit of this consent, or who is carrying out the development.
Australian Standard (AS)	Australian Standard published by Standards Australia Limited and means the standard which applies at the time the relevant work or action is undertaken.
Below Ground Works	Includes all works below the ground floor structure nominated on the plans approved by Condition A1 , but excludes Bulk Excavation Works, Enabling Works, Demolition Works, and Public Domain Works.
Certifier	A council or person registered as a registered certifier under the <i>Building and Development Certifiers Act 2018</i> .
Consultation	Means undertaking a consultation process with a party under which the Applicant: (a) consults with the relevant party prior to submitting the subject document to the Planning Secretary for information or approval; and (b) provides details of the consultation undertaken including: (i) the outcome of that consultation, matters resolved and unresolved; and (ii) details of any disagreement remaining between the party consulted and the Applicant and how the Applicant has addressed the matters not resolved.
Council	Canterbury Bankstown Council
Department	NSW Department of Planning, Housing and Infrastructure.
Development	The development approved pursuant to this consent.
EIS	The Environmental Impact Statement titled Environmental Impact Statement, Punchbowl Affordable housing, State Significant Development, prepared by FPD Planning, dated 7 October 2025, submitted with the application for consent for the development, including any additional information provided by the Applicant in support of the application.
Enabling Works	Includes early works, enabling works and site establishment works, including in-ground remediation works (if required), but excludes Demolition Works.
EPA	NSW Environment Protection Authority.
EP&A Act	<i>Environmental Planning and Assessment Act 1979</i> .
EP&A Regulations	<i>Environmental Planning and Assessment Regulation 2021</i> and where relevant, other regulations made under the EP&A Act.
Fire Safety Certificate	Has the same meaning as in the <i>Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation 2021</i> .
Incident	An occurrence or set of circumstances that causes or threatens to cause Material Harm to the environment, and as a consequence of that harm, may cause harm to the health and safety of human beings, and which may or may not be or cause a non-compliance.
Material Harm	Is harm (excluding harm to which Work Health and Safety reporting requirements apply) that: • involves actual harm to the environment that may include (but not be limited to) a leak, spill, emission other escape or deposit of a substance, and as a consequence of that environmental harm (pollution), may cause harm to the health or safety of people; or • results in actual loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000 (such loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment).
Minister	The NSW Minister with administrative responsibility for administering the EP&A Act, (or delegate), being at the time of grant of this consent, the Minister for Planning and Public Spaces.
NCC	National Construction Code means the current standard which applies at the time the relevant work is undertaken, published by the Australian Building Codes Board.

Planning Secretary	The Planning Secretary under the EP&A Act (or delegate).
Prescribed Conditions	The conditions prescribed by the EP&A Regulation (Part 4, Division 2) to which the development consent is subject under s 4.17(11) of the EP&A Act.
Professional Engineer	A Professional Engineer as defined in the <i>Practice Standard for Professional Engineers Requirements for Professional Engineers registered under the Design and Building Practitioners Act 2020</i> .
Registered Surveyor	A person who is registered with the Board of Surveying and Spatial Information.
Report	A written report including all required information and details set out in the relevant condition, prepared by a Professional Engineer, consultant, or other expert, and where the condition specifies the type of professional, consultant or other expert, means a suitably qualified professional, consultant or other expert specified.
Sensitive Receiver	Residence, education institution (e.g. school, university, TAFE college), health care facility (e.g. nursing home, hospital), religious facility (e.g. church), children's day care facility, or other similar uses which may be more sensitive to environmental impacts.

SCHEDULE 2

PART A GENERAL CONDITIONS

ADMINISTRATIVE CONDITIONS

TERMS OF CONSENT

A1. The development must be carried out:

- (a) in compliance with the conditions of this consent;
- (b) in accordance with the EIS, the Applicant's response to submissions, and the Applicant's response to requests for further information; and
- (c) in accordance with the approved plans in the table below, as modified by the conditions of this consent:

Architectural drawings prepared by Collins and Turner			
Drawing Number	Rev	Name of Plan	Date
A_SSDA_112	B	Site Plan	9/12/2025
A_SSDA_121	B	Basement Plan	9/12/2025
A_SSDA_122	B	Ground Floor and Level 1 Plan	9/12/2025
A_SSDA_123	B	Level 2 and 3 Plan	9/12/2025
A_SSDA_124	B	Level 4 and 5 Plan	9/12/2025
A_SSDA_125	B	Level 6 and 7 Plan	9/12/2025
A_SSDA_126	B	Roof Plan	9/12/2025
A_SSDA_201	B	North and West Elevation	9/12/2025
A_SSDA_202	B	South and East Elevation	9/12/2025
A_SSDA_203	B	Internal Building A and B Elevation	9/12/2025
A_SSDA_301	B	Section 1 and 2	9/12/2025
A_SSDA_302	B	Section 3 and 4	9/12/2025
A_SSDA_401	B	Façade Details	9/12/2025
A_SSDA_411	B	Apartment Detail Plans	9/12/2025
A_SSDA_412	B	Apartment Detail Plans	9/12/2025
A_SSDA_413	B	Apartment Detail Plans	9/12/2025
A_SSDA_414	B	Apartment Detail Plans	9/12/2025
A_SSDA_415	B	Apartment Detail Plans	9/12/2025
A_SSDA_522	B	Tree Canopy and Deep Soil Diagrams	9/12/2025
A_SSDA_531	B	Storage Schedule	9/12/2025
A_SSDA_601	B	Materials Board	9/12/2025

A_SSDA_602	B	Materials Board	9/12/2025
A_SSDA_603	B	Materials Board	9/12/2025
Landscape Plans prepared by Arcadia Landscape Architecture			
L101	C	General Arrangement Plan	8/12/2025
L400	C	Plant Schedule	8/12/2025
L401	C	Softworks Plan	8/12/2025
L601	C	Softworks Details	8/12/2025
L701	C	Landscape Specification Notes	8/12/2025
Civil Plans prepared by Mott Macdonald			
103419-MMD-PUN-XX-DR-C-0002	3	General Notes	26/09/2026
103419-MMD-PUN-XX-DR-C-0011	3	Erosion and Sediment Control Plan	26/09/2026
103419-MMD-PUN-XX-DR-C-0015	3	Erosion and Sediment Control Details	26/09/2026
103419-MMD-PUN-XX-DR-C-0020	3	Bulk Earthworks Plan	26/09/2026
103419-MMD-PUN-XX-DR-C-0051	3	Ground Floor Drainage Plan	26/09/2026
103419-MMD-PUN-XX-DR-C-0331	3	On-site Detention Sections and Details	26/09/2026
103419-MMD-PUN-XX-DR-C-0341	3	Stormwater Drainage Details	26/09/2026
103419-MMD-PUN-XX-DR-C-0511	3	Water Quantity Catchment Plan	26/09/2026

Note: Development which is 'Exempt and Complying Development' as identified in State Environmental Planning Policy (Exempt and Complying Development Codes) 2008 or another environmental planning instrument may be carried out without development consent.

- A2. To the extent of any inconsistency:
- (a) the more recent document in **Condition A1(b)** prevails over an earlier document in that section; and
 - (b) the conditions of consent prevail over a document listed in **Condition A1(c)**.
- A3. The Applicant must ensure that all of its employees, contractors (and their sub-contractors) are made aware of, and are instructed to comply with, the conditions of this consent relevant to activities that employees, contractors (and their sub-contractors) carry out in respect of the development.

LIMITS ON CONSENT

- A4. This consent will lapse two years from the date the consent is published on the NSW Planning Portal unless the works associated with the development have physically commenced.

PART B PRIOR TO COMMENCEMENT OF WORKS / OR THE ISSUE OF CROWN BUILDING WORKS CERTIFICATE

DETAILED DESIGN

DESIGN AMENDMENTS

- B1. Prior to the issue of the a Crown Building Works Certificate for façade/main works, the Applicant must provide evidence to the Certifier that the revised plans detailing the following revisions have been submitted to and approved by the Planning Secretary:
- (a) Privacy screens, achieving a minimum height of 1.6 m above the finished floor level, must be nominated to the eastern elevation balconies of apartments A.4.07, A5.07, A.6.07 and A.7.07 on the Architecture Plans approved under **Condition A1**.

MATERIALS AND FINISHES

- B2. Prior to the issue of a Crown Building Works certificate for façade/main works, the Applicant must submit to the satisfaction of the Planning Secretary details of final materials and finishes including:
- (a) final specifications of colour and material; and
 - (b) specifications and sample boards for all external finishes, colours and glazing including annotated drawings and computer-generated imagery of their application.

PRE-CONSTRUCTION REQUIREMENTS

SITE STABILITY

- B3. Prior to the issue of a Crown Building Works certificate, the Applicant must submit to the Certifier a Report from a Professional Engineer, which includes the following:
- (a) geotechnical details which confirm the suitability and stability of the site for the development;
 - (b) design and construction requirements to be implemented to ensure the stability and adequacy of the development and adjacent land;
 - (c) details of the proposed methods of excavation and support for the adjoining land (including any public place) and buildings;
 - (d) details to demonstrate that the proposed methods of support and construction are suitable for the site and will not result in any damage to the adjoining premises, buildings or any public place, as a result of the works and any associated vibration;
 - (e) details of how adequate support will be provided for the adjoining land and buildings located upon the adjoining land at all times throughout building work; and
 - (f) details of written approvals that have been obtained from the owners of the adjoining land to install any ground or rock anchors underneath the adjoining premises (including any public roadway or public place).

ECOLOGICALLY SUSTAINABLE DEVELOPMENT

- B4. Prior to the issue of a Crown Building Works Certificate, the Applicant must submit to the Certifier a Report demonstrating the development incorporates all design, construction and operation measures, or equivalent, as identified in the ESD Report, prepared by Evolved Engineering, dated 02 October 2025.

STRUCTURAL DETAILS

- B5. Prior to the issue of a Crown Building Works Certificate, the Applicant must submit to the Certifier detailed structural drawings and a Report demonstrating that structural drawings comply with:
- (a) relevant clauses of the NCC; and
 - (b) this development consent.

STORMWATER MANAGEMENT SYSTEM

- B6. Prior to the issue of a Crown Building Works Certificate, the Applicant must submit to the Certifier details of an operational stormwater management system for the development designed by a suitably qualified and experienced person(s):
- (a) generally in accordance with the conceptual design in the EIS and any Council stormwater requirements and specifications which are consistent with that conceptual design;
 - (b) in accordance with applicable Australian Standards; and
 - (c) with a system capacity designed in accordance with *Australian Rainfall and Runoff* (Engineers Australia, 2016) and *Managing Urban Stormwater: Council Handbook* (EPA, 1997) guidelines.

SYDNEY WATER ASSETS

- B7. Prior to the issue of a Crown Building Works Certificate, the plans approved under this consent must be submitted to the Sydney Water Tap in™ online service, to determine whether the development will affect Sydney Water's wastewater and water mains, stormwater drains and/or easements, and if any further requirements need to be met. All building, plumbing and drainage work must be carried out in accordance with the requirements of the Sydney Water Corporation.

Note: Sydney Water's Tap in™ online service is available at:
<https://www.sydneywater.com.au/plumbing-building-developing/building/sydney-water-tap-in.html>

LANDSCAPING

- B8. Prior to the issue of a Crown Building Works Certificate for landscaping works, the Applicant must submit to the Certifier a detailed Landscape Plan which:
- (a) is consistent with the landscape plans prepared by Arcadia, dated 8 December 2025 as amended by any requirement of these conditions;
 - (b) includes details of tree planting;
 - (c) includes details of the location, species, maturity and height at maturity of plants to be planted on-site;
 - (d) demonstrates adequate drainage and watering systems;
 - (e) includes details of plant maintenance and watering for the first 12 months; and
 - (f) includes a commitment to replace plants with the same species if any plant loss occurs within the maintenance period.

PARKING

- B9. Prior to the issue of a Crown Building Works Certificate for basement car parking related works, the Applicant must submit to the Certifier a Report demonstrating that the development will provide for the following traffic flow and car parking requirements:
- (a) all vehicles must enter and leave the subject site in a forward direction;
 - (b) all vehicles are to be wholly contained on site before being required to stop;
 - (c) parking associated with the development (including driveways, grades, turn paths, sight distance requirements, aisle widths, aisle lengths and parking bay dimensions) must be in accordance with the applicable Australian Standards;
 - (e) appropriate pedestrian advisory signs must be provided at the egress from parking areas;
 - (f) all works/regulatory signposting associated with the development must be at no cost to the relevant roads authority; and
 - (g) submit to the Certifier a Report demonstrating compliance with the following:
 - (i) compliance with Australian Standards for the layout, design and security of bicycle facilities;
 - (ii) 58 car parking spaces, including 12 accessible spaces and 1 visitor space; and
 - (iii) 12 bicycle parking spaces.

COMPLIANCE WITH ACOUSTIC ASSESSMENT

- B10. Prior to the issue of a Crown Building Works Certificate, the Applicant must submit a Report to the Certifier from a Professional Engineer demonstrating that the design of the development has incorporated all performance parameters, requirements, engineering assumptions and recommendations contained in the Noise and Vibration Impact Assessment report, prepared by PWNA, dated 2 September 2025.

BASIX CERTIFICATION

- B11. Prior to the issue of a Crown Building Works Certificate for works related to fit out/main works, **BASIX Certificate Nos. 1814763M** must be submitted to the Certifier with all commitments clearly shown on the Crown Building Works Certificate plans.

AGENCY CONDITIONS

WATER ACCESS LICENCE (DCCEEW – WATER)

- B12. Prior to the issue of a Crown Building Works Certificate for excavation works, the Applicant must submit to the Certifier evidence that a water access licence (WAL) has been obtained, or provide details of any exemptions applicable to the site and/or development under the Water Management (General) Regulations 2025.

STORMWATER (COUNCIL)

- B13. Prior to the issue of a Crown Building Works Certificate, a Service Protection report shall be provided to the certifier, in consultation with Council, to determine the exact location of the existing 525 mm Council stormwater pipe traversing across the site frontage to The Boulevard.
- If the pipe location is within the property boundary, a formal drainage easement of 2.5 m wide, in accordance with Council's Development Engineering Standards, shall be created and registered on the Title of the property prior to the occupation and commencement of use of the development.
- B14. Prior to the issue of a Crown Building Works Certificate, a structural assessment and CCTV report of the existing street stormwater pit, where stormwater connection from the site is proposed to be connected into, shall be provided to the Certifier, in consultation with Council. The report to be prepared by suitably qualified engineer detailing the structural condition of street inlet pit/stormwater pipe(s).

WASTE MANAGEMENT (COUNCIL)

- B15. Prior to the issue of a Crown Building Works Certificate, the Applicant must consult with Council and implement any relevant recommendations to facilitate the safe collection of waste by Council in accordance with Council's Waste Management Guide for New Developments and Council's Domestic Waste and Recycling Service Policy and Guideline.
- B16. Prior to the issue of a Crown Building Works Certificate for works related to the fit out of the waste room, the Applicant must submit detailed plans to the certifier to demonstrate that the communal bin storage room complies with the following requirements as well as the requirements of Council's "Waste Management Guide for New Developments":
- (a) floors must be constructed of concrete at least 75 mm thick and graded and drained to a Sydney Water approved drainage fitting;
 - (b) floors must be finished so as to be non-slip with a smooth and even surface;
 - (c) a designated room or enclosure and is to have a roof, with a minimum 2.1 m unobstructed room height.
 - (d) must be compatible with the overall design of the development;
 - (e) walls must be constructed of solid impervious material;
 - (f) ceilings must be finished with a smooth faced non-absorbent material capable of being cleaned;
 - (g) walls, ceiling and floors must be finished in a light colour;
 - (h) an adequate supply of hot and cold water mixed through a centralised mixing valve with hose cock is to service the room;
 - (i) a self-closing door openable from within the room;
 - (j) must be constructed to prevent the entry of birds and vermin;
 - (k) be provided with adequate light and ventilation. Light source must be through controlled light switches located both outside and inside the room;
 - (l) any doorways must be 2 metres / 1.2 metres wide and open outwards; and
 - (m) designed to fit the following bin allocations:
 - 8 x 1,100L Garbage (red) bins
 - 13 x 1,100L Recycling (yellow) bins
 - 12 x 240L garden (green) bins

PART C PRIOR TO COMMENCEMENT OF WORKS

MANAGEMENT PLANS

CONSTRUCTION ENVIRONMENTAL MANAGEMENT PLAN

- C1. Prior to the commencement of any work, the Applicant must prepare and submit to the Certifier a Construction Environmental Management Plan (**CEMP**) for the development with measures to reduce environmental impacts and harm during construction of the development, including, at a minimum, the following information:
- (a) details of:
 - (i) hours of construction;
 - (ii) 24 hour contact details of the site manager and complaint handling procedure;
 - (iii) construction program and construction methodology, including construction staging;
 - (iv) traffic management;
 - (v) noise and vibration management;
 - (vi) management of dust and odour;
 - (vii) stormwater control and discharge, including ensuring that vehicles leaving the site do not transfer dirt to roadways;
 - (viii) remediation and management of contamination;
 - (ix) management of stockpiles of soil or other materials;
 - (x) waste management;
 - (xi) external lighting in compliance with applicable Australian Standards; and
 - (xii) site security, including fencing or hoarding.
 - (b) Construction Traffic and Pedestrian Management Sub-Plan in accordance with **Condition C2**;
 - (c) Construction Noise and Vibration Management Sub-Plan in accordance with **Condition C3**;
 - (d) Air Quality Management Sub-Plan in accordance with **Condition C4**;
 - (e) Construction Waste Management Sub-Plan in accordance with **Condition C5**;
 - (f) Construction Soil and Water Management Sub-Plan in accordance with **Condition C6**;
 - (g) an unexpected finds protocol for remediation in accordance with **Condition C16**;
 - (h) an unexpected finds protocol for Aboriginal and non-Aboriginal heritage and associated communications procedure, including but not limited to ensuring compliance with **Condition D26**; and
 - (i) waste classification (for materials to be removed) and validation (for materials to remain) to be undertaken to confirm the contamination status of relevant areas of the site.

CONSTRUCTION TRAFFIC AND PEDESTRIAN MANAGEMENT SUB-PLAN

- C2. Prior to the commencement of any work, the Applicant must submit to the Certifier a final Construction Traffic and Pedestrian Management Sub-Plan (**CTPMP**) for the development with measures to reduce environmental impacts and harm during construction of the development arising from construction traffic, including, at a minimum, the following information:
- (a) location of proposed work zone(s);
 - (b) construction vehicle access arrangements and haulage routes;
 - (c) predicted number and timing of construction vehicle movements and vehicle types; and
 - (d) identification of potential conflicts between vehicle movements required for construction and general traffic, cyclists, pedestrians, bus services within the vicinity of the site from construction vehicles.

CONSTRUCTION NOISE AND VIBRATION MANAGEMENT SUB-PLAN

- C3. Prior to the commencement of any work, the Applicant must submit to the Certifier a Construction Noise and Vibration Management Sub-Plan (**CNVMP**) for the development prepared by a Professional Engineer with measures to minimise environmental impacts and harm during construction of the development arising from construction noise and vibration, including, at a minimum, the following information:
- (a) identification of noise sources and Sensitive Receivers;
 - (b) quantification of the rating background noise level (**RBL**) for Sensitive Receivers;
 - (c) describe procedures for achieving the noise management levels in EPA's Interim Construction Noise Guideline (DECC, 2009) (**ICNG**) (as may be updated or replaced from time to time);
 - (d) prediction and assessment of potential noise, ground-borne noise (as relevant) and vibration levels from the proposed construction methods expected at Sensitive Receiver premises against the objectives identified in the ICNG, EPA's Assessing Vibration: Technical Guideline and relevant standards;

- (e) noise mitigation measures that can be implemented to reduce construction noise and vibration impacts, including:
 - (i) installation of acoustic barriers/enclosures;
 - (ii) alternative excavation methods;
- (f) describe the measures to be implemented to manage high noise generating works (such as piling and rock breaking) or activities that may be particularly annoying (as defined in the ICNG), in close proximity to sensitive receivers;
- (g) measures to identify non-conformances with the requirements of the CNVMP, and procedures to implement corrective and preventative action and to respond to complaints;
- (h) procedures for notifying sensitive receivers of construction activities that are likely to affect their noise and vibration amenity;
- (i) include strategies that have been developed in consultation with the directly adjoining properties for managing vibration such as any alternative construction methods with lower source vibration levels and provision for respite periods; and
- (j) include a complaints management system that would be implemented for the duration of the development.

AIR QUALITY MANAGEMENT SUB-PLAN

- C4. Prior to the commencement of any work, the Applicant must submit to the Certifier an Air Quality Management Sub-Plan (**AQMP**) for the development. The AQMP must be prepared by a suitably qualified and experienced expert in accordance with the EPA's Approved Methods for the Modelling and Assessment of Air Pollutants in NSW and include, as a minimum, the following information:
- (a) relevant environmental criteria to be used to guide management of dust and odours;
 - (b) dust and odour management practices to be implemented, including:
 - (i) watering of exposed surfaces and stockpiles;
 - (ii) covering of truck loads;
 - (iii) prevention of dirt from trucks tracking onto public roads and cleaning of any tracked dirt;
 - (iv) progressive land stabilisation works to minimise exposed surfaces.
 - (v) monitoring requirements;
 - (vi) communication strategy; and
 - (vii) system and performance review for continuous improvements; and
 - (c) measures to identify non-conformances with the requirements of the CNVMP, and procedures to implement corrective and preventative action and to respond to complaints.

CONSTRUCTION WASTE MANAGEMENT SUB-PLAN

- C5. Prior to the commencement of any work, the Applicant must submit to the Certifier a Construction Waste Management Sub-Plan (**CWMP**) for the development. The CWMP must include, as a minimum, the following information:
- (a) requirement that all waste generated during the project is assessed, classified and managed in accordance with the EPA's "Waste Classification Guidelines Part 1: Classifying Waste";
 - (b) demonstrate that an appropriate area will be provided for the storage of bins and recycling containers and all waste and recyclable material generated by the works;
 - (c) procedures for minimising the movement of waste material around the site and double handling;
 - (d) requirement that waste (including litter, debris or other matter) is not caused or permitted to enter any waterways;
 - (e) requirements that any vehicle used to transport waste or excavation spoil from the site is covered before leaving the premises;
 - (f) requirement that the wheels of any vehicle, trailer or mobilised plant leaving the site are cleaned of debris prior to leaving the premises;
 - (g) details in relation to the transport of waste material within the site and from the site, including (at a minimum):
 - (i) a traffic plan showing transport routes within the site;
 - (ii) a commitment to retain waste transport details for the life of the project to demonstrate compliance with the *Protection of the Environment Operations Act 1997*; and
 - (iii) the name and address of each licensed facility that will receive waste from the site.

CONSTRUCTION SOIL AND WATER MANAGEMENT PLAN SUB-PLAN

- C6. Prior to the commencement of any work, the Applicant must submit to the Certifier a Construction Soil and Water Management Sub-Plan (**CSWMP**) for the development. The CSWMP must be prepared by a suitably qualified expert, in Consultation with Council and include, at a minimum, the following information:
- (a) describe all erosion and sediment controls to be implemented during construction
 - (b) provide a plan of how all construction works will be managed in a wet-weather event (i.e. storage of equipment, stabilisation of the site);
 - (c) detail all off-site flows from the site during construction; and
 - (d) describe the measures that must be implemented to manage stormwater and flood flows for small and large sized events, including, but not limited to 1 in 1-year ARI, 1 in 5-year ARI and 1 in 100-year ARI.

PRE-CONSTRUCTION DOCUMENTATION AND MEASURES

SURVEY CERTIFICATE

- C7. Prior to the commencement of works, the Applicant must cause the building to be set out by a Registered Surveyor to verify the correct position of all structures in relation to site boundaries and the approved alignment levels, and cause the Registered Surveyor to submit a plan to the Certifier certifying that structural works are in accordance with this consent.
- C8. The Applicant must cause a Registered Surveyor to measure and mark:
- (a) prior to commencement of works – the positions of all footings/ foundations; and
 - (b) at other stages of construction – any marks that are required by the principal Certifier, and provide information on the positions to the principal Certifier.

PRE-CONSTRUCTION DILAPIDATION REPORTS

- C9. Prior to the commencement of any work, the Applicant must submit to the Certifier a Pre-Construction Dilapidation Report, prepared by a Professional Engineer, which details the structural condition of all adjoining land, buildings, infrastructure and roads (including the public domain site frontages, the footpath, kerb and gutter, driveway crossovers and laybacks, kerb ramps, road carriageway, street trees and plantings, parking restrictions and traffic signs, and all other existing infrastructure along the street) within the 'zone of influence', prior to construction.
- C10. Where only part of a building on privately affected land may fall within the 'zone of influence', any Pre-Construction Dilapidation Report for that building must include details of the whole building.
- C11. In the event that access for undertaking a Pre-Construction Dilapidation Report is denied by an adjoining owner, the Applicant must demonstrate, in writing, to the Certifier that all reasonable steps have been taken to obtain access and advise the affected property owner of the reason for the report and that these steps have failed.
- C12. A copy of the Pre-Construction Dilapidation Report is to be forwarded to the Planning Secretary and each of the affected property owners.
- C13. Any damage to the public way including trees, footpaths, kerbs, gutters, road carriageway and the like must be made safe and functional by the Applicant to the satisfaction of the public authority responsible for the public way.
- C14. The damage must be fully rectified by the Applicant in accordance with the Council's standards prior to a Certificate of Completion being issued for Public Domain Works or before the occupation or commencement of use, whichever is the sooner.

PROTECTION OF PUBLIC INFRASTRUCTURE AND STREET TREES

- C15. Prior to the commencement of works, the Applicant must:
- (a) undertake Consultation with the relevant owner and provider of services that will be affected by the development to make suitable arrangements for access to, diversion, protection and support of the affected infrastructure;
 - (b) prepare a dilapidation Report identifying the condition of all public infrastructure in the vicinity of the site (including roads, gutters and footpaths) and submit a copy of the dilapidation Report to the Certifier, Planning Secretary and Council; and
 - (c) ensure all street trees directly outside the site not approved for removal are retained and protected in accordance with the applicable Australian Standards.

REMEDIATION

UNEXPECTED FINDS PROTOCOL

- C16. Prior to the commencement of any earthwork or remediation works, the Applicant must submit to the Certifier an unexpected finds protocol which has been reviewed and endorsed by a suitably qualified and experienced consultant. The protocol must outline contingency measures and the procedures to be followed in the event unexpected finds of contaminated material are encountered during works.

REMEDIAL ACTION PLAN

- C17. The Applicant must remediate the site in accordance with the specifications and requirements detailed in the approved Remedial Action Plan, prepared by Douglas Partners Pty Ltd, reference 233414.06, dated 26 October 2025, and relevant guidelines produced or approved under the *Contaminated Land Management Act 1997* and *Chapter 4 - Remediation of Land of the State Environmental Planning Policy (Resilience and Hazards) 2021*. Remediation works must be undertaken by a suitably qualified and experienced consultant(s).

SITE AUDITOR

- C18. Prior to the commencement of any earthwork or remediation works, the Applicant must submit evidence to the Planning Secretary that a Site Auditor, accredited under the *Contaminated Land Management Act 1997*, has been appointed to independently review the implementation and validation of the remediation works.
- C19. The Applicant must ensure the remediation works for the development are undertaken by a suitably qualified and experienced consultant(s) in accordance with the approved Remedial Action Plan and relevant guidelines produced or approved under the *Contaminated Land Management Act 1997*.

SITE AUDIT REPORT AND SITE AUDIT STATEMENT

- C20. Upon completion of the remediation works of the development, a Site Audit Report and a Site Audit Statement, prepared in accordance with the NSW Contaminated Land Management - Guidelines for the NSW Site Auditor Scheme 2017, which demonstrates the site is suitable for its approved land use, must be submitted to the Planning Secretary for information.

VALIDATION REPORT

- C21. Within one month following the completion of the remediation works for the development, a Remediation Validation Report (**RVR**) must be submitted to the Planning Secretary for information. The RVR must be prepared by a suitably qualified and experienced consultant(s) and in accordance with the approved remedial action plan and relevant guidelines produced or approved under the *Contaminated Land Management Act 1997*.

NOTIFICATIONS AND COMMENCEMENT OF WORKS

NOTIFICATION OF COMMENCEMENT

- C22. The Applicant must notify the Department in writing of the dates of commencement of physical work and operation at least 48 hours before those dates.
- C23. If the construction or operation of the development is to be staged, the Applicant must notify the Department in writing at least 48 hours before the commencement of each stage, of the date of commencement and the development to be carried out in that stage.

UTILITIES AND SERVICES

- C24. Prior to the commencement of works written advice must be obtained from the electricity supply authority, an approved telecommunications carrier and an approved gas carrier (where relevant) stating that satisfactory arrangements have been made to ensure provision of adequate services.

BEFORE YOU DIG AUSTRALIA

- C25. Prior to the commencement of any excavation on or near the site, the Applicant must submit to the Certifier written confirmation from NSW Dial Before You Dig Service that the proposed excavation will not conflict with any underground utility services.

PART D DURING CONSTRUCTION

SITE NOTICE

- D1. The Applicant must erect site notices in prominent positions on the site informing the public of project details including, but not limited to:
- (a) the name, address and telephone number of the builder, Certifier and Professional Engineer;
 - (b) the name of the principal contractor (if any), its address and 24-hour contact phone number for any inquiries, including construction/noise complaints;
 - (c) stating the approved hours of work; and
 - (d) stating that unauthorised entry to the work site is prohibited.
- D2. The site notices must:
- (a) be positioned prominently at the site informing the public of key project details;
 - (b) have dimensions of at least A1 size with large writing; and
 - (c) be durable and weatherproof.

HOURS OF CONSTRUCTION

- D3. Construction, including the delivery of materials or machinery to and from the site, may only be carried out between the following hours:
- (a) 7am to 6pm, Monday to Friday; and
 - (b) 8am to 1pm, Saturday.
- D4. No work may be carried out on Sundays or public holidays.
- D5. Activities may be undertaken outside of these hours if required:
- (a) by the Police or a public authority for the delivery of vehicles, plant or materials to and from the site; or
 - (b) in an emergency to avoid the loss of life, damage to property or to prevent environmental harm.
- D6. Notification of activities undertaken in the circumstances in **Condition D5** must be given to affected residents before undertaking the activities or as soon as is practical afterwards.
- D7. Rock breaking, rock hammering, sheet piling, pile driving and similar activities may only be carried out between the following hours:
- (a) 9am to 12pm, Monday to Friday;
 - (b) 2pm to 5pm Monday to Friday; and
 - (c) 9am to 12pm, Saturday.

IMPLEMENTATION OF MANAGEMENT PLANS

- D8. The Applicant must implement and comply with the requirements of any management plan or sub-plan required under this consent. To the extent of any inconsistency between a condition of consent and a management plan or sub-plan, the condition of consent prevails.

CONSTRUCTION NOISE LIMITS AND VIBRATION CRITERIA

- D9. The Applicant must ensure construction vehicles (including concrete agitator trucks) do not arrive at the subject site or surrounding residential precincts outside of the construction hours of work outlined under this consent.
- D10. The Applicant must implement, where practicable and without compromising the safety of construction staff or members of the public, audible movement alarms of a type that would minimise noise impacts on surrounding Sensitive Receivers.
- D11. The Applicant must ensure that any work generating high noise impact (i.e. work exceeding a NML of LAeq 75dBA) as measured at any Sensitive Receiver is only undertaken in continuous blocks of no more than 3 hours, with at least a 1 hour respite between each block of work generating high noise impact, where the location of the work is likely to impact the same receivers. For the purposes of this condition 'continuous' includes any period during which there is less than 1 hour respite between ceasing and recommencing any of the work the subject of this condition.
- D12. Vibration at any residence or structure outside the site caused by construction must be limited to:
- (a) for structural damage, the latest version of DIN 4150-3 (2016) Vibration in Buildings - Effects on Structures, English Translation (German Institute for Standardisation, 2016); and
 - (b) for human exposure to vibration, the evaluation criteria set out in the *Environmental Noise Management Assessing Vibration: a Technical Guideline* (Department of Environment and Conservation, 2006) (as may be updated or replaced from time to time).

- D13. Vibratory compactors must not be used within 30 metres of residential or heritage buildings unless vibration monitoring confirms compliance with the vibration criteria specified above. These limits apply unless otherwise outlined in the project specific CNVMP required by this consent.

AIR QUALITY

- D14. The Applicant must take all reasonable steps to minimise dust generated during all works authorised by this consent.

SHORING AND ADEQUACY OF ADJOINING PROPERTY

- D15. If the development involves an excavation that extends below the level of the base of the footings of a building, structure or work on adjoining land (including any structure or work within a road or rail corridor), the Applicant must:
- (a) protect and support the building, structure or work from possible damage from the excavation; and
 - (b) where necessary, underpin the building, structure or work to prevent any such damage,
- unless the Applicant owns the adjoining land or the owner of the adjoining land has given consent in writing to this condition not applying.
- D16. Any damage to the public way including trees, footpaths, kerbs, gutters, road carriageway and the like must be made safe and functional by the Applicant to the satisfaction of the public authority responsible for the public way.

TREE PROTECTION

- D17. While site or building work is being carried out, the Applicant must maintain all tree protection measures required under this consent, in accordance with relevant requirements of applicable Australian Standards and the Aborigines impact assessment report prepared by Arterra Design Pty Ltd, dated 25 September 2025. This includes maintaining adequate soil grades and ensuring all machinery, builders refuse, spoil and materials remain outside tree protection zones.

EROSION AND SEDIMENT CONTROL

- D18. All erosion and sediment control measures must be effectively implemented and maintained at or above design capacity for the duration of the construction works and until such time as all ground disturbed by the works have been stabilised and rehabilitated so that it no longer acts as a source of sediment. Erosion and sediment control techniques are, as a minimum, to be in accordance with the publication *Managing Urban Stormwater: Soils & Construction (4th edition, Landcom, 2004)* commonly referred to as the 'Blue Book' and must comply with the CSWMSP.

CUT AND FILL

- D19. While building work is being carried out, the Certifier must be satisfied all soil removed from or imported to the site is managed in accordance with the following requirements:
- (a) all excavated material removed from the site must be classified in accordance with the EPA's Waste Classification Guidelines before it is disposed of at an approved waste management facility; and
 - (b) the classification and the volume of material removed must be reported to the Certifier.
- D20. All fill material imported to the site must be Virgin Excavated Natural Material as defined in Schedule 1 of the *Protection of the Environment Operations Act 1997* or a material identified as being subject to a resource recovery exemption by the EPA.

DISPOSAL OF SEEPAGE AND STORMWATER

- D21. Any seepage or rainwater collected on-site during construction or groundwater must not be pumped to the street stormwater system unless separate prior approval is given in writing by the EPA in accordance with the *Protection of the Environment Operations Act 1997*.
- D22. Adequate provisions must be made to collect and discharge stormwater drainage during construction of the development. Prior written approval of Council must be obtained to connect or discharge site stormwater to Council's stormwater drainage system or street gutter.
- D23. A separate written approval from Council is required to be obtained in relation to any proposed discharge of groundwater into Council's drainage system external to the site, in accordance with the requirements of section 138 of the *Roads Act 1993*.

ASBESTOS

- D24. The Applicant must ensure that any asbestos encountered on site is monitored, handled, transported and disposed of by appropriately qualified and licensed contractors in consultation with SafeWork NSW and in accordance with any requirements of SafeWork NSW and any relevant guidelines, including:
- (a) *Work Health and Safety Regulation 2017*;

- (b) SafeWork NSW Code of Practice – How to Manage and Control Asbestos in the Workplace September 2016;
- (c) SafeWork NSW Code of Practice – How to Safely Remove Asbestos September 2016; and
- (d) *Protection of the Environment Operations (Waste) Regulation 2014*, including Part 7 – ‘Transportation and management of asbestos waste’.

CONTACT TELEPHONE NUMBER

- D25. The Applicant must ensure that the 24-hour contact telephone number is continually attended by a person with authority over the works for the duration of the construction.

UNCOVERING RELICS OR ABORIGINAL OBJECTS

- D26. If a Relic (as defined in the Heritage Act 1977) or Aboriginal object (as defined in the *National Parks and Wildlife Act 1974*) is unexpectedly discovered:
- (a) all works must cease immediately;
 - (b) the Applicant must notify the Heritage Council of NSW in respect of a Relic and notify the Planning Secretary and the Heritage Council of NSW in respect of an Aboriginal object; and
 - (c) the Applicant must otherwise comply with the unexpected finds protocol required as part of the CEMP.
- D27. Building work may recommence at a time confirmed by either the Heritage Council of NSW or the Planning Secretary.

INCIDENT NOTIFICATION, REPORTING AND RESPONSE

- D28. The Applicant must notify the Department within 24 hours of becoming aware of an Incident. The notification must be made via the NSW planning portal (Major Projects) and address details of the Incident including:
- (a) date, time and location;
 - (b) a brief description of what occurred and why it has been classified as an Incident;
 - (c) a description of what immediate steps were taken in relation to the Incident; and
 - (d) identifying a contact person for further communication regarding the Incident.
- D29. The Applicant must provide the Department with a subsequent Incident report in accordance with Appendix 1 (Incident Notification and Reporting Requirements).

NON-COMPLIANCE NOTIFICATION

- D30. Within seven days of becoming aware of a non-compliance, the Applicant must notify the Department of the non-compliance. The notification must be in writing and must be submitted via the NSW planning portal (Major Projects). The notification must identify the development (including the development application number and name), set out the condition of this consent that the development is non-compliant with, why it does not comply, the reasons for the non-compliance (if known), and what actions have been undertaken, or will be undertaken, and when, to address the non-compliance.

Note: A non-compliance which has been notified as an Incident does not need to also be notified as a non-compliance.

PART E COMMENCEMENT OF OCCUPATION AND USE

GENERAL REQUIREMENTS

NOTIFICATION OF OCCUPATION

- E1. The Applicant must notify the Department in writing at least one month prior to the proposed occupation or use of the development.
- E2. If the occupation or use of the development is to be staged, the Applicant must notify the Department in writing of the date of commencement of the occupation or use of the relevant stage at least one month before that date.

ENVIRONMENTAL PERFORMANCE

- E3. Prior to the occupation or commencement of use, the Applicant is to provide documentation to the Certifier demonstrating the development has incorporated, and would operate in accordance with, the environmental sustainability objectives, measures and initiatives required under this consent.

DILAPIDATION AND REPAIRS

POST-CONSTRUCTION DILAPIDATION REPORT

- E4. Prior to the occupation or commencement of use, the Applicant is to provide a Report (**Post-Construction Dilapidation Report**) to the Certifier:
- (a) stating whether, based on a comparison of the Pre-Construction Dilapidation Report and Post-Construction Dilapidation Report, there has been any structural damage to any adjoining buildings, infrastructure or roads;
 - (b) if there has been structural damage to any adjoining buildings, infrastructure or roads, the structural damage that is the result of the carrying out of development; and
 - (c) whether relevant authorities have confirmed that there is no adverse structural damage to their infrastructure and roads.
- E5. The Applicant is to provide a copy of the Post-Construction Dilapidation Report to the Planning Secretary and to the relevant adjoining property owner(s).

ROAD DAMAGE

- E6. Prior to the occupation or commencement of the use, the cost of repairing any damage caused to Council or other public authority's assets in the vicinity of the site as a result of construction works associated with the approved development is to be paid in full by the Applicant.

PROTECTION OF PUBLIC INFRASTRUCTURE AND OTHER REPAIRS

- E7. Unless the Applicant and the applicable public authority agree otherwise, the Applicant must:
- (a) relocate, or pay the full costs associated with relocating any infrastructure that needs to be relocated as a result of the development; and
 - (b) repair/reconstruct, or pay the full costs associated with repairing/reconstructing, any public infrastructure (including but not limited to ramps, footpaths, kerb and gutter, light poles, kerb inlet pits, service provider pits, street trees or any other infrastructure in the street footpath area) in the vicinity of the development that is damaged by carrying out the development.
- E8. Prior to the occupation or commencement of the use of the development, any damage identified in **Condition E4** as being caused by the carrying out of the development not subject to **Condition E7** must be fully repaired and rectified by the Applicant.

COMPLIANCE REPORTING

WORKS-AS-EXECUTED PLANS AND ANY OTHER DOCUMENTARY EVIDENCE

- E9. Prior to the occupation or commencement of use, the Applicant must submit to the Certifier:
- (a) works-as-executed plans for the development; and
 - (b) any compliance certificates and any other evidence confirming conditions of this consent have been satisfied.
- E10. Prior to the occupation or commencement of use, the Applicant must submit to the principal Certifier a Report from a Registered Surveyor demonstrating that:
- (a) no existing survey mark(s) have been removed, damaged, destroyed, obliterated or defaced; or
 - (b) the Applicant has re-established any survey mark(s) that were damaged, destroyed, obliterated or defaced in accordance with the Surveyor General's Direction No. 11 – Preservation of Survey Infrastructure.

COMPLIANCE WITH BASIX CERTIFICATE

- E11. Prior to the occupation or commencement of use, the Applicant must submit to the Certifier evidence that all the commitments contained in the BASIX Certificate approved under this consent have been implemented.

GFA AND BUILDING HEIGHT CERTIFICATION

- E12. Prior to the occupation or commencement of use, the Applicant must submit to the Certifier a Report from a Registered Surveyor demonstrating compliance that the development does not exceed the approved gross floor area and building height.

ACOUSTIC COMPLIANCE

- E13. Prior to the occupation or commencement of use, the Applicant must prepare and submit to the Certifier a Report demonstrating compliance with all noise mitigation measures required under **Condition B10**.

ECOLOGICALLY SUSTAINABLE DEVELOPMENT

- E14. Prior to the occupation or commencement of use, the Applicant must prepare and submit to the Certifier a Report demonstrating the development has incorporated all ecologically sustainable development design, construction and operation measures, as required under **Condition B4**.

STRUCTURAL INSPECTION CERTIFICATE

- E15. Prior to the occupation or commencement of use of the relevant parts of any new buildings as part of the development, the Applicant must submit a Structural Inspection Certificate or a Compliance Certificate to the Certifier.
- E16. The Applicant must submit a copy of the Structural Inspection Certificate or a Compliance Certificate with an electronic set of final drawings to the Planning Secretary and the Council after:
- (a) the site has been periodically inspected and the Certifier is satisfied that the structural works are deemed to comply with the final design drawings; and
 - (b) the drawings listed on the Structural Inspection Certificate or have been checked with those listed on the final Design Certificate/s.

LANDSCAPE PRACTICAL COMPLETION REPORT

- E17. Prior to the occupation or commencement of use, the Applicant must submit to the Certifier a Landscape Practical Completion Report prepared by the consultant responsible for the landscape design plan which:
- (a) verifies that all landscape works have been carried out generally in accordance with the comprehensive landscape design plan and specifications that were required to be included in documentation for a Crown Building Works Certificate application;
 - (b) verifies that a maintenance program under the Landscape Plan required under **Condition B8** has been commenced;
 - (c) includes details of plant maintenance and watering for the first 12 months; and
 - (d) includes details of plant maintenance and watering for the life of the development.

FIRE SAFETY CERTIFICATION

- E18. Prior to the occupation or commencement of use, a Fire Safety Certificate must be obtained for all the relevant Essential Fire or Other Safety Measures forming part of the development.
- E19. The Applicant must submit a copy of the Fire Safety Certificate to the relevant authority and Certifier and display the Fire Safety Certificate prominently in the building.

OUTDOOR LIGHTING

- E20. Prior to the occupation or commencement of use of the development, the Applicant must submit to the Certifier a Report demonstrating that installed lighting associated with the development:
- (a) achieves the objective of minimising light spillage:
 - (i) beyond the property boundary; and
 - (ii) to any adjoining or adjacent Sensitive Receivers;
 - (b) complies with the latest version of AS 4282-2023 - Control of the obtrusive effects of outdoor lighting (Standards Australia, 2023); and
 - (c) has been mounted, screened and directed in such a manner that it does not create a nuisance to surrounding properties or the public road network.

SYDNEY WATER COMPLIANCE

- E21. Prior to the occupation or commencement of use, the Applicant must submit to the Certifier a Section 73 Compliance Certificate under the *Sydney Water Act 1994*, obtained from Sydney Water Corporation.

UTILITY PROVIDERS

- E22. Prior to the occupation or commencement of use, the Applicant must ensure any adjustment or augmentation of any public utility services including gas, water, sewer, electricity, street lighting and telecommunications, required as a result of the development, is completed to the satisfaction of the relevant authority.
- E23. Prior to the occupation or commencement of use, the Applicant must provide or cause to be provided written confirmation to the Certifier from the relevant authority that the relevant services have been completed.

PARKING

- E24. Prior to the occupation or commencement of use of the development, the Applicant must submit to the Certifier evidence all vehicle parking has been provided in accordance with **Condition B9**.

STREET NUMBERING

- E25. Prior to the occupation or commencement of use, the Applicant must provide to the Certifier evidence that street numbers are clearly displayed at the ground level frontage of the building.

MANAGEMENT PLANS, GUIDES AND MISCELLANEOUS

OPERATIONAL PLAN OF MANAGEMENT

- E26. Prior to the occupation or commencement of use, whichever is earlier, the Applicant must prepare an Operational Plan of Management for the development and submit it to the Certifier, which includes (but not be limited to):
- (a) details of the managing agent;
 - (b) management of communal areas and open spaces, including the through-site link;
 - (c) loading and unloading;
 - (d) security and staff management;
 - (e) emergency management/ evacuation and incident response protocols;
 - (f) waste management;
 - (g) tenant induction and behaviour/ house rules; and
 - (h) community consultation and complaint procedures.
- E27. The Operational Plan of Management, as required to be prepared under **Condition E26** of this consent, shall be implemented following occupation of the development. The Operational Plan of Management is to be reviewed and updated annually.

OPERATIONAL WASTE MANAGEMENT

- E28. Prior to the occupation or commencement of use of the development, the Applicant must prepare an Operational Waste Management Plan for the development and submit it to the Certifier. The Operational Waste Management Plan must:
- (a) be prepared in consultation with Council and Council's *Waste Management Guide for New Developments*;
 - (b) set out adequate provisions within the premises for the storage, collection and disposal of waste and recyclable materials;
 - (c) confirm the location of waste collection and establish appropriate routes to the collection point;
 - (d) provide confirmation that appropriate arrangements have been made for the collection of waste;
 - (e) detail the type and quantity of waste to be generated during operation of the development; and
 - (f) describe the handling, storage and disposal of all waste streams generated on site, consistent with the *Protection of the Environment Operations Act 1997*, *Protection of the Environment Operations (Waste) Regulation 2014* and the Waste Classification Guideline (EPA).

Note: Conditions in Part F require the Applicant to implement the Operational Waste Management Plan for the life of the development.

STORMWATER

- E29. Prior to the occupation or commencement of use, the Applicant must submit to the Certifier a copy of the stormwater drainage design plans, prepared by a Professional Engineer experienced in the design of stormwater drainage systems and approved with the Crown Building Works Certificate.

- E30. Following the completion of stormwater works, and prior to the occupation or commencement of use, the Applicant must submit a post construction CCTV report of the existing street stormwater pit, where stormwater connection from the site is proposed to be connected into, to the Certifier and Council.
- E31. Prior to the occupation or commencement of use, the Applicant must submit to the Certifier a **Stormwater Operational and Maintenance Plan (SOMP)** that:
- (a) is designed to ensure the proposed stormwater quality measures remain effective; and
 - (b) specifies, but is not limited to:
 - (i) a maintenance schedule of all stormwater quality treatment devices;
 - (ii) record and reporting details;
 - (iii) relevant contact information; and
 - (iv) Work Health and Safety requirements.

REGISTRATION OF EASEMENTS

- E32. Prior to the occupation or commencement of use, all matters required to be registered on title including easements required by this consent, including **Condition B13**, approvals, and other consents have been lodged for registration or registered at the NSW Land Registry Services.

LOT CONSOLIDATION

- E33. Prior to the occupation or commencement of use, the lots/separate titles within the development site must be consolidated. A plan of consolidation must be registered at the NSW Land Registry Services.

PART F OCCUPATION AND ONGOING USE

MAINTENANCE OF WASTEWATER AND STORMWATER TREATMENT DEVICE

- F1. Following the occupation or commencement of use and throughout the life of the development, the Applicant must:
- (a) implement the SOMP; and
 - (b) otherwise ensure that all wastewater and stormwater treatment devices (including drainage systems, sumps and traps, and on-site detention) are regularly maintained, to remain effective and (if applicable) in accordance with any positive covenant.

STORAGE AND HANDLING OF WASTE

- F2. Following the occupation or commencement of use and throughout the life of the development, the Applicant must implement the Operational Waste Management Plan under **Condition E27**.
- F3. The Applicant must ensure that at all times during the life of the development:
- (a) waste is not placed or left on the site; and
 - (b) waste must not be placed for collection in a public place e.g. footpaths, roadways and reserves.

TRAFFIC AND PARKING

- F4. The car parking spaces and driveways must be kept clear of goods at all times and must not be used for storage purposes, including waste storage.
- F5. The car spaces within the development are for the exclusive use of the occupants of the building. The car spaces must not be leased to any person/company that is not an occupant of the building.

LANDSCAPING

- F6. Landscaping for the development must be carried out and maintained in accordance with the Landscape Plan required under **Condition B8**.

FIRE SAFETY CERTIFICATION

- F7. The development must operate in accordance with the Fire Safety Certificate obtained in accordance with this consent.

OUTDOOR LIGHTING

- F8. If any outdoor lighting results in any residual impacts on the amenity of surrounding Sensitive Receivers, the Applicant must provide mitigation measures in consultation with affected landowners to reduce the impacts to an acceptable level.

BASIX CERTIFICATION

- F9. The development must be implemented and all BASIX commitments thereafter maintained in accordance with **BASIX Certificate Nos.1814763M** and any updated certificate issued if amendments are made.

OPERATION OF PLANT AND EQUIPMENT

- F10. All plant and equipment used on site must be:
- (a) maintained in a proper and efficient condition; and
 - (b) operated in a proper and efficient manner.
- F11. Noise associated with the operation of any plant, machinery or other equipment on the site, must not give rise to any one or more of the following:
- (a) transmission of "offensive noise" as defined in the *Protection of the Environment Operations Act 1997* to any place of different occupancy;
 - (b) a sound pressure level at any affected residential property that exceeds the background (LA90, 15 minute) noise level by more than 5dB(A). The background noise level must be measured in the absence of noise emitted from the premises. The source noise level must be assessed as a LAeq, 15 minute; and
 - (c) notwithstanding compliance with (a) and (b) above, the noise from mechanical plant associated with the premises must not exceed 5dB(A) above the background noise level between the hours of 12.00 midnight and 7.00 am.

LONG TERM ENVIRONMENTAL MANAGEMENT PLAN

- F12. All recommendations of the Preliminary Long Term Environmental Management Plan, prepared by Douglas Partners Pty Ltd, dated 26 September 2025, reference number 233414.06 are to be implemented and maintained for the life of the development.

- F13. If the Remediation Validation Report required as part of **Condition C21** identified the need for a Long Term Environmental Management Plan, the PLTEMP will be superseded by the LTEMP. The LTEMP is to be prepared by a suitably qualified environmental consultant and submitted to the Certifier and Council and be prepared in accordance with:
- (a) NSW Contaminated Land Planning Guidelines;
 - (b) Relevant EPA endorsed guidelines; and
 - (c) National Environmental Protection (Assessment of Site Contamination) Measure 1999 (as amended 2013).

ADVISORY NOTES

- AN1. All new buildings and structures, and any alterations or additions to existing buildings and structures, that are part of the development, including external walls of all buildings and ventilation of premises, must be constructed in accordance with the relevant requirements of the NCC and applicable Australian Standards.
- AN2. The development consent is subject to, and the Applicant must comply with, the Prescribed Conditions.
- AN3. No condition of this consent overcomes any obligation on the Applicant to obtain, renew or comply with licences, permits, approvals, certifications and consents which may be required under law required to carry out the development. The Applicant is responsible for obtaining any such licences, permits, approvals, certifications and consents, licences, permits, approvals, certifications and consents may include but are not limited to:
- (d) modifications to this consent or other development consents required under the EP&A Act;
 - (e) certificates under Part 6 of the EP&A Act;
 - (f) approval under section 138 of the *Roads Act 1993* for activities and works including road occupancy, hoarding, scaffolding, barricades and other construction/building works requiring the use of a public place including a road or footpath;
 - (g) approvals for the installation of any hoardings over Council footways or road reserves;
 - (h) approval under the Commonwealth *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act); and
 - (i) approvals required under the *Sydney Water Act 1994*.
- AN4. The Applicant is responsible for ensuring that all agreements required to carry out the development are obtained from other authorities or other parties, as relevant.
- AN5. No condition of this consent removes any obligation on the Applicant to comply with laws, including but not limited to:
- (a) work health and safety laws;
 - (b) environmental laws including *Protection of the Environment Operations Act 1997* and its regulations;
 - (c) *Disability Discrimination Act 1992* (Cth);
 - (d) *Building and Construction Industry Long Service Payments Act 1986*;
 - (e) *Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation 2021*; and
 - (f) *Airports (Protection of Airspace) Regulations 1996*.
- AN6. The Housing and Productivity Contribution:
- (a) may be made wholly or partly as a non-monetary contribution (apart from any transport project component) if the Minister administering the *Environmental Planning and Assessment Act 1979* agrees; and
 - (b) is not required to be made to the extent that a planning agreement excludes the application of Subdivision 4 of Division 7.1 of the EP&A Act to the development, or the *Environmental Planning and Assessment (Housing and Productivity Contributions) Order 2024* exempts the development from the contribution.
- AN7. The operation and maintenance of warm water systems and water-cooling systems (as defined under the *Public Health Act 2010*) must comply with the *Public Health Act 2010*, *Public Health Regulation 2012* the NSW Health Code of Practice for the Control of Legionnaires' Disease and applicable Australian Standards.

APPENDIX 1 INCIDENT NOTIFICATION AND REPORTING REQUIREMENTS

WRITTEN INCIDENT NOTIFICATION REQUIREMENTS

1. All Incident notifications and reports must be submitted via the NSW planning portal (Major Projects).
2. The Applicant must provide notification as required under these requirements, even if the Applicant fails to give the notification required under **Condition D28** or, having given such notification, subsequently forms the view that an Incident has not occurred.
3. Within 7 days (or as otherwise agreed by the Planning Secretary) of the Applicant making the immediate Incident notification (in accordance with **Condition D28**), the Applicant is required to submit a subsequent Incident report that (in accordance with **Condition D29**):
 - (a) identifies how the Incident was detected;
 - (b) identifies when the Applicant became aware of the Incident;
 - (c) identifies any actual or potential non-compliance with conditions of consent;
 - (d) identifies further action(s) that will be taken in relation to the Incident; and
 - (a) a summary of the Incident;
 - (b) outcomes of an Incident investigation, including identification of the cause of the Incident;
 - (c) details of the corrective and preventative actions that have been, or will be, implemented to address the Incident and prevent recurrence, including the period for implementing any corrective and/or preventative actions; and
 - (d) details of any communication with other stakeholders regarding the Incident.
4. The Applicant must submit any further reports as directed by the Planning Secretary.