



NOTES

- 40 MPa SLAB 100 BE 220mm MIN POS1 TENSIONED WITH 30mm SET DOWN TO ALL WET AREA UNO.
- CC TO BE 50X50 COLUMNS 40MPa WITH 180 K5M3 REINFORCEMENT RATE.
- ALLOW FOR 200mm CONCRETE LIFT AND STAIR CORE WALLS 40 MPa
- ALLOW FOR 20% INCREASE IN SLAB THICKNESS FOR ALL AREAS GREATER THAN 5Pa LIVE LOADING
- ALLOW FOR 50% INCREASE IN SLAB DEPTH AND 20% INCREASE IN BAND DEPTH FOR ALL OPERATING THREATER AREAS AND AREAS WITH SENSITIVE EQUIPMENT
- DENOTES COLUMN OVER AND UNDER
- DENOTES COLUMN UNDER
- ▬ DENOTES COLUMN OVER

SLAB RATES:
 FT RATE = 45kg/m²
 REINFORCEMENT RATE=45kg/m³

DRAWN: RD DESIGNED: RD JOB MANAGER: RD VERIFIER: XX

| REV | DESCRIPTION | ISSUED | VER'D | APP'D | DATE |
|-----|--------------------------|--------|-------|-------|----------|
| 1 | PRE-DA ISSUE | RD | | RD | 30/11/17 |
| 2 | TOWER B DA ISSUE S508499 | RD | | RD | 06/12/17 |

CLIENT: **DEXUS** PROPERTY GROUP

ARCHITECT: **JP**

DRAWING NOT TO BE USED FOR CONSTRUCTION UNLESS REPRODUCTION SIGNATURE HAS BEEN ADDED

THE COPYRIGHT OF THIS DRAWING REMAINS WITH NORTHROP CONSULTING ENGINEERS PTY LTD

ALL SETOUT TO ARCHITECT'S DRAWINGS. ENGINEERS TO CHECK WITH ARCHITECT AND SITE WORK. NORTHROP ACCEPTS NO RESPONSIBILITY FOR THE USABILITY, COMPLETENESS OR SCALE OF DRAWINGS TRANSMITTED ELECTRONICALLY.

NORTHROP Sydney

Level 11, 345 George St, Sydney NSW 2000
 P.O. Box 4177, Central Station, Sydney NSW 1512
 Email: sydney@northrop.com.au
 T: (02) 9241 4188
 F: (02) 9241 4189

PROJECT: **NORTH SHORE HEALTH HUB**

DRAWING TITLE: **LEVEL 7 PLAN**

| |
|------------------------------|
| JOB NUMBER: S151027 |
| DRAWING NUMBER: SK018 |
| REVISION: 2 |

DRAWING SHEET SIZE = A1