[illegible][illegible]

LEGEND:
EOT = END OF TRACE
FH = FIRE
FOD = FULL OF DEBRIS
GPR = GROUND PENETRATING RADAR
HPG = HIGH PRESSURE GAS
NO SIG = NO SIGNAL
REDUN = REDUNDANT
UTO = UNABLE TO OPEN
UTT = UNABLE TO TRACE

LEGEND: (SEE NOTES 1)

C	= COMMUNICATIONS LINES (UNDERGROUND)
E	= ELECTRICITY LINE (UNDERGROUND)
G	= GAS LINE (UNDERGROUND)
S	= SEWER LINE (UNDERGROUND)
SW	= STORMWATER LINE (UNDERGROUND)
U	= UNKNOWN SERVICE (UNDERGROUND)
W	= WATER LINE (UNDERGROUND)

UNDERGROUND SERVICE NOTES:
 AR = ASSUMED ROUTE (QUALITY D)
 EOT = END OF LOCATE (LOSS OF SIGNAL)
 FO = FULL OF DEBRIS (REQUIRES CLEANING)
 UTL = UNABLE TO LIFT (REQUIRES MECHANICAL LIFTER)
 UTR = UNABLE TO UPT
 (SEALED LD / OBSTRUCTED / DAMAGED / INACCESSIBLE)
 UTR = UNABLE TO ROO
 (UNABLE TO PUS TRACING WIRE THROUGH PIPE)
 UTT = UNABLE TO LOCATE
 (POOR/WEAK SIGNAL OR POSSIBLE INTERFERENCE)

ABOVE MENTIONED NOTES INDICATE FURTHER INVESTIGATION IS REQUIRED TO DETERMINE POSITION AND DEPTH OF SERVICE AT THE LOCATION INDICATED.

TITLE INDICATES THAT STRATA PLAN 32953 IS SUBJECT TO:
- RESERVATIONS AND CONDITIONS IN THE CROWN GRANT(S)
- ATTENTION IS DIRECTED TO BY-LAWS SET OUT IN SCHEDULE 2 STRATA
SCHEMES MANAGEMENT REGULATION 2016. (NOT INVESTIGATED)

- BOUNDARY IDENTIFICATION HAS BEEN UNDERTAKEN.
- WALL TO WALL DIMENSIONS SHOWN HEREON MUST NOT BE USED FOR CONSTRUCTION.
- IF CONSTRUCTION IS INTENDED TO BOUNDARIES OF THE LAND MUST BE MARKED TO THE SURVEYOR TO BOUNDARIES OF THE LAND MUST BE MARKED TO THE SURVEYOR.
- THIS SURVEY HAS BEEN DESIGNED PURPOSE OF THE SUBJECT LAND ONLY. THIS PLAN MUST NOT BE USED FOR ANY OTHER MATTER, PURPOSE OR CONSTRUCTION SETOUT.
- TREE SIZES ARE ESTIMATES ONLY.
- ALL INFORMATION HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF PROSPECTOR PROPERTY PTY LTD.
- RELATIONSHIP OF IMPROVEMENTS TO BOUNDARIES IS DIAGRAMMATIC ONLY WHERE THERE ARE NO CRITICAL. THEY MUST BE CONFIRMED BY FURTHER SURVEY.
- EXCEPT FOR THE LOCATION POSITION OF DETAIL WITH RESPECT TO BOUNDARIES IS INDICATIVE ONLY.
- ONLY VISIBLE SERVICES HAVE BEEN LOCATED. UNDERGROUND SERVICES HAVE NOT BEEN LOCATED. THE LOCATION OF SERVICES SHOULD BE USED AND A FULL UTILITY INVESTIGATION INCLUDING A UTILITY LOCATION SURVEY.
- THE SURVEYOR HAS BEEN CARRYING OUT ANY CONSTRUCTION ACTIVITY IN OR NEAR THE PLOTTED AREA.
- SEVERAL MAIN SPOUTED FROM SODNEY WATER SEVERAL DRAINAGE LOCATION MUST BE MARKED BY THE SURVEYOR.
- CRITICAL SPOT LEVELS SHOULD BE CONFIRMED WITH SURVEYOR.
- CONTOURS SHOWN DEPICT THE TOPOGRAPHY. THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. SPOT LEVELS SHOULD BE USED FOR CONSTRUCTION.
- CONTOUR INTERVAL, 0.3 mtrs. - SPOT LEVELS SHOULD BE ADOPTED.
- POSITION OF RIDGE LINES ARE DIAGRAMMATIC ONLY (NOT TO SCALE).
- THE INFORMATION IS ONLY TO BE USED AT A SCALE APPROXIMATE OF 1:300 AND 1:100.
- DO NOT SCALE OFF THIS PLAN. FIGURED DIMENSIONS TO BE TAKEN IN REFERENCE TO SCALED READINGS.
- COPYRIGHT © C/S SURVEYORS 2006.
- NO PART OF THIS SURVEY MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM WITHOUT THE WRITTEN PERMISSION OF THE SURVEYOR. ANY UNAUTHORIZED REPRODUCTION IS PROHIBITED BY THE COPYRIGHT ACT 1968.
- ANY PERMITTED DOWNLOADING, ELECTRONIC STORAGE, DISPLAY, PRINT, COPY OR REPRODUCTION OF THIS SURVEY SHOULD CONTAIN NO ALTERATION OR ADDITION TO THE ORIGINAL.
- THIS NOTICE MUST NOT BE ERASED.

[illegible]

6	DETAIL ADDED	20/01/2026
5	ADDITIONAL DETAIL ADDED	19/12/2023
4	UNDERGROUND SERVICES ADDED	20/11/2023
3	ADDITIONAL DETAIL & STORMWATER ADDED IN LANE	09/09/2023
2	ADDITIONAL NEIGHBOURING PROPERTIES ADDED	24/07/2023
1	FIRST ISSUE	30/04/2023



HORIZONTAL DATUM:
CO-ORDINATE SYSTEM: MGA (GDA 2020)
MARKS ADOPTED: SSM 20744 & PM 35914

VERTICAL DATUM:
 DATUM: AUSTRALIAN HEIGHT DATUM (AHD)
 B.M. ADOPTED: SSM 20744
 R.L. 74.43 (CLASS D)
 SOURCE: S.C.I.M.S. (10/04/2025)

CLIENT:

Summary

PROSKER PROPERTY PTY LTD

LGA: MOSMAN

BOUNDARY IDENTIFICATION

AND DETAIL & LEVEL SURVEY

OVER STRATA PLAN 32953

OVER STRATFORD LANE 52953
No 65 MUSTON STREET

NO.69 MUSTON STREET
MOSMAN NSW 2088

MOSMAN, NSW, 2088

--	--

CMS SURVEYORS PTY LTD

ACN 096 240 201

PO Box 463 Dee Why, NSW, 2099
200A South Creek Road, Dee Why, NSW

☎ (02) 9971 4802

✉ info@cmssurveyors.com.au

 www.cmssurveyors.com.au

SURVEYED / DRAWN / CHECKED /

HH/BS	GP/MC/HH/CJR	PB/BS	DATE
-------	--------------	-------	------


SURVEY INSTRUCTION	SCALE	DATE
24328E	1:300 @ A0	17/04/25

2402L	1.000g/w	13/11/25
DRAWING	240205	1.1.1

NAME 24328Edetail

CAD FILE 24328Edetail 6.dwg / 1 of 1

[illegible]



NOTES:

- BOUNDARY IDENTIFICATION HAS BEEN UNDERTAKEN.
- WALL TO BOUNDARY DIMENSIONS SHOWN HEREON MUST NOT BE USED FOR CONSTRUCTION.
- IF CONSTRUCTION IS INTENDED TO BE UNDERTAKEN ON OR ADJACENT TO PROPERTY BOUNDARIES THE BOUNDARIES OF THE LAND MUST BE MARKED OR THE BUILDING SET OUT.
- THIS SURVEY IS FOR DESIGN PURPOSES OF THE SUBJECT LAND ONLY. THIS PLAN MUST NOT BE USED FOR ANY OTHER MATTER, PURPOSE OR CONSTRUCTION SET OUT.
- TREE SIZES ARE ESTIMATES ONLY.
- THIS PLAN HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF PROSKER PROPERTY PTY LTD.
- RELATIONSHIP OF IMPROVEMENTS TO BOUNDARIES IS DIAGRAMMATIC ONLY. WHERE DIFFERENCES ARE CRITICAL, THEY SHOULD BE CONFIRMED BY FURTHER SURVEY.
- EXCEPT WHERE SHOWN BY DIMENSION LOCATION OF DETAIL WITH RESPECT TO BOUNDARIES IS INDICATIVE ONLY.
- ONLY VISIBLE SERVICES HAVE BEEN LOCATED. UNDERGROUND SERVICES HAVE NOT BEEN LOCATED. BEFORE USING AUSTRALIAN STANDARD 1700 SHOULD BE USED AND A FULL UTILITY INVESTIGATION, INCLUDING A UTILITY LOCATION SURVEY, SHOULD BE UNDERTAKEN BEFORE CARRYING OUT ANY CONSTRUCTION ACTIVITY IN OR NEAR THE SURVEYED AREA.
- SEWER MAIN PLOTTED FROM SYDNEY WATER SEWER DIAGRAM. LOCATION SHOULD BE MARKED ON SITE IF CRITICAL.
- CRITICAL SPOT LEVELS SHOULD BE CONFIRMED WITH SURVEYOR.
- CONTOURS SHOWN DEPICT THE TOPOGRAPHY. THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. ONLY SPOT LEVELS SHOULD BE USED FOR CALCULATIONS OF QUANTITIES WITH CAUTION.
- CONTOUR INTERVAL - 0.5 metre - SPOT LEVELS SHOULD BE ADOPTED.
- POSITION OF RIDGE LINES ARE DIAGRAMMATIC ONLY (NOT TO SCALE).
- THE INFORMATION IS ONLY TO BE USED AT A SCALE ACCURACY OF 1:300 AND 1:100.
- DO NOT SCALE OFF THIS PLAN / FIGURED DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED READINGS.
- COPYRIGHT © CMS SURVEYORS 2026.
- NO PART OF THIS SURVEY MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM, WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT OWNER EXCEPT AS PERMITTED BY THE COPYRIGHT ACT 1968.
- ANY PERMITTED DOWNLOADING, ELECTRONIC STORAGE, DISPLAY, PRINT, COPY OR REPRODUCTION OF THIS SURVEY OR ANY PART THEREOF, WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT OWNER, IS PROHIBITED. THE COPYRIGHT ACT 1968.
- THIS NOTICE MUST NOT BE ERASED.

LEGEND:

- AW = AWWING
- BAL = BALCONY
- BUD = BUTTERFLY
- BT = BUTTERFLY
- BR = BRICK
- BS = BOTTOM OF SLOPE
- CH = CHIMNEY
- CL = CENTRELINE
- CON = CONCRETE
- CP = COMMUNICATIONS PIT
- CSL = COMMUNICATIONS SURFACE LEVEL
- DA = DRAIN
- DNF = DOWN PIPE
- DRN = DRAIN
- DS = DOWN SLOPE
- ESL = ELECTRICITY SURFACE LEVEL
- FCE = FENCE
- FL = FLOOR LEVEL
- GL = GARAGE FLOOR LEVEL
- GAP = GARAGE
- GP = GUTTER
- GM = GAS METER
- GRT = GRATE
- GS = GAS SURFACE LEVEL
- IS = INVERT LEVEL
- LAN = LANE
- LN = LANE
- LP = LIGHT POLE
- NS = NATIONAL SURFACE
- PAS = PAVEMENT
- PAT = PATIO
- PAU = PAULING
- PP = POWER POLE
- RP = TOP OF ROOF
- RR = ROOF RIDGE
- SCN = SCREEN
- SKN = SKIN
- SP = SEWER INSPECTION PIT
- SMH = SEWER MAIN HOLE
- SMS = SEWER MAIN HOLE SQUARE
- SSL = SEWER SURFACE LEVEL
- STR = STAIRS
- SWSL = STORMWATER SURFACE LEVEL
- TOP = TOP OF FENCE
- TP = TOP OF PIPE
- TR = TOP OF ROOF
- TRP = TRAP
- TR = TOP OF WALL
- USL = UNKNOWN SURFACE LEVEL
- VC = VEHICLE CROSSING
- WM = WATER METER
- WSL = WATER SURFACE LEVEL
- EL = ELECTRICITY OVERHEAD
- TR = TREE
- SPD = SPREAD-DIAMETER HEIGHT
- M = MULTIPLE TRUNKS

6	DETAIL ADDED	20/01/2026
5	ADDITIONAL DETAIL ADDED	19/12/2025
4	UNDERGROUND SERVICES ADDED	20/11/2025
3	ADDITIONAL DETAIL & STORMWATER ADDED IN LANE	09/09/2025
2	ADDITIONAL NEIGHBOURING PROPERTIES ADDED	24/07/2025
1	FIRST ISSUE	30/04/2025



HORIZONTAL DATUM:
CO-ORDINATE SYSTEM: MGA (GDA 2020)
MARKS ADOPTED: SSM 20744 & PM 35914

VERTICAL DATUM:
DATUM: AUSTRALIAN HEIGHT DATUM (AHD)
S.M. ADOPTED: SSM 20744
R.L. 74.43 (CLASS D)
SOURCE: S.C.I.M.S. (10042025)

CLIENT:
PROSKER PROPERTY PTY LTD

LGA: MOSMAN

BOUNDARY IDENTIFICATION AND DETAIL & LEVEL SURVEY OVER STRATA PLAN 32953 No.65 MUSTON STREET MOSMAN, NSW, 2088

CMS SURVEYORS PTY LTD
ACN 096 240 201
PO Box 463 Dee Why, NSW, 2099
2/29A South Creek Road, Dee Why, NSW, 2099
(02) 9971 4802
info@cmsurveyors.com.au
www.cmsurveyors.com.au

SURVEYED	HH/BS	DRAWN	GP/MCH/H/CJR	CHECKED	PB/BS	APPROVED	M/BS
SURVEY INSTRUCTION	24328E	SCALE	1:100@A0	DATE OF SURVEY	17/04/25 & 03/09/25 & 13/11/25 & 16/12/25	SHEET	2 OF 6
DRAWING NAME	24328Edetail					ISSUE	6
CAD FILE	24328Edetail 6.dwg						



NOTES:

- BOUNDARY IDENTIFICATION HAS BEEN UNDERTAKEN.
- WALL TO BOUNDARY DIMENSIONS SHOWN HEREON MUST NOT BE USED FOR CONSTRUCTION.
- IF CONSTRUCTION IS INTENDED TO BE UNDERTAKEN ON OR ADJACENT TO PROPERTY BOUNDARIES THE BOUNDARIES OF THE LAND MUST BE MARKED OR THE BUILDING SET OUT.
- THIS SURVEY IS FOR DESIGN PURPOSES OF THE SUBJECT LAND ONLY. THIS PLAN MUST NOT BE USED FOR ANY OTHER MATTER, PURPOSE OR CONSTRUCTION SET OUT.
- TREE SIZES ARE ESTIMATES ONLY.
- THIS PLAN HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF PROSKER PROPERTY PTY LTD.
- RELATIONSHIP OF IMPROVEMENTS TO BOUNDARIES IS DIAGRAMMATIC ONLY. WHERE DIFFERENCES ARE CRITICAL, THEY SHOULD BE CONFIRMED BY FURTHER SURVEY.
- EXCEPT WHERE SHOWN BY DIMENSION LOCATION OF DETAIL WITH RESPECT TO BOUNDARIES IS INDICATIVE ONLY.
- ONLY VISIBLE SERVICES HAVE BEEN LOCATED. UNDERGROUND SERVICES HAVE NOT BEEN LOCATED. BEFORE YOU DIG AUSTRALIA www.beyond.com.au SHOULD BE USED AND A FULL UTILITY INVESTIGATION, INCLUDING A UTILITY LOCATION SURVEY, SHOULD BE UNDERTAKEN BEFORE CARRYING OUT ANY CONSTRUCTION ACTIVITY IN OR NEAR THE SURVEYED AREA.
- SEWER MAIN PLOTTED FROM SYDNEY WATER SEWER DIAGRAM. LOCATION SHOULD BE MARKED ON SITE IF CRITICAL.
- CRITICAL SPOT LEVELS SHOULD BE CONFIRMED WITH SURVEYOR.
- CONTOURS SHOWN DEPICT THE TOPOGRAPHY. THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. ONLY SPOT LEVELS SHOULD BE USED FOR CALCULATIONS OF QUANTITIES WITH CAUTION.
- CONTOUR INTERVAL - 0.5 metre - SPOT LEVELS SHOULD BE ADOPTED.
- POSITION OF RIDGE LINES ARE DIAGRAMMATIC ONLY (NOT TO SCALE).
- THE INFORMATION IS ONLY TO BE USED AT A SCALE ACCURACY OF 1:300 AND 1:100.
- DO NOT SCALE OFF THIS PLAN. FIGURED DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED READINGS.
- COPYRIGHT © CMS SURVEYORS 2026.
- NO PART OF THIS SURVEY MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM, WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT OWNER EXCEPT AS PERMITTED BY THE COPYRIGHT ACT 1968.
- ANY PERMITTED DOWNLOADING, ELECTRONIC STORAGE, DISPLAY, PRINT, COPY OR REPRODUCTION OF THIS SURVEY MUST NOT CONTAIN NO ALTERATION OR ADDITION TO THE ORIGINAL SURVEY.
- THIS NOTICE MUST NOT BE ERASED.

MARK REDD
REGISTERED SURVEYOR BOSSI NUMBER 183

LEGEND:

AW = AWNING
BAL = BALCONY
BLD = EXTERNAL BUILDING
BOR = BOTTOM OF ROOF
BWM = BOTTOM WALL
CH = CHIMNEY
C = CENTRELINE
CON = CONCRETE
CPT = COMMUNICATIONS PIT
CSL = COMMUNICATIONS SURFACE LEVEL
DK = DECK
DNP = DOWN PIPE
DRN = DRAIN
DS = DOOR SILL LEVEL
ESL = ELECTRICITY SURFACE LEVEL
FCE = FENCE
FL = FLOOR LEVEL
GAR = GARAGE FLOOR LEVEL
GAR = GARAGE
GP = GUTTER LEVEL
GM = GAS METER
GR = GRATE
GSL = GAS SURFACE LEVEL
L = LANDSCAPE LEVEL
LAN = LANDING
LN = LANE
LP = LIGHT POLE
NS = NATURAL SURFACE
PAR = PARAPET
PAT = PATIO
PAV = PAVING
PP = POWER POLE
RP = TOP OF ROOF
RR = ROOF RIDGE
SCN = SCREEN
SON = SON
SP = SEWER INSPECTION PIT
SMH = SEWER MAIN HOLE
SMS = SEWER MAIN HOLE SQUARE
SSL = SEWER SURFACE LEVEL
STR = STAIRS
SWSL = STORMWATER SURFACE LEVEL
TOP = TOP OF FENCE
TOP = TOP OF GUTTER
TOP = TOP OF PIPE
TOP = TOP OF ROOF
TPT = TELEPHONE PIT
TR = TREE
TW = TOP OF WALL
USL = UNKNOWN SERVICE SURFACE LEVEL
VC = VEHICLE CROSSING
WM = WATER METER
WSL = WATER SURFACE LEVEL
E = ELECTRICITY OVERHEAD
T = TREE
D = DIAMETER HEIGHT
M = MULTIPLE TRUNKS

6	DETAIL ADDED	20/01/2026
5	ADDITIONAL DETAIL ADDED	19/12/2025
4	UNDERGROUND SERVICES ADDED	20/11/2025
3	ADDITIONAL DETAIL & STORMWATER ADDED IN LANE	09/09/2025
2	ADDITIONAL NEIGHBOURING PROPERTIES ADDED	24/07/2025
1	FIRST ISSUE	30/04/2025

BEFORE YOU DIG
www.beyond.com.au
Zero Damage - Zero Harm

0 1 2 3 4 5
SCALE 1:100

HORIZONTAL DATUM:
COORDINATE SYSTEM: MGA (GDA 2020)
MARKS ADOPTED: SSM 20744 & PM 35914

VERTICAL DATUM:
DATUM: AUSTRALIAN HEIGHT DATUM (AHD)
B.M. ADOPTED: SSM 20744
R.L. 74.43 (CLASS D)
SOURCE: S.C.I.M.S. (10/04/2025)


CLIENT:
PROSKER PROPERTY PTY LTD

LGA: MOSMAN

BOUNDARY IDENTIFICATION AND DETAIL & LEVEL SURVEY OVER STRATA PLAN 32953 No.65 MUSTON STREET MOSMAN, NSW, 2088

CMS SURVEYORS PTY LTD
ACN 096 240 201
PO Box 463 Dee Why, NSW, 2099
2/29A South Creek Road, Dee Why, NSW, 2099
(02) 9971 4802
info@cmsurveyors.com.au
www.cmsurveyors.com.au

SURVEYED HH/BS	DRAWN GP/MCH/HJR	CHECKED PB/BS	APPROVED MB/RM
SURVEY INSTRUCTION 24328E	SCALE 1:100@A0	DATE OF SURVEY 17/04/25 & 03/09/25	DATE OF SURVEY 13/11/25 & 16/12/25
DRAWING NAME 24328Edetail	CAD FILE 24328Edetail.dwg	SHEET 3 OF 6	ISSUE 6




NOTES:

- BOUNDARY IDENTIFICATION HAS BEEN UNDERTAKEN.
- WALL TO BOUNDARY DIMENSIONS SHOWN HEREON MUST NOT BE USED FOR CONSTRUCTION.
- IF CONSTRUCTION IS INTENDED TO BE UNDERTAKEN ON OR ADJACENT TO PROPERTY BOUNDARIES THE BOUNDARIES OF THE LAND MUST BE MARKED OR THE BUILDING SET OUT.
- THIS SURVEY IS FOR DESIGN PURPOSES OF THE SUBJECT LAND ONLY. THIS PLAN MUST NOT BE USED FOR ANY OTHER MATTER, PURPOSE OR CONSTRUCTION SET OUT.
- TREE SIZES ARE ESTIMATES ONLY.
- THIS PLAN HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF PROSKER PROPERTY PTY LTD.
- RELATIONSHIP OF IMPROVEMENTS TO BOUNDARIES IS DIAGRAMMATIC ONLY. WHERE DIFFERENCES ARE CRITICAL, THEY SHOULD BE CONFIRMED BY FURTHER SURVEY.
- EXCEPT WHERE SHOWN BY DIMENSION LOCATION OF DETAIL WITH RESPECT TO BOUNDARIES IS INDICATIVE ONLY.
- ONLY VISIBLE SERVICES HAVE BEEN LOCATED. UNDERGROUND SERVICES HAVE NOT BEEN LOCATED. BEFORE YOU DIG AUSTRALIA www.beyon.com.au SHOULD BE USED AND A FULL UTILITY INVESTIGATION INCLUDING A UTILITY LOCATION SURVEY, SHOULD BE UNDERTAKEN BEFORE CARRYING OUT ANY CONSTRUCTION ACTIVITY IN OR NEAR THE SURVEYED AREA.
- SEWER MAIN PLOTTED FROM SYDNEY WATER SEWER DIAGRAM. LOCATION NOT BEING LOCATED. BEFORE YOU DIG AUSTRALIA www.beyon.com.au SHOULD BE USED AND A FULL UTILITY INVESTIGATION INCLUDING A UTILITY LOCATION SURVEY, SHOULD BE UNDERTAKEN BEFORE CARRYING OUT ANY CONSTRUCTION ACTIVITY IN OR NEAR THE SURVEYED AREA.
- CRITICAL SPOT LEVELS SHOULD BE CONFIRMED WITH SURVEYOR.
- CONTOURS SHOWN DEPICT THE TOPOGRAPHY. THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. ONLY SPOT LEVELS SHOULD BE USED FOR CALCULATIONS OF QUANTITIES WITH CAUTION.
- CONTOUR INTERVAL - 0.5 metre. SPOT LEVELS SHOULD BE ADOPTED.
- POSITION OF RIDGE LINES ARE DIAGRAMMATIC ONLY (NOT TO SCALE).
- THE INFORMATION IS ONLY TO BE USED AT A SCALE ACCURACY OF 1:300 AND 1:100.
- DO NOT SCALE OFF THIS PLAN / FIGURED DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED READINGS.
- COPYRIGHT © CMS SURVEYORS 2020.
- NO PART OF THIS SURVEY MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM, WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT OWNER EXCEPT AS PERMITTED BY THE COPYRIGHT ACT 1968.
- ANY PERMITTED DOWNLOADING, ELECTRONIC STORAGE, DISPLAY, PRINT, COPY OR REPRODUCTION OF THIS SURVEY SHALL BE LIMITED TO THE ORIGINAL SURVEY. CALCULATIONS OF QUANTITIES WITH CAUTION.
- THIS NOTICE MUST NOT BE ERASED.

LEGEND:

- AW = AWWING
- BAL = BALCONY
- BIL = BUTTRESS
- BLD = EXTERNAL BUILDING
- BOR = BOTTOM OF ROOF
- BR = BOTTOM RAIL
- CH = CHIMNEY
- CL = CENTRELINE
- CON = CONCRETE
- CPI = COMMUNICATIONS PIT
- CSL = COMMUNICATIONS SURFACE LEVEL
- DNF = DOWN PIPE
- DRN = DRAIN
- DS = DOOR SILL LEVEL
- ECL = ELECTRICITY SURFACE LEVEL
- FCE = FENCE
- FL = FLOOR LEVEL
- GAR = GARAGE FLOOR LEVEL
- GAR = GARAGE
- GP = GUTTER LEVEL
- GM = GAS METER
- GRT = GRATE
- GSL = GAS SURFACE LEVEL
- IL = INVERT LEVEL
- LAN = LANDING
- LN = LANE
- LP = LIGHT POLE
- NS = NATURAL SURFACE
- PAB = PAVEMENT
- PAT = PATIO
- PAU = PAULING
- PP = POWER POLE
- RP = TOP OF ROOF
- RR = ROOF RIDGE
- SCN = SCREEN
- SDN = SIGN
- SP = SEWER INSPECTION PIT
- SMH = SEWER MAN HOLE
- SMS = SEWER MAN HOLE SQUARE
- SSL = SEWER SURFACE LEVEL
- STR = STAIRS
- SWSL = STORMWATER SURFACE LEVEL
- TOP = TOP OF FENCE
- TO = TOP OF GUTTER
- TRN = TOP OF ROOF
- TOP = TOP OF PIPE
- TOP = TOP OF ROOF
- TRP = TELEPHONE PIT
- TR = TREE
- TR = TOP OF WALL
- USL = UNKNOWN SERVICE SURFACE LEVEL
- VC = VEHICLE CROSSING
- WM = WATER METER
- WSL = WATER SURFACE LEVEL
- W = ELECTRICITY OVERHEAD
- W = TREE
- W = SPREAD-DIAMETER HEIGHT
- W = MULTIPLE TRUNKS

6	DETAIL ADDED	20/01/2026
5	ADDITIONAL DETAIL ADDED	19/12/2025
4	UNDERGROUND SERVICES ADDED	20/11/2025
3	ADDITIONAL DETAIL & STORMWATER ADDED IN LANE	09/09/2025
2	ADDITIONAL NEIGHBOURING PROPERTIES ADDED	24/07/2025
1	FIRST ISSUE	30/04/2025



HORIZONTAL DATUM:
COORDINATE SYSTEM: MGA (GDA 2020)
MARKS ADOPTED: SSM 20744 & PM 35914

VERTICAL DATUM:
DATUM: AUSTRALIAN HEIGHT DATUM (AHD)
B.M. ADOPTED: SSM 20744
R.L. 74.43 (CLASS D)
SOURCE: S.C.I.M.S. (10/04/2025)

CLIENT:

PROSKER PROPERTY PTY LTD

LGA: MOSMAN

**BOUNDARY IDENTIFICATION
AND DETAIL & LEVEL SURVEY
OVER STRATA PLAN 32953
No.65 MUSTON STREET
MOSMAN, NSW, 2088**

CMS SURVEYORS PTY LTD
ACN 096 240 201
PO Box 463 Dee Why, NSW, 2099
2/99A South Creek Road, Dee Why, NSW, 2099
(02) 9971 4802
info@cmsurveyors.com.au
www.cmsurveyors.com.au

SURVEYED HH/BS	DRAWN GPMCHH/CJR	CHECKED PB/BS	APPROVED MB/RM
SURVEY INSTRUCTION 24328E	SCALE 1:100@A0	DATE OF SURVEY 17/04/25 & 03/09/25 & 13/11/25 & 16/12/25	
DRAWING NAME 24328Edetail	SHEET 4 OF 6	ISSUE 6	
CAD FILE 24328Edetail 6.dwg			



NOTES:

- BOUNDARY IDENTIFICATION HAS BEEN UNDERTAKEN.
- WALL TO BOUNDARY DIMENSIONS SHOWN HEREON MUST NOT BE USED FOR CONSTRUCTION.
- IF CONSTRUCTION IS INTENDED TO BE UNDERTAKEN ON OR ADJACENT TO PROPERTY BOUNDARIES THE BOUNDARIES OF THE LAND MUST BE MARKED OR THE BUILDING SET OUT.
- THIS SURVEY IS FOR DESIGN PURPOSES OF THE SUBJECT LAND ONLY. THIS PLAN MUST NOT BE USED FOR ANY OTHER MATTER, PURPOSE OR CONSTRUCTION SET OUT.
- TREE SIZES ARE ESTIMATES ONLY.
- THIS PLAN HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF PROSKER PROPERTY PTY LTD.
- RELATIONSHIP OF IMPROVEMENTS TO BOUNDARIES IS DIAGRAMMATIC ONLY. WHERE OFFSETS ARE CRITICAL, THEY SHOULD BE CONFIRMED BY FURTHER SURVEY.
- EXCEPT WHERE SHOWN BY DIMENSION LOCATION OF DETAIL WITH RESPECT TO BOUNDARIES IS INDICATIVE ONLY.
- SEWER MAIN PLOTTED FROM SYDNEY WATER SEWER DIAGRAM. LOCATION SHOULD BE MARKED ON SITE IF CRITICAL.
- CRITICAL SPOT LEVELS SHOULD BE CONFIRMED WITH SURVEYOR.
- CONTOURS SHOWN DEPICT THE TOPOGRAPHY. THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. ONLY SPOT LEVELS SHOULD BE USED FOR CALCULATIONS OF QUANTITIES WITH CAUTION.
- CONTOUR INTERVAL - 0.5 metre - SPOT LEVELS SHOULD BE ADOPTED.
- POSITION OF RIDGE LINES ARE DIAGRAMMATIC ONLY (NOT TO SCALE).
- THE INFORMATION IS ONLY TO BE TAKEN AT A SCALE ACCURACY OF 1:300 AND 1:100.
- DO NOT SCALE OFF THIS PLAN / FIGURED DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED READINGS.
- COPYRIGHT © CMS SURVEYORS 2025.
- NO PART OF THIS SURVEY MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT OWNER EXCEPT AS PERMITTED BY THE COPYRIGHT ACT 1968.
- ANY PERMITTED DOWNLOADING, ELECTRONIC STORAGE, DISPLAY, PRINT, COPY OR REPRODUCTION OF THIS SURVEY MUST BE LIMITED TO THE ORIGINAL SURVEY. ADDITION TO THE ORIGINAL SURVEY.
- THIS NOTICE MUST NOT BE ERASED.

LEGEND:

AW = AWWING
BAL = BALCONY
BLD = EXTERNAL BUILDING
BOT = BOTTOM OF ROOF
BR = BOTTOM WALL
CH = CHIMNEY
CL = CENTRELINE
CON = CONCRETE
CPI = COMMUNICATIONS PIT
CSL = COMMUNICATIONS SURFACE LEVEL
DK = DECK
DNP = DOWN PIPE
DRI = DRAIN
DS = DOOR SILL LEVEL
ESL = ELECTRICITY SURFACE LEVEL
FCE = FENCE
FL = FLOOR LEVEL
GAR = GARAGE FLOOR LEVEL
GAR = GARAGE
GP = GUTTER LEVEL
GM = GAS METER
GR = GRATE
GSL = GAS SURFACE LEVEL
L = LANDSCAPE
LAN = LANDING
LIN = LINE
LS = LIGHT POLE
NS = NATURAL SURFACE
PAS = PAVEMENT
PAT = PATIO
PAU = PAULING
PP = POWER POLE
RP = TOP OF ROOF
RR = ROOF RIDGE
SCN = SCREEN
SDN = SKIN
SPI = SEWER INSPECTION PIT
SMH = SEWER MAN HOLE
SMS = SEWER MAN HOLE SQUARE
SSL = SEWER SURFACE LEVEL
STR = STAIRS
SWSL = STORMWATER SURFACE LEVEL
TOP = TOP OF FENCE
TG = TOP OF GUTTER
TR = TOP OF PIPE
TOP = TOP OF ROOF
TPI = TRESTLE PIT
TR = TREE
TW = TOP OF WALL
USL = UNKNOWN SURFACE LEVEL
VC = VEHICLE CROSSING
WM = WATER METER
WSL = WATER SURFACE LEVEL
ELECTRICITY OVERHEAD

0 1 2 3 4 5
SCALE 1:100

HORIZONTAL DATUM:
COORDINATE SYSTEM: MGA (GDA 2020)
MARKS ADOPTED: SSM 20744 & PM 35914

VERTICAL DATUM:
DATUM: AUSTRALIAN HEIGHT DATUM (AHD)
S.M. ADOPTED: SSM 20744
R.L. 74.43 (CLASS D)
SOURCE: S.C.I.M.S. (10/04/2025)

CLIENT:
PROSKER PROPERTY PTY LTD

LGA: MOSMAN

BOUNDARY IDENTIFICATION AND DETAIL & LEVEL SURVEY OVER STRATA PLAN 32953 No.65 MUSTON STREET MOSMAN, NSW, 2088

CMS SURVEYORS PTY LTD
ACN 096 240 201
PO Box 463 Dee Why, NSW, 2099
2/99A South Creek Road, Dee Why, NSW, 2099
(02) 9971 4802
info@cmsurveyors.com.au
www.cmsurveyors.com.au

SURVEYED HH/BS	DRAWN GP/MCH/HJR	CHECKED PB/BS	APPROVED MB/RM
SURVEY INSTRUCTION 24328E	SCALE 1:100@A0	DATE OF SURVEY 17/04/25 & 03/09/25 & 13/11/25 & 16/12/25	
DRAWING NAME 24328Edetail	SHEET 5 OF 6	ISSUE 6	
CAD FILE 24328Edetail 6.dwg			



- NOTES:**
- BOUNDARY IDENTIFICATION HAS BEEN UNDERTAKEN.
 - WALL TO BOUNDARY DIMENSIONS SHOWN HEREON MUST NOT BE USED FOR CONSTRUCTION.
 - IF CONSTRUCTION IS INTENDED TO BE UNDERTAKEN ON OR ADJACENT TO PROPERTY BOUNDARIES THE BOUNDARIES OF THE LAND MUST BE MARKED OR THE BUILDING SET OUT.
 - THIS SURVEY IS FOR DESIGN PURPOSES OF THE SUBJECT LAND ONLY. THIS PLAN MUST NOT BE USED FOR ANY OTHER MATTER, PURPOSE OR CONSTRUCTION SET OUT.
 - TREE SIZES ARE ESTIMATES ONLY.
 - THIS PLAN HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF PROSKER PROPERTY PTY LTD.
 - RELATIONSHIP OF IMPROVEMENTS TO BOUNDARIES IS DIAGRAMMATIC ONLY. WHERE OFFSETS ARE CRITICAL, THEY SHOULD BE CONFIRMED BY FURTHER SURVEY.
 - EXCEPT WHERE SHOWN BY DIMENSION LOCATION OF DETAIL WITH RESPECT TO BOUNDARIES IS INDICATIVE ONLY.
 - ONLY VISIBLE SERVICES HAVE BEEN LOCATED. UNDERGROUND SERVICES HAVE NOT BEEN LOCATED. BEFORE YOU DIG AUSTRALIA www.beyond.com.au SHOULD BE USED AND A FULL UTILITY INVESTIGATION, INCLUDING A UTILITY LOCATION SURVEY, SHOULD BE UNDERTAKEN BEFORE CARRYING OUT ANY CONSTRUCTION ACTIVITY IN OR NEAR THE SURVEYED AREA.
 - SEWER MAIN PLOTTED FROM SYDNEY WATER SEWER DIAGRAM. LOCATION SHOULD BE MARKED ON SITE IF CRITICAL.
 - CRITICAL SPOT LEVELS SHOULD BE CONFIRMED WITH SURVEYOR.
 - CONTOURS SHOWN DEPICT THE TOPOGRAPHY. THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. ONLY SPOT LEVELS SHOULD BE USED FOR CALCULATIONS OF QUANTITIES WITH CAUTION.
 - CONTOUR INTERVAL - 0.5 metre - SPOT LEVELS SHOULD BE ADOPTED.
 - POSITION OF RIDGE LINES ARE DIAGRAMMATIC ONLY (NOT TO SCALE).
 - THE INFORMATION IS ONLY TO BE USED AT A SCALE ACCURACY OF 1:300 AND 1:100.
 - DO NOT SCALE OFF THIS PLAN / FIGURED DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED READINGS.
 - COPYRIGHT © CMS SURVEYORS 2028.
 - NO PART OF THIS SURVEY MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT OWNER EXCEPT AS PERMITTED BY THE COPYRIGHT ACT 1968.
 - ANY PERMITTED DOWNLOADING, ELECTRONIC STORAGE, DISPLAY, PRINT, COPY OR REPRODUCTION OF THIS SURVEY SHOULD CONTAIN NO ALTERATION OR ADDITION TO THE ORIGINAL SURVEY.
 - THIS NOTICE MUST NOT BE ERASED.

MARK RED
REGISTERED SURVEYOR BOSS NUMBER 183

- LEGEND:**
- AW = AWWING
 - BAL = BALCONY
 - BIT = BITUMEN
 - BLD = EXTERNAL BUILDING
 - BOR = BOTTOM OF ROOF
 - BW = BOTTOM WALL
 - CH = CHIMNEY
 - CL = CENTRELINE
 - CON = CONCRETE
 - CPI = COMMUNICATIONS PIT
 - CSL = COMMUNICATIONS SURFACE LEVEL
 - DK = DECK
 - DNP = DOWN PIPE
 - DRN = DRAIN
 - DS = DOOR SILL LEVEL
 - ECL = ELECTRICITY SURFACE LEVEL
 - FCE = FENCE
 - FL = FLOOR LEVEL
 - GAR = GARAGE FLOOR LEVEL
 - GAR = GARAGE
 - GP = GUTTER LEVEL
 - GM = GAS METER
 - GRT = GRATE
 - GS = GAS SURFACE LEVEL
 - IL = INVERT LEVEL
 - LAN = LANDING
 - LN = LEVEL
 - LP = LIGHT POLE
 - NS = NATURAL SURFACE
 - PAB = PAVEMENT
 - PAT = PATIO
 - PAU = PAULING
 - PP = POWER POLE
 - RF = TOP OF ROOF
 - RR = ROOF RIDGE
 - SCN = SCREEN
 - SDN = SIGN
 - SP = SEWER INSPECTION PIT
 - SMH = SEWER MAN HOLE
 - SMS = SEWER MAN HOLE SQUARE
 - SSL = SEWER SURFACE LEVEL
 - STR = STAIRS
 - SWSL = STORMWATER SURFACE LEVEL
 - TYC = TOP OF FENCE
 - TG = TOP OF GUTTER
 - TBR = TOP OF KERB
 - TOP = TOP OF PIPE
 - TOR = TOP OF ROOF
 - TPU = TELETYPE PIT
 - TR = TREE
 - TR = TOP OF WALL
 - USL = UNKNOWN SERVICE SURFACE LEVEL
 - VC = VEHICLE CROSSING
 - WM = WATER METER
 - WSL = WATER SURFACE LEVEL
 - EL = ELECTRICITY OVERHEAD
 - TR = TREE
 - TR = TREE DIAMETER HEIGHT
 - TR = TREE DIAMETER HEIGHT
 - TR = TREE DIAMETER HEIGHT

6	DETAIL ADDED	20/01/2028
5	ADDITIONAL DETAIL ADDED	19/12/2025
4	UNDERGROUND SERVICES ADDED	20/11/2025
3	ADDITIONAL DETAIL & STORMWATER ADDED IN LANE	09/09/2025
2	ADDITIONAL NEIGHBOURING PROPERTIES ADDED	24/07/2025
1	FIRST ISSUE	30/04/2025



HORIZONTAL DATUM:
COORDINATE SYSTEM: MGA (GDA 2020)
MARKS ADOPTED: SSM 20744 & PM 35914

VERTICAL DATUM:
DATUM: AUSTRALIAN HEIGHT DATUM (AHD)
S.M. ADOPTED: SSM 20744
R.L. 74.43 (CLASS D)
SOURCE: S.C.I.M.S. (10/04/2025)

CLIENT:
PROSKER PROPERTY PTY LTD

LGA: MOSMAN

BOUNDARY IDENTIFICATION AND DETAIL & LEVEL SURVEY OVER STRATA PLAN 32953 No.65 MUSTON STREET MOSMAN, NSW, 2088

CMS SURVEYORS PTY LTD
ACN 096 240 201
PO Box 463 Dee Why, NSW, 2099
2/99A South Creek Road, Dee Why, NSW, 2099
(02) 9971 4802
info@cmsurveyors.com.au
www.cmsurveyors.com.au

SURVEYED HH/BS	DRAWN GP/MCH/HJR	CHECKED PB/BS	APPROVED MB/RM
SURVEY INSTRUCTION 24328E	SCALE 1:100@A0	DATE OF SURVEY 17/04/25 & 03/09/25 & 13/11/25 & 16/12/25	DATE OF SURVEY 17/04/25 & 03/09/25 & 13/11/25 & 16/12/25
DRAWING NAME 24328Edetail	SHEET 6 OF 6	ISSUE 6	
CAD FILE 24328Edetail 6.dwg			