

Stuart Hodgson
Director, Project Environment, Sustainability and Planning
Metro West
Level 43, 680 George Street,
Sydney NSW 2000

14/03/2022

Dear Mr Hodgson

**Sydney Metro West (SSI-10038)
Condition D38: Out of Hours Works Protocol**

I refer to your submission requesting approval of the Sydney Metro West Out of Hours Works Protocol (OOHWP) revision 1.2 dated 8 March 2022 in accordance with condition D38 of CSSI 10038.

I note that the Sydney Metro West OOHWP:

- has been prepared in consultation with the Environment Protection Authority and no comments were raised,
- has been reviewed by Sydney Metro and no issues have been raised,
- has been reviewed by the Environmental Representative and endorsed by the Acoustics Advisor, and
- contains the information required by the conditions of approval.

As nominee of the Planning Secretary, I approve the Sydney Metro West OOHWP Revision 1.2, dated 8 March 2022, pursuant to condition D38.

You are reminded that if there is any inconsistency between the approved document and the conditions of approval, then the requirements of the conditions of approval will prevail.

Please ensure that you make the Sydney Metro West OOHWP publicly available on the project website.

If you have any questions, please contact Scott Cooper at scott.cooper@planning.nsw.gov.au.

Yours sincerely



Matthew Todd-Jones
Team Leader - Rail
Infrastructure Management

As nominee of the Planning Secretary