

Modification of Infrastructure Approval

Section 5.25 of the *Environmental Planning & Assessment Act 1979*

As delegate of the Minister for Planning, I approve the modification of the State significant infrastructure approval referred to in Schedule 1, subject to the conditions in Schedule 2.



Stephen O'Donoghue
Director
Resource Assessments

Sydney 2 December 2022

SCHEDULE 1

Infrastructure Approval:	SSI-15548591 transitioned by order on 7 December 2020
For the following:	Moomba to Wilton Gas Pipeline
Modification:	Groundwater bore and site layout amendments

SCHEDULE 2

1. In the list of definitions:

- a) after the definition for 'Modification Report', insert:

“;

The modification report titled *APA East Coast Expansion Project - Moomba to Wilton Pipeline – Modification 3*, the response to submissions report titled *East Coast Grid Expansion – Moomba to Wilton Pipeline Modification 3 – Submissions Report* dated November 18, 2022”.

- b) delete “, Industry” in the definition for Department;
c) delete “and Public Spaces” in the definition for Minister; and
d) In alphabetical order, insert the following definitions:

“DPE Water Water Group within the Department
NRAR Natural Resources Access Regulator”

2. Replace all references to “DPIE Water” with “DPE Water”, except in condition B14.

3. After Condition B14, insert:

B14A. The Proponent must:

- a) not extract more than 40ML of water from the groundwater bore at the Stage 2 compressor station site, unless otherwise authorised by DPE Water (or NRAR); and
b) construct and decommission the groundwater bore to the satisfaction of DPE Water.

4. In Condition B21, delete the right-hand column in Table 2 and replace with:

Credits Required	
	26
	26
	26
	26

5. Delete Figure 2 in Appendix 2 and replace Figure 2 with:




Figure 2- Stage 2 (MW433)