




Appendix E - Part 3

Noise and vibration technical report



M7 WIDENING SLEEP DISTURBANCE CONTOURS - PAVEMENT WORKS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: magery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - PAVEMENT WORKS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - PAVEMENT WORKS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - PAVEMENT WORKS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - PAVEMENT WORKS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - PAVEMENT WORKS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: magery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - PAVEMENT WORKS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - PAVEMENT WORKS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)



Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

**AECOM**


< 50 51-55 56-60 61-65 > 65

Source: magery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

AECOM

< 45 46-50 51-55 56-60 61-65 66-70 71-75 > 75

Source: magery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community




M7 WIDENING CONSTRUCTION NOISE CONTOURS - NOISE WALLS



AECOM

Legend




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.


Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

Via aecomnet.com\FAA\AECOSydney\AUS\YO115Secure\Project\607\A606-0547_M7Widening\800_CAD_GIS\9-20_GIS\02_Map\ENV\01_Specialist_Report\Noise\G005_01_AAPDP_Noise_ConstructionContours_NoiseWalls_20211217.mxd Date Saved: 28/07/2022



M7 WIDENING CONSTRUCTION NOISE CONTOURS - NOISE WALLS

Legend



AECOM


Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)


Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

Via aecommet.com/ITFAAPA/CSydney/ALD/115Secure/Project/807A/B06-0547.M7Widening/800_CAD_0519_20_GIS/02_Specialist_Report/NoiseContours_NoiseWalls_20211217.mxd Date Saved: 28/07/2022



M7 WIDENING
CONSTRUCTION NOISE CONTOURS - NOISE WALLS



Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)


Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

Via aecomnet.com\IT\AECOM\Sydney\AUS\YD11\Secure\Projects\AUS\AECOM\G005_01_AAPDP\Noise\Specialist\Reports\NoiseContours_NoiseWalls_20211217.mxd Date Saved: 28/07/2022




M7 WIDENING
CONSTRUCTION NOISE CONTOURS - NOISE WALLS



AECOM

Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).
 The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)
 Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content in accordance with section 5 of the Copyright Licence. AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.
 Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community




M7 WIDENING CONSTRUCTION NOISE CONTOURS - NOISE WALLS



AECOM

Legend



Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)


Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content in accordance with section 5 of the Copyright Licence. AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

**AECOM**

< 45 46-50 51-55 56-60 61-65 66-70 71-75 > 75

Source: magery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - NOISE WALLS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - NOISE WALLS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - NOISE WALLS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - NOISE WALLS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - NOISE WALLS




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, Digital Cadastral Database and/or Digital Topographic Database.

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community




M7 WIDENING CONSTRUCTION NOISE CONTOURS - FINISHING



AECOM

Legend




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community



M7 WIDENING CONSTRUCTION NOISE CONTOURS - FINISHING




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)



Exceedance of NML, dB


- 0
- 1 - 10
- 11 - 20
- > 20

Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community




M7 WIDENING CONSTRUCTION NOISE CONTOURS - FINISHING



AECOM

Legend




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).


The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community



M7 WIDENING
CONSTRUCTION NOISE CONTOURS - FINISHING




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community

Via aecom.com/ITFA/PA/CS/Sydney/ALD/0115/secure/Project/017/ALD/05-05/47_M7Widening/800_CAD_GIS/9/20_GIS/02_Maps/ENVI/01_Specialist_Report/01/Noise/04/02_AAPDF_Note_ConstructionContours_Finishing_20220527.mxd Date Saved: 28/07/2022




M7 WIDENING CONSTRUCTION NOISE CONTOURS - FINISHING



AECOM

Legend




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content in accordance with section 5 of the Copyright Licence. AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community




M7 WIDENING CONSTRUCTION NOISE CONTOURS - FINISHING



AECOM

Legend




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community



M7 WIDENING CONSTRUCTION NOISE CONTOURS - FINISHING



AECOM


Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)



Exceedance of NML, dB




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community




M7 WIDENING CONSTRUCTION NOISE CONTOURS - FINISHING



AECOM

Legend




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content in accordance with section 5 of the Copyright Licence. AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, Earthstar Geographics, and the GIS User Community



M7 WIDENING


SLEEP DISTURBANCE CONTOURS - FINISHING

**AECOM**

Legend

-  Noise Catchment Area
 Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons, Attribution 4.0 Australia licence © Department of Customer Service 2020. (Digital Cadastral Database and/or Digital Topographic Database).


The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: magery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - FINISHING




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - FINISHING




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING


SLEEP DISTURBANCE CONTOURS - FINISHING

**AECOM**

Legend

-  Noise Catchment Area
 Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons, Attribution 4.0 Australia licence © Department of Customer Service 2020. (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: magery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - FINISHING




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - FINISHING




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)




Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: imagery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



M7 WIDENING SLEEP DISTURBANCE CONTOURS - FINISHING




AECOM

Legend

- Noise Catchment Area
- Building footprint

Sound Pressure Level, dB(A)



Copyright: Copyright in material relating to the base layers (contextual information) on this page is licensed under a Creative Commons Attribution 4.0 Australia licence © Department of Customer Service 2020, (Digital Cadastral Database and/or Digital Topographic Database).

The terms of Creative Commons Attribution 4.0 Australia License are available from <https://creativecommons.org/licenses/by/4.0/legalcode> (Copyright Licence)

Neither AECOM Australia Pty Ltd (AECOM) nor the Department of Customer Service make any representations or warranties of any kind, about the accuracy, reliability, completeness or suitability or fitness for purpose in relation to the content (in accordance with section 5 of the Copyright Licence). AECOM has prepared this document for the sole use of its Client based on the Client's description of its requirements having regard to the assumptions and other limitations set out in this report, including page 2.

Source: magery Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

via.aecom.com/16447AC/Sydney-AUS/01/Secure/Projects/107/160666547_M7Widening/800_CAD_GIS/820_GIS/02_Noise_SleepDisturbanceContours_Finishing_20201027.mxd Data Saved: 27/10/2022

Appendix D

Traffic volumes

Appendix D Traffic volumes

Table 3 Traffic volumes - local roads

Traffic counter location	Direction	Existing Traffic Volumes, 2021		2026		2036	
		Light vehicles	Heavy vehicles	Light vehicles	Heavy vehicles	Light vehicles	Heavy vehicles
Kurrajong Road	Eastbound	7,112	271	8,106	310	8,937	345
	Westbound	10,312	402	10,712	464	11,953	580
Hoxton Park Road	Eastbound	12,160	1,114	14,332	1,217	18,166	1,668
	Westbound	12,474	973	17,582	1,367	22,262	1,864
Cowpasture Road	Eastbound	28,818	3,759	31,503	3,760	36,375	5,348
	Westbound	26,862	3,026	27,529	3,968	31,835	5,250
Wallgrove Road	Northbound	6,086	1,067	5,533	1,120	6,208	1,174
	Southbound	6,778	877	5,546	1,003	6,208	1,043
Great Western Highway	Eastbound	14,825	2,568	16,209	3,033	18,160	3,753
	Westbound	13,683	2,672	15,468	3,473	17,051	4,351
Elizabeth Drive	Eastbound	11,772	1,981	15,452	2,134	19,000	2,509
	Westbound	11,301	2,132	15,112	2,136	18,570	2,466
Horsley Park Drive	Eastbound	9,072	3,414	11,893	4,166	13,420	5,285
	Westbound	10,434	3,345	11,969	4,165	13,488	5,394
Francis Road	Eastbound	11,079	461	11,153	491	13,191	491
	Westbound	12,047	484	12,035	485	14,068	499
Woodstock Avenue	Eastbound	5,936	1,056	6,329	1,212	7,147	1,529
	Westbound	5,755	1,087	6,069	1,256	6,932	1,577
Power Street	Eastbound	5,178	267	5,409	274	6,371	370
	Westbound	7,662	323	7,746	337	9,250	466
Richmond Road	Eastbound	15,468	797	15,050	953	16,649	1,080
	Westbound	14,683	1,203	16,138	1,238	17,721	1,400

Table 4 Traffic volumes - Westlink M7

Traffic counter location	Direction	Existing Traffic Volumes, 2021		2026		2036	
		Light vehicles	Heavy vehicles	Light vehicles	Heavy vehicles	Light vehicles	Heavy vehicles
M5/Hume Highway and Bernera Road	Northbound/Eastbound	33,653	6,575	4,4092	9,980	50,063	12,445
	Southbound/Westbound	36,174	6,844	44,603	10,274	51,896	12,648
Bernera Road and Cowpasture Road	Northbound/Eastbound	36,810	7,490	44,135	10,252	50,202	12,730
	Southbound/Westbound	39,526	7,764	44,036	10,211	5,2900	12,861
Cowpasture Road and Elizabeth Drive	Northbound/Eastbound	37,890	7,704	44,917	10,508	51,175	12,978
	Southbound/Westbound	39,433	7,856	42,796	10,386	51,672	13,158
Elizabeth Drive and M12 Motorway	Northbound/Eastbound	39,110	7,610	46,090	10,457	51,797	12,748
	Southbound/Westbound	39,983	7,833	43,611	10,466	53,207	13,396
M12 Motorway and Horsley Drive	Northbound/Eastbound	39,110	7,610	45,352	10,622	52,920	13,545
	Southbound/Westbound	39,983	7,833	43,230	10,721	49,653	13,345
Horsley Drive and Old Wallgrove Road	Northbound/Eastbound	40,128	7,262	46,191	9,944	53,973	12,657
	Southbound/Westbound	39,618	7,452	43,383	9,889	49,620	12,133
Old Wallgrove Road and M4 Motorway	Northbound/Eastbound	39,787	7,050	44,843	9,297	52,445	11,977
	Southbound/Westbound	38,179	6,735	42,395	8,825	48,116	10,401
M4 Motorway and Great Western Highway	Northbound/Eastbound	39,964	6,072	40,869	6,898	46,134	8,678
	Southbound/Westbound	36,740	5,377	39,710	6,552	46,817	8,018
Great Western Hwy and Woodstock Avenue	Northbound/Eastbound	42,278	6,581	43,380	7,420	49,668	9,360
	Southbound/Westbound	39,222	5,897	42,809	7,402	50,530	9,066
Woodstock Avenue and Power Street	Northbound/Eastbound	36,534	5,782	36,390	6,233	41,742	7,901
	Southbound/Westbound	33,455	5,130	36,650	6,128	44,021	7,567
Power Street and Richmond Road	Northbound/Eastbound	38,661	6,122	38,376	6,566	44,325	8,335
	Southbound/Westbound	35,559	5,485	39,025	6,550	46,903	8,091

Appendix E

Noise wall assessment

Appendix E Noise wall assessment

NW14A

A comparison of noise reductions for a range of barrier heights has been carried out for the most affected residences within the noise wall precinct. Noise wall NW14A is currently 4 m high.

The following charts provide the points rating assessment in accordance with the *Noise Mitigation Guideline*. Figure 2 provides a chart showing the number of property treatments with each barrier increment.




Figure 2 Number of receivers requiring at-receiver treatment

From Figure 2 it can be seen that the maximum barrier height for this precinct is 6.0 m. The initial barrier design height is shown to be 2.5 m. Figure 3 presents the points curve for the barrier.




Figure 3 Noise wall points curve

The weighting points chart provided above in Figure 3 indicates that a 2.5 m noise wall would be considered the design barrier for this assessment. At 2.5 m, 12 receivers would still require at-receiver treatment. Figure 4 presents the insertion loss of each barrier height considered.




Figure 4 Insertion loss for barrier height

Results of the barrier assessment show that the minimum 5 dB insertion loss for a noise wall up to 5 m is not achieved at any receiver. Therefore, no changes to the height of this noise wall are recommended.

NW18 extension

A comparison of noise reductions for a range of barrier heights has been carried out for the most affected residences within the noise wall precinct. The adjacent existing noise wall NW18 is 4 m high.

The following charts provide the points rating assessment in accordance with the *Noise Mitigation Guideline*. Figure 5 provides a chart showing the number of property treatments with each barrier increment.




Figure 5 Number of receivers requiring at-receiver treatment

From Figure 5 it can be seen that the maximum barrier height for this precinct is 6.5 m. The initial barrier design height is shown to be 4.0 m. Figure 6 presents the points curve for the barrier.




Figure 6 Noise wall points curve

The weighting points chart provided above in Figure 6 indicates that a 4.0 m noise wall would be considered the design barrier for this assessment. At 4.0 m, nine receivers would still require at-receiver treatment. Figure 7 presents the insertion loss of each barrier height considered.




Figure 7 Insertion loss for barrier height

Results of the barrier assessment show that the minimum 5 dB insertion loss for a noise wall up to 5 m is achieved at 4.5 m high (4.8 dB). On this basis, and the fact that the adjacent existing NW18 is 4 m high a noise wall of 4 m high is recommended for the extension.

NW29

A comparison of noise reductions for a range of barrier heights has been carried out for the most affected residences within the noise wall precinct. The existing noise wall NW29 is 4.5 m high.

The following charts provide the points rating assessment in accordance with the *Noise Mitigation Guideline*. Figure 8 provides a chart showing the number of property treatments with each barrier increment.




Figure 8 Number of receivers requiring at-receiver treatment

From Figure 8 it can be seen that the maximum barrier height for this precinct is 8.0 m. The initial barrier design height is shown to be 5.5 m. Figure 9 presents the points curve for the barrier.




Figure 9 Noise wall points curve

The weighting points chart provided above in Figure 9 indicates that a 5.5 m noise wall would be considered the design barrier for this assessment. At 5.5 m, five receivers would still require at-receiver treatment. Figure 10 presents the insertion loss of each barrier height considered.




Figure 10 Insertion loss for barrier height

Results of the barrier assessment show that the minimum 10 dB insertion loss for a noise wall 5 m high or more is only achieved at 8 m. Therefore, no changes to the height of this noise wall are recommended.

NW32A

A comparison of noise reductions for a range of barrier heights has been carried out for the most affected residences within the noise wall precinct. The existing Noise wall NW32A is 4 m high.

The following charts provide the points rating assessment in accordance with the *Noise Mitigation Guideline*. Figure 11 provides a chart showing the number of property treatments with each barrier increment.




Figure 11 Number of receivers requiring at-receiver treatment

From Figure 11 it can be seen that the maximum barrier height for this precinct is 6.5 m. The initial barrier design height is shown to be 3.5 m. Figure 12 presents the points curve for the barrier.




Figure 12 Noise wall points curve

The weighting points chart provided above in Figure 12 indicates that a 4 m noise wall would be considered the design barrier for this assessment. At 4 m, two receivers would still require at-receiver treatment. Figure 13 presents the insertion loss of each barrier height considered.




Figure 13 Insertion loss for barrier height

Results of the barrier assessment show that the minimum 5 dB insertion loss for a noise wall up to 5 m high is achieved from 2 m upwards. Therefore a noise wall height of 4 m is recommended, which is the current height.

NW33

A comparison of noise reductions for a range of barrier heights has been carried out for the most affected residences within the noise wall precinct. The existing Noise wall NW33 is 4 m high.

The following charts provide the points rating assessment in accordance with the *Noise Mitigation Guideline*. Figure 14 provides a chart showing the number of property treatments with each barrier increment.




Figure 14 Number of receivers requiring at-receiver treatment

From Figure 14 it can be seen that the maximum barrier height for this precinct is 7 m. The initial barrier design height is shown to be 3.5 m. Figure 15 presents the points curve for the barrier.




Figure 15 Noise wall points curve

The weighting points chart provided above in Figure 15 indicates that a 6 m noise wall would be considered the design barrier for this assessment. At 6 m, one receiver would still require at-receiver treatment. Figure 16 presents the insertion loss of each barrier height considered.




Figure 16 Insertion loss for barrier height

Results of the barrier assessment show that the minimum 5 dB insertion loss for a noise wall up to 5 m high is achieved from 2 m upwards. The minimum 10 dB insertion loss for a noise wall of 5 m and above is achieved from 3.5 m upwards. Therefore, a noise wall height of 6 m is recommended.

NW35

A comparison of noise reductions for a range of barrier heights has been carried out for the most affected residences within the noise wall precinct. The existing Noise wall NW35 is 4 m high.

The following charts provide the points rating assessment in accordance with the *Noise Mitigation Guideline*. Figure 17 provides a chart showing the number of property treatments with each barrier increment.




Figure 17 Number of receivers requiring at-receiver treatment

From Figure 17 it can be seen that the maximum barrier height for this precinct is 8 m. The initial barrier design height is shown to be 3 m. Figure 18 presents the points curve for the barrier.




Figure 18 Noise wall points curve

The weighting points chart provided above in Figure 18 indicates that a 3.5 m noise wall would be considered the design barrier for this assessment. At 3.5 m, two receivers would still require at-receiver treatment. Figure 19 presents the insertion loss of each barrier height considered.




Figure 19 Insertion loss for barrier height

Results of the barrier assessment show that the minimum 5 dB insertion loss for a noise wall up to 5 m high is achieved from 2.5 m upwards. Therefore it is recommended that the currently height noise wall of 4 m is maintained.

NW Elizabeth Hills

A comparison of noise reductions for a range of barrier heights has been carried out for the most affected residences within the noise wall precinct. The existing non-Westlink Noise wall is around 4 m high.

The following charts provide the points rating assessment in accordance with the *Noise Mitigation Guideline*. Figure 20 provides a chart showing the number of property treatments with each barrier increment.




Figure 20 Number of receivers requiring at-receiver treatment

From Figure 20 it can be seen that the maximum barrier height for this precinct is 8 m. The initial barrier design height is shown to be 7 m. Figure 21 presents the points curve for the barrier.




Figure 21 Noise wall points curve

The weighting points chart provided above in Figure 21 indicates that a 7 m noise wall would be considered the design barrier for this assessment. At 7 m, around 38 receivers would still require at-receiver treatment. Figure 22 presents the insertion loss of each barrier height considered.




Figure 22 Insertion loss for barrier height

Results of the barrier assessment show that the minimum 10 dB insertion loss for a noise wall 5 m and over is achieved from 6.5 m upwards. Therefore a noise wall height of 7 m is recommended.

NW Middleton Grange

A comparison of noise reductions for a range of barrier heights has been carried out for the most affected residences within the noise wall precinct. The existing non-Westlink Noise wall is around 4 m high.

The following charts provide the points rating assessment in accordance with the *Noise Mitigation Guideline*. Figure 23 provides a chart showing the number of property treatments with each barrier increment.




Figure 23 Number of receivers requiring at-receiver treatment

From Figure 23 it can be seen that the maximum barrier height for this precinct is 8 m. The initial barrier design height is shown to be 6.0 m. Figure 24 presents the points curve for the barrier.




Figure 24 Noise wall points curve

The weighting points chart provided above in Figure 24 indicates that a 6.0 m noise wall would be considered the design barrier for this assessment. At 6.0 m, just over 50 receivers would still require at-receiver treatment. Figure 25 presents the insertion loss of each barrier height considered.




Figure 25 Insertion loss for barrier height

Results of the barrier assessment show that the minimum 10 dB insertion loss for a noise wall 5 m and over is achieved from 6 m upwards. Therefore, a noise wall height of 6.0 m is recommended.

NW Skipton Lane

A comparison of noise reductions for a range of barrier heights has been carried out for the most affected residences within the noise wall precinct.

The following charts provide the points rating assessment in accordance with the *Noise Mitigation Guideline*. Figure 26 provides a chart showing the number of property treatments with each barrier increment.





Figure 26 Number of receivers requiring at-receiver treatment

From Figure 26 it can be seen that the maximum barrier height for this precinct is 5.0 m. The initial barrier design height is shown to be 2.0 m. Figure 26 presents the points curve for the barrier.



The weighting points chart provided above in Figure 27 indicates that a 5.0 m noise wall would be considered the design barrier for this assessment. At 5.0 m, no receivers would require at-receiver treatment. Figure 27 presents the insertion loss of each barrier height considered.




Figure 27 Insertion loss for barrier height

Results of the barrier assessment show that the minimum 5 dB insertion loss for a noise wall up to 5 m high is achieved from 2.0 m upwards. Therefore a noise wall height of 5.0 m is recommended.

Appendix F

Operational road traffic
noise results - Tables

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1761470	RS	60	55	63	61	64	61	64	61	0.4	0.4	No	Yes	Yes	Yes
1761575	RS	60	55	56	53	57	54	57	54	0.7	0.8	No	No	No	No
1761583	RS	60	55	55	52	56	53	55	53	0.7	0.7	No	No	No	No
1761692	RS	60	55	64	57	64	57	56	53	0.0	0.1	No	No	No	No
1761783	RS	60	55	61	58	61	58	61	58	-0.1	-0.2	No	No	No	No
1761786	RS	60	55	64	61	64	62	64	62	0.4	0.5	No	No	Yes	Yes
1761802	RS	60	55	59	56	59	56	59	56	0.1	0.0	No	No	No	No
1761806	RS	60	55	56	53	56	54	56	53	0.8	0.8	No	No	No	No
1761834	RS	60	55	65	62	65	62	65	62	0.5	0.4	No	Yes	Yes	Yes
1761910	RS	60	55	64	61	64	62	64	62	0.5	0.4	No	No	Yes	Yes
1761919	RS	60	55	50	47	51	48	51	48	0.8	1.0	No	No	No	No
1761952	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1761968	RS	60	55	59	56	60	57	60	57	0.5	0.5	No	No	No	No
1761997	RS	60	55	59	57	59	56	59	56	-0.5	-0.7	No	No	No	No
1762010	RS	60	55	58	55	58	55	58	55	-0.3	-0.3	No	No	No	No
1762027	RS	60	55	57	55	58	55	58	55	0.7	0.7	No	No	No	No
1762051	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1762052	RS	60	55	61	55	61	55	54	51	0.1	0.1	No	No	No	No
1762055	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1762057	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1762058	RS	60	55	60	55	60	55	53	50	0.0	0.1	No	No	No	No
1762060	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1762061	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1762065	RS	60	55	59	55	59	56	58	55	0.2	0.4	No	No	No	No
1762066	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1762076	RS	60	55	52	49	52	49	52	49	0.5	0.6	No	No	No	No
1762078	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1762082	RS	60	55	48	45	49	46	49	46	0.5	0.5	No	No	No	No
1762089	RS	60	55	49	47	50	47	50	47	0.8	0.8	No	No	No	No
1762094	RS	60	55	68	62	68	62	57	54	0.0	0.1	No	No	No	No
1762095	RS	60	55	57	52	57	53	52	49	-0.1	0.2	No	No	No	No
1762098	RS	60	55	54	48	54	48	50	47	0.6	-0.1	No	No	No	No
1762099	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1762114	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1762121	RS	60	55	51	48	51	48	51	48	0.6	0.6	No	No	No	No
1762129	RS	60	55	58	55	59	56	58	55	0.6	0.8	No	No	No	No
1762130	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1762133	RS	60	55	58	54	58	55	57	55	0.5	0.6	No	No	No	No
1762134	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1762142	RS	60	55	61	58	62	59	61	59	0.8	0.8	No	No	No	No
1762150	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1762153	RS	60	55	54	51	55	52	54	51	0.8	0.7	No	No	No	No
1762163	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1762166	RS	60	55	59	56	59	56	59	56	0.7	0.7	No	No	No	No
1762167	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1762189	RS	60	55	48	45	48	45	48	45	-0.2	-0.3	No	No	No	No
1762200	RS	60	55	51	48	52	49	51	49	0.6	0.6	No	No	No	No
1762204	RS	60	55	53	50	54	51	53	50	0.4	0.4	No	No	No	No
1762209	RS	60	55	57	54	57	54	57	54	0.5	0.6	No	No	No	No
1762210	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1762211	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1762212	RS	60	55	47	44	48	45	48	45	0.5	0.5	No	No	No	No
1762215	RS	60	55	54	51	55	52	54	52	0.5	0.5	No	No	No	No
1762219	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1762223	RS	60	55	63	57	63	57	55	52	0.2	0.5	No	No	No	No
1762225	RS	60	55	55	52	55	53	55	53	0.6	0.6	No	No	No	No
1762235	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1762236	RS	60	55	57	54	57	54	57	54	0.6	0.5	No	No	No	No
1762238	RS	60	55	53	50	53	50	52	50	-0.1	-0.2	No	No	No	No
1762239	RS	60	55	56	52	56	53	54	51	0.4	0.5	No	No	No	No
1762243	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1762246	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1762257	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1762262	RS	60	55	48	45	48	45	48	45	0.5	0.5	No	No	No	No
1762267	RS	60	55	58	55	59	56	59	56	0.5	0.6	No	No	No	No
1762268	RS	60	55	53	50	53	50	52	49	0.3	0.3	No	No	No	No
1762269	RS	60	55	52	49	53	50	53	50	0.4	0.3	No	No	No	No
1762271	RS	60	55	49	46	50	47	49	47	0.4	0.4	No	No	No	No
1762276	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1762277	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1762279	RS	60	55	49	46	49	46	49	46	0.4	0.4	No	No	No	No
1762282	RS	60	55	48	46	49	46	49	46	0.8	0.8	No	No	No	No
1762284	RS	60	55	51	49	52	49	52	49	0.7	0.7	No	No	No	No
1762286	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1762287	RS	60	55	47	44	48	44	47	44	0.5	0.4	No	No	No	No
1762296	RS	60	55	66	61	66	61	59	56	0.0	0.1	No	Yes	No	Yes
1762299	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1762300	RS	60	55	54	51	53	50	53	50	-0.7	-0.7	No	No	No	No
1762303	RS	60	55	51	48	51	48	51	48	0.4	0.3	No	No	No	No
1762306	RS	60	55	53	50	53	50	53	50	0.6	0.6	No	No	No	No
1762316	RS	60	55	54	52	54	51	54	51	-0.1	-0.2	No	No	No	No
1762319	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1762320	RS	60	55	59	56	59	56	59	56	0.4	0.5	No	No	No	No
1762321	RS	60	55	54	51	54	51	54	51	0.6	0.5	No	No	No	No
1762322	RS	60	55	52	48	52	49	51	48	0.1	0.2	No	No	No	No
1762323	RS	60	55	46	44	47	44	47	44	0.8	0.7	No	No	No	No
1762324	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1762331	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1762332	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1762336	RS	60	55	52	49	52	49	52	49	0.5	0.5	No	No	No	No
1762347	RS	60	55	63	60	64	61	64	61	0.8	0.7	No	No	Yes	Yes
1762352	RS	60	55	51	48	52	49	51	49	0.5	0.5	No	No	No	No
1762355	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1762356	RS	60	55	50	47	51	48	50	48	0.6	0.5	No	No	No	No
1762357	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1762359	RS	60	55	55	52	55	53	55	52	0.5	0.6	No	No	No	No
1762362	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1762366	RS	60	55	55	52	56	53	56	53	0.6	0.5	No	No	No	No
1762371	RS	60	55	52	49	52	50	52	50	0.4	0.4	No	No	No	No
1762379	RS	60	55	55	52	55	52	54	52	-0.1	-0.2	No	No	No	No
1762387	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1762398	RS	60	55	50	47	50	47	50	47	0.1	0.2	No	No	No	No
1762401	RS	60	55	55	52	55	52	55	52	-0.2	-0.2	No	No	No	No
1762402	RS	60	55	55	52	55	52	55	52	-0.3	-0.4	No	No	No	No
1762405	RS	60	55	53	51	54	51	54	51	0.8	0.7	No	No	No	No
1762407	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1762415	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1762416	RS	60	55	50	47	50	47	50	47	0.5	0.6	No	No	No	No
1762417	RS	60	55	49	46	50	47	49	47	0.7	0.7	No	No	No	No
1762420	RS	60	55	48	45	49	46	48	46	0.6	0.7	No	No	No	No
1762423	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1762424	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1762431	RS	60	55	51	48	52	49	51	49	0.7	0.8	No	No	No	No
1762432	RS	60	55	54	51	55	52	55	52	0.9	0.8	No	No	No	No
1762433	RS	60	55	54	52	55	52	55	52	0.7	0.7	No	No	No	No
1762438	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1762443	RS	60	55	51	47	51	48	50	47	0.5	0.6	No	No	No	No
1762445	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1762448	RS	60	55	57	54	57	54	57	54	0.7	0.8	No	No	No	No
1762449	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1762452	RS	60	55	55	52	55	52	55	52	0.6	0.6	No	No	No	No
1762457	RS	60	55	54	51	55	52	54	52	0.5	0.6	No	No	No	No
1762462	RS	60	55	57	52	57	52	54	51	-0.3	0.1	No	No	No	No
1762475	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1762476	RS	60	55	50	47	51	47	50	47	0.6	0.7	No	No	No	No
1762477	RS	60	55	65	62	66	63	65	63	0.8	0.9	No	Yes	Yes	Yes
1762483	RS	60	55	54	51	55	51	54	51	0.7	0.6	No	No	No	No
1762485	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1762486	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1762487	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1762490	RS	60	55	55	52	55	52	55	52	-0.2	-0.3	No	No	No	No
1762491	RS	60	55	52	48	52	49	51	48	0.4	0.6	No	No	No	No
1762512	RS	60	55	60	58	61	58	61	58	0.7	0.7	No	No	No	No
1762514	RS	60	55	49	47	50	47	50	47	0.7	0.7	No	No	No	No
1762517	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1762519	RS	60	55	51	47	52	48	50	47	0.5	0.4	No	No	No	No
1762528	RS	60	55	50	47	50	48	50	48	0.7	0.8	No	No	No	No
1762533	RS	60	55	58	55	59	55	58	55	0.7	0.7	No	No	No	No
1762537	RS	60	55	51	48	52	49	51	48	0.8	0.9	No	No	No	No
1762541	RS	60	55	67	60	67	59	53	50	0.7	-0.9	No	No	No	No
1762544	RS	60	55	51	48	52	49	51	49	0.5	0.4	No	No	No	No
1762545	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1762547	RS	60	55	54	51	55	51	53	50	0.5	0.6	No	No	No	No
1762550	RS	60	55	55	52	55	52	55	52	-0.1	-0.1	No	No	No	No
1762555	RS	60	55	55	52	55	52	55	52	-0.1	-0.2	No	No	No	No
1762569	RS	60	55	47	45	48	45	48	45	0.5	0.5	No	No	No	No
1762577	RS	60	55	52	48	52	48	50	48	0.4	0.5	No	No	No	No
1762580	RS	60	55	48	45	49	46	49	46	0.7	0.7	No	No	No	No
1762583	RS	60	55	58	55	58	56	58	55	0.7	0.8	No	No	No	No
1762585	RS	60	55	48	46	49	46	49	46	0.7	0.7	No	No	No	No
1762589	RS	60	55	51	48	52	49	51	48	0.5	0.6	No	No	No	No
1762592	RS	60	55	52	49	52	49	52	49	-0.2	-0.2	No	No	No	No
1762597	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1762601	RS	60	55	54	51	54	51	54	51	0.3	0.2	No	No	No	No
1762608	RS	60	55	54	50	54	50	53	50	0.5	0.3	No	No	No	No
1762610	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1762611	RS	60	55	46	43	46	43	46	43	0.3	0.3	No	No	No	No
1762619	RS	60	55	63	60	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1762620	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1762624	RS	60	55	53	50	54	50	53	50	0.4	0.5	No	No	No	No
1762627	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1762631	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1762632	RS	60	55	51	48	52	49	51	49	0.9	0.8	No	No	No	No
1762636	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1762641	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1762643	RS	60	55	47	44	47	44	47	44	-0.2	-0.3	No	No	No	No
1762654	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1762657	RS	60	55	53	50	53	50	53	50	0.0	0.0	No	No	No	No
1762658	RS	60	55	56	53	57	54	57	54	0.6	0.6	No	No	No	No
1762660	RS	60	55	51	49	52	49	52	49	0.7	0.8	No	No	No	No
1762662	RS	60	55	53	51	54	51	54	51	0.4	0.4	No	No	No	No
1762668	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1762669	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1762672	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1762673	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1762674	RS	60	55	52	49	52	49	52	49	0.4	0.5	No	No	No	No
1762680	RS	60	55	48	45	48	45	48	45	0.6	0.6	No	No	No	No
1762685	RS	60	55	52	49	52	49	52	49	0.6	0.6	No	No	No	No
1762687	RS	60	55	49	46	50	47	49	47	0.7	0.7	No	No	No	No
1762688	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1762693	RS	60	55	50	47	51	48	50	48	0.5	0.6	No	No	No	No
1762695	RS	60	55	50	47	51	48	50	48	0.8	0.7	No	No	No	No
1762697	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1762702	RS	60	55	65	58	65	57	54	51	0.7	-0.6	No	No	No	No
1762704	RS	60	55	67	61	68	60	54	51	0.7	-1.0	No	No	No	No
1762705	RS	60	55	58	55	58	55	58	55	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1762707	RS	60	55	49	46	49	47	49	47	0.7	0.8	No	No	No	No
1762710	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1762712	RS	60	55	55	52	56	53	55	53	0.8	0.8	No	No	No	No
1762714	RS	60	55	58	53	58	54	55	52	0.4	0.6	No	No	No	No
1762716	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1762717	RS	60	55	54	51	55	52	55	52	0.8	0.9	No	No	No	No
1762720	RS	60	55	59	57	60	57	60	57	0.7	0.7	No	No	No	No
1762721	RS	60	55	55	51	55	51	54	51	0.3	0.5	No	No	No	No
1762723	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1762724	RS	60	55	56	53	56	54	56	54	0.7	0.8	No	No	No	No
1762728	RS	60	55	56	53	57	54	57	54	0.6	0.6	No	No	No	No
1762731	RS	60	55	60	55	60	56	56	53	0.2	0.4	No	No	No	No
1762734	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1762739	RS	60	55	55	52	56	53	55	52	0.4	0.6	No	No	No	No
1762740	RS	60	55	53	50	54	51	53	51	0.7	0.7	No	No	No	No
1762748	RS	60	55	52	49	53	50	52	50	0.5	0.5	No	No	No	No
1762750	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1762751	RS	60	55	47	44	47	44	47	44	0.5	0.5	No	No	No	No
1762756	RS	60	55	56	53	55	52	55	52	-0.3	-0.4	No	No	No	No
1762759	RS	60	55	53	50	53	51	53	51	0.7	0.7	No	No	No	No
1762760	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1762763	RS	60	55	58	55	58	55	58	55	0.4	0.5	No	No	No	No
1762767	RS	60	55	54	51	54	51	54	51	0.5	0.4	No	No	No	No
1762768	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1762770	RS	60	55	54	50	54	51	53	51	0.4	0.4	No	No	No	No
1762775	RS	60	55	52	50	53	50	53	50	0.4	0.4	No	No	No	No
1762776	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1762788	RS	60	55	56	53	57	54	56	53	0.7	0.7	No	No	No	No
1762789	RS	60	55	52	50	52	49	52	49	-0.3	-0.4	No	No	No	No
1762795	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1762799	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1762800	RS	60	55	51	48	51	48	50	48	0.2	0.3	No	No	No	No
1762804	RS	60	55	53	50	53	51	53	50	0.7	0.8	No	No	No	No
1762805	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1762806	RS	60	55	54	51	54	51	54	51	0.7	0.8	No	No	No	No
1762810	RS	60	55	49	46	49	47	49	47	0.5	0.5	No	No	No	No
1762812	RS	60	55	56	52	56	52	54	51	0.1	0.2	No	No	No	No
1762814	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1762818	RS	60	55	67	61	67	61	55	52	0.1	0.7	No	No	No	No
1762819	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1762820	RS	60	55	61	56	61	57	56	53	0.7	0.4	No	No	No	No
1762824	RS	60	55	53	50	53	50	53	50	0.3	0.3	No	No	No	No
1762825	RS	60	55	62	59	62	59	62	59	0.5	0.6	No	No	No	No
1762827	RS	60	55	55	53	56	53	56	53	0.8	0.9	No	No	No	No
1762836	RS	60	55	56	53	56	54	56	53	0.6	0.7	No	No	No	No
1762838	RS	60	55	55	52	56	53	55	52	0.7	0.7	No	No	No	No
1762839	RS	60	55	58	54	59	54	55	52	0.6	0.4	No	No	No	No
1762845	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1762854	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1762855	RS	60	55	59	56	60	57	59	56	0.7	1.0	No	No	No	No
1762856	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1762859	RS	60	55	54	51	55	52	54	51	0.6	0.8	No	No	No	No
1762860	RS	60	55	57	54	58	55	57	55	0.5	0.5	No	No	No	No
1762861	RS	60	55	47	44	47	44	47	44	0.4	0.4	No	No	No	No
1762864	RS	60	55	51	48	51	48	51	48	0.6	0.6	No	No	No	No
1762875	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1762877	RS	60	55	51	48	51	49	51	49	0.7	0.7	No	No	No	No
1762882	RS	60	55	60	57	61	58	60	57	0.8	1.4	No	No	No	No
1762884	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1762894	RS	60	55	61	58	61	59	60	57	0.7	1.1	No	No	No	No
1762905	RS	60	55	54	52	55	52	55	52	0.8	0.7	No	No	No	No
1762906	RS	60	55	54	51	54	51	54	51	0.6	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1762908	RS	60	55	55	52	55	52	55	52	0.7	0.8	No	No	No	No
1762911	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1762913	RS	60	55	51	48	52	49	51	49	0.8	0.8	No	No	No	No
1762933	RS	60	55	50	47	51	48	50	48	0.8	0.7	No	No	No	No
1762938	RS	60	55	49	46	49	46	49	46	-0.3	-0.3	No	No	No	No
1762943	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1762946	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1762948	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1762949	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1762952	RS	60	55	55	52	56	53	56	53	0.9	0.8	No	No	No	No
1762953	RS	60	55	60	57	60	57	60	57	0.8	0.7	No	No	No	No
1762959	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1762960	RS	60	55	52	49	52	49	52	49	0.1	0.1	No	No	No	No
1762964	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1762968	RS	60	55	50	47	50	47	50	47	0.6	0.5	No	No	No	No
1762974	RS	60	55	49	46	50	47	50	47	0.4	0.5	No	No	No	No
1762980	RS	60	55	51	49	52	49	52	49	0.8	0.8	No	No	No	No
1762982	RS	60	55	49	46	49	46	49	46	0.8	0.8	No	No	No	No
1762984	RS	60	55	54	52	55	52	55	52	0.8	0.7	No	No	No	No
1762994	RS	60	55	47	44	47	45	47	45	0.8	0.8	No	No	No	No
1762998	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1763002	RS	60	55	55	52	56	52	55	52	0.8	0.7	No	No	No	No
1763003	RS	60	55	51	48	50	47	50	47	-0.6	-0.6	No	No	No	No
1763009	RS	60	55	61	56	61	56	56	53	0.1	0.4	No	No	No	No
1763012	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1763013	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1763014	RS	60	55	51	48	51	48	51	48	0.5	0.6	No	No	No	No
1763016	RS	60	55	54	51	55	52	54	51	0.7	0.9	No	No	No	No
1763017	RS	60	55	54	52	55	52	55	52	0.8	0.7	No	No	No	No
1763022	RS	60	55	61	58	61	58	61	58	-0.2	-0.2	No	No	No	No
1763031	RS	60	55	52	49	51	48	51	48	-0.2	-0.2	No	No	No	No
1763032	RS	60	55	52	49	52	49	52	49	0.3	0.4	No	No	No	No
1763039	RS	60	55	47	44	48	45	48	45	0.8	0.8	No	No	No	No
1763042	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1763048	RS	60	55	58	56	58	55	58	55	-0.2	-0.2	No	No	No	No
1763053	RS	60	55	53	50	53	50	53	50	0.7	0.8	No	No	No	No
1763057	RS	60	55	55	52	56	53	55	52	0.6	0.7	No	No	No	No
1763063	RS	60	55	51	48	52	49	51	49	0.2	0.2	No	No	No	No
1763071	RS	60	55	53	49	53	50	53	50	0.7	0.8	No	No	No	No
1763074	RS	60	55	57	55	57	54	57	54	-0.8	-0.9	No	No	No	No
1763080	RS	60	55	57	53	57	54	56	53	0.4	0.5	No	No	No	No
1763097	RS	60	55	50	47	50	48	50	48	0.7	0.7	No	No	No	No
1763099	RS	60	55	52	49	53	49	52	49	0.4	0.5	No	No	No	No
1763108	RS	60	55	52	48	52	49	52	49	0.4	0.7	No	No	No	No
1763129	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1763132	RS	60	55	55	51	55	52	55	52	0.7	0.8	No	No	No	No
1763141	RS	60	55	54	51	55	51	54	51	0.6	0.7	No	No	No	No
1763143	RS	60	55	50	47	50	47	50	47	-0.1	-0.1	No	No	No	No
1763147	RS	60	55	51	48	51	48	51	48	-0.2	-0.3	No	No	No	No
1763154	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1763170	RS	60	55	58	54	58	54	56	53	0.5	0.6	No	No	No	No
1763180	RS	60	55	50	47	51	48	50	48	0.6	0.6	No	No	No	No
1763190	RS	60	55	54	51	54	51	54	51	0.8	0.8	No	No	No	No
1763198	RS	60	55	52	50	52	49	52	49	-0.2	-0.3	No	No	No	No
1763200	RS	60	55	53	50	53	50	53	50	0.4	0.3	No	No	No	No
1763211	RS	60	55	47	44	48	45	48	45	0.7	0.7	No	No	No	No
1763212	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1763213	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1763215	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1763217	RS	60	55	50	47	51	48	51	48	0.8	0.9	No	No	No	No
1763220	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1763223	RS	60	55	51	49	52	49	52	49	0.4	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1763225	RS	60	55	48	45	48	45	48	45	0.3	0.3	No	No	No	No
1763234	RS	60	55	52	49	53	50	52	49	0.6	0.7	No	No	No	No
1763236	RS	60	55	54	51	54	51	54	51	0.8	0.8	No	No	No	No
1763238	RS	60	55	50	48	51	48	51	48	0.7	0.7	No	No	No	No
1763240	RS	60	55	56	53	56	54	56	54	0.8	0.8	No	No	No	No
1763242	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1763243	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1763246	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1763248	RS	60	55	62	59	63	60	63	60	0.8	0.7	No	No	Yes	Yes
1763257	RS	60	55	48	45	49	46	49	46	0.5	0.5	No	No	No	No
1763259	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1763271	RS	60	55	46	43	47	44	47	44	0.8	0.7	No	No	No	No
1763272	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1763273	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1763277	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1763278	RS	60	55	56	53	56	54	56	53	0.7	0.7	No	No	No	No
1763279	RS	60	55	54	49	54	49	50	47	0.2	0.3	No	No	No	No
1763280	RS	60	55	53	50	53	50	53	50	0.4	0.5	No	No	No	No
1763282	RS	60	55	56	53	57	54	56	54	0.6	0.5	No	No	No	No
1763291	RS	60	55	55	53	56	53	56	53	0.8	0.7	No	No	No	No
1763310	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1763316	RS	60	55	66	60	66	61	58	56	0.0	0.4	No	No	No	No
1763319	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1763320	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1763327	RS	60	55	46	43	47	44	47	44	0.7	0.7	No	No	No	No
1763330	RS	60	55	60	57	60	58	60	58	0.7	0.7	No	No	No	No
1763331	RS	60	55	53	50	54	51	53	50	0.7	0.8	No	No	No	No
1763335	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1763337	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1763338	RS	60	55	61	57	61	57	59	56	0.2	0.2	No	No	No	No
1763339	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1763340	RS	60	55	51	49	52	49	52	49	0.7	0.7	No	No	No	No
1763341	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1763342	RS	60	55	57	54	57	55	57	54	0.7	0.8	No	No	No	No
1763343	RS	60	55	52	49	52	50	52	50	0.7	0.7	No	No	No	No
1763345	RS	60	55	56	52	56	52	54	51	0.5	0.6	No	No	No	No
1763349	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1763352	RS	60	55	68	61	68	62	55	52	0.1	0.4	No	No	No	No
1763353	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1763354	RS	60	55	49	46	49	47	49	47	0.7	0.7	No	No	No	No
1763355	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1763362	RS	60	55	64	57	64	57	53	50	0.1	0.1	No	No	No	No
1763365	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1763366	RS	60	55	51	48	51	48	51	48	0.8	0.7	No	No	No	No
1763367	RS	60	55	60	54	60	55	56	53	0.2	0.6	No	No	No	No
1763371	RS	60	55	54	51	54	51	54	51	0.4	0.5	No	No	No	No
1763372	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1763380	RS	60	55	49	46	49	47	49	47	0.7	0.8	No	No	No	No
1763383	RS	60	55	57	54	57	55	57	55	0.7	0.7	No	No	No	No
1763388	RS	60	55	52	48	53	48	49	46	0.2	0.4	No	No	No	No
1763391	RS	60	55	53	50	54	51	54	51	0.4	0.3	No	No	No	No
1763399	RS	60	55	52	49	53	50	52	50	0.6	0.5	No	No	No	No
1763400	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1763401	RS	60	55	60	57	61	58	61	58	0.8	0.7	No	No	No	No
1763406	RS	60	55	49	45	50	46	48	45	0.4	0.6	No	No	No	No
1763410	RS	60	55	50	47	51	47	49	47	0.5	0.6	No	No	No	No
1763411	RS	60	55	50	47	50	47	50	47	0.5	0.6	No	No	No	No
1763413	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1763417	RS	60	55	61	58	62	59	62	59	0.7	0.6	No	No	No	No
1763418	RS	60	55	53	50	54	51	53	51	0.8	0.7	No	No	No	No
1763419	RS	60	55	55	53	56	53	56	53	0.8	0.7	No	No	No	No
1763420	RS	60	55	48	45	49	46	48	46	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1763422	RS	60	55	51	48	51	48	50	48	0.2	0.3	No	No	No	No
1763423	RS	60	55	51	48	51	48	51	48	0.5	0.4	No	No	No	No
1763433	RS	60	55	52	49	53	50	53	50	0.5	0.4	No	No	No	No
1763436	RS	60	55	54	51	53	50	53	50	-0.1	-0.1	No	No	No	No
1763438	RS	60	55	52	49	52	49	52	49	0.4	0.3	No	No	No	No
1763439	RS	60	55	49	46	49	46	49	46	0.3	0.3	No	No	No	No
1763440	RS	60	55	50	48	51	48	51	48	0.7	0.8	No	No	No	No
1763447	RS	60	55	46	44	47	44	47	44	0.4	0.4	No	No	No	No
1763448	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1763450	RS	60	55	53	50	53	50	53	50	-0.1	-0.1	No	No	No	No
1763452	RS	60	55	47	44	48	45	47	44	0.3	0.2	No	No	No	No
1763457	RS	60	55	49	46	49	46	49	46	0.4	0.3	No	No	No	No
1763458	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1763460	RS	60	55	54	50	55	51	52	49	0.7	0.7	No	No	No	No
1763462	RS	60	55	47	45	48	45	48	45	0.5	0.5	No	No	No	No
1763464	RS	60	55	60	57	60	58	60	57	0.7	1.0	No	No	No	No
1763465	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1763466	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1763468	RS	60	55	53	50	53	50	53	50	0.7	0.8	No	No	No	No
1763476	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1763479	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1763482	RS	60	55	58	55	59	56	58	56	0.5	0.5	No	No	No	No
1763491	RS	60	55	47	44	48	45	47	45	0.7	0.7	No	No	No	No
1763497	RS	60	55	50	47	51	48	50	48	0.7	0.8	No	No	No	No
1763498	RS	60	55	52	48	53	48	50	47	0.3	0.4	No	No	No	No
1763500	RS	60	55	50	47	51	48	50	47	0.6	0.6	No	No	No	No
1763504	RS	60	55	55	53	56	53	56	53	0.7	0.8	No	No	No	No
1763511	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1763513	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1763521	RS	60	55	54	52	55	52	55	52	0.7	0.7	No	No	No	No
1763522	RS	60	55	53	50	54	51	53	50	0.4	0.4	No	No	No	No
1763523	RS	60	55	55	52	55	53	55	52	0.5	0.5	No	No	No	No
1763526	RS	60	55	51	48	51	48	51	48	0.1	0.2	No	No	No	No
1763528	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1763529	RS	60	55	52	49	53	50	53	50	0.4	0.5	No	No	No	No
1763535	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1763536	RS	60	55	48	45	49	46	49	46	0.4	0.5	No	No	No	No
1763537	RS	60	55	56	52	56	53	56	53	0.7	0.7	No	No	No	No
1763539	RS	60	55	55	52	55	52	55	52	0.4	0.5	No	No	No	No
1763542	RS	60	55	50	48	51	48	51	48	0.7	0.8	No	No	No	No
1763546	RS	60	55	57	54	58	54	56	53	0.3	0.3	No	No	No	No
1763548	RS	60	55	51	48	51	48	51	48	-0.2	-0.2	No	No	No	No
1763549	RS	60	55	53	50	54	51	53	51	0.5	0.5	No	No	No	No
1763550	RS	60	55	51	48	51	49	51	49	0.8	0.8	No	No	No	No
1763555	RS	60	55	60	56	61	57	58	55	0.3	0.5	No	No	No	No
1763564	RS	60	55	61	54	61	54	51	49	0.1	0.2	No	No	No	No
1763567	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1763568	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1763569	RS	60	55	46	43	47	44	47	44	0.5	0.6	No	No	No	No
1763571	RS	60	55	46	43	47	44	47	44	0.5	0.5	No	No	No	No
1763573	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1763578	RS	60	55	46	43	47	44	47	44	0.7	0.7	No	No	No	No
1763579	RS	60	55	63	60	64	61	64	61	0.8	0.8	No	Yes	Yes	Yes
1763581	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1763582	RS	60	55	54	51	55	52	55	52	0.6	0.6	No	No	No	No
1763586	RS	60	55	61	58	62	59	61	59	0.7	0.7	No	No	No	No
1763588	RS	60	55	54	52	55	52	55	52	0.8	0.7	No	No	No	No
1763590	RS	60	55	48	45	49	46	48	46	0.6	0.5	No	No	No	No
1763591	RS	60	55	53	50	54	51	53	50	0.7	0.8	No	No	No	No
1763592	RS	60	55	54	50	54	51	53	51	0.2	0.6	No	No	No	No
1763596	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1763599	RS	60	55	54	51	54	51	54	51	-0.6	-0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1763601	RS	60	55	57	54	57	55	57	54	0.7	0.8	No	No	No	No
1763602	RS	60	55	51	48	52	48	51	48	0.3	0.4	No	No	No	No
1763608	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1763612	RS	60	55	51	47	51	48	51	48	0.4	0.5	No	No	No	No
1763615	RS	60	55	48	46	49	46	49	46	0.6	0.6	No	No	No	No
1763618	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1763622	RS	60	55	57	51	57	51	52	49	0.0	0.1	No	No	No	No
1763625	RS	60	55	56	53	57	53	56	53	0.3	0.3	No	No	No	No
1763627	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1763628	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1763629	RS	60	55	50	47	50	48	50	48	0.6	0.6	No	No	No	No
1763634	RS	60	55	51	48	52	49	51	49	0.9	0.8	No	No	No	No
1763635	RS	60	55	48	45	49	46	49	46	0.4	0.5	No	No	No	No
1763638	RS	60	55	48	45	49	46	48	45	0.7	0.7	No	No	No	No
1763639	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1763641	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1763642	RS	60	55	42	38	42	39	42	39	0.3	0.4	No	No	No	No
1763643	RS	60	55	53	50	54	51	53	51	0.6	0.7	No	No	No	No
1763646	RS	60	55	52	49	52	50	52	50	0.7	0.7	No	No	No	No
1763648	RS	60	55	52	49	52	49	52	49	-0.2	-0.3	No	No	No	No
1763652	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1763658	RS	60	55	50	46	50	47	49	46	0.5	0.6	No	No	No	No
1763660	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1763664	RS	60	55	50	46	51	47	49	46	0.5	0.6	No	No	No	No
1763669	RS	60	55	53	49	53	50	52	49	0.4	0.4	No	No	No	No
1763671	RS	60	55	47	44	47	44	46	44	0.0	0.0	No	No	No	No
1763685	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1763686	RS	60	55	58	56	59	56	59	56	0.7	0.7	No	No	No	No
1763689	RS	60	55	63	60	63	60	63	60	0.6	0.6	No	No	Yes	Yes
1763690	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1763696	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1763699	RS	60	55	54	51	54	52	54	52	0.5	0.6	No	No	No	No
1763702	RS	60	55	54	51	55	52	54	51	0.8	0.9	No	No	No	No
1763704	RS	60	55	45	42	46	43	46	43	0.3	0.4	No	No	No	No
1763711	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1763712	RS	60	55	57	51	57	51	50	47	0.0	0.2	No	No	No	No
1763715	RS	60	55	54	51	55	52	54	52	0.5	0.5	No	No	No	No
1763718	RS	60	55	65	58	65	57	53	50	0.4	-0.5	No	No	No	No
1763725	RS	60	55	51	48	51	48	51	48	0.1	0.0	No	No	No	No
1763726	RS	60	55	53	50	52	49	52	49	-0.1	-0.2	No	No	No	No
1763728	RS	60	55	55	52	56	53	56	53	0.7	1.0	No	No	No	No
1763730	RS	60	55	50	47	51	48	51	48	0.9	0.9	No	No	No	No
1763731	RS	60	55	65	60	65	61	60	57	0.2	0.2	No	Yes	No	Yes
1763744	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1763747	RS	60	55	47	44	48	45	47	45	0.7	0.7	No	No	No	No
1763750	RS	60	55	50	47	49	47	49	46	-0.6	-0.6	No	No	No	No
1763751	RS	60	55	67	62	67	62	62	59	0.1	0.4	No	Yes	No	Yes
1763752	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1763753	RS	60	55	52	50	52	49	52	49	-0.3	-0.3	No	No	No	No
1763756	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1763758	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1763762	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1763765	RS	60	55	50	48	51	48	51	48	0.8	0.7	No	No	No	No
1763771	RS	60	55	54	51	54	52	54	52	0.7	0.8	No	No	No	No
1763778	RS	60	55	48	45	48	46	48	46	0.8	0.7	No	No	No	No
1763780	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1763784	RS	60	55	54	51	54	51	54	51	0.3	0.3	No	No	No	No
1763788	RS	60	55	56	53	56	53	56	53	-0.2	-0.1	No	No	No	No
1763793	RS	60	55	53	50	54	51	53	50	0.7	0.8	No	No	No	No
1763795	RS	60	55	55	53	56	53	56	53	0.8	0.8	No	No	No	No
1763798	RS	60	55	53	50	53	51	53	50	0.7	0.7	No	No	No	No
1763799	RS	60	55	53	50	54	51	53	51	0.6	0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1763807	RS	60	55	48	45	49	46	48	46	0.7	0.7	No	No	No	No
1763814	RS	60	55	51	48	52	48	51	48	0.5	0.6	No	No	No	No
1763824	RS	60	55	56	52	56	53	56	53	0.6	0.7	No	No	No	No
1763829	RS	60	55	55	52	55	53	55	53	0.7	0.7	No	No	No	No
1763831	RS	60	55	51	48	52	49	51	48	0.8	0.9	No	No	No	No
1763836	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1763842	RS	60	55	50	48	51	48	51	48	0.7	0.8	No	No	No	No
1763854	RS	60	55	51	47	51	48	50	47	0.5	0.6	No	No	No	No
1763859	RS	60	55	66	58	66	58	53	50	0.0	0.1	No	No	No	No
1763867	RS	60	55	52	49	53	49	52	49	0.6	0.6	No	No	No	No
1763868	RS	60	55	57	55	58	55	58	55	0.7	0.7	No	No	No	No
1763872	RS	60	55	53	50	54	51	53	51	0.7	0.7	No	No	No	No
1763873	RS	60	55	61	58	61	59	61	59	0.7	0.7	No	No	No	No
1763875	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1763880	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1763883	RS	60	55	49	46	50	47	49	47	0.5	0.5	No	No	No	No
1763884	RS	60	55	59	55	59	56	57	55	0.4	0.6	No	No	No	No
1763885	RS	60	55	50	47	51	48	51	48	0.5	0.6	No	No	No	No
1763886	RS	60	55	62	59	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1763889	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1763890	RS	60	55	50	48	51	48	51	48	0.7	0.8	No	No	No	No
1763891	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1763893	RS	60	55	55	51	55	52	54	51	0.2	0.3	No	No	No	No
1763895	RS	60	55	48	45	48	46	48	46	0.7	0.7	No	No	No	No
1763898	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1763901	RS	60	55	53	51	53	50	53	50	-0.5	-0.5	No	No	No	No
1763910	RS	60	55	47	44	47	44	47	44	0.4	0.4	No	No	No	No
1763916	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1763918	RS	60	55	52	49	53	50	52	50	0.4	0.4	No	No	No	No
1763919	RS	60	55	58	55	59	56	58	55	0.7	0.8	No	No	No	No
1763926	RS	60	55	63	60	63	60	63	60	0.6	0.7	No	Yes	Yes	Yes
1763929	RS	60	55	50	47	51	48	51	48	0.6	0.5	No	No	No	No
1763947	RS	60	55	46	43	47	44	47	44	0.7	0.7	No	No	No	No
1763952	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1763957	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1763959	RS	60	55	52	49	52	49	52	49	-0.2	-0.3	No	No	No	No
1763965	RS	60	55	52	49	52	50	52	50	0.7	0.7	No	No	No	No
1763967	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1763969	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1763971	RS	60	55	50	47	50	47	50	47	0.8	0.7	No	No	No	No
1763974	RS	60	55	48	45	48	45	48	45	0.5	0.6	No	No	No	No
1763976	RS	60	55	56	53	57	53	55	52	0.5	0.6	No	No	No	No
1763982	RS	60	55	48	46	48	45	48	45	-0.2	-0.2	No	No	No	No
1763983	RS	60	55	46	43	47	44	47	44	0.6	0.5	No	No	No	No
1763989	RS	60	55	53	50	53	50	53	50	0.5	0.6	No	No	No	No
1763992	RS	60	55	57	54	58	55	58	55	0.8	0.9	No	No	No	No
1763995	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1763998	RS	60	55	52	48	52	49	51	48	0.5	0.5	No	No	No	No
1764010	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1764012	RS	60	55	47	43	47	44	46	44	0.4	0.5	No	No	No	No
1764014	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1764023	RS	60	55	51	48	51	48	51	48	-0.2	-0.2	No	No	No	No
1764024	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1764026	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1764027	RS	60	55	51	48	52	49	51	49	0.6	0.5	No	No	No	No
1764028	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1764031	RS	60	55	51	47	51	48	49	47	0.4	0.6	No	No	No	No
1764037	RS	60	55	55	52	56	53	56	53	0.9	0.8	No	No	No	No
1764044	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1764046	RS	60	55	48	45	48	45	48	45	0.8	0.7	No	No	No	No
1764047	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1764050	RS	60	55	49	46	49	46	49	46	0.3	0.3	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1764053	RS	60	55	53	50	54	51	54	51	0.4	0.4	No	No	No	No
1764055	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1764058	RS	60	55	49	46	50	46	49	46	0.1	0.1	No	No	No	No
1764062	RS	60	55	53	50	54	51	53	50	0.4	0.4	No	No	No	No
1764063	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1764066	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1764077	RS	60	55	54	51	54	51	54	51	0.2	0.3	No	No	No	No
1764080	RS	60	55	54	51	55	52	55	52	0.5	0.6	No	No	No	No
1764085	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1764087	RS	60	55	55	52	56	53	56	53	0.6	0.5	No	No	No	No
1764088	RS	60	55	58	55	58	56	58	56	0.7	0.8	No	No	No	No
1764091	RS	60	55	72	67	72	67	55	53	0.0	0.0	No	No	No	No
1764097	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1764101	RS	60	55	64	61	65	62	63	60	0.6	1.3	No	Yes	Yes	Yes
1764107	RS	60	55	49	46	49	47	49	47	0.8	0.7	No	No	No	No
1764110	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1764113	RS	60	55	54	51	55	52	55	52	0.5	0.4	No	No	No	No
1764120	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1764122	RS	60	55	62	59	62	60	62	60	0.7	0.7	No	No	Yes	Yes
1764126	RS	60	55	47	44	48	45	48	45	0.7	0.8	No	No	No	No
1764136	RS	60	55	48	45	48	45	48	45	0.5	0.5	No	No	No	No
1764143	RS	60	55	52	49	52	50	52	49	0.6	0.6	No	No	No	No
1764146	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1764148	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1764149	RS	60	55	54	51	55	52	55	52	0.3	0.3	No	No	No	No
1764150	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1764151	RS	60	55	55	52	55	52	55	52	0.7	0.8	No	No	No	No
1764152	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1764161	RS	60	55	50	47	51	48	50	47	0.6	0.7	No	No	No	No
1764163	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1764165	RS	60	55	53	50	53	50	53	50	0.7	0.8	No	No	No	No
1764167	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1764169	RS	60	55	47	44	47	44	47	44	0.2	0.1	No	No	No	No
1764171	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1764173	RS	60	55	59	56	60	57	59	56	0.6	0.6	No	No	No	No
1764174	RS	60	55	70	64	70	64	57	55	0.2	-0.1	No	No	No	No
1764175	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1764176	RS	60	55	55	52	56	53	56	53	0.5	0.4	No	No	No	No
1764177	RS	60	55	57	52	57	52	49	47	0.0	0.2	No	No	No	No
1764181	RS	60	55	52	48	52	49	51	49	0.7	0.7	No	No	No	No
1764183	RS	60	55	59	57	60	57	60	57	0.8	0.8	No	No	No	No
1764185	RS	60	55	58	55	57	55	57	55	-0.9	-0.9	No	No	No	No
1764190	RS	60	55	48	45	48	45	48	45	0.5	0.4	No	No	No	No
1764192	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1764197	RS	60	55	51	47	51	48	50	48	0.7	0.7	No	No	No	No
1764200	RS	60	55	46	43	47	44	47	44	0.5	0.4	No	No	No	No
1764202	RS	60	55	54	51	55	51	53	50	0.5	0.6	No	No	No	No
1764204	RS	60	55	57	51	58	51	51	48	0.6	-0.3	No	No	No	No
1764205	RS	60	55	54	51	55	52	54	51	0.9	0.9	No	No	No	No
1764207	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1764210	RS	60	55	50	47	51	48	50	47	0.4	0.6	No	No	No	No
1764213	RS	60	55	48	46	48	45	48	45	-0.1	-0.1	No	No	No	No
1764214	RS	60	55	51	48	51	48	51	48	-0.4	-0.4	No	No	No	No
1764215	RS	60	55	50	47	50	47	50	47	-0.3	-0.4	No	No	No	No
1764217	RS	60	55	50	47	51	48	51	48	0.7	0.9	No	No	No	No
1764218	RS	60	55	53	50	53	50	53	50	0.3	0.3	No	No	No	No
1764237	RS	60	55	53	50	54	51	53	50	0.6	0.7	No	No	No	No
1764238	RS	60	55	62	60	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1764239	RS	60	55	50	47	50	48	50	47	0.7	0.8	No	No	No	No
1764241	RS	60	55	51	48	52	48	51	48	0.6	0.6	No	No	No	No
1764247	RS	60	55	57	54	58	55	57	54	0.7	0.8	No	No	No	No
1764250	RS	60	55	57	54	56	54	56	54	-0.1	-0.1	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1764261	RS	60	55	53	50	53	50	53	50	0.6	0.6	No	No	No	No
1764267	RS	60	55	53	50	53	50	52	50	-0.1	-0.1	No	No	No	No
1764275	RS	60	55	50	47	51	48	50	48	0.5	0.5	No	No	No	No
1764278	RS	60	55	52	49	53	50	53	50	0.6	0.6	No	No	No	No
1764279	RS	60	55	53	49	53	50	53	50	0.5	0.4	No	No	No	No
1764280	RS	60	55	55	53	56	53	56	53	0.8	0.8	No	No	No	No
1764281	RS	60	55	47	44	48	45	48	45	0.6	0.7	No	No	No	No
1764282	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1764283	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1764286	RS	60	55	51	48	51	48	50	48	0.5	0.6	No	No	No	No
1764296	RS	60	55	53	50	53	50	53	50	-0.3	-0.4	No	No	No	No
1764305	RS	60	55	49	46	49	46	49	46	0.6	0.6	No	No	No	No
1764315	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1764324	RS	60	55	51	48	51	49	51	49	0.7	0.8	No	No	No	No
1764328	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1764342	RS	60	55	58	56	59	56	59	56	0.8	0.8	No	No	No	No
1764344	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1764346	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1764349	RS	60	55	53	49	53	49	52	49	0.4	0.5	No	No	No	No
1764351	RS	60	55	50	47	51	48	50	48	0.8	0.8	No	No	No	No
1764353	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1764354	RS	60	55	54	51	55	52	54	51	0.5	0.9	No	No	No	No
1764358	RS	60	55	53	49	53	50	52	50	0.6	0.5	No	No	No	No
1764359	RS	60	55	54	51	55	52	54	51	0.7	0.8	No	No	No	No
1764360	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1764364	RS	60	55	53	49	53	49	51	48	0.4	0.6	No	No	No	No
1764366	RS	60	55	51	48	51	49	51	48	0.8	0.8	No	No	No	No
1764374	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1764375	RS	60	55	53	50	53	51	53	51	0.8	0.7	No	No	No	No
1764381	RS	60	55	54	51	54	51	54	51	0.4	0.5	No	No	No	No
1764382	RS	60	55	57	54	58	55	57	55	0.8	0.9	No	No	No	No
1764383	RS	60	55	52	49	52	49	52	49	0.7	0.8	No	No	No	No
1764386	RS	60	55	56	52	56	52	54	52	0.1	0.3	No	No	No	No
1764391	RS	60	55	52	49	53	50	53	50	0.5	0.4	No	No	No	No
1764396	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1764397	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1764403	RS	60	55	49	46	50	47	49	46	0.6	0.6	No	No	No	No
1764406	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1764407	RS	60	55	59	56	60	58	59	56	0.8	1.5	No	No	No	No
1764416	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1764417	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1764420	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1764421	RS	60	55	50	47	50	47	50	47	0.4	0.4	No	No	No	No
1764425	RS	60	55	49	46	50	47	49	47	0.6	0.5	No	No	No	No
1764426	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1764428	RS	60	55	54	50	54	50	52	49	-0.1	0.1	No	No	No	No
1764429	RS	60	55	57	54	56	53	56	53	-0.5	-0.5	No	No	No	No
1764431	RS	60	55	56	53	57	53	56	53	0.7	0.6	No	No	No	No
1764436	RS	60	55	54	51	55	51	54	51	0.2	0.3	No	No	No	No
1764443	RS	60	55	49	46	50	47	50	47	0.8	0.9	No	No	No	No
1764445	RS	60	55	63	60	64	60	63	60	0.5	0.5	No	Yes	Yes	Yes
1764446	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1764447	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1764448	RS	60	55	61	57	61	58	59	56	0.4	0.8	No	No	No	No
1764452	RS	60	55	52	49	52	49	52	49	0.3	0.3	No	No	No	No
1764458	RS	60	55	55	51	55	52	54	51	0.7	0.7	No	No	No	No
1764465	RS	60	55	52	49	53	50	52	49	0.6	0.7	No	No	No	No
1764468	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1764470	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1764475	RS	60	55	56	53	56	53	56	53	0.7	0.8	No	No	No	No
1764479	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1764486	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1764489	RS	60	55	67	58	67	59	52	49	0.0	0.1	No	No	No	No
1764492	RS	60	55	56	53	57	54	57	54	0.6	0.7	No	No	No	No
1764494	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1764501	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1764502	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1764503	RS	60	55	53	50	54	51	53	50	0.8	0.7	No	No	No	No
1764506	RS	60	55	49	47	50	47	50	47	0.7	0.8	No	No	No	No
1764508	RS	60	55	52	49	52	49	52	49	0.8	0.7	No	No	No	No
1764510	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1764511	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1764518	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1764519	RS	60	55	55	52	55	52	55	52	0.4	0.4	No	No	No	No
1764522	RS	60	55	53	50	53	51	53	50	0.8	0.9	No	No	No	No
1764523	RS	60	55	48	45	49	46	48	45	0.7	0.6	No	No	No	No
1764525	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1764527	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1764529	RS	60	55	49	46	49	47	49	47	0.8	0.7	No	No	No	No
1764531	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1764533	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1764537	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1764540	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1764542	RS	60	55	52	49	53	50	53	50	0.4	0.5	No	No	No	No
1764544	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1764546	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1764547	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1764548	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1764553	RS	60	55	57	54	57	55	57	54	0.8	0.8	No	No	No	No
1764560	RS	60	55	55	52	55	52	55	52	0.0	0.0	No	No	No	No
1764564	RS	60	55	49	46	50	47	50	47	0.6	0.5	No	No	No	No
1764566	RS	60	55	53	50	53	50	52	50	-0.3	-0.2	No	No	No	No
1764569	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1764574	RS	60	55	55	52	54	51	54	51	-0.2	-0.3	No	No	No	No
1764589	RS	60	55	50	48	51	48	51	48	0.8	0.7	No	No	No	No
1764602	RS	60	55	54	51	54	51	54	51	0.7	0.8	No	No	No	No
1764603	RS	60	55	54	51	54	51	54	51	-0.2	-0.3	No	No	No	No
1764607	RS	60	55	55	52	55	52	55	52	0.5	0.4	No	No	No	No
1764609	RS	60	55	45	42	46	43	46	43	0.5	0.6	No	No	No	No
1764610	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1764611	RS	60	55	54	51	55	51	54	51	0.5	0.5	No	No	No	No
1764613	RS	60	55	49	46	50	47	50	47	0.5	0.4	No	No	No	No
1764614	RS	60	55	43	40	43	41	43	41	0.1	0.1	No	No	No	No
1764615	RS	60	55	49	47	50	47	50	47	0.7	0.8	No	No	No	No
1764616	RS	60	55	45	42	45	42	45	42	0.7	0.7	No	No	No	No
1764618	RS	60	55	51	48	52	49	51	49	0.4	0.4	No	No	No	No
1764622	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1764639	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1764643	RS	60	55	52	48	52	48	50	47	0.3	0.5	No	No	No	No
1764651	RS	60	55	54	51	54	51	54	51	0.8	0.8	No	No	No	No
1764655	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1764656	RS	60	55	55	52	55	52	55	52	-0.1	-0.1	No	No	No	No
1764659	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1764661	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1764668	RS	60	55	58	55	59	56	58	56	0.8	0.7	No	No	No	No
1764673	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1764674	RS	60	55	57	53	57	54	56	53	0.7	0.8	No	No	No	No
1764676	RS	60	55	54	51	54	51	54	51	0.4	0.5	No	No	No	No
1764682	RS	60	55	58	55	59	56	59	56	0.6	0.7	No	No	No	No
1764683	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1764687	RS	60	55	63	54	63	55	53	50	0.0	0.1	No	No	No	No
1764689	RS	60	55	58	55	59	56	58	56	0.7	0.7	No	No	No	No
1764706	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1764710	RS	60	55	51	48	51	48	51	48	-0.1	-0.2	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1764712	RS	60	55	60	57	61	58	61	58	0.7	0.8	No	No	No	No
1764720	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1764721	RS	60	55	62	59	63	60	63	60	0.7	0.8	No	No	Yes	Yes
1764731	RS	60	55	54	51	54	52	54	51	0.7	0.7	No	No	No	No
1764732	RS	60	55	62	59	63	60	63	60	0.6	0.6	No	No	Yes	Yes
1764740	RS	60	55	56	53	56	53	56	53	-0.2	-0.3	No	No	No	No
1764747	RS	60	55	54	51	55	52	54	52	0.6	0.7	No	No	No	No
1764752	RS	60	55	57	54	57	54	57	54	0.2	0.2	No	No	No	No
1764756	RS	60	55	62	56	62	56	58	55	0.1	0.3	No	No	No	No
1764760	RS	60	55	47	44	47	44	47	44	-0.1	-0.1	No	No	No	No
1764762	RS	60	55	49	46	48	46	48	45	-0.1	-0.1	No	No	No	No
1764770	RS	60	55	51	47	51	48	50	47	0.5	0.6	No	No	No	No
1764774	RS	60	55	62	55	62	56	54	51	0.1	0.3	No	No	No	No
1764781	RS	60	55	50	47	51	48	50	48	0.5	0.6	No	No	No	No
1764787	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1764788	RS	60	55	48	45	48	45	48	45	0.5	0.5	No	No	No	No
1764792	RS	60	55	53	51	54	51	54	51	0.7	0.8	No	No	No	No
1764794	RS	60	55	63	57	63	57	50	47	0.0	0.1	No	No	No	No
1764797	RS	60	55	54	51	55	52	55	52	0.6	0.6	No	No	No	No
1764798	RS	60	55	49	46	49	47	49	47	0.8	0.8	No	No	No	No
1764799	RS	60	55	56	53	57	54	57	54	0.6	0.6	No	No	No	No
1764801	RS	60	55	54	51	54	52	54	52	0.8	0.8	No	No	No	No
1764802	RS	60	55	54	51	55	51	54	51	0.6	0.5	No	No	No	No
1764803	RS	60	55	61	58	61	58	61	58	0.1	0.1	No	No	No	No
1764810	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1764816	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1764817	RS	60	55	54	50	54	51	53	50	0.3	0.4	No	No	No	No
1764819	RS	60	55	51	47	51	48	50	47	0.4	0.5	No	No	No	No
1764823	RS	60	55	55	52	56	53	56	53	0.9	0.8	No	No	No	No
1764824	RS	60	55	52	49	53	50	52	49	0.5	0.6	No	No	No	No
1764828	RS	60	55	53	50	53	51	53	51	0.8	0.7	No	No	No	No
1764830	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1764835	RS	60	55	49	46	50	47	50	47	0.6	0.5	No	No	No	No
1764840	RS	60	55	58	55	58	56	58	55	0.6	0.8	No	No	No	No
1764843	RS	60	55	63	57	64	56	52	49	0.7	-0.7	No	No	No	No
1764845	RS	60	55	52	49	53	50	52	49	0.7	0.8	No	No	No	No
1764849	RS	60	55	50	47	50	47	50	47	0.3	0.3	No	No	No	No
1764852	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1764856	RS	60	55	53	50	54	51	53	50	0.7	0.8	No	No	No	No
1764859	RS	60	55	49	46	50	47	50	47	0.6	0.5	No	No	No	No
1764872	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1764873	RS	60	55	52	49	53	49	52	49	0.6	0.6	No	No	No	No
1764876	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1764878	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1764880	RS	60	55	62	57	62	57	58	55	0.3	0.4	No	No	No	No
1764886	RS	60	55	53	49	53	50	52	50	0.6	0.6	No	No	No	No
1764893	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1764898	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1764913	RS	60	55	49	46	50	47	49	47	0.8	0.7	No	No	No	No
1764915	RS	60	55	49	45	49	46	48	45	0.5	0.7	No	No	No	No
1764921	RS	60	55	56	53	57	54	56	54	0.6	0.5	No	No	No	No
1764925	RS	60	55	49	46	49	47	49	46	0.7	0.8	No	No	No	No
1764931	RS	60	55	49	47	50	47	50	47	0.8	0.8	No	No	No	No
1764932	RS	60	55	50	47	51	48	50	47	0.4	0.4	No	No	No	No
1764937	RS	60	55	53	50	54	51	54	51	0.4	0.4	No	No	No	No
1764940	RS	60	55	53	50	54	50	53	50	0.4	0.5	No	No	No	No
1764948	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1764950	RS	60	55	50	47	50	48	50	48	0.9	0.8	No	No	No	No
1764951	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1764953	RS	60	55	57	54	58	55	57	54	0.6	0.6	No	No	No	No
1764957	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1764959	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1764960	RS	60	55	53	50	53	51	53	50	0.8	0.8	No	No	No	No
1764968	RS	60	55	52	47	52	47	49	46	0.2	0.3	No	No	No	No
1764972	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1764974	RS	60	55	49	46	50	47	49	46	0.6	0.6	No	No	No	No
1764976	RS	60	55	58	56	59	57	59	56	0.8	0.9	No	No	No	No
1764979	RS	60	55	50	47	50	48	50	48	0.7	0.7	No	No	No	No
1764981	RS	60	55	54	51	55	51	54	51	0.5	0.5	No	No	No	No
1764982	RS	60	55	51	48	52	49	52	49	0.5	0.4	No	No	No	No
1764989	RS	60	55	53	50	54	51	54	51	0.4	0.4	No	No	No	No
1764993	RS	60	55	56	53	57	53	56	53	0.3	0.3	No	No	No	No
1764995	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1764996	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1764998	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1765000	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1765001	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1765002	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1765004	RS	60	55	57	53	57	54	56	53	0.5	0.7	No	No	No	No
1765007	RS	60	55	51	48	52	49	52	49	0.6	0.6	No	No	No	No
1765009	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1765010	RS	60	55	56	53	56	54	56	54	0.8	0.8	No	No	No	No
1765015	RS	60	55	53	50	53	51	53	51	0.7	0.8	No	No	No	No
1765019	RS	60	55	64	61	64	61	64	61	0.7	0.7	No	No	Yes	Yes
1765022	RS	60	55	50	47	51	48	51	48	0.5	0.6	No	No	No	No
1765023	RS	60	55	48	45	49	46	49	46	0.3	0.4	No	No	No	No
1765026	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1765029	RS	60	55	61	58	62	59	61	58	0.7	1.2	No	No	No	No
1765031	RS	60	55	51	48	52	49	51	49	0.6	0.5	No	No	No	No
1765033	RS	60	55	51	48	52	49	52	49	0.6	0.5	No	No	No	No
1765038	RS	60	55	47	44	48	45	48	45	0.5	0.5	No	No	No	No
1765039	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1765044	RS	60	55	55	51	55	52	53	50	0.7	0.7	No	No	No	No
1765047	RS	60	55	55	52	55	52	55	52	0.7	0.8	No	No	No	No
1765052	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1765059	RS	60	55	50	47	51	48	50	48	0.8	0.8	No	No	No	No
1765062	RS	60	55	49	47	50	47	50	47	0.7	0.8	No	No	No	No
1765063	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1765065	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1765066	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1765068	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1765077	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1765080	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1765083	RS	60	55	56	53	56	54	56	54	0.5	0.5	No	No	No	No
1765087	RS	60	55	60	57	60	58	60	57	0.8	1.2	No	No	No	No
1765088	RS	60	55	56	52	56	53	56	53	0.7	0.6	No	No	No	No
1765089	RS	60	55	59	56	59	57	59	56	0.5	0.5	No	No	No	No
1765090	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1765091	RS	60	55	46	43	47	44	46	43	0.8	0.8	No	No	No	No
1765096	RS	60	55	51	48	51	48	51	48	-0.1	-0.2	No	No	No	No
1765097	RS	60	55	46	43	46	43	46	43	0.4	0.4	No	No	No	No
1765100	RS	60	55	58	53	58	53	55	52	-0.2	0.2	No	No	No	No
1765103	RS	60	55	55	52	55	52	55	52	0.4	0.5	No	No	No	No
1765108	RS	60	55	50	47	51	48	50	47	0.5	0.5	No	No	No	No
1765120	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1765121	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1765122	RS	60	55	54	51	55	52	54	51	0.7	0.8	No	No	No	No
1765123	RS	60	55	50	47	50	47	50	47	0.3	0.3	No	No	No	No
1765124	RS	60	55	51	48	51	49	51	49	0.8	0.7	No	No	No	No
1765128	RS	60	55	48	45	48	45	48	45	0.7	0.8	No	No	No	No
1765130	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1765131	RS	60	55	56	53	56	54	56	54	0.7	0.7	No	No	No	No
1765132	RS	60	55	71	66	71	66	56	53	0.0	0.0	No	No	No	No
1765135	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1765136	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1765137	RS	60	55	51	48	51	49	51	48	0.7	0.8	No	No	No	No
1765139	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1765146	RS	60	55	54	51	54	51	54	51	0.8	0.7	No	No	No	No
1765148	RS	60	55	55	52	55	53	55	53	0.7	0.7	No	No	No	No
1765149	RS	60	55	49	46	49	46	49	46	-0.3	-0.2	No	No	No	No
1765153	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1765159	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1765161	RS	60	55	54	52	55	52	55	52	0.9	0.8	No	No	No	No
1765163	RS	60	55	53	50	53	50	53	50	0.5	0.4	No	No	No	No
1765165	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1765167	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1765170	RS	60	55	51	48	52	49	52	49	0.8	1.0	No	No	No	No
1765171	RS	60	55	53	50	54	50	53	50	0.5	0.5	No	No	No	No
1765172	RS	60	55	57	55	58	56	58	55	0.9	1.1	No	No	No	No
1765176	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1765195	RS	60	55	54	51	55	52	55	52	0.4	0.5	No	No	No	No
1765196	RS	60	55	54	51	54	51	54	51	0.7	0.8	No	No	No	No
1765201	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1765202	RS	60	55	46	43	47	44	47	44	0.5	0.5	No	No	No	No
1765203	RS	60	55	55	52	56	53	55	52	0.7	0.8	No	No	No	No
1765215	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1765216	RS	60	55	55	52	56	53	55	52	0.7	0.9	No	No	No	No
1765221	RS	60	55	56	53	57	54	56	54	0.7	0.7	No	No	No	No
1765222	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1765226	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1765229	RS	60	55	52	49	52	49	52	49	0.5	0.5	No	No	No	No
1765236	RS	60	55	54	51	54	51	54	51	0.1	0.1	No	No	No	No
1765238	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1765240	RS	60	55	59	55	59	56	58	55	0.5	0.6	No	No	No	No
1765242	RS	60	55	50	47	51	48	50	48	0.6	0.5	No	No	No	No
1765247	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1765250	RS	60	55	60	57	61	58	61	58	0.8	0.8	No	No	No	No
1765251	RS	60	55	51	48	52	49	52	49	0.4	0.4	No	No	No	No
1765252	RS	60	55	60	57	60	57	60	57	-0.2	-0.3	No	No	No	No
1765254	RS	60	55	49	46	49	46	49	46	0.1	0.0	No	No	No	No
1765257	RS	60	55	66	60	66	61	61	59	0.1	0.4	No	Yes	No	Yes
1765259	RS	60	55	51	48	51	49	51	48	0.3	0.4	No	No	No	No
1765262	RS	60	55	58	55	59	56	58	55	0.7	0.9	No	No	No	No
1765269	RS	60	55	58	55	58	55	58	55	0.7	0.7	No	No	No	No
1765270	RS	60	55	54	51	53	51	53	51	-0.5	-0.4	No	No	No	No
1765277	RS	60	55	44	41	44	41	44	41	0.0	0.0	No	No	No	No
1765296	RS	60	55	63	60	64	61	64	61	0.7	0.7	No	No	Yes	Yes
1765297	RS	60	55	50	47	50	48	50	48	0.7	0.7	No	No	No	No
1765300	RS	60	55	53	50	53	50	53	50	0.6	0.6	No	No	No	No
1765301	RS	60	55	53	50	54	51	54	51	0.6	0.6	No	No	No	No
1765307	RS	60	55	49	46	50	47	49	47	0.7	0.7	No	No	No	No
1765314	RS	60	55	53	50	54	51	53	50	0.5	0.5	No	No	No	No
1765315	RS	60	55	69	62	69	61	55	52	0.7	-0.9	No	No	No	No
1765317	RS	60	55	47	45	48	45	48	45	0.8	0.8	No	No	No	No
1765320	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1765321	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1765323	RS	60	55	51	48	51	49	51	49	0.8	0.9	No	No	No	No
1765329	RS	60	55	47	44	48	45	48	45	0.7	0.8	No	No	No	No
1765332	RS	60	55	51	48	51	48	51	48	0.5	0.4	No	No	No	No
1765337	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1765338	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1765345	RS	60	55	68	62	68	62	58	55	0.2	-0.1	No	No	No	No
1765350	RS	60	55	51	48	52	49	51	49	0.8	0.8	No	No	No	No
1765359	RS	60	55	53	50	54	51	53	51	0.5	0.5	No	No	No	No
1765361	RS	60	55	55	52	55	53	55	53	0.7	0.8	No	No	No	No
1765363	RS	60	55	58	54	58	55	57	54	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1765364	RS	60	55	69	64	69	64	55	52	0.0	0.0	No	No	No	No
1765366	RS	60	55	58	55	58	56	58	55	0.5	0.5	No	No	No	No
1765372	RS	60	55	63	60	64	61	64	61	0.7	0.6	No	No	Yes	Yes
1765375	RS	60	55	50	47	50	47	50	47	0.5	0.6	No	No	No	No
1765376	RS	60	55	54	51	55	51	54	51	0.6	0.7	No	No	No	No
1765382	RS	60	55	54	52	55	52	55	52	0.7	0.6	No	No	No	No
1765390	RS	60	55	52	50	53	50	53	50	0.8	0.8	No	No	No	No
1765393	RS	60	55	52	48	52	49	51	48	0.4	0.5	No	No	No	No
1765394	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1765396	RS	60	55	55	53	56	53	56	53	0.8	0.8	No	No	No	No
1765398	RS	60	55	57	54	57	54	57	54	0.6	0.6	No	No	No	No
1765407	RS	60	55	50	47	50	47	50	47	0.8	0.7	No	No	No	No
1765410	RS	60	55	46	43	46	43	46	43	0.3	0.4	No	No	No	No
1765414	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1765417	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1765420	RS	60	55	48	45	48	46	48	46	0.8	0.7	No	No	No	No
1765421	RS	60	55	54	51	54	51	54	51	0.6	0.6	No	No	No	No
1765422	RS	60	55	52	49	52	49	52	49	0.3	0.3	No	No	No	No
1765423	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1765427	RS	60	55	51	49	52	50	52	50	0.9	0.9	No	No	No	No
1765429	RS	60	55	54	51	54	51	54	51	0.7	0.6	No	No	No	No
1765430	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1765433	RS	60	55	53	50	53	50	53	50	0.2	0.2	No	No	No	No
1765439	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1765440	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1765441	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1765442	RS	60	55	56	52	56	53	55	52	0.2	0.3	No	No	No	No
1765445	RS	60	55	51	48	52	49	51	49	0.7	0.7	No	No	No	No
1765446	RS	60	55	49	47	50	47	50	47	0.7	0.7	No	No	No	No
1765448	RS	60	55	46	43	46	43	46	43	0.7	0.7	No	No	No	No
1765450	RS	60	55	47	44	47	44	47	44	0.3	0.3	No	No	No	No
1765451	RS	60	55	50	47	50	47	50	47	0.4	0.3	No	No	No	No
1765453	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1765460	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1765461	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1765462	RS	60	55	49	46	50	47	49	47	0.8	0.7	No	No	No	No
1765463	RS	60	55	60	57	61	58	61	58	0.8	0.8	No	No	No	No
1765466	RS	60	55	51	48	51	48	51	48	0.6	0.6	No	No	No	No
1765467	RS	60	55	53	50	54	51	54	51	0.6	0.5	No	No	No	No
1765469	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1765470	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1765471	RS	60	55	52	49	51	49	51	48	-0.3	-0.2	No	No	No	No
1765477	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1765483	RS	60	55	68	62	68	62	58	55	0.1	0.0	No	No	No	No
1765492	RS	60	55	50	47	50	48	50	48	0.7	0.7	No	No	No	No
1765493	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1765504	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1765509	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1765511	RS	60	55	50	47	51	48	51	48	0.5	0.6	No	No	No	No
1765512	RS	60	55	49	47	50	47	50	47	0.6	0.5	No	No	No	No
1765514	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1765515	RS	60	55	53	50	54	51	53	51	0.8	0.8	No	No	No	No
1765520	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1765523	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1765525	RS	60	55	54	51	55	52	54	51	0.5	0.6	No	No	No	No
1765526	RS	60	55	52	48	52	49	52	49	0.4	0.4	No	No	No	No
1765527	RS	60	55	55	52	56	52	55	52	0.4	0.4	No	No	No	No
1765541	RS	60	55	56	53	57	54	57	54	0.9	0.9	No	No	No	No
1765543	RS	60	55	55	53	56	53	56	53	0.8	0.7	No	No	No	No
1765545	RS	60	55	54	50	54	50	52	49	0.1	0.3	No	No	No	No
1765549	RS	60	55	52	49	52	49	52	49	-0.2	-0.3	No	No	No	No
1765553	RS	60	55	56	53	57	54	57	54	0.7	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1765555	RS	60	55	58	55	58	55	58	55	0.7	0.7	No	No	No	No
1765557	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1765559	RS	60	55	67	58	67	58	53	50	0.1	0.1	No	No	No	No
1765561	RS	60	55	53	50	53	51	53	51	0.6	0.6	No	No	No	No
1765565	RS	60	55	58	54	58	54	55	52	0.0	0.1	No	No	No	No
1765567	RS	60	55	47	44	47	44	47	44	0.6	0.5	No	No	No	No
1765570	RS	60	55	63	57	64	58	56	53	0.2	0.6	No	No	No	No
1765573	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1765579	RS	60	55	57	54	58	55	58	55	0.8	0.7	No	No	No	No
1765588	RS	60	55	53	49	53	49	52	49	0.5	0.4	No	No	No	No
1765590	RS	60	55	55	52	54	51	54	51	-0.5	-0.5	No	No	No	No
1765592	RS	60	55	55	52	56	53	56	53	0.4	0.4	No	No	No	No
1765595	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1765596	RS	60	55	56	53	56	53	56	53	0.0	0.0	No	No	No	No
1765604	RS	60	55	53	50	54	51	54	51	0.3	0.3	No	No	No	No
1765607	RS	60	55	55	52	55	52	55	52	0.5	0.6	No	No	No	No
1765608	RS	60	55	56	53	56	53	56	53	0.8	0.8	No	No	No	No
1765621	RS	60	55	50	47	49	46	49	46	-0.3	-0.3	No	No	No	No
1765626	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1765627	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1765628	RS	60	55	53	50	52	49	52	49	-0.4	-0.4	No	No	No	No
1765633	RS	60	55	51	48	52	49	52	49	0.9	0.8	No	No	No	No
1765634	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1765638	RS	60	55	53	50	53	50	53	50	0.8	0.7	No	No	No	No
1765640	RS	60	55	50	48	51	48	51	48	0.9	0.8	No	No	No	No
1765644	RS	60	55	59	53	59	53	51	48	0.0	0.2	No	No	No	No
1765646	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1765650	RS	60	55	51	49	52	49	52	49	0.7	0.7	No	No	No	No
1765652	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1765653	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1765655	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1765661	RS	60	55	53	50	53	50	53	50	-0.2	-0.3	No	No	No	No
1765665	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1765667	RS	60	55	54	52	55	52	55	52	0.9	0.8	No	No	No	No
1765682	RS	60	55	53	50	54	51	53	51	0.7	0.8	No	No	No	No
1765685	RS	60	55	66	59	67	58	51	48	0.4	-0.5	No	No	No	No
1765686	RS	60	55	54	51	55	51	53	51	0.6	0.7	No	No	No	No
1765689	RS	60	55	58	55	59	56	58	56	0.8	0.9	No	No	No	No
1765696	RS	60	55	62	59	62	59	61	59	0.2	0.1	No	No	No	No
1765697	RS	60	55	47	44	48	45	48	45	0.4	0.4	No	No	No	No
1765698	RS	60	55	60	56	60	56	57	54	-0.1	0.2	No	No	No	No
1765707	RS	60	55	56	53	57	54	56	54	0.8	0.8	No	No	No	No
1765718	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No
1765719	RS	60	55	53	50	52	50	52	50	-0.2	-0.2	No	No	No	No
1765720	RS	60	55	46	43	47	44	47	44	0.4	0.4	No	No	No	No
1765724	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1765725	RS	60	55	57	54	57	54	57	54	0.7	0.7	No	No	No	No
1765727	RS	60	55	52	49	52	49	52	49	0.2	0.1	No	No	No	No
1765741	RS	60	55	60	57	61	58	60	57	0.6	0.7	No	No	No	No
1765744	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1765758	RS	60	55	56	53	55	53	55	52	-0.4	-0.4	No	No	No	No
1765771	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1765781	RS	60	55	55	52	56	53	56	53	0.6	0.5	No	No	No	No
1765783	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1765787	RS	60	55	60	55	60	55	54	51	0.1	0.2	No	No	No	No
1765789	RS	60	55	51	48	51	49	51	48	0.7	0.7	No	No	No	No
1765790	RS	60	55	51	48	52	49	51	49	0.5	0.5	No	No	No	No
1765791	RS	60	55	47	44	47	45	47	44	0.7	0.7	No	No	No	No
1765792	RS	60	55	57	54	58	55	58	55	0.6	0.5	No	No	No	No
1765794	RS	60	55	51	48	51	49	51	49	0.5	0.5	No	No	No	No
1765796	RS	60	55	59	56	59	57	59	56	0.8	0.8	No	No	No	No
1765798	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1765803	RS	60	55	49	46	49	47	49	47	0.8	0.8	No	No	No	No
1765804	RS	60	55	54	50	54	51	54	51	0.5	0.6	No	No	No	No
1765805	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1765807	RS	60	55	54	51	53	50	53	50	-0.5	-0.5	No	No	No	No
1765808	RS	60	55	47	44	47	45	47	45	0.8	0.8	No	No	No	No
1765810	RS	60	55	59	54	58	54	57	54	-0.2	0.2	No	No	No	No
1765817	RS	60	55	49	47	50	47	50	47	0.7	0.8	No	No	No	No
1765818	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1765826	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1765830	RS	60	55	59	56	60	57	60	57	0.8	0.7	No	No	No	No
1765834	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1765839	RS	60	55	52	49	52	49	52	49	-0.2	-0.3	No	No	No	No
1765840	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1765845	RS	60	55	54	50	54	51	53	50	0.5	0.5	No	No	No	No
1765847	RS	60	55	52	49	52	49	52	49	0.3	0.3	No	No	No	No
1765848	RS	60	55	57	53	57	54	56	53	0.5	0.6	No	No	No	No
1765849	RS	60	55	59	56	59	56	59	56	-0.2	-0.2	No	No	No	No
1765852	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1765859	RS	60	55	52	49	52	49	52	49	-0.2	-0.2	No	No	No	No
1765860	RS	60	55	67	64	68	65	68	65	0.8	0.7	No	No	Yes	Yes
1765863	RS	60	55	62	59	63	61	61	58	0.8	1.6	No	Yes	No	Yes
1765865	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1765866	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1765868	RS	60	55	49	46	50	47	50	47	0.4	0.4	No	No	No	No
1765870	RS	60	55	54	51	54	52	54	52	0.7	0.7	No	No	No	No
1765877	RS	60	55	54	51	55	51	54	51	0.3	0.3	No	No	No	No
1765883	RS	60	55	50	47	51	48	50	47	0.5	0.5	No	No	No	No
1765885	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1765886	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1765888	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1765891	RS	60	55	54	52	55	52	55	52	0.5	0.5	No	No	No	No
1765897	RS	60	55	53	50	54	51	53	51	0.9	0.9	No	No	No	No
1765901	RS	60	55	55	52	56	53	55	52	0.6	0.7	No	No	No	No
1765903	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1765904	RS	60	55	53	50	54	51	54	51	0.4	0.4	No	No	No	No
1765905	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1765906	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1765908	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1765913	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1765915	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1765916	RS	60	55	54	52	55	52	55	52	0.7	0.7	No	No	No	No
1765919	RS	60	55	56	54	56	53	56	53	-0.5	-0.6	No	No	No	No
1765924	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1765927	RS	60	55	51	48	52	48	51	48	0.6	0.5	No	No	No	No
1765931	RS	60	55	47	44	48	45	48	45	0.6	0.7	No	No	No	No
1765936	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1765938	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1765939	RS	60	55	60	57	61	58	61	58	0.8	0.7	No	No	No	No
1765940	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1765943	RS	60	55	59	56	60	57	60	57	0.7	0.8	No	No	No	No
1765945	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1765948	RS	60	55	51	49	52	49	52	49	0.7	0.7	No	No	No	No
1765953	RS	60	55	59	56	60	56	59	56	0.6	0.7	No	No	No	No
1765955	RS	60	55	59	56	60	57	59	57	0.7	0.7	No	No	No	No
1765959	RS	60	55	50	47	50	48	50	47	0.7	0.8	No	No	No	No
1765960	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1765962	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1765963	RS	60	55	54	51	55	52	54	52	0.7	0.8	No	No	No	No
1765965	RS	60	55	53	50	54	51	53	50	0.7	0.8	No	No	No	No
1765973	RS	60	55	59	56	60	57	59	57	0.6	0.6	No	No	No	No
1765979	RS	60	55	55	52	56	52	55	52	0.7	0.7	No	No	No	No
1765985	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1765988	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1765990	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1765994	RS	60	55	53	51	54	51	54	51	0.8	0.7	No	No	No	No
1766007	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1766008	RS	60	55	54	51	55	52	55	52	0.7	0.6	No	No	No	No
1766009	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1766010	RS	60	55	49	46	49	46	49	46	-0.2	-0.2	No	No	No	No
1766011	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1766012	RS	60	55	48	45	48	45	48	45	0.0	0.0	No	No	No	No
1766020	RS	60	55	52	50	53	50	53	50	0.6	0.6	No	No	No	No
1766022	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1766027	RS	60	55	57	54	57	55	57	55	0.4	0.4	No	No	No	No
1766029	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1766032	RS	60	55	52	49	53	49	52	49	0.7	0.7	No	No	No	No
1766033	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1766035	RS	60	55	57	54	57	54	57	54	0.6	0.5	No	No	No	No
1766039	RS	60	55	56	53	56	53	56	53	0.7	0.8	No	No	No	No
1766043	RS	60	55	51	48	51	48	51	48	0.4	0.5	No	No	No	No
1766045	RS	60	55	60	53	60	54	52	49	0.1	0.2	No	No	No	No
1766046	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1766047	RS	60	55	65	57	65	58	53	50	0.0	0.1	No	No	No	No
1766051	RS	60	55	53	50	54	51	54	51	0.5	0.4	No	No	No	No
1766056	RS	60	55	64	56	64	56	54	51	0.1	0.2	No	No	No	No
1766060	RS	60	55	52	49	51	48	51	48	-0.3	-0.4	No	No	No	No
1766061	RS	60	55	55	52	55	53	55	52	0.5	0.6	No	No	No	No
1766070	RS	60	55	52	49	53	50	52	49	0.8	0.8	No	No	No	No
1766074	RS	60	55	51	47	51	48	50	47	0.5	0.4	No	No	No	No
1766077	RS	60	55	52	49	53	50	52	50	0.7	0.8	No	No	No	No
1766078	RS	60	55	56	53	56	54	56	54	0.8	0.8	No	No	No	No
1766080	RS	60	55	48	46	49	46	49	46	0.8	0.8	No	No	No	No
1766081	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1766083	RS	60	55	55	52	55	52	55	52	0.5	0.4	No	No	No	No
1766085	RS	60	55	66	60	66	60	55	53	0.0	0.1	No	No	No	No
1766089	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1766100	RS	60	55	54	51	54	52	54	51	0.7	0.7	No	No	No	No
1766102	RS	60	55	50	47	51	48	50	48	0.7	0.6	No	No	No	No
1766111	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1766112	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1766115	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1766124	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1766125	RS	60	55	48	45	48	45	48	45	0.7	0.6	No	No	No	No
1766128	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1766129	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1766131	RS	60	55	47	44	48	45	48	45	0.7	0.8	No	No	No	No
1766133	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1766135	RS	60	55	52	49	53	49	52	49	0.6	0.6	No	No	No	No
1766136	RS	60	55	53	50	53	51	53	50	0.7	0.7	No	No	No	No
1766140	RS	60	55	57	54	57	55	57	55	0.8	0.8	No	No	No	No
1766142	RS	60	55	52	49	52	49	52	49	0.0	0.0	No	No	No	No
1766147	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1766155	RS	60	55	48	45	49	46	49	46	0.4	0.4	No	No	No	No
1766157	RS	60	55	53	50	54	51	53	51	0.5	0.5	No	No	No	No
1766162	RS	60	55	49	46	50	47	49	47	0.8	0.7	No	No	No	No
1766166	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1766170	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1766176	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1766178	RS	60	55	58	53	58	53	50	47	0.0	0.1	No	No	No	No
1766179	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1766183	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1766185	RS	60	55	50	47	50	47	50	47	0.8	0.8	No	No	No	No
1766186	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1766188	RS	60	55	53	50	53	50	53	50	0.5	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1766189	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1766190	RS	60	55	52	49	53	49	52	49	0.5	0.5	No	No	No	No
1766194	RS	60	55	54	51	54	52	54	52	0.8	0.8	No	No	No	No
1766196	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1766197	RS	60	55	60	57	61	58	60	58	0.5	0.5	No	No	No	No
1766198	RS	60	55	52	49	53	50	52	50	0.7	0.8	No	No	No	No
1766199	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1766201	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1766202	RS	60	55	53	50	54	51	53	51	0.8	0.8	No	No	No	No
1766206	RS	60	55	52	49	52	49	52	49	-0.2	-0.2	No	No	No	No
1766208	RS	60	55	54	51	54	51	54	51	0.7	0.8	No	No	No	No
1766210	RS	60	55	57	55	58	55	58	55	0.7	0.7	No	No	No	No
1766212	RS	60	55	50	47	50	48	50	48	0.8	0.9	No	No	No	No
1766217	RS	60	55	56	53	57	54	56	53	0.6	0.5	No	No	No	No
1766219	RS	60	55	51	48	52	49	52	49	0.6	0.6	No	No	No	No
1766220	RS	60	55	50	48	51	48	51	48	0.7	0.7	No	No	No	No
1766221	RS	60	55	58	52	58	52	51	48	0.1	0.2	No	No	No	No
1766223	RS	60	55	58	54	58	55	56	53	0.4	0.5	No	No	No	No
1766225	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1766229	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1766230	RS	60	55	48	45	49	46	49	46	0.5	0.5	No	No	No	No
1766237	RS	60	55	49	46	50	47	49	47	0.7	0.7	No	No	No	No
1766238	RS	60	55	54	51	55	51	54	51	0.7	0.7	No	No	No	No
1766240	RS	60	55	50	47	51	48	51	48	0.3	0.4	No	No	No	No
1766242	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1766247	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1766249	RS	60	55	50	47	50	47	50	47	0.8	0.7	No	No	No	No
1766263	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1766273	RS	60	55	68	62	68	62	56	53	0.0	0.0	No	No	No	No
1766275	RS	60	55	57	53	57	54	56	53	0.2	0.3	No	No	No	No
1766281	RS	60	55	58	56	59	56	59	56	0.8	0.7	No	No	No	No
1766282	RS	60	55	54	51	53	50	53	50	-0.2	-0.3	No	No	No	No
1766286	RS	60	55	52	49	53	50	52	50	0.4	0.3	No	No	No	No
1766289	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1766290	RS	60	55	50	47	50	47	50	47	-0.1	-0.1	No	No	No	No
1766299	RS	60	55	50	46	50	47	50	47	0.5	0.5	No	No	No	No
1766306	RS	60	55	53	50	53	50	53	50	0.8	0.8	No	No	No	No
1766308	RS	60	55	59	56	58	56	58	56	-0.9	-0.9	No	No	No	No
1766313	RS	60	55	57	54	57	54	57	54	0.7	0.7	No	No	No	No
1766318	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1766325	RS	60	55	52	49	53	50	52	49	0.6	0.7	No	No	No	No
1766327	RS	60	55	46	43	47	44	47	44	0.7	0.7	No	No	No	No
1766331	RS	60	55	66	59	66	58	49	46	0.8	-1.1	No	No	No	No
1766333	RS	60	55	66	58	66	58	51	48	0.4	-0.5	No	No	No	No
1766355	RS	60	55	56	53	56	53	56	53	0.6	0.5	No	No	No	No
1766358	RS	60	55	54	51	55	52	53	50	0.8	0.9	No	No	No	No
1766372	RS	60	55	58	54	59	55	55	52	0.6	0.5	No	No	No	No
1766397	RS	60	55	51	48	51	48	50	48	0.0	0.0	No	No	No	No
1766399	RS	60	55	54	51	54	51	53	51	0.1	0.1	No	No	No	No
1766400	RS	60	55	53	50	53	50	53	50	-0.4	-0.5	No	No	No	No
1766402	RS	60	55	56	53	56	54	56	54	0.5	0.5	No	No	No	No
1766403	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1766405	RS	60	55	56	53	57	54	56	54	0.8	0.9	No	No	No	No
1766408	RS	60	55	53	50	53	50	53	50	-0.2	-0.3	No	No	No	No
1766409	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1766412	RS	60	55	50	47	51	48	50	47	0.6	0.7	No	No	No	No
1766415	RS	60	55	49	46	49	46	49	46	-0.2	-0.2	No	No	No	No
1766426	RS	60	55	45	42	45	42	45	42	0.3	0.2	No	No	No	No
1766431	RS	60	55	59	56	59	56	59	56	-0.2	-0.2	No	No	No	No
1766446	RS	60	55	49	46	49	46	49	46	-0.1	-0.1	No	No	No	No
1766449	RS	60	55	54	51	55	52	54	52	0.3	0.3	No	No	No	No
1766454	RS	60	55	50	47	50	47	50	47	0.6	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1766455	RS	60	55	54	51	54	52	54	52	0.8	0.8	No	No	No	No
1766457	RS	60	55	59	56	60	57	60	57	0.4	0.4	No	No	No	No
1766458	RS	60	55	49	46	50	47	49	46	0.6	0.7	No	No	No	No
1766465	RS	60	55	53	51	53	50	53	50	-0.1	-0.2	No	No	No	No
1766466	RS	60	55	50	47	51	48	50	47	0.6	0.7	No	No	No	No
1766475	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1766495	RS	60	55	50	47	51	48	50	48	0.5	0.5	No	No	No	No
1766499	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1766500	RS	60	55	51	48	51	48	51	48	0.4	0.5	No	No	No	No
1766502	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1766508	RS	60	55	53	50	54	51	53	50	0.6	0.6	No	No	No	No
1766513	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1766514	RS	60	55	56	54	57	54	57	54	0.5	0.5	No	No	No	No
1766516	RS	60	55	54	51	55	52	55	52	0.6	0.5	No	No	No	No
1766519	RS	60	55	55	52	56	53	55	53	0.9	0.8	No	No	No	No
1766533	RS	60	55	54	51	55	52	55	52	0.6	0.6	No	No	No	No
1766534	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1766535	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1766539	RS	60	55	48	45	49	46	49	46	0.5	0.5	No	No	No	No
1766545	RS	60	55	54	51	54	51	54	51	0.5	0.4	No	No	No	No
1766546	RS	60	55	57	52	57	53	54	51	-0.3	0.1	No	No	No	No
1766548	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1766550	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1766556	RS	60	55	53	49	53	49	51	48	0.4	0.5	No	No	No	No
1766557	RS	60	55	52	48	52	49	52	49	0.4	0.5	No	No	No	No
1766559	RS	60	55	54	50	54	50	52	49	0.4	0.5	No	No	No	No
1766564	RS	60	55	53	50	53	50	53	50	0.4	0.3	No	No	No	No
1766565	RS	60	55	51	48	51	48	51	48	0.5	0.4	No	No	No	No
1766567	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1766572	RS	60	55	51	48	51	48	51	48	-0.2	-0.3	No	No	No	No
1766576	RS	60	55	55	52	56	53	55	53	0.4	0.5	No	No	No	No
1766577	RS	60	55	53	50	52	49	52	49	-0.5	-0.4	No	No	No	No
1766579	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1766582	RS	60	55	56	53	56	53	56	53	0.7	0.7	No	No	No	No
1766585	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1766588	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1766589	RS	60	55	67	59	67	59	53	50	0.0	0.0	No	No	No	No
1766592	RS	60	55	56	53	56	53	56	53	0.5	0.3	No	No	No	No
1766599	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1766600	RS	60	55	56	53	57	54	56	54	0.6	0.6	No	No	No	No
1766601	RS	60	55	50	47	49	46	49	46	-0.1	-0.2	No	No	No	No
1766603	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1766606	RS	60	55	54	51	55	52	54	51	0.7	0.6	No	No	No	No
1766612	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1766616	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1766621	RS	60	55	51	49	52	49	52	49	0.8	0.8	No	No	No	No
1766622	RS	60	55	52	47	52	48	50	47	0.1	0.3	No	No	No	No
1766625	RS	60	55	50	47	51	47	50	47	0.5	0.5	No	No	No	No
1766629	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1766631	RS	60	55	63	60	64	61	64	61	0.8	0.9	No	Yes	Yes	Yes
1766634	RS	60	55	55	52	56	53	55	53	0.8	0.8	No	No	No	No
1766636	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1766642	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1766645	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1766649	RS	60	55	51	48	51	48	51	48	-0.1	-0.2	No	No	No	No
1766652	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1766659	RS	60	55	55	52	56	53	55	52	0.7	0.8	No	No	No	No
1766660	RS	60	55	51	49	51	48	51	48	-0.8	-0.8	No	No	No	No
1766662	RS	60	55	56	53	57	54	56	53	0.7	0.7	No	No	No	No
1766664	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1766665	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1766667	RS	60	55	55	52	55	52	55	52	0.8	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1766679	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1766681	RS	60	55	50	47	51	48	50	48	0.8	0.7	No	No	No	No
1766688	RS	60	55	66	59	67	58	53	50	0.4	-0.5	No	No	No	No
1766690	RS	60	55	47	44	48	45	48	45	0.5	0.5	No	No	No	No
1766692	RS	60	55	53	50	54	51	54	51	0.4	0.3	No	No	No	No
1766702	RS	60	55	53	49	53	50	52	49	0.3	0.3	No	No	No	No
1766703	RS	60	55	51	48	51	48	51	48	0.4	0.3	No	No	No	No
1766705	RS	60	55	52	49	53	50	53	50	0.5	0.6	No	No	No	No
1766706	RS	60	55	52	49	52	49	52	49	0.3	0.4	No	No	No	No
1766707	RS	60	55	53	50	54	51	54	51	0.2	0.2	No	No	No	No
1766711	RS	60	55	46	43	46	43	46	43	0.5	0.4	No	No	No	No
1766714	RS	60	55	57	54	56	53	56	53	-0.2	-0.3	No	No	No	No
1766715	RS	60	55	55	51	55	52	54	51	0.7	0.7	No	No	No	No
1766721	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1766732	RS	60	55	46	43	47	44	47	44	0.8	0.8	No	No	No	No
1766733	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1766736	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1766739	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1766743	RS	60	55	52	49	52	49	52	49	0.6	0.6	No	No	No	No
1766745	RS	60	55	52	49	53	50	52	50	0.3	0.4	No	No	No	No
1766750	RS	60	55	55	52	56	53	55	53	0.7	0.8	No	No	No	No
1766751	RS	60	55	47	44	48	45	47	44	0.3	0.3	No	No	No	No
1766752	RS	60	55	48	45	49	46	49	46	0.7	0.7	No	No	No	No
1766755	RS	60	55	52	49	51	48	51	48	-0.5	-0.5	No	No	No	No
1766763	RS	60	55	50	47	50	48	50	48	0.8	0.7	No	No	No	No
1766766	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1766769	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1766770	RS	60	55	58	55	59	56	59	56	0.7	0.8	No	No	No	No
1766771	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1766775	RS	60	55	52	49	53	50	52	50	0.8	0.9	No	No	No	No
1766776	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1766777	RS	60	55	48	45	48	45	48	45	0.8	0.7	No	No	No	No
1766787	RS	60	55	54	51	55	51	54	51	0.5	0.4	No	No	No	No
1766791	RS	60	55	53	50	53	50	53	50	0.5	0.4	No	No	No	No
1766792	RS	60	55	54	51	54	51	54	51	0.4	0.5	No	No	No	No
1766796	RS	60	55	58	55	59	56	59	56	0.4	0.4	No	No	No	No
1766805	RS	60	55	57	54	58	55	57	55	0.7	0.8	No	No	No	No
1766823	RS	60	55	55	52	55	53	55	52	0.8	0.8	No	No	No	No
1766828	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1766830	RS	60	55	46	43	46	43	46	43	0.5	0.5	No	No	No	No
1766834	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1766837	RS	60	55	51	48	51	48	51	48	-0.4	-0.3	No	No	No	No
1766852	RS	60	55	51	48	51	48	51	48	0.7	0.8	No	No	No	No
1766858	RS	60	55	55	51	55	52	54	52	0.6	0.7	No	No	No	No
1766870	RS	60	55	61	58	62	59	62	59	0.7	0.8	No	No	No	No
1766877	RS	60	55	58	55	57	54	57	54	-0.6	-0.7	No	No	No	No
1766879	RS	60	55	56	53	56	54	56	53	0.8	0.8	No	No	No	No
1766885	RS	60	55	54	51	54	51	54	51	0.3	0.3	No	No	No	No
1766886	RS	60	55	54	50	54	51	53	50	0.5	0.5	No	No	No	No
1766890	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1766893	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No
1766894	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1766896	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1766901	RS	60	55	48	46	49	46	49	46	0.8	0.8	No	No	No	No
1766903	RS	60	55	53	49	53	50	52	49	0.2	0.3	No	No	No	No
1766910	RS	60	55	54	51	53	50	53	50	-0.3	-0.4	No	No	No	No
1766911	RS	60	55	61	55	61	55	52	49	0.0	0.1	No	No	No	No
1766913	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1766914	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1766917	RS	60	55	53	50	53	51	53	51	0.5	0.5	No	No	No	No
1766924	RS	60	55	49	46	49	45	47	44	-0.2	-0.1	No	No	No	No
1766926	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1766942	RS	60	55	53	50	53	50	53	50	0.8	0.7	No	No	No	No
1766953	RS	60	55	50	47	51	48	50	47	0.5	0.6	No	No	No	No
1766962	RS	60	55	50	47	50	47	50	47	0.5	0.6	No	No	No	No
1766964	RS	60	55	51	48	52	49	51	48	0.7	0.8	No	No	No	No
1766971	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1766972	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1766977	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1766979	RS	60	55	53	51	53	50	53	50	-0.3	-0.4	No	No	No	No
1766994	RS	60	55	61	58	61	59	61	59	0.7	0.7	No	No	No	No
1766996	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1766997	RS	60	55	47	44	48	45	48	45	0.6	0.6	No	No	No	No
1767000	RS	60	55	65	58	65	57	52	49	0.4	-0.5	No	No	No	No
1767005	RS	60	55	54	50	54	51	53	50	0.4	0.5	No	No	No	No
1767007	RS	60	55	52	49	52	50	52	49	0.8	0.8	No	No	No	No
1767012	RS	60	55	63	56	63	56	54	51	0.1	0.1	No	No	No	No
1767018	RS	60	55	54	51	55	51	54	51	0.4	0.5	No	No	No	No
1767021	RS	60	55	50	47	51	48	51	48	0.9	0.9	No	No	No	No
1767022	RS	60	55	64	56	64	56	54	51	0.1	0.2	No	No	No	No
1767026	RS	60	55	54	51	55	52	54	51	0.6	0.6	No	No	No	No
1767028	RS	60	55	57	53	57	54	57	54	0.6	0.7	No	No	No	No
1767032	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1767035	RS	60	55	52	49	53	50	52	50	0.7	0.6	No	No	No	No
1767046	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1767051	RS	60	55	49	46	50	47	49	47	0.3	0.3	No	No	No	No
1767054	RS	60	55	54	52	55	52	55	52	0.6	0.5	No	No	No	No
1767056	RS	60	55	52	49	53	49	52	49	0.4	0.4	No	No	No	No
1767060	RS	60	55	53	50	53	50	53	50	0.3	0.3	No	No	No	No
1767062	RS	60	55	73	68	73	68	57	55	0.0	-0.1	No	No	No	No
1767063	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1767065	RS	60	55	48	46	49	46	49	46	0.8	0.8	No	No	No	No
1767067	RS	60	55	53	49	53	49	52	49	0.1	0.1	No	No	No	No
1767068	RS	60	55	51	48	51	48	51	48	0.3	0.4	No	No	No	No
1767073	RS	60	55	53	50	54	51	54	51	0.4	0.5	No	No	No	No
1767074	RS	60	55	51	48	51	48	51	48	0.3	0.4	No	No	No	No
1767076	RS	60	55	53	49	53	49	52	49	0.5	0.3	No	No	No	No
1767079	RS	60	55	56	53	57	54	56	53	0.6	0.6	No	No	No	No
1767085	RS	60	55	59	56	60	57	59	56	0.5	0.5	No	No	No	No
1767094	RS	60	55	55	52	54	51	54	51	-0.5	-0.5	No	No	No	No
1767095	RS	60	55	52	49	53	50	52	50	0.6	0.5	No	No	No	No
1767097	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1767098	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1767103	RS	60	55	50	47	50	48	50	48	0.5	0.5	No	No	No	No
1767105	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1767108	RS	60	55	49	46	49	46	49	46	-0.2	-0.2	No	No	No	No
1767111	RS	60	55	52	49	53	50	52	50	0.8	0.8	No	No	No	No
1767114	RS	60	55	54	51	54	51	54	51	-0.3	-0.3	No	No	No	No
1767115	RS	60	55	55	52	56	53	55	52	0.5	0.5	No	No	No	No
1767117	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1767118	RS	60	55	49	46	49	46	49	46	0.5	0.4	No	No	No	No
1767120	RS	60	55	47	44	48	44	47	44	0.3	0.3	No	No	No	No
1767121	RS	60	55	52	49	53	50	53	50	0.6	0.6	No	No	No	No
1767127	RS	60	55	51	48	51	48	50	48	0.4	0.5	No	No	No	No
1767128	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1767130	RS	60	55	54	51	55	52	55	52	0.6	0.5	No	No	No	No
1767133	RS	60	55	53	50	53	50	53	50	0.6	0.7	No	No	No	No
1767137	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1767139	RS	60	55	52	49	53	50	52	50	0.8	0.8	No	No	No	No
1767141	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1767143	RS	60	55	48	45	49	46	49	46	0.7	0.7	No	No	No	No
1767147	RS	60	55	55	52	55	53	55	53	0.7	0.7	No	No	No	No
1767153	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1767154	RS	60	55	58	55	58	55	58	55	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1767157	RS	60	55	57	54	57	54	57	54	0.3	0.2	No	No	No	No
1767158	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1767159	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1767167	RS	60	55	60	57	60	57	60	57	0.6	0.7	No	No	No	No
1767170	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1767172	RS	60	55	53	50	54	51	53	50	0.7	0.8	No	No	No	No
1767173	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1767175	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1767181	RS	60	55	52	49	53	50	52	50	0.7	0.8	No	No	No	No
1767195	RS	60	55	50	47	51	48	51	48	0.6	0.5	No	No	No	No
1767199	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1767206	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1767208	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1767226	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1767227	RS	60	55	58	55	59	56	58	55	0.6	0.6	No	No	No	No
1767228	RS	60	55	57	55	58	55	58	55	0.6	0.5	No	No	No	No
1767239	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1767240	RS	60	55	51	48	51	49	51	49	0.8	0.8	No	No	No	No
1767242	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1767246	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1767248	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1767251	RS	60	55	59	56	60	57	59	57	0.7	0.8	No	No	No	No
1767252	RS	60	55	59	56	59	57	59	56	0.7	0.8	No	No	No	No
1767254	RS	60	55	50	47	51	48	50	47	0.6	0.6	No	No	No	No
1767255	RS	60	55	53	50	53	50	53	50	0.3	0.3	No	No	No	No
1767259	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1767260	RS	60	55	58	55	58	55	58	55	-0.2	-0.2	No	No	No	No
1767264	RS	60	55	59	57	60	57	60	57	0.8	0.7	No	No	No	No
1767266	RS	60	55	50	47	51	48	51	48	0.5	0.6	No	No	No	No
1767267	RS	60	55	55	52	56	53	55	53	0.3	0.4	No	No	No	No
1767269	RS	60	55	52	49	53	49	52	49	0.7	0.7	No	No	No	No
1767270	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1767271	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1767273	RS	60	55	49	46	49	46	49	46	-0.1	-0.1	No	No	No	No
1767274	RS	60	55	60	56	60	57	59	56	0.4	0.5	No	No	No	No
1767275	RS	60	55	58	55	59	56	58	55	0.6	0.7	No	No	No	No
1767278	RS	60	55	60	57	60	58	60	58	0.8	0.8	No	No	No	No
1767279	RS	60	55	50	47	50	47	50	47	-0.1	-0.2	No	No	No	No
1767284	RS	60	55	52	49	52	49	52	49	-0.3	-0.2	No	No	No	No
1767285	RS	60	55	69	63	69	63	58	55	0.2	0.0	No	No	No	No
1767292	RS	60	55	46	43	47	44	47	44	0.3	0.3	No	No	No	No
1767294	RS	60	55	53	50	53	50	53	50	0.7	0.8	No	No	No	No
1767295	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1767305	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1767309	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1767310	RS	60	55	57	52	57	53	53	50	0.1	0.3	No	No	No	No
1767318	RS	60	55	55	53	56	53	56	53	0.7	0.9	No	No	No	No
1767320	RS	60	55	57	54	58	55	57	54	0.7	0.8	No	No	No	No
1767325	RS	60	55	54	51	54	52	54	52	0.8	0.8	No	No	No	No
1767330	RS	60	55	52	49	53	50	52	49	0.3	0.3	No	No	No	No
1767357	RS	60	55	50	47	49	46	49	46	-0.2	-0.2	No	No	No	No
1767358	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1767362	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1767364	RS	60	55	49	46	50	47	50	47	0.6	0.6	No	No	No	No
1767365	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1767366	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1767368	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1767370	RS	60	55	52	50	53	50	53	50	0.6	0.5	No	No	No	No
1767371	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1767374	RS	60	55	54	51	54	52	54	51	0.4	0.4	No	No	No	No
1767375	RS	60	55	69	63	69	64	63	60	-0.1	0.3	No	Yes	Yes	Yes
1767377	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1767381	RS	60	55	56	52	56	53	55	52	0.5	0.5	No	No	No	No
1767382	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1767383	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1767386	RS	60	55	55	52	55	52	55	52	0.6	0.5	No	No	No	No
1767389	RS	60	55	54	51	54	51	54	51	-0.2	-0.2	No	No	No	No
1767394	RS	60	55	46	43	47	44	47	44	0.7	0.7	No	No	No	No
1767397	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1767402	RS	60	55	56	53	57	54	57	54	0.8	0.9	No	No	No	No
1767406	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1767408	RS	60	55	54	50	54	51	53	50	0.4	0.4	No	No	No	No
1767410	RS	60	55	55	52	55	53	55	52	0.8	1.0	No	No	No	No
1767411	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1767414	RS	60	55	58	55	58	55	58	55	0.6	0.5	No	No	No	No
1767421	RS	60	55	59	55	59	55	57	54	0.0	0.2	No	No	No	No
1767425	RS	60	55	53	50	53	50	53	50	0.4	0.5	No	No	No	No
1767426	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1767427	RS	60	55	58	54	58	55	57	54	0.6	0.7	No	No	No	No
1767431	RS	60	55	53	50	52	50	52	50	-0.2	-0.2	No	No	No	No
1767446	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1767448	RS	60	55	55	52	56	53	56	53	0.6	0.7	No	No	No	No
1767450	RS	60	55	58	56	59	56	59	56	0.7	0.7	No	No	No	No
1767453	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1767455	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1767457	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1767459	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1767460	RS	60	55	50	47	50	47	50	47	0.7	0.8	No	No	No	No
1767462	RS	60	55	60	57	61	58	61	58	0.6	0.6	No	No	No	No
1767466	RS	60	55	55	52	55	52	55	52	0.5	0.4	No	No	No	No
1767470	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1767472	RS	60	55	46	43	47	44	47	44	0.7	0.8	No	No	No	No
1767473	RS	60	55	59	56	59	56	59	56	0.7	0.7	No	No	No	No
1767474	RS	60	55	55	52	56	53	55	52	0.7	0.8	No	No	No	No
1767475	RS	60	55	54	51	54	51	54	51	0.2	0.3	No	No	No	No
1767477	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No
1767478	RS	60	55	56	53	56	53	56	53	0.8	0.8	No	No	No	No
1767480	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1767481	RS	60	55	54	51	55	52	54	51	0.7	0.8	No	No	No	No
1767488	RS	60	55	53	50	53	51	53	51	0.8	0.7	No	No	No	No
1767495	RS	60	55	49	46	50	47	49	47	0.8	0.8	No	No	No	No
1767497	RS	60	55	50	47	50	47	50	47	0.4	0.4	No	No	No	No
1767503	RS	60	55	54	51	54	51	54	51	0.1	0.1	No	No	No	No
1767505	RS	60	55	53	50	53	51	53	50	0.8	0.8	No	No	No	No
1767510	RS	60	55	57	54	58	55	58	55	0.7	0.8	No	No	No	No
1767512	RS	60	55	56	53	56	53	56	53	0.0	0.0	No	No	No	No
1767513	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1767517	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1767518	RS	60	55	66	59	66	58	49	46	0.8	-0.9	No	No	No	No
1767523	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1767525	RS	60	55	54	51	54	52	54	52	0.7	0.7	No	No	No	No
1767530	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1767534	RS	60	55	51	48	51	48	51	48	0.6	0.5	No	No	No	No
1767536	RS	60	55	56	53	56	53	56	53	0.8	0.8	No	No	No	No
1767541	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1767546	RS	60	55	49	46	50	47	50	47	0.5	0.4	No	No	No	No
1767557	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1767558	RS	60	55	54	51	54	51	54	51	-0.5	-0.5	No	No	No	No
1767562	RS	60	55	52	49	53	50	53	50	0.4	0.4	No	No	No	No
1767564	RS	60	55	64	61	64	61	64	61	0.7	0.7	No	Yes	Yes	Yes
1767573	RS	60	55	52	49	53	50	52	50	0.7	0.8	No	No	No	No
1767582	RS	60	55	54	51	54	51	54	51	0.1	0.0	No	No	No	No
1767584	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1767585	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1767587	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1767591	RS	60	55	50	47	51	48	50	48	0.3	0.3	No	No	No	No
1767594	RS	60	55	51	47	51	48	51	48	0.6	0.7	No	No	No	No
1767600	RS	60	55	53	50	53	50	53	50	0.5	0.4	No	No	No	No
1767609	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1767612	RS	60	55	60	57	61	58	61	58	0.7	0.8	No	No	No	No
1767614	RS	60	55	54	51	55	52	54	52	0.8	0.7	No	No	No	No
1767615	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1767624	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1767628	RS	60	55	52	49	53	50	53	50	0.6	0.5	No	No	No	No
1767632	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1767635	RS	60	55	54	51	54	51	54	51	0.1	0.1	No	No	No	No
1767643	RS	60	55	54	51	54	52	54	52	0.5	0.4	No	No	No	No
1767644	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1767645	RS	60	55	51	47	51	48	51	48	0.4	0.5	No	No	No	No
1767646	RS	60	55	56	53	56	53	56	53	0.7	0.6	No	No	No	No
1767647	RS	60	55	62	55	63	55	51	49	0.5	-0.5	No	No	No	No
1767650	RS	60	55	49	46	50	47	49	47	0.8	0.7	No	No	No	No
1767651	RS	60	55	54	50	55	51	53	50	0.5	0.6	No	No	No	No
1767655	RS	60	55	54	50	54	50	52	49	0.3	0.5	No	No	No	No
1767656	RS	60	55	50	48	51	48	51	48	0.8	0.7	No	No	No	No
1767657	RS	60	55	50	47	51	48	50	48	0.7	0.7	No	No	No	No
1767660	RS	60	55	51	48	52	49	52	49	0.4	0.4	No	No	No	No
1767665	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1767666	RS	60	55	56	53	56	53	56	53	0.6	0.5	No	No	No	No
1767667	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1767670	RS	60	55	56	53	56	53	56	53	0.5	0.4	No	No	No	No
1767673	RS	60	55	51	48	52	49	51	49	0.6	0.7	No	No	No	No
1767675	RS	60	55	53	50	53	50	53	50	0.6	0.6	No	No	No	No
1767680	RS	60	55	51	48	52	49	52	49	0.9	0.9	No	No	No	No
1767690	RS	60	55	53	50	53	50	52	49	0.0	0.2	No	No	No	No
1767691	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1767692	RS	60	55	55	52	55	52	55	52	0.5	0.4	No	No	No	No
1767693	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1767695	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1767702	RS	60	55	45	42	46	43	46	43	0.4	0.3	No	No	No	No
1767705	RS	60	55	62	60	63	60	63	60	0.7	0.6	No	No	Yes	Yes
1767713	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1767725	RS	60	55	57	54	57	54	57	54	0.8	0.8	No	No	No	No
1767729	RS	60	55	53	50	54	51	53	51	0.5	0.5	No	No	No	No
1767754	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1767762	RS	60	55	59	55	59	56	58	55	0.2	0.3	No	No	No	No
1767764	RS	60	55	53	49	53	50	52	49	0.4	0.4	No	No	No	No
1767768	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1767776	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1767790	RS	60	55	56	53	56	53	56	53	0.8	0.7	No	No	No	No
1767791	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1767800	RS	60	55	50	46	51	46	48	45	0.4	0.2	No	No	No	No
1767802	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1767803	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1767808	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1767811	RS	60	55	53	50	54	51	54	51	0.6	0.5	No	No	No	No
1767812	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1767822	RS	60	55	56	53	56	53	56	53	0.3	0.3	No	No	No	No
1767827	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1767832	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1767836	RS	60	55	53	51	54	51	54	51	0.5	0.5	No	No	No	No
1767841	RS	60	55	52	49	53	50	53	50	0.9	0.8	No	No	No	No
1767842	RS	60	55	55	53	56	53	56	53	0.7	0.7	No	No	No	No
1767851	RS	60	55	48	45	49	46	49	46	0.6	0.5	No	No	No	No
1767855	RS	60	55	52	49	52	49	52	49	0.1	0.1	No	No	No	No
1767856	RS	60	55	56	53	57	54	57	54	0.6	0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1767862	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1767866	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1767867	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1767869	RS	60	55	60	57	60	58	60	58	0.7	0.8	No	No	No	No
1767871	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1767874	RS	60	55	54	51	54	51	54	51	0.8	0.7	No	No	No	No
1767881	RS	60	55	62	59	63	60	62	60	0.7	0.7	No	Yes	Yes	Yes
1767882	RS	60	55	53	50	54	51	54	51	0.6	0.5	No	No	No	No
1767883	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1767886	RS	60	55	47	44	48	45	47	44	0.7	0.7	No	No	No	No
1767890	RS	60	55	52	49	52	49	52	49	0.1	0.0	No	No	No	No
1767891	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1767892	RS	60	55	57	54	58	54	56	53	0.2	0.2	No	No	No	No
1767894	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1767905	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1767907	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1767908	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1767913	RS	60	55	45	42	45	43	45	43	0.6	0.5	No	No	No	No
1767915	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1767917	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1767920	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1767923	RS	60	55	66	59	67	58	52	49	0.4	-0.5	No	No	No	No
1767924	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1767926	RS	60	55	53	50	54	50	53	50	0.6	0.6	No	No	No	No
1767928	RS	60	55	50	47	51	48	50	47	0.6	0.6	No	No	No	No
1767943	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1767947	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1767949	RS	60	55	47	44	48	45	47	45	0.7	0.8	No	No	No	No
1767958	RS	60	55	56	53	57	54	56	53	0.7	0.7	No	No	No	No
1767960	RS	60	55	51	48	52	49	51	48	0.6	0.7	No	No	No	No
1767961	RS	60	55	46	43	46	44	46	43	0.6	0.6	No	No	No	No
1767962	RS	60	55	64	58	65	57	53	50	0.7	-0.7	No	No	No	No
1767964	RS	60	55	55	52	55	52	55	52	0.8	0.7	No	No	No	No
1767965	RS	60	55	62	58	62	58	59	57	0.4	0.5	No	No	No	No
1767966	RS	60	55	48	45	49	46	48	46	0.6	0.6	No	No	No	No
1767968	RS	60	55	57	54	57	54	57	54	-0.4	-0.5	No	No	No	No
1767971	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1767973	RS	60	55	58	55	58	55	58	55	0.4	0.4	No	No	No	No
1767975	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1767979	RS	60	55	53	50	54	51	53	50	0.5	0.6	No	No	No	No
1767985	RS	60	55	55	52	55	52	55	52	0.8	0.8	No	No	No	No
1767986	RS	60	55	47	44	47	44	47	44	0.3	0.3	No	No	No	No
1767987	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1767989	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1767993	RS	60	55	57	54	57	54	57	54	0.7	0.7	No	No	No	No
1767995	RS	60	55	54	51	55	51	54	51	0.7	0.7	No	No	No	No
1767998	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1767999	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1768004	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1768011	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1768017	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1768023	RS	60	55	60	57	61	58	60	58	0.9	0.8	No	No	No	No
1768030	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1768037	RS	60	55	58	54	59	55	57	55	0.5	0.7	No	No	No	No
1768046	RS	60	55	53	49	54	50	52	49	0.5	0.6	No	No	No	No
1768049	RS	60	55	50	47	50	47	50	47	0.7	0.8	No	No	No	No
1768051	RS	60	55	62	57	62	57	54	51	0.0	0.1	No	No	No	No
1768053	RS	60	55	57	54	57	54	57	54	0.0	0.0	No	No	No	No
1768060	RS	60	55	55	52	56	53	55	52	0.6	0.7	No	No	No	No
1768072	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1768080	RS	60	55	51	48	51	48	51	48	0.4	0.3	No	No	No	No
1768083	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1768084	RS	60	55	55	52	55	52	55	52	-0.4	-0.5	No	No	No	No
1768087	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1768088	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1768094	RS	60	55	54	50	54	51	54	51	0.7	0.7	No	No	No	No
1768095	RS	60	55	60	53	60	53	53	50	0.1	0.3	No	No	No	No
1768096	RS	60	55	64	58	64	58	53	50	-0.1	0.0	No	No	No	No
1768100	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1768110	RS	60	55	55	52	55	53	55	53	0.7	0.7	No	No	No	No
1768114	RS	60	55	44	41	44	41	44	41	0.4	0.4	No	No	No	No
1768115	RS	60	55	50	47	50	48	50	48	0.8	0.7	No	No	No	No
1768120	RS	60	55	53	49	53	50	52	49	0.4	0.5	No	No	No	No
1768124	RS	60	55	51	48	51	48	51	48	-0.1	-0.2	No	No	No	No
1768125	RS	60	55	54	51	54	52	54	52	0.8	0.7	No	No	No	No
1768137	RS	60	55	59	56	59	56	59	56	0.5	0.6	No	No	No	No
1768139	RS	60	55	47	44	47	44	47	44	0.5	0.6	No	No	No	No
1768161	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1768162	RS	60	55	56	53	57	54	57	54	0.5	0.5	No	No	No	No
1768165	RS	60	55	46	43	47	44	47	44	0.7	0.7	No	No	No	No
1768166	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1768167	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1768170	RS	60	55	50	47	51	48	50	48	0.6	0.5	No	No	No	No
1768173	RS	60	55	61	56	61	56	55	52	0.0	0.2	No	No	No	No
1768179	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1768180	RS	60	55	63	59	62	59	61	58	-0.1	0.1	No	No	No	No
1768182	RS	60	55	49	45	49	46	48	45	0.5	0.5	No	No	No	No
1768184	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1768185	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1768186	RS	60	55	46	43	47	44	47	44	0.4	0.3	No	No	No	No
1768192	RS	60	55	48	45	48	46	48	46	0.8	0.7	No	No	No	No
1768193	RS	60	55	50	47	51	48	51	48	0.9	0.9	No	No	No	No
1768197	RS	60	55	48	45	48	45	48	45	0.6	0.5	No	No	No	No
1768199	RS	60	55	56	52	56	52	53	50	0.0	0.3	No	No	No	No
1768203	RS	60	55	52	49	52	49	52	49	0.3	0.3	No	No	No	No
1768207	RS	60	55	47	44	47	44	47	44	0.6	0.6	No	No	No	No
1768208	RS	60	55	49	46	50	47	49	47	0.6	0.6	No	No	No	No
1768209	RS	60	55	55	52	55	52	55	52	0.7	0.8	No	No	No	No
1768210	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1768212	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1768215	RS	60	55	55	52	55	53	55	53	0.6	0.6	No	No	No	No
1768216	RS	60	55	47	45	48	45	48	45	0.8	0.7	No	No	No	No
1768217	RS	60	55	56	53	57	54	56	54	0.8	1.1	No	No	No	No
1768218	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1768226	RS	60	55	54	50	54	51	53	51	0.7	0.7	No	No	No	No
1768228	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1768229	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1768233	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1768234	RS	60	55	49	47	50	47	50	47	0.8	0.8	No	No	No	No
1768235	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1768237	RS	60	55	52	49	53	49	52	49	0.5	0.4	No	No	No	No
1768239	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1768240	RS	60	55	53	50	53	50	53	50	0.4	0.5	No	No	No	No
1768242	RS	60	55	53	50	53	51	53	50	0.7	0.9	No	No	No	No
1768245	RS	60	55	51	48	51	49	51	48	0.7	0.8	No	No	No	No
1768246	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1768247	RS	60	55	54	51	54	51	54	51	0.6	0.5	No	No	No	No
1768250	RS	60	55	53	50	54	51	54	51	0.7	0.6	No	No	No	No
1768251	RS	60	55	54	51	55	52	54	52	0.6	0.5	No	No	No	No
1768255	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1768257	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1768259	RS	60	55	55	52	56	53	56	53	0.8	0.9	No	No	No	No
1768264	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1768265	RS	60	55	54	51	54	52	54	52	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1768271	RS	60	55	59	56	59	56	59	56	0.5	0.5	No	No	No	No
1768276	RS	60	55	56	52	56	52	53	50	-0.1	0.2	No	No	No	No
1768278	RS	60	55	51	48	52	49	51	48	0.7	0.7	No	No	No	No
1768279	RS	60	55	51	48	52	49	52	49	0.4	0.4	No	No	No	No
1768283	RS	60	55	61	58	61	58	61	58	0.1	0.1	No	No	No	No
1768289	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1768294	RS	60	55	54	51	53	50	53	50	-0.4	-0.4	No	No	No	No
1768295	RS	60	55	55	53	56	53	56	53	0.5	0.5	No	No	No	No
1768297	RS	60	55	47	44	47	44	47	44	0.4	0.4	No	No	No	No
1768299	RS	60	55	56	53	56	54	56	54	0.8	0.7	No	No	No	No
1768302	RS	60	55	60	57	61	57	60	57	0.4	0.4	No	No	No	No
1768308	RS	60	55	57	54	58	55	58	55	0.7	0.8	No	No	No	No
1768309	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1768317	RS	60	55	53	50	53	50	53	50	0.6	0.7	No	No	No	No
1768326	RS	60	55	60	58	61	58	61	58	0.7	0.7	No	No	No	No
1768327	RS	60	55	56	53	56	53	56	53	0.7	0.7	No	No	No	No
1768329	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1768331	RS	60	55	53	49	53	50	52	49	0.0	0.2	No	No	No	No
1768334	RS	60	55	59	56	59	56	59	56	0.6	0.6	No	No	No	No
1768335	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1768336	RS	60	55	53	50	54	51	53	51	0.8	0.7	No	No	No	No
1768351	RS	60	55	64	61	64	61	64	61	0.6	0.6	No	Yes	Yes	Yes
1768353	RS	60	55	49	46	49	47	49	47	0.7	0.7	No	No	No	No
1768357	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1768364	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1768377	RS	60	55	67	61	67	61	58	55	0.2	0.0	No	No	No	No
1768382	RS	60	55	52	49	52	50	52	49	0.8	0.7	No	No	No	No
1768389	RS	60	55	68	62	69	62	58	55	0.2	0.0	No	No	No	No
1768392	RS	60	55	53	50	53	51	53	50	0.4	0.5	No	No	No	No
1768395	RS	60	55	54	50	54	51	53	51	0.4	0.4	No	No	No	No
1768397	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1768399	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1768404	RS	60	55	50	47	51	48	50	47	0.5	0.5	No	No	No	No
1768417	RS	60	55	56	53	56	54	56	53	0.7	0.9	No	No	No	No
1768419	RS	60	55	53	50	53	50	53	50	0.3	0.3	No	No	No	No
1768420	RS	60	55	53	50	54	50	52	50	0.5	0.6	No	No	No	No
1768421	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1768428	RS	60	55	49	46	49	46	49	46	0.3	0.4	No	No	No	No
1768429	RS	60	55	51	48	52	48	50	48	0.5	0.6	No	No	No	No
1768432	RS	60	55	52	49	52	49	52	49	0.3	0.3	No	No	No	No
1768433	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1768435	RS	60	55	55	52	56	53	55	52	0.7	0.8	No	No	No	No
1768436	RS	60	55	54	50	54	51	53	50	0.5	0.6	No	No	No	No
1768437	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1768438	RS	60	55	60	57	60	57	60	57	0.5	0.4	No	No	No	No
1768440	RS	60	55	49	46	49	46	49	46	0.7	0.8	No	No	No	No
1768441	RS	60	55	53	50	54	51	53	51	0.6	0.6	No	No	No	No
1768442	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1768443	RS	60	55	53	51	54	51	54	51	0.7	0.8	No	No	No	No
1768444	RS	60	55	56	53	57	54	57	54	0.6	0.6	No	No	No	No
1768445	RS	60	55	51	49	52	49	52	49	0.8	0.8	No	No	No	No
1768450	RS	60	55	51	48	51	48	51	48	0.1	0.0	No	No	No	No
1768451	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1768452	RS	60	55	65	58	65	59	57	54	0.2	1.0	No	No	No	No
1768457	RS	60	55	53	50	53	50	53	50	0.7	0.8	No	No	No	No
1768458	RS	60	55	54	51	54	51	53	50	0.2	0.4	No	No	No	No
1768459	RS	60	55	49	46	50	47	49	46	0.8	0.9	No	No	No	No
1768461	RS	60	55	57	54	56	53	56	53	-0.8	-0.8	No	No	No	No
1768463	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1768464	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1768465	RS	60	55	54	51	54	51	54	51	-0.3	-0.3	No	No	No	No
1768468	RS	60	55	51	49	52	49	52	49	0.6	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1768469	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1768475	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1768478	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1768480	RS	60	55	51	48	51	48	51	48	-0.1	0.0	No	No	No	No
1768488	RS	60	55	57	54	58	55	58	55	0.7	0.8	No	No	No	No
1768492	RS	60	55	61	59	62	59	62	59	0.8	0.7	No	No	No	No
1768502	RS	60	55	55	53	56	53	56	53	0.7	0.8	No	No	No	No
1768509	RS	60	55	57	53	57	54	56	54	0.6	0.7	No	No	No	No
1768516	RS	60	55	50	48	51	48	51	48	0.7	0.7	No	No	No	No
1768517	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1768525	RS	60	55	60	58	60	57	60	57	-0.1	-0.2	No	No	No	No
1768529	RS	60	55	54	51	54	52	54	51	0.7	0.8	No	No	No	No
1768536	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1768547	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1768556	RS	60	55	47	45	48	45	48	45	0.8	0.7	No	No	No	No
1768564	RS	60	55	60	58	61	58	61	58	0.7	0.7	No	No	No	No
1768565	RS	60	55	51	48	52	49	51	48	0.5	0.6	No	No	No	No
1768568	RS	60	55	53	49	54	50	52	49	0.5	0.6	No	No	No	No
1768575	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1768578	RS	60	55	53	50	53	50	52	50	0.2	0.4	No	No	No	No
1768579	RS	60	55	49	46	50	46	49	46	0.5	0.4	No	No	No	No
1768580	RS	60	55	59	54	59	54	52	49	0.0	0.5	No	No	No	No
1768583	RS	60	55	52	49	52	50	52	49	0.3	0.4	No	No	No	No
1768589	RS	60	55	65	58	65	58	55	52	0.1	0.2	No	No	No	No
1768595	RS	60	55	57	54	57	54	57	54	0.2	0.2	No	No	No	No
1768597	RS	60	55	53	50	54	51	53	50	0.6	0.7	No	No	No	No
1768598	RS	60	55	57	54	56	53	56	53	-0.6	-0.7	No	No	No	No
1768605	RS	60	55	55	52	55	53	55	53	0.6	0.5	No	No	No	No
1768607	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1768611	RS	60	55	49	46	49	46	49	46	0.8	0.8	No	No	No	No
1768613	RS	60	55	47	44	48	45	48	45	0.7	0.7	No	No	No	No
1768617	RS	60	55	50	47	50	47	50	47	-0.3	-0.4	No	No	No	No
1768621	RS	60	55	50	47	51	47	49	46	0.5	0.5	No	No	No	No
1768629	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1768636	RS	60	55	54	51	54	52	54	51	0.7	0.7	No	No	No	No
1768641	RS	60	55	50	47	50	48	50	47	0.8	0.8	No	No	No	No
1768642	RS	60	55	55	52	55	53	55	52	0.7	0.8	No	No	No	No
1768649	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1768652	RS	60	55	51	48	51	48	51	48	0.6	0.5	No	No	No	No
1768654	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1768660	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1768665	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1768666	RS	60	55	52	49	51	48	51	48	-0.3	-0.3	No	No	No	No
1768668	RS	60	55	52	49	53	50	52	50	0.8	0.8	No	No	No	No
1768670	RS	60	55	63	60	64	61	64	61	0.8	0.8	No	No	Yes	Yes
1768673	RS	60	55	68	65	69	66	69	66	0.8	0.8	No	Yes	Yes	Yes
1768674	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1768677	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1768679	RS	60	55	58	55	59	56	58	55	0.7	0.9	No	No	No	No
1768680	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1768686	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1768690	RS	60	55	49	46	50	47	49	47	0.8	0.8	No	No	No	No
1768691	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1768695	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1768697	RS	60	55	53	50	53	50	53	50	0.7	0.8	No	No	No	No
1768702	RS	60	55	57	54	58	55	58	55	0.8	0.7	No	No	No	No
1768703	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1768708	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1768709	RS	60	55	52	49	52	49	52	49	0.5	0.6	No	No	No	No
1768710	RS	60	55	55	51	55	52	54	51	0.5	0.6	No	No	No	No
1768711	RS	60	55	56	53	57	54	56	54	0.9	0.8	No	No	No	No
1768716	RS	60	55	49	46	49	47	49	47	0.5	0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1768717	RS	60	55	50	47	51	48	51	48	0.4	0.5	No	No	No	No
1768721	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1768723	RS	60	55	55	52	56	53	55	53	0.7	0.7	No	No	No	No
1768725	RS	60	55	58	55	58	56	58	55	0.8	0.8	No	No	No	No
1768729	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1768732	RS	60	55	60	56	61	56	55	53	0.7	0.4	No	No	No	No
1768734	RS	60	55	62	59	63	59	62	59	0.5	0.5	No	No	No	No
1768736	RS	60	55	54	51	55	52	54	51	0.6	0.7	No	No	No	No
1768745	RS	60	55	51	49	52	49	52	49	0.7	0.7	No	No	No	No
1768748	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1768749	RS	60	55	53	50	53	50	53	50	0.4	0.5	No	No	No	No
1768750	RS	60	55	53	50	54	51	54	51	0.5	0.6	No	No	No	No
1768751	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1768752	RS	60	55	51	47	51	48	50	47	0.5	0.3	No	No	No	No
1768753	RS	60	55	53	50	54	51	53	50	0.6	0.6	No	No	No	No
1768754	RS	60	55	53	50	54	51	53	50	0.6	0.7	No	No	No	No
1768760	RS	60	55	48	45	49	46	49	46	0.6	0.5	No	No	No	No
1768763	RS	60	55	51	48	52	49	52	49	0.6	0.5	No	No	No	No
1768764	RS	60	55	51	47	51	48	50	48	0.6	0.6	No	No	No	No
1768767	RS	60	55	52	48	53	49	51	48	0.4	0.4	No	No	No	No
1768770	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1768771	RS	60	55	50	47	51	48	50	47	0.5	0.5	No	No	No	No
1768773	RS	60	55	57	54	57	54	57	54	0.6	0.6	No	No	No	No
1768774	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1768777	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1768779	RS	60	55	50	47	50	47	50	47	0.8	0.8	No	No	No	No
1768780	RS	60	55	57	54	58	55	58	55	0.6	0.6	No	No	No	No
1768781	RS	60	55	60	57	60	58	60	58	0.5	0.6	No	No	No	No
1768786	RS	60	55	55	52	55	52	54	51	0.1	0.1	No	No	No	No
1768790	RS	60	55	55	53	56	53	56	53	0.9	0.9	No	No	No	No
1768794	RS	60	55	45	42	45	43	45	42	0.5	0.5	No	No	No	No
1768801	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1768804	RS	60	55	57	52	57	52	50	47	0.0	0.4	No	No	No	No
1768808	RS	60	55	54	51	54	51	54	51	-0.1	-0.1	No	No	No	No
1768812	RS	60	55	63	57	63	58	55	53	0.2	0.5	No	No	No	No
1768814	RS	60	55	54	51	54	52	54	52	0.5	0.5	No	No	No	No
1768815	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1768820	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1768821	RS	60	55	54	51	55	51	54	51	0.7	0.7	No	No	No	No
1768826	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1768827	RS	60	55	53	50	53	50	53	50	-0.1	-0.1	No	No	No	No
1768828	RS	60	55	58	55	59	56	58	55	0.6	0.9	No	No	No	No
1768830	RS	60	55	58	55	59	56	58	55	0.7	0.9	No	No	No	No
1768831	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1768833	RS	60	55	57	55	58	55	58	55	0.8	0.7	No	No	No	No
1768837	RS	60	55	52	49	53	50	52	50	0.7	0.8	No	No	No	No
1768838	RS	60	55	52	49	53	50	52	50	0.8	0.9	No	No	No	No
1768842	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1768844	RS	60	55	52	49	53	50	52	50	0.7	0.8	No	No	No	No
1768847	RS	60	55	53	50	54	51	53	51	0.8	0.8	No	No	No	No
1768850	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1768852	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1768856	RS	60	55	64	57	64	57	57	54	0.1	0.3	No	No	No	No
1768859	RS	60	55	44	41	44	41	44	41	0.0	0.0	No	No	No	No
1768889	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1768890	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1768899	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1768903	RS	60	55	52	50	53	50	53	50	0.4	0.3	No	No	No	No
1768911	RS	60	55	50	47	51	47	50	47	0.5	0.5	No	No	No	No
1768912	RS	60	55	52	49	53	50	52	50	0.5	0.6	No	No	No	No
1768913	RS	60	55	49	46	50	47	49	47	0.7	0.8	No	No	No	No
1768915	RS	60	55	53	50	54	50	53	50	0.4	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1768920	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1768921	RS	60	55	49	46	49	47	49	47	0.7	0.7	No	No	No	No
1768925	RS	60	55	50	47	51	48	50	48	0.7	0.7	No	No	No	No
1768930	RS	60	55	55	53	56	53	56	53	0.8	0.8	No	No	No	No
1768938	RS	60	55	48	44	48	44	46	43	0.4	0.5	No	No	No	No
1768939	RS	60	55	51	48	51	48	51	48	0.7	0.8	No	No	No	No
1768940	RS	60	55	55	53	56	53	56	53	0.8	0.8	No	No	No	No
1768942	RS	60	55	50	48	51	48	51	48	0.7	0.7	No	No	No	No
1768943	RS	60	55	50	47	51	48	50	48	0.6	0.5	No	No	No	No
1768944	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1768947	RS	60	55	47	44	48	45	47	45	0.4	0.4	No	No	No	No
1768948	RS	60	55	56	53	56	53	56	53	0.7	0.8	No	No	No	No
1768949	RS	60	55	58	54	59	55	55	52	0.7	0.5	No	No	No	No
1768957	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1768972	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1768982	RS	60	55	48	45	48	45	48	45	-0.2	-0.2	No	No	No	No
1768984	RS	60	55	54	51	55	51	54	51	0.5	0.6	No	No	No	No
1768986	RS	60	55	51	48	52	49	51	49	0.8	0.7	No	No	No	No
1768990	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1768992	RS	60	55	53	50	54	50	53	50	0.7	0.7	No	No	No	No
1768993	RS	60	55	53	51	54	51	54	51	0.7	0.8	No	No	No	No
1768998	RS	60	55	52	49	53	49	51	49	0.5	0.6	No	No	No	No
1768999	RS	60	55	51	48	52	49	52	49	0.5	0.6	No	No	No	No
1769000	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1769003	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1769004	RS	60	55	54	51	55	52	55	52	0.5	0.4	No	No	No	No
1769006	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1769011	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1769028	RS	60	55	58	55	59	56	58	56	0.8	0.8	No	No	No	No
1769029	RS	60	55	51	49	52	49	52	49	0.8	0.8	No	No	No	No
1769038	RS	60	55	64	58	64	58	53	50	0.0	0.1	No	No	No	No
1769041	RS	60	55	49	46	50	47	49	46	0.6	0.6	No	No	No	No
1769042	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1769051	RS	60	55	49	46	49	46	49	46	0.7	0.8	No	No	No	No
1769052	RS	60	55	47	45	48	45	48	45	0.8	0.8	No	No	No	No
1769068	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1769073	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1769075	RS	60	55	49	46	49	47	49	46	0.6	0.7	No	No	No	No
1769082	RS	60	55	67	60	68	59	52	49	0.7	-1.0	No	No	No	No
1769083	RS	60	55	66	57	66	57	53	50	0.0	0.1	No	No	No	No
1769085	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1769087	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1769088	RS	60	55	63	57	64	58	55	52	0.2	0.9	No	No	No	No
1769089	RS	60	55	54	51	55	52	55	52	0.5	0.4	No	No	No	No
1769091	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1769092	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1769105	RS	60	55	53	50	54	50	53	50	0.5	0.4	No	No	No	No
1769106	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1769108	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1769112	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1769113	RS	60	55	55	52	56	52	55	52	0.4	0.4	No	No	No	No
1769115	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1769118	RS	60	55	61	57	62	57	56	53	0.7	0.3	No	No	No	No
1769121	RS	60	55	50	47	50	48	50	47	0.8	0.8	No	No	No	No
1769142	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1769151	RS	60	55	49	46	49	47	49	46	0.8	0.8	No	No	No	No
1769154	RS	60	55	52	49	52	50	52	49	0.8	0.8	No	No	No	No
1769156	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1769160	RS	60	55	55	51	55	52	54	51	0.4	0.6	No	No	No	No
1769164	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1769165	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1769167	RS	60	55	52	50	53	50	53	50	0.5	0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1769168	RS	60	55	51	48	51	49	51	48	0.7	0.8	No	No	No	No
1769174	RS	60	55	57	54	57	54	57	54	0.6	0.5	No	No	No	No
1769177	RS	60	55	70	64	70	64	58	55	0.1	0.1	No	No	No	No
1769178	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1769187	RS	60	55	55	52	56	53	55	52	0.7	0.7	No	No	No	No
1769205	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1769207	RS	60	55	57	54	57	55	57	54	0.7	1.1	No	No	No	No
1769213	RS	60	55	60	57	61	58	61	58	0.8	0.7	No	No	No	No
1769226	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1769229	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1769232	RS	60	55	58	55	58	56	58	55	0.7	0.8	No	No	No	No
1769235	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1769239	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1769241	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1769242	RS	60	55	61	58	61	58	61	58	-0.1	-0.1	No	No	No	No
1769243	RS	60	55	51	48	51	48	51	48	-0.3	-0.3	No	No	No	No
1769246	RS	60	55	49	47	50	47	50	47	0.7	0.8	No	No	No	No
1769250	RS	60	55	52	50	53	50	53	50	0.8	0.8	No	No	No	No
1769254	RS	60	55	54	51	55	52	55	52	0.5	0.6	No	No	No	No
1769255	RS	60	55	50	47	51	48	51	48	0.9	0.8	No	No	No	No
1769257	RS	60	55	53	49	53	50	52	49	0.4	0.6	No	No	No	No
1769260	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1769264	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1769265	RS	60	55	59	56	59	57	59	57	0.8	0.8	No	No	No	No
1769269	RS	60	55	62	59	63	60	62	60	0.7	0.7	No	No	Yes	Yes
1769274	RS	60	55	47	44	47	44	47	44	0.5	0.5	No	No	No	No
1769279	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1769280	RS	60	55	52	49	53	50	53	50	0.6	0.7	No	No	No	No
1769281	RS	60	55	52	49	52	49	52	49	-0.2	-0.3	No	No	No	No
1769282	RS	60	55	48	45	49	46	49	46	0.6	0.5	No	No	No	No
1769288	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1769289	RS	60	55	53	50	53	50	53	50	-0.1	-0.1	No	No	No	No
1769292	RS	60	55	56	53	57	54	57	54	0.5	0.4	No	No	No	No
1769296	RS	60	55	51	48	51	49	51	49	0.5	0.6	No	No	No	No
1769300	RS	60	55	59	55	59	55	56	53	0.0	0.2	No	No	No	No
1769301	RS	60	55	48	45	48	46	48	46	0.5	0.5	No	No	No	No
1769307	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1769308	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1769322	RS	60	55	52	49	52	49	52	49	0.8	0.7	No	No	No	No
1769324	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1769329	RS	60	55	59	56	60	57	60	57	0.6	0.6	No	No	No	No
1769334	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1769370	RS	60	55	54	51	53	50	53	50	-0.6	-0.7	No	No	No	No
1769371	RS	60	55	60	57	61	58	61	58	0.7	0.8	No	No	No	No
1769372	RS	60	55	51	49	52	49	52	49	0.8	0.7	No	No	No	No
1769373	RS	60	55	52	49	53	50	52	49	0.3	0.3	No	No	No	No
1769374	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1769388	RS	60	55	53	50	53	50	53	50	0.5	0.4	No	No	No	No
1769390	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1769396	RS	60	55	52	49	52	50	52	49	0.7	0.7	No	No	No	No
1769398	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1769403	RS	60	55	56	53	56	53	56	53	0.7	0.7	No	No	No	No
1769408	RS	60	55	50	47	51	48	51	48	0.9	0.8	No	No	No	No
1769412	RS	60	55	47	45	48	45	48	45	0.8	0.7	No	No	No	No
1769414	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1769419	RS	60	55	56	53	56	53	56	53	0.4	0.4	No	No	No	No
1769421	RS	60	55	62	60	63	60	63	60	0.6	0.6	No	No	Yes	Yes
1769422	RS	60	55	61	55	62	55	55	52	0.5	-0.3	No	No	No	No
1769423	RS	60	55	48	45	49	46	48	45	0.5	0.5	No	No	No	No
1769425	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1769427	RS	60	55	53	50	54	51	53	51	0.7	0.7	No	No	No	No
1769430	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1769437	RS	60	55	57	54	57	54	57	54	0.3	0.3	No	No	No	No
1769439	RS	60	55	54	51	55	52	55	52	0.6	0.6	No	No	No	No
1769444	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1769446	RS	60	55	55	52	56	53	56	53	0.6	0.7	No	No	No	No
1769448	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1769453	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1769456	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1769462	RS	60	55	51	48	52	48	51	48	0.4	0.4	No	No	No	No
1769463	RS	60	55	55	52	55	52	55	52	0.6	0.5	No	No	No	No
1769467	RS	60	55	54	51	55	52	54	51	0.8	0.9	No	No	No	No
1769469	RS	60	55	53	50	54	51	53	51	0.6	0.7	No	No	No	No
1769472	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1769475	RS	60	55	52	49	53	50	52	50	0.8	0.7	No	No	No	No
1769478	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1769481	RS	60	55	50	47	50	48	50	48	0.7	0.8	No	No	No	No
1769482	RS	60	55	51	48	52	48	51	48	0.4	0.3	No	No	No	No
1769492	RS	60	55	57	53	57	54	57	54	0.3	0.6	No	No	No	No
1769495	RS	60	55	51	49	52	49	52	49	0.8	0.8	No	No	No	No
1769497	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1769506	RS	60	55	55	52	56	53	56	53	0.7	0.8	No	No	No	No
1769508	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1769509	RS	60	55	56	52	56	53	56	53	0.6	0.7	No	No	No	No
1769520	RS	60	55	54	51	55	52	54	51	0.6	0.8	No	No	No	No
1769521	RS	60	55	45	42	46	43	45	43	0.3	0.3	No	No	No	No
1769526	RS	60	55	48	45	48	46	48	46	0.7	0.7	No	No	No	No
1769529	RS	60	55	57	54	58	55	57	55	0.7	0.7	No	No	No	No
1769532	RS	60	55	61	58	61	59	61	59	0.7	0.7	No	No	No	No
1769535	RS	60	55	61	59	61	59	61	59	0.0	-0.1	No	No	No	No
1769537	RS	60	55	64	57	64	56	52	50	0.8	-0.7	No	No	No	No
1769539	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1769543	RS	60	55	54	52	55	52	55	52	0.7	0.8	No	No	No	No
1769549	RS	60	55	55	52	56	53	55	53	0.8	0.8	No	No	No	No
1769573	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1769576	RS	60	55	53	50	54	51	54	51	0.6	0.6	No	No	No	No
1769577	RS	60	55	59	56	59	57	59	57	0.7	0.7	No	No	No	No
1769580	RS	60	55	57	52	57	53	54	51	0.4	0.6	No	No	No	No
1769582	RS	60	55	54	50	54	51	53	51	0.4	0.4	No	No	No	No
1769585	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1769587	RS	60	55	43	40	44	41	44	41	0.7	0.7	No	No	No	No
1769588	RS	60	55	52	49	52	49	52	49	-0.2	-0.3	No	No	No	No
1769593	RS	60	55	51	48	52	49	51	49	0.5	0.5	No	No	No	No
1769598	RS	60	55	56	53	56	53	56	53	0.2	0.1	No	No	No	No
1769599	RS	60	55	53	50	54	51	54	51	0.5	0.6	No	No	No	No
1769600	RS	60	55	55	52	54	51	54	51	-0.6	-0.6	No	No	No	No
1769614	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1769617	RS	60	55	67	64	68	66	67	64	0.9	1.9	No	Yes	Yes	Yes
1769646	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1769651	RS	60	55	51	48	51	48	51	48	0.6	0.6	No	No	No	No
1769654	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1769656	RS	60	55	50	47	49	47	49	47	-0.3	-0.3	No	No	No	No
1769657	RS	60	55	55	51	55	52	54	51	0.4	0.6	No	No	No	No
1769659	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1769662	RS	60	55	50	46	51	47	48	46	0.4	0.6	No	No	No	No
1769663	RS	60	55	56	53	56	54	56	54	0.5	0.5	No	No	No	No
1769668	RS	60	55	51	48	51	48	51	48	0.7	0.8	No	No	No	No
1769669	RS	60	55	59	54	59	54	54	51	0.1	0.3	No	No	No	No
1769671	RS	60	55	51	47	51	48	50	47	0.5	0.5	No	No	No	No
1769675	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1769676	RS	60	55	54	52	55	52	55	52	0.8	0.7	No	No	No	No
1769679	RS	60	55	71	65	71	65	58	55	0.0	0.0	No	No	No	No
1769681	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1769683	RS	60	55	59	56	60	57	60	57	0.8	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1769687	RS	60	55	53	50	53	50	53	50	0.1	0.0	No	No	No	No
1769700	RS	60	55	54	50	54	51	52	50	0.5	0.7	No	No	No	No
1769712	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1769713	RS	60	55	51	48	51	48	51	48	0.5	0.4	No	No	No	No
1769715	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1769719	RS	60	55	53	49	53	49	52	49	0.2	0.4	No	No	No	No
1769721	RS	60	55	48	45	49	46	48	46	0.8	0.8	No	No	No	No
1769725	RS	60	55	48	45	48	45	48	45	0.4	0.4	No	No	No	No
1769729	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1769733	RS	60	55	42	39	43	40	43	40	0.7	0.8	No	No	No	No
1769741	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1769742	RS	60	55	51	47	51	48	51	48	0.5	0.4	No	No	No	No
1769743	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1769744	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1769746	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1769747	RS	60	55	63	56	63	56	54	51	0.0	0.2	No	No	No	No
1769748	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1769749	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1769751	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1769752	RS	60	55	51	48	52	49	51	49	0.6	0.5	No	No	No	No
1769754	RS	60	55	61	54	61	53	51	48	0.7	-0.6	No	No	No	No
1769758	RS	60	55	71	65	71	65	59	57	0.0	0.0	No	No	No	No
1769765	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1769767	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1769779	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1769780	RS	60	55	53	49	53	50	53	50	0.5	0.6	No	No	No	No
1769782	RS	60	55	48	44	48	45	48	45	0.6	0.6	No	No	No	No
1769789	RS	60	55	47	44	47	44	47	44	0.4	0.3	No	No	No	No
1769792	RS	60	55	52	49	52	49	52	49	0.5	0.2	No	No	No	No
1769793	RS	60	55	50	47	50	48	50	47	0.8	0.8	No	No	No	No
1769796	RS	60	55	53	49	53	50	53	50	0.6	0.7	No	No	No	No
1769798	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1769806	RS	60	55	51	48	51	49	51	48	0.5	0.5	No	No	No	No
1769807	RS	60	55	53	50	52	50	52	49	-0.1	-0.1	No	No	No	No
1769812	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1769818	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1769826	RS	60	55	50	46	50	47	50	47	0.6	0.7	No	No	No	No
1769828	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1769829	RS	60	55	65	63	66	63	66	63	0.8	0.7	No	No	Yes	Yes
1769830	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1769832	RS	60	55	55	51	55	52	55	52	0.7	0.7	No	No	No	No
1769837	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1769841	RS	60	55	55	52	56	53	55	53	0.9	0.8	No	No	No	No
1769845	RS	60	55	50	47	50	47	50	47	0.6	0.7	No	No	No	No
1769852	RS	60	55	59	56	59	56	59	56	0.5	0.5	No	No	No	No
1769855	RS	60	55	58	55	59	56	58	56	0.7	0.8	No	No	No	No
1769860	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1769863	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1769865	RS	60	55	50	48	51	48	51	48	0.8	0.7	No	No	No	No
1769870	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1769871	RS	60	55	55	52	56	53	56	53	0.6	0.6	No	No	No	No
1769874	RS	60	55	53	50	54	51	53	50	0.6	0.6	No	No	No	No
1769876	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1769878	RS	60	55	66	61	66	61	59	56	0.0	0.1	No	No	No	No
1769881	RS	60	55	58	55	58	56	58	55	0.8	0.9	No	No	No	No
1769884	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1769885	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1769886	RS	60	55	52	50	53	50	53	50	0.8	0.8	No	No	No	No
1769891	RS	60	55	52	49	52	49	52	49	0.4	0.3	No	No	No	No
1769920	RS	60	55	55	52	56	53	56	53	0.7	0.8	No	No	No	No
1769928	RS	60	55	52	49	52	49	52	49	-0.1	0.0	No	No	No	No
1769932	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1769933	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1769936	RS	60	55	56	53	57	54	57	54	0.7	0.8	No	No	No	No
1769938	RS	60	55	54	50	54	51	54	51	0.7	0.6	No	No	No	No
1769946	RS	60	55	52	49	52	49	51	49	0.1	0.0	No	No	No	No
1769953	RS	60	55	50	47	51	48	51	48	0.5	0.6	No	No	No	No
1769959	RS	60	55	50	47	50	47	50	47	0.4	0.4	No	No	No	No
1769961	RS	60	55	54	51	54	51	54	51	0.8	0.7	No	No	No	No
1769962	RS	60	55	55	51	55	51	54	51	0.4	0.5	No	No	No	No
1769963	RS	60	55	52	49	53	50	52	49	0.6	0.6	No	No	No	No
1769966	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1769969	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1769971	RS	60	55	52	49	53	49	52	49	0.2	0.3	No	No	No	No
1769972	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1769973	RS	60	55	48	45	48	45	48	45	0.5	0.3	No	No	No	No
1769974	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1769978	RS	60	55	57	54	57	54	57	54	0.4	0.5	No	No	No	No
1769981	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1769988	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1769989	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1769992	RS	60	55	49	46	49	46	49	46	0.5	0.6	No	No	No	No
1769996	RS	60	55	54	51	55	52	54	52	0.8	0.7	No	No	No	No
1769997	RS	60	55	53	51	54	51	54	51	0.7	0.7	No	No	No	No
1769998	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1770000	RS	60	55	59	56	60	57	60	57	0.8	0.7	No	No	No	No
1770002	RS	60	55	48	45	49	45	48	45	0.6	0.6	No	No	No	No
1770004	RS	60	55	60	56	60	56	57	55	0.3	0.5	No	No	No	No
1770005	RS	60	55	52	49	52	49	52	49	0.5	0.5	No	No	No	No
1770008	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1770012	RS	60	55	54	51	54	51	54	51	-0.2	-0.3	No	No	No	No
1770019	RS	60	55	56	53	57	54	56	53	0.6	0.7	No	No	No	No
1770033	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1770035	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1770036	RS	60	55	57	55	58	55	58	55	0.8	0.7	No	No	No	No
1770041	RS	60	55	54	51	55	52	55	52	0.6	0.6	No	No	No	No
1770042	RS	60	55	56	53	57	54	56	54	0.5	0.5	No	No	No	No
1770043	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1770045	RS	60	55	52	48	52	49	52	49	0.4	0.4	No	No	No	No
1770048	RS	60	55	49	46	49	46	49	46	0.7	0.6	No	No	No	No
1770050	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1770051	RS	60	55	53	50	53	50	53	50	0.2	0.2	No	No	No	No
1770052	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1770053	RS	60	55	63	60	64	61	64	61	0.8	0.7	No	No	Yes	Yes
1770054	RS	60	55	47	44	48	45	47	45	0.5	0.5	No	No	No	No
1770058	RS	60	55	50	47	51	48	51	48	0.7	0.6	No	No	No	No
1770059	RS	60	55	55	52	55	52	55	52	0.7	0.8	No	No	No	No
1770060	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1770062	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No
1770067	RS	60	55	58	55	59	56	59	56	0.9	0.9	No	No	No	No
1770069	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1770070	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1770071	RS	60	55	62	59	63	60	63	60	0.7	0.6	No	No	Yes	Yes
1770073	RS	60	55	58	55	59	56	59	56	0.5	0.4	No	No	No	No
1770076	RS	60	55	49	47	50	47	50	47	0.8	0.8	No	No	No	No
1770081	RS	60	55	55	51	55	52	54	51	0.1	0.2	No	No	No	No
1770082	RS	60	55	72	66	72	66	59	56	0.0	0.0	No	No	No	No
1770084	RS	60	55	55	52	56	53	55	53	0.7	0.8	No	No	No	No
1770085	RS	60	55	58	55	58	56	58	55	0.7	0.8	No	No	No	No
1770087	RS	60	55	52	49	52	49	52	49	-0.1	-0.1	No	No	No	No
1770088	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1770091	RS	60	55	50	47	50	47	50	47	0.4	0.4	No	No	No	No
1770103	RS	60	55	49	46	50	47	49	47	0.7	0.7	No	No	No	No
1770124	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1770127	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1770134	RS	60	55	46	43	47	44	47	44	0.8	0.8	No	No	No	No
1770135	RS	60	55	59	56	60	57	60	57	0.6	0.7	No	No	No	No
1770141	RS	60	55	50	47	50	47	50	47	0.4	0.4	No	No	No	No
1770143	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1770146	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1770147	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1770151	RS	60	55	51	48	51	48	51	48	0.5	0.3	No	No	No	No
1770153	RS	60	55	49	46	50	47	49	47	0.7	0.8	No	No	No	No
1770154	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1770155	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1770158	RS	60	55	54	51	54	51	54	51	0.6	0.6	No	No	No	No
1770159	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1770160	RS	60	55	48	45	49	46	48	46	0.7	0.7	No	No	No	No
1770163	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1770167	RS	60	55	59	56	60	57	60	57	0.6	0.6	No	No	No	No
1770189	RS	60	55	51	48	52	49	52	49	0.6	0.7	No	No	No	No
1770194	RS	60	55	54	51	55	52	54	51	0.3	0.4	No	No	No	No
1770197	RS	60	55	52	49	52	50	52	50	0.6	0.6	No	No	No	No
1770200	RS	60	55	50	47	51	48	51	48	0.6	0.5	No	No	No	No
1770203	RS	60	55	51	48	52	49	51	49	0.8	0.7	No	No	No	No
1770204	RS	60	55	64	56	64	56	53	50	0.0	0.2	No	No	No	No
1770205	RS	60	55	58	54	58	54	56	53	0.1	0.2	No	No	No	No
1770212	RS	60	55	48	45	48	45	48	45	0.8	0.8	No	No	No	No
1770215	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1770218	RS	60	55	60	55	60	55	57	54	0.0	0.5	No	No	No	No
1770224	RS	60	55	56	54	57	54	57	54	0.8	0.8	No	No	No	No
1770228	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1770229	RS	60	55	52	49	53	50	53	50	0.6	0.5	No	No	No	No
1770236	RS	60	55	46	43	47	44	47	44	0.5	0.5	No	No	No	No
1770241	RS	60	55	47	44	48	45	47	45	0.6	0.6	No	No	No	No
1770242	RS	60	55	51	47	51	48	51	48	0.6	0.6	No	No	No	No
1770244	RS	60	55	50	47	50	47	50	47	0.0	0.0	No	No	No	No
1770245	RS	60	55	51	48	52	48	51	48	0.5	0.6	No	No	No	No
1770247	RS	60	55	51	47	51	48	50	47	0.6	0.6	No	No	No	No
1770248	RS	60	55	58	53	58	53	52	50	0.0	0.3	No	No	No	No
1770252	RS	60	55	52	49	52	49	52	49	0.4	0.3	No	No	No	No
1770253	RS	60	55	52	49	53	50	52	50	0.6	0.5	No	No	No	No
1770259	RS	60	55	54	50	54	51	53	50	0.1	0.1	No	No	No	No
1770260	RS	60	55	47	44	47	44	47	44	0.3	0.3	No	No	No	No
1770267	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1770268	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1770278	RS	60	55	48	45	49	46	49	46	0.6	0.6	No	No	No	No
1770284	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1770288	RS	60	55	54	51	54	51	54	51	0.6	0.6	No	No	No	No
1770290	RS	60	55	51	48	52	49	52	49	0.6	0.6	No	No	No	No
1770293	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1770296	RS	60	55	53	50	54	51	53	50	0.5	0.5	No	No	No	No
1770300	RS	60	55	58	55	59	56	58	55	0.6	0.7	No	No	No	No
1770303	RS	60	55	60	57	60	58	60	58	0.5	0.5	No	No	No	No
1770308	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1770310	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1770311	RS	60	55	47	44	48	45	47	44	0.4	0.5	No	No	No	No
1770314	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1770326	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1770327	RS	60	55	57	52	57	53	54	51	0.3	0.4	No	No	No	No
1770329	RS	60	55	54	51	54	52	54	51	0.7	0.7	No	No	No	No
1770333	RS	60	55	69	63	69	63	57	54	0.2	-0.1	No	No	No	No
1770336	RS	60	55	53	50	53	50	53	50	-0.3	-0.3	No	No	No	No
1770342	RS	60	55	56	53	57	54	56	54	0.8	0.8	No	No	No	No
1770343	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1770346	RS	60	55	46	43	46	43	46	43	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1770347	RS	60	55	50	48	50	48	50	47	-0.1	-0.1	No	No	No	No
1770349	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1770350	RS	60	55	54	51	54	52	54	52	0.7	0.7	No	No	No	No
1770354	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1770357	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1770361	RS	60	55	55	53	56	53	56	53	0.8	0.9	No	No	No	No
1770363	RS	60	55	50	47	50	47	50	47	-0.4	-0.4	No	No	No	No
1770365	RS	60	55	47	44	47	44	47	44	0.7	0.6	No	No	No	No
1770367	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1770368	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1770371	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1770373	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1770383	RS	60	55	47	44	47	44	47	44	0.3	0.3	No	No	No	No
1770386	RS	60	55	56	53	56	53	56	53	0.8	0.7	No	No	No	No
1770390	RS	60	55	46	43	46	43	46	43	0.3	0.3	No	No	No	No
1770393	RS	60	55	52	49	52	49	51	49	-0.1	-0.2	No	No	No	No
1770401	RS	60	55	57	54	58	55	58	55	0.5	0.6	No	No	No	No
1770405	RS	60	55	62	59	62	59	61	59	0.0	0.0	No	No	No	No
1770406	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1770408	RS	60	55	59	55	59	56	58	55	0.5	0.6	No	No	No	No
1770422	RS	60	55	52	49	53	50	52	49	0.7	0.9	No	No	No	No
1770425	RS	60	55	47	44	48	45	48	45	0.8	0.8	No	No	No	No
1770427	RS	60	55	48	45	48	45	48	45	0.8	0.7	No	No	No	No
1770430	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1770431	RS	60	55	53	50	54	51	53	50	0.6	0.6	No	No	No	No
1770432	RS	60	55	69	64	69	65	65	62	0.1	0.4	No	Yes	Yes	Yes
1770439	RS	60	55	58	52	58	53	51	48	0.0	0.2	No	No	No	No
1770441	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1770454	RS	60	55	53	50	54	51	53	51	0.7	0.8	No	No	No	No
1770465	RS	60	55	56	52	56	53	56	53	0.7	0.7	No	No	No	No
1770466	RS	60	55	57	54	58	55	57	54	0.6	0.7	No	No	No	No
1770485	RS	60	55	47	44	47	44	47	44	0.6	0.6	No	No	No	No
1770487	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1770493	RS	60	55	52	49	52	49	52	49	0.8	0.7	No	No	No	No
1770495	RS	60	55	58	55	59	56	58	56	0.7	0.7	No	No	No	No
1770498	RS	60	55	60	54	60	55	55	52	0.3	0.5	No	No	No	No
1770499	RS	60	55	51	48	52	49	51	48	0.5	0.6	No	No	No	No
1770501	RS	60	55	51	48	52	49	52	49	0.4	0.4	No	No	No	No
1770502	RS	60	55	62	60	63	60	63	60	0.9	0.8	No	No	Yes	Yes
1770505	RS	60	55	49	46	49	46	49	46	-0.2	-0.2	No	No	No	No
1770509	RS	60	55	53	49	53	50	52	49	0.5	0.5	No	No	No	No
1770514	RS	60	55	50	46	50	47	49	46	0.5	0.6	No	No	No	No
1770516	RS	60	55	48	45	49	45	48	45	0.6	0.6	No	No	No	No
1770520	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1770521	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1770523	RS	60	55	58	55	59	56	58	55	0.7	0.7	No	No	No	No
1770532	RS	60	55	54	51	55	52	54	52	0.4	0.5	No	No	No	No
1770533	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1770534	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1770543	RS	60	55	50	47	51	48	50	48	0.7	0.8	No	No	No	No
1770548	RS	60	55	47	44	47	44	47	44	0.6	0.6	No	No	No	No
1770555	RS	60	55	50	48	51	48	51	48	0.8	0.7	No	No	No	No
1770560	RS	60	55	54	51	55	52	54	52	0.8	0.7	No	No	No	No
1770566	RS	60	55	55	52	55	52	55	52	0.5	0.6	No	No	No	No
1770567	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1770571	RS	60	55	53	50	54	51	54	51	0.7	0.9	No	No	No	No
1770575	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1770576	RS	60	55	56	53	56	53	56	53	-0.1	-0.1	No	No	No	No
1770577	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1770578	RS	60	55	54	51	54	51	54	51	0.3	0.3	No	No	No	No
1770579	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1770596	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1770613	RS	60	55	54	49	54	50	51	48	0.3	0.4	No	No	No	No
1770617	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1770618	RS	60	55	55	52	56	53	55	53	0.8	0.8	No	No	No	No
1770620	RS	60	55	59	56	60	57	60	57	0.4	0.4	No	No	No	No
1770622	RS	60	55	52	49	53	49	52	49	0.5	0.6	No	No	No	No
1770623	RS	60	55	66	59	66	58	52	49	0.4	-0.5	No	No	No	No
1770624	RS	60	55	51	48	52	48	51	48	0.5	0.6	No	No	No	No
1770625	RS	60	55	51	48	51	48	51	48	0.6	0.6	No	No	No	No
1770627	RS	60	55	57	54	58	55	57	54	0.6	0.7	No	No	No	No
1770628	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1770630	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1770633	RS	60	55	54	51	54	51	54	51	0.4	0.5	No	No	No	No
1770634	RS	60	55	51	48	52	49	51	49	0.7	0.7	No	No	No	No
1770642	RS	60	55	63	60	63	61	63	61	0.7	0.7	No	No	Yes	Yes
1770643	RS	60	55	50	47	51	47	50	47	0.5	0.4	No	No	No	No
1770645	RS	60	55	53	51	54	51	54	51	0.5	0.4	No	No	No	No
1770647	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1770653	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1770654	RS	60	55	55	52	55	53	55	53	0.7	0.8	No	No	No	No
1770655	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1770656	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1770657	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1770663	RS	60	55	48	44	48	45	47	45	0.4	0.5	No	No	No	No
1770669	RS	60	55	56	51	56	52	54	51	0.2	0.4	No	No	No	No
1770675	RS	60	55	51	48	51	48	51	48	0.7	0.8	No	No	No	No
1770676	RS	60	55	52	49	53	50	52	49	0.5	0.6	No	No	No	No
1770677	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1770678	RS	60	55	54	51	54	51	54	51	0.7	0.8	No	No	No	No
1770679	RS	60	55	52	50	53	50	53	50	0.8	0.8	No	No	No	No
1770681	RS	60	55	52	49	53	50	52	50	0.7	0.8	No	No	No	No
1770685	RS	60	55	51	48	52	49	52	49	0.9	0.8	No	No	No	No
1770689	RS	60	55	56	53	56	53	56	53	0.6	0.5	No	No	No	No
1770692	RS	60	55	61	56	61	56	56	53	0.3	0.3	No	No	No	No
1770694	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1770702	RS	60	55	49	46	49	46	49	46	0.8	0.8	No	No	No	No
1770703	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1770707	RS	60	55	59	55	60	56	56	54	0.7	0.6	No	No	No	No
1770722	RS	60	55	59	57	59	56	59	56	-0.3	-0.3	No	No	No	No
1770732	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1770738	RS	60	55	57	54	57	54	57	54	0.6	0.5	No	No	No	No
1770739	RS	60	55	59	56	60	57	60	57	0.7	0.8	No	No	No	No
1770742	RS	60	55	59	56	60	57	60	57	0.6	0.7	No	No	No	No
1770743	RS	60	55	64	61	65	62	65	62	0.8	0.7	No	No	Yes	Yes
1770744	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1770747	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1770754	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1770758	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1770763	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1770774	RS	60	55	51	47	51	47	49	46	0.4	0.5	No	No	No	No
1770776	RS	60	55	55	52	55	53	55	53	0.7	0.8	No	No	No	No
1770780	RS	60	55	48	45	49	46	48	46	0.5	0.5	No	No	No	No
1770784	RS	60	55	51	47	51	48	51	48	0.4	0.4	No	No	No	No
1770789	RS	60	55	52	48	53	48	49	47	0.5	0.1	No	No	No	No
1770794	RS	60	55	56	53	57	54	57	54	0.9	0.8	No	No	No	No
1770795	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1770796	RS	60	55	55	52	56	53	55	53	0.7	0.7	No	No	No	No
1770799	RS	60	55	55	52	56	53	55	52	0.6	0.7	No	No	No	No
1770800	RS	60	55	45	42	45	42	45	42	0.6	0.7	No	No	No	No
1770801	RS	60	55	47	45	48	45	48	45	0.8	0.7	No	No	No	No
1770803	RS	60	55	56	53	57	54	57	54	0.9	1.1	No	No	No	No
1770804	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1770809	RS	60	55	49	46	50	46	49	46	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1770810	RS	60	55	64	61	65	62	64	62	0.8	1.0	No	Yes	Yes	Yes
1770814	RS	60	55	49	46	50	47	49	47	0.6	0.6	No	No	No	No
1770820	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1770823	RS	60	55	48	46	49	46	49	46	0.8	0.8	No	No	No	No
1770826	RS	60	55	51	48	52	49	52	49	0.4	0.4	No	No	No	No
1770832	RS	60	55	49	46	49	46	49	46	0.4	0.4	No	No	No	No
1770835	RS	60	55	54	51	54	51	54	51	0.5	0.6	No	No	No	No
1770836	RS	60	55	48	45	49	46	49	46	0.4	0.4	No	No	No	No
1770838	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1770840	RS	60	55	50	47	50	47	50	47	0.4	0.3	No	No	No	No
1770843	RS	60	55	45	42	46	43	46	43	0.7	0.7	No	No	No	No
1770851	RS	60	55	48	45	49	46	49	46	0.5	0.6	No	No	No	No
1770852	RS	60	55	53	50	54	51	53	50	0.6	0.6	No	No	No	No
1770856	RS	60	55	46	43	46	43	46	43	0.4	0.5	No	No	No	No
1770859	RS	60	55	55	52	56	53	56	53	0.4	0.5	No	No	No	No
1770867	RS	60	55	54	51	55	52	55	52	0.7	0.6	No	No	No	No
1770874	RS	60	55	51	48	52	48	51	48	0.4	0.5	No	No	No	No
1770876	RS	60	55	47	44	48	45	48	45	0.5	0.5	No	No	No	No
1770879	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1770881	RS	60	55	53	50	54	50	53	50	0.6	0.6	No	No	No	No
1770885	RS	60	55	56	53	57	54	57	54	0.7	0.6	No	No	No	No
1770888	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1770892	RS	60	55	58	55	59	56	59	56	0.5	0.6	No	No	No	No
1770896	RS	60	55	50	47	51	48	50	48	0.7	0.7	No	No	No	No
1770897	RS	60	55	52	50	53	50	53	50	0.5	0.5	No	No	No	No
1770905	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1770910	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1770911	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1770919	RS	60	55	49	46	50	47	50	47	0.4	0.4	No	No	No	No
1770921	RS	60	55	52	49	52	50	52	49	0.7	0.8	No	No	No	No
1770923	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1770927	RS	60	55	50	47	51	48	50	47	0.4	0.4	No	No	No	No
1770930	RS	60	55	48	45	48	45	48	45	0.4	0.3	No	No	No	No
1770936	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1770937	RS	60	55	49	46	49	47	49	47	0.7	0.8	No	No	No	No
1770941	RS	60	55	47	45	48	45	48	45	0.7	0.8	No	No	No	No
1770942	RS	60	55	51	48	51	48	51	48	-0.2	-0.2	No	No	No	No
1770948	RS	60	55	50	47	50	47	50	47	0.4	0.4	No	No	No	No
1770949	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1770956	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1770962	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1770964	RS	60	55	54	50	54	51	53	50	0.3	0.4	No	No	No	No
1770965	RS	60	55	58	55	59	56	58	56	0.8	0.8	No	No	No	No
1770970	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1770972	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1770976	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1770977	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1770979	RS	60	55	57	54	58	55	58	55	0.4	0.3	No	No	No	No
1770980	RS	60	55	50	47	51	48	50	48	0.5	0.7	No	No	No	No
1770982	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1770984	RS	60	55	53	50	53	51	53	51	0.7	0.7	No	No	No	No
1770985	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1770987	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1770988	RS	60	55	52	49	53	50	53	50	0.6	0.6	No	No	No	No
1770990	RS	60	55	54	50	54	51	53	51	0.5	0.5	No	No	No	No
1770995	RS	60	55	49	46	50	47	49	47	0.8	0.7	No	No	No	No
1770997	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1771002	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1771006	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1771008	RS	60	55	51	48	52	49	51	48	0.5	0.5	No	No	No	No
1771009	RS	60	55	47	44	48	45	48	45	0.6	0.6	No	No	No	No
1771010	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1771011	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1771013	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1771019	RS	60	55	54	51	54	51	54	51	0.6	0.5	No	No	No	No
1771021	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1771022	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1771033	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1771034	RS	60	55	51	48	51	49	51	49	0.9	0.8	No	No	No	No
1771038	RS	60	55	62	59	63	60	63	60	0.7	0.8	No	No	Yes	Yes
1771039	RS	60	55	49	46	50	47	50	47	0.6	0.5	No	No	No	No
1771041	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1771046	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1771050	RS	60	55	58	55	59	56	59	56	0.5	0.5	No	No	No	No
1771052	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1771053	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1771056	RS	60	55	67	62	67	62	62	60	0.0	0.3	No	Yes	Yes	Yes
1771068	RS	60	55	55	52	56	52	55	52	0.3	0.3	No	No	No	No
1771072	RS	60	55	51	48	52	49	52	49	0.9	0.8	No	No	No	No
1771075	RS	60	55	59	56	60	56	59	56	0.6	0.6	No	No	No	No
1771078	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1771088	RS	60	55	56	53	57	54	57	54	0.8	0.9	No	No	No	No
1771096	RS	60	55	64	59	64	59	58	55	-0.2	0.3	No	No	No	No
1771097	RS	60	55	48	45	48	45	48	45	-0.2	-0.2	No	No	No	No
1771103	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1771106	RS	60	55	51	49	52	49	52	49	0.5	0.5	No	No	No	No
1771108	RS	60	55	57	55	58	55	58	55	0.8	0.9	No	No	No	No
1771113	RS	60	55	46	44	47	44	47	44	0.3	0.2	No	No	No	No
1771136	RS	60	55	50	48	51	48	51	48	0.9	0.8	No	No	No	No
1771137	RS	60	55	56	53	57	54	56	54	0.7	0.7	No	No	No	No
1771143	RS	60	55	52	49	52	49	52	49	-0.4	-0.4	No	No	No	No
1771148	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1771149	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1771150	RS	60	55	56	52	56	53	55	52	0.4	0.5	No	No	No	No
1771152	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1771156	RS	60	55	50	47	50	47	50	47	0.3	0.3	No	No	No	No
1771162	RS	60	55	51	48	50	48	50	48	-0.1	-0.1	No	No	No	No
1771166	RS	60	55	47	44	48	45	48	45	0.7	0.7	No	No	No	No
1771179	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1771180	RS	60	55	54	51	54	51	54	51	0.6	0.6	No	No	No	No
1771188	RS	60	55	55	52	55	52	55	52	0.8	0.7	No	No	No	No
1771193	RS	60	55	48	45	48	45	48	45	0.3	0.4	No	No	No	No
1771194	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1771197	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1771198	RS	60	55	55	52	56	53	55	53	0.8	0.8	No	No	No	No
1771202	RS	60	55	55	52	55	52	55	52	0.6	0.7	No	No	No	No
1771204	RS	60	55	58	55	59	56	59	56	0.6	0.6	No	No	No	No
1771212	RS	60	55	54	50	54	50	52	49	-0.1	0.2	No	No	No	No
1771213	RS	60	55	53	50	54	51	54	51	0.6	0.7	No	No	No	No
1771215	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1771220	RS	60	55	62	59	63	60	62	60	0.7	0.7	No	No	Yes	Yes
1771222	RS	60	55	50	48	51	48	51	48	0.9	0.8	No	No	No	No
1771224	RS	60	55	49	46	50	47	49	47	0.6	0.8	No	No	No	No
1771225	RS	60	55	57	54	57	54	57	54	0.4	0.4	No	No	No	No
1771228	RS	60	55	50	48	51	48	51	48	0.9	0.8	No	No	No	No
1771231	RS	60	55	51	48	52	49	52	49	0.9	0.9	No	No	No	No
1771233	RS	60	55	52	48	52	49	51	49	0.5	0.4	No	No	No	No
1771241	RS	60	55	56	53	57	54	56	54	0.8	1.0	No	No	No	No
1771242	RS	60	55	52	48	52	49	51	48	0.5	0.6	No	No	No	No
1771251	RS	60	55	61	58	62	59	62	59	0.8	0.7	No	No	No	No
1771254	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1771256	RS	60	55	55	52	55	53	55	53	0.7	0.7	No	No	No	No
1771257	RS	60	55	51	49	52	49	52	49	0.8	0.7	No	No	No	No
1771259	RS	60	55	55	52	55	52	55	52	0.6	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1771262	RS	60	55	54	51	55	52	54	52	0.5	0.5	No	No	No	No
1771266	RS	60	55	53	50	52	49	52	49	-0.6	-0.7	No	No	No	No
1771271	RS	60	55	57	53	57	54	57	54	0.6	0.7	No	No	No	No
1771274	RS	60	55	51	48	52	49	52	49	0.6	0.8	No	No	No	No
1771277	RS	60	55	51	48	52	48	51	48	0.5	0.5	No	No	No	No
1771279	RS	60	55	53	50	53	50	53	50	0.5	0.4	No	No	No	No
1771280	RS	60	55	55	52	55	52	55	52	0.1	0.1	No	No	No	No
1771282	RS	60	55	68	63	68	63	64	61	0.1	0.4	No	Yes	Yes	Yes
1771284	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1771288	RS	60	55	47	44	48	45	47	45	0.7	0.7	No	No	No	No
1771290	RS	60	55	47	44	47	44	47	44	0.7	0.7	No	No	No	No
1771295	RS	60	55	57	53	57	54	56	54	0.6	0.6	No	No	No	No
1771300	RS	60	55	48	45	49	46	49	46	0.5	0.5	No	No	No	No
1771301	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1771305	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1771306	RS	60	55	51	48	51	48	51	48	0.6	0.6	No	No	No	No
1771308	RS	60	55	50	47	51	47	50	47	0.5	0.4	No	No	No	No
1771313	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1771314	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1771318	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1771321	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1771326	RS	60	55	64	60	65	60	61	58	0.2	0.5	No	Yes	No	Yes
1771327	RS	60	55	52	49	52	49	52	49	0.5	0.5	No	No	No	No
1771328	RS	60	55	48	45	49	46	48	45	0.5	0.5	No	No	No	No
1771329	RS	60	55	56	53	56	54	56	54	0.8	0.7	No	No	No	No
1771335	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1771336	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1771342	RS	60	55	45	42	45	42	45	42	0.5	0.6	No	No	No	No
1771346	RS	60	55	65	60	65	60	54	51	0.1	0.0	No	No	No	No
1771347	RS	60	55	48	45	48	46	48	46	0.8	0.7	No	No	No	No
1771353	RS	60	55	59	56	60	57	59	57	0.7	0.7	No	No	No	No
1771359	RS	60	55	48	45	48	45	48	45	-0.1	-0.1	No	No	No	No
1771361	RS	60	55	56	52	56	53	55	52	0.1	0.2	No	No	No	No
1771365	RS	60	55	38	34	38	35	38	35	0.5	0.5	No	No	No	No
1771367	RS	60	55	50	47	50	47	50	47	0.1	0.1	No	No	No	No
1771370	RS	60	55	63	60	64	62	62	59	0.8	1.9	No	Yes	No	Yes
1771371	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1771376	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1771378	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1771382	RS	60	55	48	45	49	46	49	46	0.6	0.5	No	No	No	No
1771383	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1771384	RS	60	55	56	52	57	53	54	51	0.4	0.6	No	No	No	No
1771385	RS	60	55	64	57	64	57	54	51	0.1	0.2	No	No	No	No
1771390	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1771391	RS	60	55	51	48	52	49	51	49	0.4	0.5	No	No	No	No
1771397	RS	60	55	50	46	50	47	49	46	0.5	0.6	No	No	No	No
1771403	RS	60	55	48	46	49	46	49	46	0.5	0.5	No	No	No	No
1771407	RS	60	55	53	50	53	51	53	50	0.6	0.5	No	No	No	No
1771414	RS	60	55	51	47	51	48	49	47	0.4	0.5	No	No	No	No
1771417	RS	60	55	50	47	50	47	50	47	0.3	0.2	No	No	No	No
1771418	RS	60	55	53	50	54	51	53	50	0.4	0.3	No	No	No	No
1771419	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1771422	RS	60	55	62	59	62	59	62	59	0.7	0.7	No	No	No	No
1771426	RS	60	55	52	49	52	50	52	50	0.8	0.7	No	No	No	No
1771430	RS	60	55	55	51	55	51	54	51	0.5	0.7	No	No	No	No
1771435	RS	60	55	55	52	56	53	56	53	0.6	0.5	No	No	No	No
1771446	RS	60	55	53	50	53	51	53	50	0.8	0.9	No	No	No	No
1771447	RS	60	55	57	55	58	55	58	55	0.7	0.7	No	No	No	No
1771448	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1771449	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1771450	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1771455	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1771461	RS	60	55	46	43	47	44	47	44	0.5	0.6	No	No	No	No
1771462	RS	60	55	48	45	49	46	49	46	0.7	0.7	No	No	No	No
1771463	RS	60	55	58	55	58	55	58	55	0.4	0.5	No	No	No	No
1771465	RS	60	55	54	51	54	52	54	51	0.8	0.9	No	No	No	No
1771470	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1771475	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1771476	RS	60	55	51	48	52	48	51	48	0.1	0.2	No	No	No	No
1771478	RS	60	55	63	60	63	61	63	61	0.7	0.7	No	No	Yes	Yes
1771480	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1771494	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1771501	RS	60	55	60	57	60	57	60	57	0.5	0.5	No	No	No	No
1771503	RS	60	55	66	63	67	66	63	61	1.0	3.0	Yes	Yes	Yes	Yes
1771505	RS	60	55	54	51	55	52	55	52	0.4	0.5	No	No	No	No
1771509	RS	60	55	55	52	56	53	55	53	0.7	0.7	No	No	No	No
1771514	RS	60	55	55	52	55	53	55	52	0.7	0.7	No	No	No	No
1771518	RS	60	55	62	59	63	60	62	59	0.5	0.6	No	Yes	No	Yes
1771521	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1771524	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1771525	RS	60	55	51	48	52	49	51	49	0.7	0.7	No	No	No	No
1771527	RS	60	55	58	55	59	55	56	53	0.7	0.6	No	No	No	No
1771529	RS	60	55	52	49	52	49	51	49	0.1	0.0	No	No	No	No
1771530	RS	60	55	52	48	52	49	51	49	0.4	0.5	No	No	No	No
1771532	RS	60	55	56	53	56	54	56	53	0.7	0.8	No	No	No	No
1771536	RS	60	55	56	53	55	52	55	52	-0.4	-0.5	No	No	No	No
1771545	RS	60	55	54	51	55	52	54	51	0.5	0.5	No	No	No	No
1771549	RS	60	55	50	47	51	47	50	47	0.4	0.4	No	No	No	No
1771550	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1771557	RS	60	55	46	44	47	44	47	44	0.8	0.7	No	No	No	No
1771564	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1771568	RS	60	55	61	58	61	58	60	58	0.1	0.2	No	No	No	No
1771569	RS	60	55	57	53	57	53	55	52	-0.4	0.1	No	No	No	No
1771570	RS	60	55	46	43	47	44	46	44	0.5	0.6	No	No	No	No
1771571	RS	60	55	53	48	53	49	50	47	0.1	0.3	No	No	No	No
1771572	RS	60	55	59	56	59	57	59	57	0.6	0.5	No	No	No	No
1771575	RS	60	55	50	47	50	47	50	47	-0.2	-0.2	No	No	No	No
1771585	RS	60	55	51	48	51	48	51	48	0.6	0.5	No	No	No	No
1771589	RS	60	55	61	58	60	58	60	58	-0.6	-0.5	No	No	No	No
1771590	RS	60	55	56	53	56	53	56	53	-0.1	-0.1	No	No	No	No
1771591	RS	60	55	55	51	55	52	55	52	0.7	0.7	No	No	No	No
1771594	RS	60	55	53	50	53	50	53	50	0.0	0.0	No	No	No	No
1771596	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1771599	RS	60	55	54	51	55	52	55	52	0.4	0.4	No	No	No	No
1771603	RS	60	55	52	49	53	50	53	50	0.5	0.4	No	No	No	No
1771605	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1771606	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1771608	RS	60	55	53	49	53	50	53	50	0.4	0.5	No	No	No	No
1771616	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1771617	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1771618	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1771619	RS	60	55	50	47	51	48	51	48	0.6	0.5	No	No	No	No
1771628	RS	60	55	54	51	54	52	54	51	0.7	0.8	No	No	No	No
1771630	RS	60	55	59	57	60	57	60	57	0.6	0.6	No	No	No	No
1771631	RS	60	55	53	50	54	51	54	51	0.6	0.6	No	No	No	No
1771632	RS	60	55	50	47	51	47	49	46	0.3	0.5	No	No	No	No
1771635	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1771636	RS	60	55	61	58	61	58	61	58	0.7	0.7	No	No	No	No
1771639	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1771640	RS	60	55	51	48	51	49	51	49	0.7	0.7	No	No	No	No
1771642	RS	60	55	58	55	59	56	58	55	0.7	0.7	No	No	No	No
1771645	RS	60	55	54	51	54	51	54	51	0.8	0.7	No	No	No	No
1771646	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1771650	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1771652	RS	60	55	50	47	50	47	50	47	-0.1	-0.1	No	No	No	No
1771653	RS	60	55	54	52	55	52	55	52	0.7	0.7	No	No	No	No
1771655	RS	60	55	56	53	56	54	56	54	0.6	0.7	No	No	No	No
1771658	RS	60	55	52	48	52	49	51	48	0.3	0.3	No	No	No	No
1771659	RS	60	55	49	46	49	46	49	46	-0.2	-0.2	No	No	No	No
1771664	RS	60	55	68	62	68	62	59	56	0.2	0.0	No	No	No	No
1771665	RS	60	55	55	51	55	52	54	52	0.5	0.5	No	No	No	No
1771669	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1771670	RS	60	55	50	47	50	47	50	47	-0.3	-0.4	No	No	No	No
1771672	RS	60	55	55	52	55	53	55	53	0.9	0.9	No	No	No	No
1771673	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1771677	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1771678	RS	60	55	57	54	57	54	56	54	-0.1	-0.1	No	No	No	No
1771685	RS	60	55	57	54	58	55	56	54	0.5	0.6	No	No	No	No
1771689	RS	60	55	51	48	51	48	51	48	0.2	0.2	No	No	No	No
1771690	RS	60	55	51	47	51	47	49	46	0.4	0.5	No	No	No	No
1771692	RS	60	55	53	50	53	50	53	50	0.4	0.5	No	No	No	No
1771695	RS	60	55	49	46	49	47	49	47	0.5	0.5	No	No	No	No
1771696	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1771697	RS	60	55	60	57	60	57	60	57	0.6	0.6	No	No	No	No
1771703	RS	60	55	49	46	50	47	50	47	0.6	0.5	No	No	No	No
1771705	RS	60	55	49	45	49	46	48	45	0.0	0.1	No	No	No	No
1771706	RS	60	55	60	57	59	56	59	56	-0.9	-0.9	No	No	No	No
1771707	RS	60	55	50	47	50	47	50	47	0.5	0.4	No	No	No	No
1771708	RS	60	55	57	54	58	55	58	55	0.7	0.8	No	No	No	No
1771713	RS	60	55	56	53	57	54	57	54	0.8	1.0	No	No	No	No
1771716	RS	60	55	54	51	55	52	54	52	0.6	0.6	No	No	No	No
1771717	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1771719	RS	60	55	48	46	49	46	49	46	0.8	0.8	No	No	No	No
1771725	RS	60	55	72	67	72	67	59	56	0.0	0.0	No	No	No	No
1771727	RS	60	55	51	48	51	48	51	48	0.4	0.3	No	No	No	No
1771732	RS	60	55	46	43	46	43	46	43	0.4	0.4	No	No	No	No
1771733	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1771734	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1771736	RS	60	55	56	53	57	54	56	54	0.8	0.8	No	No	No	No
1771738	RS	60	55	53	50	53	50	53	50	0.2	0.2	No	No	No	No
1771741	RS	60	55	55	52	55	53	55	53	0.7	0.7	No	No	No	No
1771763	RS	60	55	56	53	56	53	56	53	0.6	0.6	No	No	No	No
1771767	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1771770	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1771786	RS	60	55	61	58	61	58	61	58	0.1	0.1	No	No	No	No
1771789	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1771794	RS	60	55	54	51	54	51	54	51	0.6	0.6	No	No	No	No
1771798	RS	60	55	50	48	51	48	51	48	0.7	0.7	No	No	No	No
1771802	RS	60	55	53	50	54	51	54	51	0.6	0.6	No	No	No	No
1771807	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1771810	RS	60	55	53	49	54	49	52	49	0.3	0.4	No	No	No	No
1771812	RS	60	55	53	50	52	49	52	49	-0.7	-0.7	No	No	No	No
1771823	RS	60	55	41	38	42	39	41	38	0.4	0.4	No	No	No	No
1771827	RS	60	55	47	44	48	45	48	45	0.4	0.4	No	No	No	No
1771829	RS	60	55	56	52	56	52	55	52	0.1	0.2	No	No	No	No
1771832	RS	60	55	55	51	55	51	52	50	-0.2	0.1	No	No	No	No
1771840	RS	60	55	64	61	65	63	63	60	0.9	2.1	Yes	Yes	Yes	Yes
1771845	RS	60	55	46	43	47	44	47	44	0.8	0.8	No	No	No	No
1771846	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1771849	RS	60	55	54	51	55	52	54	51	0.8	0.7	No	No	No	No
1771850	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1771851	RS	60	55	58	55	58	55	58	55	0.6	0.7	No	No	No	No
1771869	RS	60	55	56	53	56	53	56	53	0.3	0.3	No	No	No	No
1771870	RS	60	55	50	47	50	47	50	47	0.2	0.0	No	No	No	No
1771872	RS	60	55	58	51	58	52	51	48	0.1	0.2	No	No	No	No
1771885	RS	60	55	50	47	51	48	50	48	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1771887	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1771889	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1771890	RS	60	55	48	45	49	46	48	46	0.8	0.7	No	No	No	No
1771891	RS	60	55	52	49	53	50	53	50	0.6	0.5	No	No	No	No
1771894	RS	60	55	63	60	64	61	62	59	0.6	1.1	No	Yes	No	Yes
1771895	RS	60	55	62	58	62	59	61	58	0.2	0.4	No	No	No	No
1771902	RS	60	55	59	55	59	56	58	55	0.5	0.6	No	No	No	No
1771904	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1771907	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1771909	RS	60	55	53	50	54	51	53	51	0.4	0.5	No	No	No	No
1771911	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1771914	RS	60	55	52	49	53	50	53	50	0.8	0.9	No	No	No	No
1771919	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1771920	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1771923	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1771924	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1771927	RS	60	55	52	49	52	49	52	49	0.6	0.5	No	No	No	No
1771928	RS	60	55	54	51	55	52	55	52	0.3	0.3	No	No	No	No
1771934	RS	60	55	60	57	61	58	60	57	0.5	0.5	No	No	No	No
1771939	RS	60	55	50	47	51	48	50	48	0.8	0.8	No	No	No	No
1771946	RS	60	55	53	50	53	50	53	50	0.6	0.6	No	No	No	No
1771947	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1771948	RS	60	55	52	49	53	49	52	49	0.4	0.4	No	No	No	No
1771955	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1771957	RS	60	55	47	44	47	44	47	44	0.6	0.5	No	No	No	No
1771960	RS	60	55	52	49	53	50	53	50	0.8	0.9	No	No	No	No
1771964	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1771965	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1771970	RS	60	55	49	46	49	47	49	47	0.8	0.8	No	No	No	No
1771975	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1771976	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1771977	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1771979	RS	60	55	53	50	54	51	53	50	0.4	0.6	No	No	No	No
1771982	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1771986	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1771987	RS	60	55	57	54	57	55	57	55	0.5	0.6	No	No	No	No
1771988	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1771992	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1771993	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1772003	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1772009	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1772022	RS	60	55	54	51	55	51	54	51	0.2	0.4	No	No	No	No
1772030	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1772032	RS	60	55	56	54	57	54	57	54	0.8	0.7	No	No	No	No
1772042	RS	60	55	52	49	52	49	52	49	0.3	0.4	No	No	No	No
1772047	RS	60	55	55	52	55	52	55	52	0.6	0.7	No	No	No	No
1772050	RS	60	55	58	53	58	53	54	51	0.0	0.3	No	No	No	No
1772052	RS	60	55	47	44	47	44	47	44	0.3	0.3	No	No	No	No
1772054	RS	60	55	60	57	60	58	60	58	0.7	0.8	No	No	No	No
1772057	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1772059	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1772060	RS	60	55	45	42	46	43	46	43	0.3	0.3	No	No	No	No
1772062	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1772067	RS	60	55	55	52	56	53	55	52	0.7	0.7	No	No	No	No
1772069	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1772072	RS	60	55	47	45	48	45	48	45	0.8	0.8	No	No	No	No
1772073	RS	60	55	46	43	46	43	46	43	0.3	0.3	No	No	No	No
1772074	RS	60	55	56	52	56	52	53	50	-0.3	0.1	No	No	No	No
1772075	RS	60	55	55	52	56	53	55	52	0.8	0.8	No	No	No	No
1772077	RS	60	55	47	44	48	45	48	45	0.7	0.8	No	No	No	No
1772079	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1772082	RS	60	55	54	51	55	52	54	52	0.6	0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1772083	RS	60	55	46	44	47	44	47	44	0.8	0.8	No	No	No	No
1772084	RS	60	55	57	54	57	54	57	54	0.7	0.7	No	No	No	No
1772089	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1772092	RS	60	55	50	47	51	48	50	48	0.5	0.4	No	No	No	No
1772095	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1772096	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1772098	RS	60	55	55	52	56	53	55	53	0.8	0.8	No	No	No	No
1772099	RS	60	55	47	44	48	45	48	45	0.7	0.8	No	No	No	No
1772100	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1772101	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1772106	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1772108	RS	60	55	46	42	46	43	46	43	0.5	0.5	No	No	No	No
1772111	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1772113	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1772120	RS	60	55	50	47	50	47	50	47	0.4	0.3	No	No	No	No
1772123	RS	60	55	52	48	53	49	50	47	0.6	0.4	No	No	No	No
1772126	RS	60	55	58	55	59	56	59	56	0.5	0.5	No	No	No	No
1772130	RS	60	55	56	53	57	53	55	52	0.2	0.2	No	No	No	No
1772131	RS	60	55	51	47	51	48	50	47	0.5	0.6	No	No	No	No
1772132	RS	60	55	58	55	58	56	58	55	0.7	0.7	No	No	No	No
1772135	RS	60	55	56	53	57	54	57	54	0.5	0.6	No	No	No	No
1772137	RS	60	55	57	54	57	54	57	54	0.4	0.5	No	No	No	No
1772142	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1772143	RS	60	55	55	52	55	52	55	52	-0.1	-0.2	No	No	No	No
1772144	RS	60	55	48	45	48	45	48	45	0.6	0.5	No	No	No	No
1772146	RS	60	55	53	50	54	51	53	50	0.7	0.8	No	No	No	No
1772153	RS	60	55	57	54	57	54	57	54	-0.1	-0.2	No	No	No	No
1772157	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1772171	RS	60	55	50	47	51	48	51	48	0.8	0.9	No	No	No	No
1772176	RS	60	55	47	44	47	44	47	44	0.4	0.4	No	No	No	No
1772177	RS	60	55	56	53	57	53	55	52	0.1	0.2	No	No	No	No
1772183	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1772187	RS	60	55	55	51	55	52	54	51	0.6	0.9	No	No	No	No
1772198	RS	60	55	63	55	63	56	54	52	0.1	0.2	No	No	No	No
1772200	RS	60	55	59	56	59	57	59	57	0.7	0.7	No	No	No	No
1772211	RS	60	55	55	53	56	53	56	53	0.6	0.6	No	No	No	No
1772227	RS	60	55	51	48	51	48	51	48	0.6	0.6	No	No	No	No
1772232	RS	60	55	58	55	59	56	59	56	0.7	0.8	No	No	No	No
1772238	RS	60	55	54	51	54	52	54	52	0.7	0.7	No	No	No	No
1772239	RS	60	55	55	51	55	52	55	52	0.6	0.7	No	No	No	No
1772241	RS	60	55	61	59	62	59	62	59	0.8	0.8	No	No	No	No
1772244	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1772247	RS	60	55	50	46	50	47	49	47	0.3	0.6	No	No	No	No
1772252	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1772256	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1772259	RS	60	55	50	47	50	48	50	48	0.7	0.7	No	No	No	No
1772262	RS	60	55	52	49	53	50	53	50	0.6	0.6	No	No	No	No
1772264	RS	60	55	51	48	52	49	51	49	0.7	0.7	No	No	No	No
1772266	RS	60	55	57	52	57	53	53	50	0.3	0.7	No	No	No	No
1772269	RS	60	55	54	51	54	52	54	52	0.7	0.8	No	No	No	No
1772275	RS	60	55	54	50	54	51	53	50	0.6	0.6	No	No	No	No
1772277	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1772280	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1772283	RS	60	55	51	48	51	49	51	48	0.7	0.7	No	No	No	No
1772288	RS	60	55	53	49	53	49	52	49	0.3	0.4	No	No	No	No
1772298	RS	60	55	56	53	56	53	55	52	0.0	0.0	No	No	No	No
1772299	RS	60	55	57	54	57	54	57	54	0.6	0.6	No	No	No	No
1772307	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1772311	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1772314	RS	60	55	53	50	53	51	53	51	0.7	0.7	No	No	No	No
1772332	RS	60	55	51	48	51	48	51	48	0.4	0.3	No	No	No	No
1772333	RS	60	55	58	55	59	56	58	55	0.6	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1772337	RS	60	55	51	48	51	49	51	49	0.8	0.8	No	No	No	No
1772348	RS	60	55	53	50	53	51	53	51	0.8	0.7	No	No	No	No
1772350	RS	60	55	52	49	52	49	52	49	0.3	0.3	No	No	No	No
1772355	RS	60	55	64	61	65	62	65	62	0.8	0.8	No	No	Yes	Yes
1772357	RS	60	55	57	54	57	55	57	55	0.5	0.5	No	No	No	No
1772367	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1772368	RS	60	55	56	53	56	53	56	53	0.6	0.5	No	No	No	No
1772371	RS	60	55	51	48	52	48	51	48	0.3	0.3	No	No	No	No
1772374	RS	60	55	54	50	55	51	53	50	0.4	0.5	No	No	No	No
1772376	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1772382	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1772385	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1772386	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1772398	RS	60	55	55	52	55	53	55	53	0.7	0.7	No	No	No	No
1772399	RS	60	55	55	52	56	53	56	53	0.6	0.5	No	No	No	No
1772410	RS	60	55	46	43	46	43	46	43	0.3	0.4	No	No	No	No
1772415	RS	60	55	48	45	48	46	48	45	0.8	0.8	No	No	No	No
1772416	RS	60	55	54	51	54	51	53	50	0.6	0.7	No	No	No	No
1772419	RS	60	55	59	56	59	57	59	57	0.8	0.8	No	No	No	No
1772423	RS	60	55	54	51	54	51	54	51	0.2	0.2	No	No	No	No
1772425	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1772427	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1772428	RS	60	55	59	55	59	56	58	55	0.5	0.6	No	No	No	No
1772429	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1772431	RS	60	55	55	53	55	52	55	52	-0.2	-0.2	No	No	No	No
1772432	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1772436	RS	60	55	59	56	60	57	59	56	0.6	0.6	No	No	No	No
1772441	RS	60	55	52	49	53	50	52	50	0.5	0.5	No	No	No	No
1772451	RS	60	55	54	50	54	50	52	49	0.3	0.5	No	No	No	No
1772456	RS	60	55	68	61	68	60	54	51	0.8	-0.9	No	No	No	No
1772458	RS	60	55	52	48	52	49	52	49	0.3	0.5	No	No	No	No
1772459	RS	60	55	56	52	56	53	55	52	0.2	0.3	No	No	No	No
1772462	RS	60	55	54	51	54	51	54	51	0.5	0.6	No	No	No	No
1772463	RS	60	55	58	55	59	56	58	56	0.8	0.7	No	No	No	No
1772464	RS	60	55	53	50	53	50	52	50	0.0	0.0	No	No	No	No
1772467	RS	60	55	49	46	50	47	49	47	0.7	0.7	No	No	No	No
1772469	RS	60	55	52	49	53	50	52	49	0.5	0.6	No	No	No	No
1772473	RS	60	55	55	52	56	52	55	52	0.6	0.7	No	No	No	No
1772474	RS	60	55	48	45	49	46	49	46	0.7	0.7	No	No	No	No
1772477	RS	60	55	63	60	64	61	62	60	0.9	1.4	No	Yes	Yes	Yes
1772478	RS	60	55	55	53	56	53	56	53	0.9	0.8	No	No	No	No
1772481	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1772485	RS	60	55	53	50	54	51	53	51	0.8	0.8	No	No	No	No
1772487	RS	60	55	50	47	50	47	50	47	-0.2	-0.2	No	No	No	No
1772493	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1772497	RS	60	55	51	48	52	48	50	48	0.5	0.4	No	No	No	No
1772498	RS	60	55	56	53	57	53	56	53	0.6	0.6	No	No	No	No
1772501	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1772503	RS	60	55	50	47	51	48	50	48	0.5	0.5	No	No	No	No
1772508	RS	60	55	56	53	56	54	56	54	0.7	0.8	No	No	No	No
1772513	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1772515	RS	60	55	55	52	56	53	56	53	0.8	1.0	No	No	No	No
1772518	RS	60	55	49	46	49	46	49	46	0.7	0.8	No	No	No	No
1772519	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1772523	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1772526	RS	60	55	52	49	53	50	53	50	0.6	0.6	No	No	No	No
1772530	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1772532	RS	60	55	60	58	61	58	61	58	0.8	0.8	No	No	No	No
1772533	RS	60	55	60	55	60	55	56	53	0.0	0.3	No	No	No	No
1772535	RS	60	55	59	55	59	55	56	53	0.7	0.5	No	No	No	No
1772540	RS	60	55	61	58	61	58	61	58	-0.1	-0.2	No	No	No	No
1772542	RS	60	55	50	47	50	47	50	47	0.3	0.3	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1772544	RS	60	55	59	56	60	57	60	57	0.7	0.8	No	No	No	No
1772545	RS	60	55	50	47	50	47	50	47	-0.1	-0.1	No	No	No	No
1772546	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1772547	RS	60	55	71	66	71	66	56	53	0.0	0.0	No	No	No	No
1772550	RS	60	55	47	45	48	45	48	45	0.8	0.8	No	No	No	No
1772552	RS	60	55	47	44	48	45	48	45	0.7	0.8	No	No	No	No
1772558	RS	60	55	49	46	49	46	49	46	0.3	0.3	No	No	No	No
1772559	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1772561	RS	60	55	55	52	55	53	55	52	0.7	0.8	No	No	No	No
1772562	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1772566	RS	60	55	61	59	61	58	61	58	-0.1	-0.1	No	No	No	No
1772570	RS	60	55	49	46	49	47	49	47	0.8	0.8	No	No	No	No
1772572	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1772575	RS	60	55	57	55	58	55	58	55	0.8	0.7	No	No	No	No
1772579	RS	60	55	53	49	53	50	52	49	0.5	0.6	No	No	No	No
1772581	RS	60	55	70	64	70	65	59	56	0.0	0.6	No	No	No	No
1772584	RS	60	55	58	55	57	55	57	55	-0.2	-0.2	No	No	No	No
1772590	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1772593	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1772597	RS	60	55	55	52	55	52	55	52	0.8	0.7	No	No	No	No
1772598	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1772601	RS	60	55	51	48	51	48	51	48	0.1	0.1	No	No	No	No
1772604	RS	60	55	52	49	52	49	52	49	0.0	-0.1	No	No	No	No
1772606	RS	60	55	55	51	55	51	52	50	0.4	0.5	No	No	No	No
1772609	RS	60	55	57	54	57	54	57	54	0.0	0.0	No	No	No	No
1772615	RS	60	55	52	50	53	50	53	50	0.8	0.7	No	No	No	No
1772621	RS	60	55	56	53	55	53	55	52	-0.8	-0.8	No	No	No	No
1772622	RS	60	55	51	48	52	49	51	49	0.6	0.6	No	No	No	No
1772625	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1772627	RS	60	55	57	55	58	55	58	55	0.7	0.8	No	No	No	No
1772630	RS	60	55	55	51	55	52	54	51	0.2	0.3	No	No	No	No
1772632	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1772633	RS	60	55	53	50	54	51	53	50	0.8	0.8	No	No	No	No
1772637	RS	60	55	56	53	56	53	56	53	0.7	0.8	No	No	No	No
1772639	RS	60	55	57	54	58	55	57	54	0.8	0.7	No	No	No	No
1772640	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1772644	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1772650	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1772653	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1772657	RS	60	55	57	53	57	54	56	53	0.6	0.6	No	No	No	No
1772659	RS	60	55	61	58	62	59	62	59	0.7	0.7	No	No	No	No
1772671	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1772672	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1772676	RS	60	55	55	49	56	49	50	47	0.6	-0.3	No	No	No	No
1772689	RS	60	55	51	49	52	49	52	49	0.6	0.5	No	No	No	No
1772693	RS	60	55	60	57	61	58	60	58	0.8	0.7	No	No	No	No
1772695	RS	60	55	53	50	54	51	53	51	0.8	0.8	No	No	No	No
1772697	RS	60	55	58	55	59	56	59	56	0.8	0.6	No	No	No	No
1772700	RS	60	55	56	53	57	53	55	52	0.5	0.6	No	No	No	No
1772709	RS	60	55	48	45	48	46	48	45	0.3	0.4	No	No	No	No
1772713	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1772714	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1772721	RS	60	55	55	52	56	53	56	53	0.7	0.8	No	No	No	No
1772727	RS	60	55	55	52	56	53	55	52	0.8	0.8	No	No	No	No
1772732	RS	60	55	53	50	54	50	53	50	0.5	0.4	No	No	No	No
1772733	RS	60	55	47	44	47	44	47	44	0.5	0.5	No	No	No	No
1772735	RS	60	55	58	56	59	56	59	56	0.8	0.8	No	No	No	No
1772738	RS	60	55	57	54	58	54	57	54	0.6	0.6	No	No	No	No
1772742	RS	60	55	55	52	56	53	56	53	0.9	0.8	No	No	No	No
1772757	RS	60	55	61	58	62	59	62	59	0.7	0.7	No	No	No	No
1772763	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1772764	RS	60	55	48	45	49	46	49	46	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1772765	RS	60	55	46	43	46	44	46	43	0.3	0.3	No	No	No	No
1772781	RS	60	55	55	52	55	52	55	52	0.8	0.8	No	No	No	No
1772786	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1772788	RS	60	55	51	48	51	48	51	48	0.8	0.7	No	No	No	No
1772804	RS	60	55	49	46	49	46	49	46	-0.3	-0.3	No	No	No	No
1772806	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1772807	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1772811	RS	60	55	54	51	55	51	54	51	0.5	0.5	No	No	No	No
1772814	RS	60	55	55	52	55	52	55	52	0.8	0.7	No	No	No	No
1772819	RS	60	55	49	46	49	46	49	46	0.7	0.8	No	No	No	No
1772822	RS	60	55	58	55	59	55	58	55	0.6	0.6	No	No	No	No
1772835	RS	60	55	54	51	54	51	54	51	0.6	0.7	No	No	No	No
1772838	RS	60	55	52	50	53	50	53	50	0.8	0.7	No	No	No	No
1772844	RS	60	55	55	52	56	53	55	53	0.8	0.8	No	No	No	No
1772846	RS	60	55	51	48	51	48	51	48	0.4	0.3	No	No	No	No
1772851	RS	60	55	57	54	58	55	57	54	0.6	0.8	No	No	No	No
1772852	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1772854	RS	60	55	56	53	56	53	56	53	0.4	0.5	No	No	No	No
1772857	RS	60	55	51	48	51	48	50	48	0.0	-0.1	No	No	No	No
1772861	RS	60	55	49	46	48	45	48	45	-0.1	-0.2	No	No	No	No
1772868	RS	60	55	52	49	52	49	52	49	0.5	0.6	No	No	No	No
1772870	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1772876	RS	60	55	51	48	52	49	52	49	0.5	0.4	No	No	No	No
1772898	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1772902	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1772903	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1772904	RS	60	55	49	46	49	47	49	47	0.7	0.8	No	No	No	No
1772912	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1772915	RS	60	55	61	58	62	59	61	58	0.8	1.4	No	No	No	No
1772917	RS	60	55	56	54	56	53	56	53	-0.1	-0.2	No	No	No	No
1772922	RS	60	55	52	50	53	50	53	50	0.8	0.8	No	No	No	No
1772927	RS	60	55	54	51	54	51	54	51	0.8	0.7	No	No	No	No
1772930	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1772932	RS	60	55	55	51	55	52	54	52	0.5	0.5	No	No	No	No
1772936	RS	60	55	48	46	49	46	49	46	0.8	0.8	No	No	No	No
1772937	RS	60	55	59	56	60	57	60	57	0.6	0.6	No	No	No	No
1772939	RS	60	55	51	49	52	49	52	49	0.7	0.7	No	No	No	No
1772940	RS	60	55	51	48	52	49	51	49	0.8	0.8	No	No	No	No
1772942	RS	60	55	64	61	64	62	64	62	0.8	0.8	No	No	Yes	Yes
1772945	RS	60	55	58	55	58	55	58	55	0.7	0.7	No	No	No	No
1772947	RS	60	55	50	47	51	48	50	48	0.6	0.5	No	No	No	No
1772948	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1772949	RS	60	55	59	56	60	57	59	57	0.7	0.7	No	No	No	No
1772951	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1772952	RS	60	55	50	47	51	47	49	46	0.4	0.5	No	No	No	No
1772953	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1772956	RS	60	55	52	49	51	48	51	48	-0.3	-0.3	No	No	No	No
1772959	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1772960	RS	60	55	45	42	45	42	45	42	0.3	0.3	No	No	No	No
1772962	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1772969	RS	60	55	50	47	50	48	50	47	0.5	0.6	No	No	No	No
1772971	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1772975	RS	60	55	52	49	52	49	52	49	-0.2	-0.2	No	No	No	No
1772988	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1772990	RS	60	55	56	52	56	53	55	52	0.7	0.8	No	No	No	No
1772997	RS	60	55	54	51	55	52	53	50	0.6	0.6	No	No	No	No
1773009	RS	60	55	55	52	56	53	55	53	0.8	0.8	No	No	No	No
1773024	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1773025	RS	60	55	48	45	48	45	48	45	0.7	0.8	No	No	No	No
1773027	RS	60	55	48	45	48	46	48	45	0.5	0.6	No	No	No	No
1773028	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1773029	RS	60	55	51	48	52	49	51	48	0.5	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1773033	RS	60	55	54	50	54	51	53	50	0.6	0.7	No	No	No	No
1773034	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1773036	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1773038	RS	60	55	63	58	63	59	58	55	0.3	0.3	No	No	No	No
1773048	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No
1773049	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1773053	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1773056	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1773057	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1773059	RS	60	55	54	51	55	52	53	50	0.6	0.6	No	No	No	No
1773060	RS	60	55	48	45	48	45	48	45	-0.1	-0.2	No	No	No	No
1773061	RS	60	55	54	51	54	52	54	51	0.7	0.8	No	No	No	No
1773066	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1773071	RS	60	55	50	47	51	48	50	48	0.6	0.6	No	No	No	No
1773073	RS	60	55	51	48	51	48	51	48	0.6	0.6	No	No	No	No
1773076	RS	60	55	53	50	54	50	52	49	0.4	0.5	No	No	No	No
1773082	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1773086	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1773087	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1773090	RS	60	55	46	43	46	43	46	43	0.5	0.5	No	No	No	No
1773093	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1773095	RS	60	55	54	50	54	51	54	51	0.4	0.4	No	No	No	No
1773102	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1773109	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1773110	RS	60	55	50	47	50	47	50	47	-0.2	-0.2	No	No	No	No
1773113	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1773115	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1773119	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No
1773123	RS	60	55	54	50	55	51	52	50	0.3	0.4	No	No	No	No
1773124	RS	60	55	63	60	64	61	64	61	0.8	0.7	No	No	Yes	Yes
1773137	RS	60	55	54	51	54	51	54	51	0.8	0.7	No	No	No	No
1773140	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1773141	RS	60	55	48	46	49	46	49	46	0.6	0.5	No	No	No	No
1773142	RS	60	55	54	50	54	51	53	50	0.7	0.8	No	No	No	No
1773146	RS	60	55	46	42	46	43	46	43	0.4	0.4	No	No	No	No
1773148	RS	60	55	52	49	52	50	52	50	0.7	0.7	No	No	No	No
1773157	RS	60	55	54	51	55	52	54	51	0.5	0.5	No	No	No	No
1773160	RS	60	55	54	51	55	52	54	52	0.7	0.8	No	No	No	No
1773166	RS	60	55	64	61	65	62	65	62	0.6	0.6	No	No	Yes	Yes
1773167	RS	60	55	53	50	53	50	53	50	0.4	0.3	No	No	No	No
1773171	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1773172	RS	60	55	48	45	49	46	49	46	0.5	0.6	No	No	No	No
1773175	RS	60	55	51	46	51	46	48	45	0.6	0.2	No	No	No	No
1773185	RS	60	55	58	53	58	53	53	51	0.2	0.3	No	No	No	No
1773186	RS	60	55	50	47	51	48	51	48	0.6	0.7	No	No	No	No
1773188	RS	60	55	53	49	53	50	52	49	0.5	0.6	No	No	No	No
1773194	RS	60	55	48	45	48	46	48	46	0.8	0.7	No	No	No	No
1773196	RS	60	55	55	52	55	52	55	52	-0.2	-0.2	No	No	No	No
1773197	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1773199	RS	60	55	63	60	64	61	64	61	0.8	0.8	No	Yes	Yes	Yes
1773204	RS	60	55	52	49	53	49	52	49	0.6	0.6	No	No	No	No
1773206	RS	60	55	44	41	45	42	45	42	0.7	0.7	No	No	No	No
1773214	RS	60	55	59	56	60	56	59	56	0.6	0.7	No	No	No	No
1773227	RS	60	55	51	48	51	49	51	48	0.1	0.1	No	No	No	No
1773229	RS	60	55	47	44	47	44	47	44	0.4	0.4	No	No	No	No
1773231	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1773234	RS	60	55	54	51	55	52	54	52	0.7	1.0	No	No	No	No
1773243	RS	60	55	51	48	51	48	51	48	0.4	0.3	No	No	No	No
1773244	RS	60	55	48	45	49	46	49	46	0.5	0.5	No	No	No	No
1773245	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1773246	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1773247	RS	60	55	54	51	54	51	54	51	0.4	0.3	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1773248	RS	60	55	44	41	44	42	44	42	0.5	0.6	No	No	No	No
1773252	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1773253	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1773254	RS	60	55	47	44	47	44	47	44	0.5	0.5	No	No	No	No
1773258	RS	60	55	53	49	53	50	53	50	0.5	0.6	No	No	No	No
1773264	RS	60	55	51	47	52	48	50	47	0.3	0.5	No	No	No	No
1773266	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1773268	RS	60	55	54	51	55	52	54	52	0.6	0.5	No	No	No	No
1773269	RS	60	55	54	51	54	51	54	51	0.5	0.4	No	No	No	No
1773271	RS	60	55	60	57	61	58	60	58	0.6	0.7	No	No	No	No
1773272	RS	60	55	56	53	56	53	56	53	0.1	0.1	No	No	No	No
1773273	RS	60	55	55	52	54	51	54	51	-0.2	-0.2	No	No	No	No
1773280	RS	60	55	54	50	54	51	53	50	0.4	0.4	No	No	No	No
1773281	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1773282	RS	60	55	53	50	54	51	54	51	0.8	0.9	No	No	No	No
1773284	RS	60	55	54	52	55	52	55	52	0.7	0.7	No	No	No	No
1773285	RS	60	55	52	50	53	50	53	50	0.8	0.8	No	No	No	No
1773292	RS	60	55	61	56	62	56	55	52	0.2	0.6	No	No	No	No
1773293	RS	60	55	61	58	62	59	62	59	0.7	0.7	No	No	No	No
1773296	RS	60	55	53	50	53	50	53	50	0.4	0.5	No	No	No	No
1773297	RS	60	55	54	51	54	51	54	51	0.3	0.3	No	No	No	No
1773298	RS	60	55	54	51	55	52	55	52	0.9	0.9	No	No	No	No
1773299	RS	60	55	50	47	51	48	50	47	0.7	0.7	No	No	No	No
1773301	RS	60	55	51	48	52	49	52	49	0.9	0.8	No	No	No	No
1773304	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1773306	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1773310	RS	60	55	55	52	55	52	55	52	0.6	0.6	No	No	No	No
1773315	RS	60	55	45	42	45	42	45	42	0.4	0.3	No	No	No	No
1773325	RS	60	55	52	49	53	49	51	48	0.4	0.4	No	No	No	No
1773326	RS	60	55	53	50	54	51	53	51	0.5	0.5	No	No	No	No
1773328	RS	60	55	49	47	50	47	50	47	0.7	0.7	No	No	No	No
1773332	RS	60	55	60	56	60	56	57	54	0.4	0.5	No	No	No	No
1773335	RS	60	55	52	49	53	49	52	49	0.5	0.4	No	No	No	No
1773336	RS	60	55	53	50	53	50	53	50	-0.3	-0.4	No	No	No	No
1773337	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1773338	RS	60	55	55	52	55	52	55	52	0.7	0.8	No	No	No	No
1773340	RS	60	55	55	52	55	52	55	52	0.8	0.7	No	No	No	No
1773342	RS	60	55	51	48	51	48	51	48	0.5	0.4	No	No	No	No
1773346	RS	60	55	53	50	53	50	53	50	0.1	0.0	No	No	No	No
1773349	RS	60	55	52	49	52	49	52	49	-0.1	-0.1	No	No	No	No
1773350	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1773353	RS	60	55	44	41	44	41	44	41	0.3	0.3	No	No	No	No
1773360	RS	60	55	56	52	56	53	55	52	0.6	0.6	No	No	No	No
1773364	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1773365	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1773369	RS	60	55	54	51	55	52	55	52	0.9	0.8	No	No	No	No
1773370	RS	60	55	55	52	55	53	55	52	0.8	0.8	No	No	No	No
1773373	RS	60	55	61	58	62	59	62	59	0.7	0.7	No	No	No	No
1773377	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1773380	RS	60	55	54	51	54	52	54	52	0.8	0.8	No	No	No	No
1773385	RS	60	55	58	54	59	55	56	53	0.4	0.5	No	No	No	No
1773394	RS	60	55	57	53	57	54	57	54	0.7	0.7	No	No	No	No
1773395	RS	60	55	54	51	54	52	54	52	0.8	0.7	No	No	No	No
1773399	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1773402	RS	60	55	54	51	54	51	54	51	0.7	0.8	No	No	No	No
1773403	RS	60	55	59	56	60	57	60	57	0.8	0.7	No	No	No	No
1773406	RS	60	55	52	49	53	50	52	50	0.8	0.8	No	No	No	No
1773407	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1773408	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1773410	RS	60	55	63	60	64	61	62	59	0.5	1.2	No	Yes	No	Yes
1773414	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1773415	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1773417	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1773421	RS	60	55	47	44	48	45	48	45	0.7	0.8	No	No	No	No
1773422	RS	60	55	52	48	52	49	51	48	0.5	0.6	No	No	No	No
1773423	RS	60	55	56	52	56	53	54	52	0.4	0.6	No	No	No	No
1773426	RS	60	55	61	58	62	59	62	59	0.8	0.7	No	No	No	No
1773427	RS	60	55	52	49	52	50	52	49	0.7	0.8	No	No	No	No
1773428	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1773431	RS	60	55	42	40	43	40	43	40	0.7	0.7	No	No	No	No
1773436	RS	60	55	50	47	50	47	50	47	-0.1	-0.2	No	No	No	No
1773439	RS	60	55	48	45	48	45	48	45	0.3	0.4	No	No	No	No
1773444	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1773445	RS	60	55	53	50	53	50	53	50	0.3	0.3	No	No	No	No
1773451	RS	60	55	62	60	63	60	63	60	0.8	0.7	No	No	Yes	Yes
1773456	RS	60	55	54	51	55	52	54	51	0.8	0.7	No	No	No	No
1773460	RS	60	55	53	51	54	51	54	51	0.8	0.7	No	No	No	No
1773462	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1773464	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1773474	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1773477	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1773480	RS	60	55	53	50	53	51	53	51	0.7	0.8	No	No	No	No
1773483	RS	60	55	57	55	58	55	58	55	0.7	0.7	No	No	No	No
1773487	RS	60	55	56	53	57	54	57	54	0.9	0.8	No	No	No	No
1773491	RS	60	55	56	53	55	52	55	52	-0.6	-0.6	No	No	No	No
1773508	RS	60	55	51	47	51	47	49	46	0.4	0.6	No	No	No	No
1773516	RS	60	55	57	54	58	55	57	55	0.7	0.6	No	No	No	No
1773529	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1773532	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1773534	RS	60	55	53	49	53	50	52	49	0.6	0.7	No	No	No	No
1773538	RS	60	55	51	47	51	48	51	48	0.5	0.5	No	No	No	No
1773543	RS	60	55	53	50	53	50	53	50	0.4	0.3	No	No	No	No
1773552	RS	60	55	54	51	55	52	54	51	0.3	0.3	No	No	No	No
1773563	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1773564	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1773571	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1773573	RS	60	55	50	47	51	48	50	48	0.5	0.5	No	No	No	No
1773575	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1773578	RS	60	55	55	52	55	52	55	52	0.4	0.3	No	No	No	No
1773584	RS	60	55	65	58	65	57	53	50	0.5	-0.5	No	No	No	No
1773591	RS	60	55	51	47	51	48	50	47	0.5	0.6	No	No	No	No
1773593	RS	60	55	71	65	71	65	56	54	0.0	-0.1	No	No	No	No
1773597	RS	60	55	54	51	55	52	54	51	0.6	0.7	No	No	No	No
1773604	RS	60	55	52	49	53	50	53	50	0.8	1.0	No	No	No	No
1773609	RS	60	55	63	56	64	56	51	48	0.6	-0.5	No	No	No	No
1773611	RS	60	55	55	52	56	53	56	53	0.8	0.9	No	No	No	No
1773613	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1773615	RS	60	55	52	49	52	49	52	49	0.3	0.4	No	No	No	No
1773616	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1773617	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1773618	RS	60	55	50	47	50	48	50	48	0.7	0.8	No	No	No	No
1773621	RS	60	55	49	46	49	47	49	46	0.8	0.8	No	No	No	No
1773622	RS	60	55	50	47	51	48	51	48	0.6	0.5	No	No	No	No
1773623	RS	60	55	52	48	52	49	52	49	0.4	0.5	No	No	No	No
1773624	RS	60	55	59	55	59	56	58	56	0.6	0.7	No	No	No	No
1773625	RS	60	55	53	51	54	51	54	51	0.7	0.7	No	No	No	No
1773634	RS	60	55	51	48	52	48	50	48	0.5	0.6	No	No	No	No
1773640	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1773644	RS	60	55	52	49	52	49	52	49	0.7	0.8	No	No	No	No
1773647	RS	60	55	57	54	56	53	56	53	-0.5	-0.6	No	No	No	No
1773648	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1773649	RS	60	55	50	46	50	47	50	47	0.6	0.7	No	No	No	No
1773653	RS	60	55	55	50	55	51	51	48	0.0	0.2	No	No	No	No
1773656	RS	60	55	50	46	50	47	50	47	0.4	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1773661	RS	60	55	55	52	56	53	55	53	0.8	0.9	No	No	No	No
1773669	RS	60	55	55	52	56	53	55	52	0.7	0.8	No	No	No	No
1773671	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1773673	RS	60	55	56	53	57	53	56	53	0.6	0.7	No	No	No	No
1773676	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1773677	RS	60	55	61	53	61	53	51	48	0.1	0.2	No	No	No	No
1773679	RS	60	55	48	45	49	46	49	46	0.7	0.7	No	No	No	No
1773682	RS	60	55	46	43	47	44	47	44	0.8	0.7	No	No	No	No
1773684	RS	60	55	56	53	56	53	56	53	0.5	0.6	No	No	No	No
1773687	RS	60	55	57	54	58	55	58	55	0.5	0.5	No	No	No	No
1773688	RS	60	55	49	46	50	46	49	46	0.4	0.3	No	No	No	No
1773691	RS	60	55	51	48	51	48	51	48	-0.1	-0.2	No	No	No	No
1773701	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1773705	RS	60	55	61	59	62	60	61	58	0.9	1.7	No	Yes	No	Yes
1773710	RS	60	55	48	46	49	46	49	46	0.4	0.4	No	No	No	No
1773717	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1773718	RS	60	55	58	55	58	56	58	55	0.7	1.0	No	No	No	No
1773720	RS	60	55	52	49	52	49	52	49	0.4	0.4	No	No	No	No
1773722	RS	60	55	50	48	51	48	50	48	0.1	0.1	No	No	No	No
1773723	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1773733	RS	60	55	54	51	55	52	54	51	0.7	0.8	No	No	No	No
1773734	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1773737	RS	60	55	59	56	60	57	59	57	0.7	0.7	No	No	No	No
1773739	RS	60	55	55	52	56	53	56	53	0.6	0.5	No	No	No	No
1773740	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1773742	RS	60	55	48	46	48	46	48	46	0.1	0.1	No	No	No	No
1773743	RS	60	55	49	47	50	47	50	47	0.8	0.8	No	No	No	No
1773746	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1773753	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1773757	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1773761	RS	60	55	49	47	50	47	50	47	0.8	0.8	No	No	No	No
1773764	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1773767	RS	60	55	54	51	54	51	53	51	0.5	0.5	No	No	No	No
1773768	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1773769	RS	60	55	46	43	47	44	47	44	0.8	0.8	No	No	No	No
1773771	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1773774	RS	60	55	54	51	55	52	55	52	0.4	0.4	No	No	No	No
1773779	RS	60	55	59	55	59	56	58	55	0.5	0.5	No	No	No	No
1773782	RS	60	55	49	46	50	47	49	47	0.5	0.5	No	No	No	No
1773784	RS	60	55	51	48	51	49	51	49	0.7	0.8	No	No	No	No
1773790	RS	60	55	52	49	53	50	53	50	0.9	0.9	No	No	No	No
1773794	RS	60	55	53	49	53	50	52	49	0.4	0.5	No	No	No	No
1773795	RS	60	55	58	51	58	51	52	49	0.1	0.2	No	No	No	No
1773796	RS	60	55	52	49	53	50	53	50	0.6	0.7	No	No	No	No
1773799	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1773813	RS	60	55	57	54	58	55	58	55	0.5	0.5	No	No	No	No
1773817	RS	60	55	46	43	47	44	47	44	0.6	0.5	No	No	No	No
1773819	RS	60	55	49	47	50	47	50	47	0.6	0.5	No	No	No	No
1773820	RS	60	55	46	43	46	43	46	43	0.3	0.4	No	No	No	No
1773821	RS	60	55	47	45	48	45	48	45	0.8	0.8	No	No	No	No
1773824	RS	60	55	52	49	53	50	52	50	0.4	0.4	No	No	No	No
1773825	RS	60	55	55	52	56	53	56	53	0.7	0.8	No	No	No	No
1773826	RS	60	55	53	50	53	50	53	50	0.1	-0.1	No	No	No	No
1773833	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1773836	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1773841	RS	60	55	52	49	53	50	52	49	0.6	0.7	No	No	No	No
1773842	RS	60	55	50	47	51	48	51	48	0.9	0.8	No	No	No	No
1773844	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1773847	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1773853	RS	60	55	49	46	50	47	49	47	0.5	0.6	No	No	No	No
1773858	RS	60	55	58	55	58	56	58	56	0.8	0.8	No	No	No	No
1773866	RS	60	55	62	57	62	58	59	56	0.3	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1773869	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1773870	RS	60	55	53	50	54	51	54	51	0.5	0.4	No	No	No	No
1773872	RS	60	55	51	47	51	48	51	48	0.5	0.4	No	No	No	No
1773874	RS	60	55	48	45	48	45	48	45	0.1	0.1	No	No	No	No
1773876	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1773878	RS	60	55	51	48	52	49	52	49	0.4	0.4	No	No	No	No
1773881	RS	60	55	53	50	54	51	54	51	1.0	1.0	No	No	No	No
1773883	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1773885	RS	60	55	55	52	56	53	56	53	0.9	0.9	No	No	No	No
1773888	RS	60	55	61	58	60	58	60	58	-0.6	-0.6	No	No	No	No
1773894	RS	60	55	51	48	51	48	51	48	-0.1	-0.1	No	No	No	No
1773902	RS	60	55	51	48	51	49	51	49	0.4	0.4	No	No	No	No
1773906	RS	60	55	52	49	52	49	52	49	0.0	0.0	No	No	No	No
1773909	RS	60	55	56	52	57	53	55	52	0.4	0.6	No	No	No	No
1773912	RS	60	55	50	48	51	48	51	48	0.8	0.7	No	No	No	No
1773915	RS	60	55	55	52	55	52	54	52	0.2	0.3	No	No	No	No
1773916	RS	60	55	52	48	52	49	51	48	0.4	0.3	No	No	No	No
1773918	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1773919	RS	60	55	43	40	44	41	44	41	0.5	0.6	No	No	No	No
1773923	RS	60	55	50	47	51	48	50	48	0.7	0.7	No	No	No	No
1773925	RS	60	55	53	50	53	50	52	50	-0.1	-0.2	No	No	No	No
1773927	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1773933	RS	60	55	57	51	57	51	49	47	0.0	0.1	No	No	No	No
1773935	RS	60	55	63	60	63	60	63	60	0.6	0.6	No	No	Yes	Yes
1773938	RS	60	55	46	44	47	44	47	44	0.5	0.3	No	No	No	No
1773940	RS	60	55	49	46	50	47	50	47	0.6	0.5	No	No	No	No
1773942	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1773943	RS	60	55	54	51	55	52	54	52	0.8	0.7	No	No	No	No
1773947	RS	60	55	55	52	56	52	55	52	0.7	0.7	No	No	No	No
1773956	RS	60	55	49	46	49	47	49	47	0.7	0.8	No	No	No	No
1773964	RS	60	55	50	47	50	47	50	47	0.2	0.2	No	No	No	No
1773965	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1773973	RS	60	55	64	58	64	58	60	58	0.2	0.2	No	No	No	No
1773981	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1773982	RS	60	55	62	58	62	58	60	57	0.3	0.6	No	No	No	No
1773983	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1773986	RS	60	55	62	59	62	59	61	59	0.1	0.1	No	No	No	No
1774004	RS	60	55	63	56	63	57	53	51	0.1	0.2	No	No	No	No
1774010	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1774014	RS	60	55	56	53	56	53	56	53	0.5	0.4	No	No	No	No
1774020	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1774021	RS	60	55	53	50	52	49	52	49	-0.2	-0.2	No	No	No	No
1774026	RS	60	55	50	47	51	48	50	48	0.6	0.6	No	No	No	No
1774029	RS	60	55	56	53	56	53	56	53	0.6	0.7	No	No	No	No
1774045	RS	60	55	56	54	57	54	57	54	0.8	0.8	No	No	No	No
1774053	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1774055	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1774057	RS	60	55	51	48	52	49	52	49	0.9	0.9	No	No	No	No
1774059	RS	60	55	61	56	61	56	55	52	0.1	0.2	No	No	No	No
1774060	RS	60	55	47	43	47	44	47	44	0.5	0.5	No	No	No	No
1774061	RS	60	55	64	59	64	59	56	53	0.0	0.1	No	No	No	No
1774063	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1774064	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1774065	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1774067	RS	60	55	48	45	49	45	47	45	0.5	0.6	No	No	No	No
1774068	RS	60	55	51	48	51	48	51	48	0.6	0.5	No	No	No	No
1774069	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1774072	RS	60	55	54	51	55	51	53	51	0.3	0.4	No	No	No	No
1774073	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1774074	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1774081	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1774083	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1774090	RS	60	55	56	53	56	53	56	53	0.8	0.8	No	No	No	No
1774091	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1774099	RS	60	55	53	50	54	51	53	51	0.8	0.8	No	No	No	No
1774101	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1774104	RS	60	55	57	54	58	55	57	54	0.8	0.8	No	No	No	No
1774105	RS	60	55	55	52	56	53	55	52	0.7	0.7	No	No	No	No
1774109	RS	60	55	54	52	55	52	55	52	0.6	0.5	No	No	No	No
1774114	RS	60	55	52	49	53	50	53	50	0.4	0.4	No	No	No	No
1774119	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1774120	RS	60	55	49	46	50	47	50	47	0.6	0.6	No	No	No	No
1774122	RS	60	55	51	48	51	48	51	48	0.6	0.7	No	No	No	No
1774123	RS	60	55	49	46	50	46	49	46	0.4	0.4	No	No	No	No
1774124	RS	60	55	51	48	51	48	51	48	0.3	0.4	No	No	No	No
1774127	RS	60	55	46	43	47	44	47	44	0.5	0.4	No	No	No	No
1774130	RS	60	55	53	50	53	50	53	50	0.6	0.4	No	No	No	No
1774159	RS	60	55	50	46	50	47	49	46	0.5	0.7	No	No	No	No
1774161	RS	60	55	49	47	50	47	50	47	0.8	0.8	No	No	No	No
1774165	RS	60	55	50	47	51	48	51	48	0.6	0.5	No	No	No	No
1774166	RS	60	55	56	53	56	54	56	53	0.7	0.7	No	No	No	No
1774168	RS	60	55	61	58	61	59	61	58	0.7	0.7	No	No	No	No
1774171	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1774173	RS	60	55	58	55	59	56	59	56	0.5	0.5	No	No	No	No
1774177	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1774179	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1774180	RS	60	55	54	50	54	50	52	49	0.3	0.5	No	No	No	No
1774187	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1774190	RS	60	55	45	43	46	43	46	43	0.3	0.3	No	No	No	No
1774192	RS	60	55	49	47	50	47	50	47	0.7	0.7	No	No	No	No
1774196	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1774202	RS	60	55	57	54	57	54	57	54	0.6	0.7	No	No	No	No
1774216	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1774219	RS	60	55	54	51	54	51	54	51	0.3	0.2	No	No	No	No
1774221	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1774223	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1774226	RS	60	55	64	57	64	57	55	52	0.1	0.3	No	No	No	No
1774233	RS	60	55	55	52	55	52	55	52	0.2	0.2	No	No	No	No
1774234	RS	60	55	55	52	56	53	55	53	0.9	0.9	No	No	No	No
1774237	RS	60	55	60	57	60	57	60	57	-0.1	-0.2	No	No	No	No
1774244	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1774245	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1774249	RS	60	55	54	52	55	52	55	52	0.5	0.5	No	No	No	No
1774257	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1774259	RS	60	55	50	47	51	48	50	48	0.5	0.5	No	No	No	No
1774261	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1774264	RS	60	55	54	52	55	52	55	52	0.8	0.9	No	No	No	No
1774268	RS	60	55	50	47	50	47	50	47	-0.1	-0.2	No	No	No	No
1774270	RS	60	55	53	49	53	49	52	49	0.0	0.0	No	No	No	No
1774271	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1774282	RS	60	55	46	43	46	43	46	43	0.3	0.3	No	No	No	No
1774283	RS	60	55	48	45	49	46	49	46	0.4	0.4	No	No	No	No
1774284	RS	60	55	50	47	51	47	50	47	0.5	0.6	No	No	No	No
1774291	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1774292	RS	60	55	57	54	57	54	57	54	0.7	0.7	No	No	No	No
1774296	RS	60	55	59	56	60	57	59	57	0.4	0.4	No	No	No	No
1774297	RS	60	55	51	47	51	48	51	48	0.4	0.5	No	No	No	No
1774299	RS	60	55	53	50	53	50	53	50	0.6	0.6	No	No	No	No
1774300	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1774303	RS	60	55	54	51	55	52	54	52	0.6	0.5	No	No	No	No
1774305	RS	60	55	50	46	50	47	49	46	0.4	0.5	No	No	No	No
1774310	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1774311	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1774312	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1774322	RS	60	55	55	52	55	53	55	52	0.7	0.7	No	No	No	No
1774327	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1774330	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1774335	RS	60	55	54	51	55	52	54	52	0.7	0.8	No	No	No	No
1774342	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1774344	RS	60	55	46	43	47	44	46	44	0.5	0.4	No	No	No	No
1774345	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1774349	RS	60	55	47	44	47	44	47	44	0.6	0.5	No	No	No	No
1774350	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1774351	RS	60	55	56	53	56	53	56	53	0.6	0.5	No	No	No	No
1774354	RS	60	55	51	48	51	48	51	48	0.4	0.3	No	No	No	No
1774355	RS	60	55	51	47	51	48	51	48	0.4	0.4	No	No	No	No
1774358	RS	60	55	49	46	50	47	49	47	0.8	0.7	No	No	No	No
1774361	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1774362	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1774363	RS	60	55	55	52	56	52	55	52	0.5	0.5	No	No	No	No
1774364	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1774365	RS	60	55	51	48	52	49	51	49	0.8	0.9	No	No	No	No
1774366	RS	60	55	54	51	53	50	53	50	-0.2	-0.3	No	No	No	No
1774372	RS	60	55	49	46	49	46	49	46	0.5	0.6	No	No	No	No
1774374	RS	60	55	58	52	59	51	51	48	0.6	-0.5	No	No	No	No
1774378	RS	60	55	56	53	56	53	56	53	-0.2	-0.1	No	No	No	No
1774383	RS	60	55	66	59	66	60	55	52	0.0	0.6	No	No	No	No
1774400	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1774402	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1774404	RS	60	55	58	54	58	54	56	53	0.2	0.2	No	No	No	No
1774406	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1774410	RS	60	55	60	57	61	58	60	58	0.7	0.7	No	No	No	No
1774411	RS	60	55	52	49	52	50	52	50	0.9	0.9	No	No	No	No
1774413	RS	60	55	51	48	51	49	51	49	0.8	0.8	No	No	No	No
1774416	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1774419	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1774423	RS	60	55	56	53	57	54	56	54	0.7	0.7	No	No	No	No
1774424	RS	60	55	72	67	72	67	57	54	0.0	0.0	No	No	No	No
1774443	RS	60	55	52	49	52	50	52	50	0.8	0.7	No	No	No	No
1774444	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1774450	RS	60	55	51	48	51	49	51	49	0.7	0.7	No	No	No	No
1774451	RS	60	55	52	49	52	49	52	49	0.5	0.5	No	No	No	No
1774452	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1774454	RS	60	55	53	50	54	50	53	50	0.6	0.6	No	No	No	No
1774457	RS	60	55	53	50	54	51	54	51	0.4	0.5	No	No	No	No
1774459	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1774460	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1774462	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1774468	RS	60	55	56	53	57	54	57	54	0.7	0.8	No	No	No	No
1774470	RS	60	55	58	54	58	55	56	53	0.4	0.6	No	No	No	No
1774472	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1774474	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1774479	RS	60	55	60	57	60	58	60	57	0.7	0.8	No	No	No	No
1774483	RS	60	55	49	46	50	47	49	46	0.7	0.7	No	No	No	No
1774490	RS	60	55	54	51	55	52	54	51	0.6	0.7	No	No	No	No
1774491	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1774492	RS	60	55	56	52	56	52	54	51	0.2	0.4	No	No	No	No
1774498	RS	60	55	58	55	59	56	59	56	0.5	0.5	No	No	No	No
1774499	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1774501	RS	60	55	50	47	50	47	49	47	0.0	0.1	No	No	No	No
1774505	RS	60	55	64	59	64	59	58	55	0.5	0.2	No	No	No	No
1774506	RS	60	55	51	48	51	48	51	48	-0.1	-0.2	No	No	No	No
1774509	RS	60	55	45	42	46	43	46	43	0.5	0.5	No	No	No	No
1774513	RS	60	55	53	49	53	50	52	49	0.4	0.5	No	No	No	No
1774515	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1774517	RS	60	55	47	44	47	44	47	44	0.4	0.3	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1774523	RS	60	55	54	51	54	51	54	51	-0.4	-0.4	No	No	No	No
1774524	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1774525	RS	60	55	50	47	50	47	50	47	-0.2	-0.2	No	No	No	No
1774528	RS	60	55	57	54	58	55	57	55	0.5	0.5	No	No	No	No
1774530	RS	60	55	48	45	48	45	48	45	0.3	0.3	No	No	No	No
1774531	RS	60	55	54	48	54	48	51	48	0.0	0.1	No	No	No	No
1774535	RS	60	55	52	49	53	50	52	49	0.7	0.7	No	No	No	No
1774541	RS	60	55	54	51	54	51	54	51	-0.1	-0.2	No	No	No	No
1774547	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1774554	RS	60	55	53	50	53	51	53	50	0.8	0.8	No	No	No	No
1774557	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1774565	RS	60	55	53	50	54	51	53	51	0.6	0.5	No	No	No	No
1774567	RS	60	55	57	54	58	55	57	55	0.7	0.8	No	No	No	No
1774571	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1774572	RS	60	55	65	58	65	57	51	48	0.4	-0.5	No	No	No	No
1774573	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1774574	RS	60	55	54	51	55	52	54	52	0.7	0.8	No	No	No	No
1774577	RS	60	55	60	57	60	58	60	58	0.6	0.6	No	No	No	No
1774579	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1774581	RS	60	55	61	58	61	58	60	58	0.2	0.3	No	No	No	No
1774585	RS	60	55	55	52	55	53	55	53	0.7	0.8	No	No	No	No
1774589	RS	60	55	50	47	49	46	49	46	-0.5	-0.6	No	No	No	No
1774590	RS	60	55	53	50	54	51	54	51	0.4	0.5	No	No	No	No
1774592	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1774595	RS	60	55	54	51	55	52	54	52	0.5	0.5	No	No	No	No
1774598	RS	60	55	56	52	57	53	56	53	0.6	0.7	No	No	No	No
1774602	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1774603	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1774604	RS	60	55	54	50	54	51	53	50	0.4	0.5	No	No	No	No
1774605	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1774611	RS	60	55	51	48	52	49	51	48	0.8	0.8	No	No	No	No
1774613	RS	60	55	54	51	54	51	54	51	0.6	0.7	No	No	No	No
1774616	RS	60	55	48	45	48	45	48	45	0.8	0.7	No	No	No	No
1774625	RS	60	55	54	51	55	52	54	52	0.8	0.8	No	No	No	No
1774629	RS	60	55	53	50	53	50	53	50	0.2	0.0	No	No	No	No
1774630	RS	60	55	60	53	60	54	52	49	0.1	0.3	No	No	No	No
1774636	RS	60	55	50	48	50	48	50	48	0.1	0.0	No	No	No	No
1774649	RS	60	55	50	47	50	48	50	48	0.7	0.7	No	No	No	No
1774652	RS	60	55	55	51	55	51	53	50	0.4	0.5	No	No	No	No
1774653	RS	60	55	51	48	52	49	52	49	0.4	0.3	No	No	No	No
1774657	RS	60	55	56	53	57	54	57	54	0.6	0.5	No	No	No	No
1774658	RS	60	55	57	54	58	55	58	55	0.6	0.5	No	No	No	No
1774668	RS	60	55	58	55	57	54	57	54	-0.7	-0.7	No	No	No	No
1774674	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1774681	RS	60	55	60	54	60	54	54	51	0.5	-0.2	No	No	No	No
1774690	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1774691	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1774701	RS	60	55	49	46	50	47	49	46	0.6	0.5	No	No	No	No
1774703	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1774704	RS	60	55	51	48	52	49	51	48	0.7	0.8	No	No	No	No
1774705	RS	60	55	54	51	54	52	54	51	0.7	0.8	No	No	No	No
1774709	RS	60	55	56	52	56	53	55	53	0.6	0.7	No	No	No	No
1774712	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1774715	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1774717	RS	60	55	58	53	58	53	54	51	-0.1	0.1	No	No	No	No
1774729	RS	60	55	53	50	54	50	53	50	0.4	0.4	No	No	No	No
1774730	RS	60	55	57	54	57	54	57	54	0.5	0.6	No	No	No	No
1774732	RS	60	55	57	54	57	55	57	55	0.7	0.7	No	No	No	No
1774735	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1774737	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1774740	RS	60	55	52	49	53	49	52	49	0.5	0.4	No	No	No	No
1774741	RS	60	55	55	52	55	52	55	52	0.4	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1774742	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1774749	RS	60	55	51	48	52	49	52	49	0.3	0.3	No	No	No	No
1774751	RS	60	55	55	53	56	53	56	53	0.7	0.6	No	No	No	No
1774754	RS	60	55	50	47	51	48	50	47	0.7	0.8	No	No	No	No
1774756	RS	60	55	61	58	61	58	60	58	0.2	0.2	No	No	No	No
1774758	RS	60	55	50	46	50	46	48	45	0.5	0.3	No	No	No	No
1774759	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1774760	RS	60	55	50	48	51	48	51	48	0.8	0.7	No	No	No	No
1774762	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1774763	RS	60	55	53	49	53	50	52	49	0.5	0.3	No	No	No	No
1774766	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1774768	RS	60	55	53	50	54	51	53	51	0.7	0.7	No	No	No	No
1774770	RS	60	55	55	52	56	53	56	53	0.7	0.8	No	No	No	No
1774773	RS	60	55	49	46	50	47	49	47	0.8	0.7	No	No	No	No
1774774	RS	60	55	56	53	56	53	56	53	0.7	0.7	No	No	No	No
1774776	RS	60	55	58	55	58	55	58	55	0.4	0.4	No	No	No	No
1774777	RS	60	55	50	47	50	47	50	47	0.5	0.6	No	No	No	No
1774780	RS	60	55	49	46	50	47	50	47	0.6	0.5	No	No	No	No
1774781	RS	60	55	52	50	53	50	53	50	0.5	0.4	No	No	No	No
1774782	RS	60	55	45	42	46	43	46	43	0.5	0.6	No	No	No	No
1774783	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1774784	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1774787	RS	60	55	55	52	56	53	56	53	0.9	0.8	No	No	No	No
1774788	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1774790	RS	60	55	46	43	47	44	46	43	0.5	0.5	No	No	No	No
1774791	RS	60	55	59	56	60	57	59	56	0.6	0.6	No	No	No	No
1774794	RS	60	55	58	53	58	53	55	52	0.1	0.2	No	No	No	No
1774800	RS	60	55	51	48	52	49	51	49	0.8	0.8	No	No	No	No
1774805	RS	60	55	51	48	51	49	51	49	0.5	0.5	No	No	No	No
1774808	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1774809	RS	60	55	53	50	54	51	53	51	0.8	0.9	No	No	No	No
1774810	RS	60	55	51	48	51	49	51	48	0.8	0.9	No	No	No	No
1774811	RS	60	55	50	48	51	48	51	48	0.8	0.7	No	No	No	No
1774812	RS	60	55	53	50	54	51	53	50	0.6	0.8	No	No	No	No
1774817	RS	60	55	53	50	53	50	53	50	0.3	0.2	No	No	No	No
1774820	RS	60	55	48	45	49	46	48	46	0.8	0.7	No	No	No	No
1774822	RS	60	55	55	50	55	50	51	48	0.0	0.3	No	No	No	No
1774824	RS	60	55	55	52	55	53	55	52	0.8	0.9	No	No	No	No
1774825	RS	60	55	47	44	48	45	47	44	0.4	0.4	No	No	No	No
1774831	RS	60	55	49	45	49	46	48	45	0.1	0.2	No	No	No	No
1774832	RS	60	55	58	54	58	55	58	55	0.6	0.8	No	No	No	No
1774835	RS	60	55	58	55	58	55	58	55	0.7	0.7	No	No	No	No
1774840	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1774841	RS	60	55	53	49	53	50	53	50	0.4	0.4	No	No	No	No
1774843	RS	60	55	57	54	57	54	57	54	0.5	0.4	No	No	No	No
1774844	RS	60	55	48	44	48	45	48	45	0.3	0.3	No	No	No	No
1774846	RS	60	55	61	58	62	59	61	58	0.5	0.7	No	No	No	No
1774849	RS	60	55	56	53	56	53	56	53	-0.6	-0.7	No	No	No	No
1774850	RS	60	55	57	51	58	52	52	49	0.2	0.5	No	No	No	No
1774856	RS	60	55	45	42	46	43	45	42	0.4	0.3	No	No	No	No
1774858	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1774860	RS	60	55	53	50	53	50	53	50	0.7	0.8	No	No	No	No
1774862	RS	60	55	60	54	60	55	53	50	0.0	0.2	No	No	No	No
1774863	RS	60	55	58	55	58	55	58	55	0.5	0.6	No	No	No	No
1774868	RS	60	55	48	45	49	46	49	46	0.3	0.3	No	No	No	No
1774873	RS	60	55	46	43	46	43	46	43	0.4	0.3	No	No	No	No
1774877	RS	60	55	53	50	53	50	53	50	0.8	0.7	No	No	No	No
1774885	RS	60	55	48	45	49	46	49	46	0.6	0.5	No	No	No	No
1774886	RS	60	55	56	52	56	53	54	51	0.5	0.6	No	No	No	No
1774888	RS	60	55	57	54	58	55	57	54	0.4	0.5	No	No	No	No
1774897	RS	60	55	57	54	57	54	57	54	0.2	0.1	No	No	No	No
1774900	RS	60	55	52	49	53	50	53	50	0.8	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1774901	RS	60	55	59	55	59	56	58	55	0.5	0.6	No	No	No	No
1774904	RS	60	55	57	54	58	55	57	54	0.8	0.7	No	No	No	No
1774905	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1774908	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1774911	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1774912	RS	60	55	48	45	49	46	48	46	0.5	0.5	No	No	No	No
1774918	RS	60	55	54	51	55	52	54	52	0.8	0.7	No	No	No	No
1774921	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1774923	RS	60	55	53	50	53	51	53	51	0.5	0.6	No	No	No	No
1774933	RS	60	55	50	47	51	48	51	48	0.3	0.3	No	No	No	No
1774938	RS	60	55	58	55	59	56	58	56	0.8	0.9	No	No	No	No
1774945	RS	60	55	54	51	54	52	54	52	0.8	0.8	No	No	No	No
1774951	RS	60	55	51	48	51	49	51	48	0.5	0.6	No	No	No	No
1774957	RS	60	55	50	47	50	47	50	47	0.3	0.3	No	No	No	No
1774967	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1774974	RS	60	55	45	42	46	43	46	43	0.7	0.8	No	No	No	No
1774975	RS	60	55	50	47	50	47	50	47	0.2	0.4	No	No	No	No
1774976	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1774979	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1774984	RS	60	55	47	44	48	45	47	45	0.4	0.5	No	No	No	No
1774985	RS	60	55	54	51	54	52	54	52	0.8	0.8	No	No	No	No
1774992	RS	60	55	49	46	48	45	48	45	-0.4	-0.5	No	No	No	No
1774996	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1774998	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1775007	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1775012	RS	60	55	53	49	53	50	52	50	0.6	0.7	No	No	No	No
1775017	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1775018	RS	60	55	49	44	49	45	47	44	0.4	0.6	No	No	No	No
1775019	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1775025	RS	60	55	55	52	56	52	55	52	0.6	0.7	No	No	No	No
1775035	RS	60	55	51	48	52	49	52	49	0.7	0.8	No	No	No	No
1775038	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1775039	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1775040	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1775043	RS	60	55	54	51	55	51	54	51	0.4	0.4	No	No	No	No
1775046	RS	60	55	53	50	53	50	52	50	0.0	0.0	No	No	No	No
1775048	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No
1775049	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1775050	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1775054	RS	60	55	56	53	57	53	56	53	0.4	0.4	No	No	No	No
1775055	RS	60	55	57	54	57	54	57	54	0.5	0.6	No	No	No	No
1775060	RS	60	55	47	44	48	45	48	45	0.5	0.3	No	No	No	No
1775062	RS	60	55	55	52	54	51	54	51	-0.2	-0.2	No	No	No	No
1775066	RS	60	55	53	49	53	50	53	50	0.6	0.7	No	No	No	No
1775068	RS	60	55	48	45	48	46	48	45	0.7	0.8	No	No	No	No
1775069	RS	60	55	53	50	53	50	53	50	0.4	0.4	No	No	No	No
1775076	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1775080	RS	60	55	50	47	50	47	50	47	0.0	-0.1	No	No	No	No
1775084	RS	60	55	50	48	50	47	50	47	-0.1	-0.2	No	No	No	No
1775085	RS	60	55	55	51	55	52	54	52	0.5	0.5	No	No	No	No
1775095	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1775101	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1775112	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1775113	RS	60	55	54	51	54	51	54	51	-0.1	-0.1	No	No	No	No
1775115	RS	60	55	61	58	62	59	62	59	0.9	1.1	No	No	No	No
1775123	RS	60	55	53	50	53	51	53	50	0.7	0.8	No	No	No	No
1775129	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1775137	RS	60	55	51	48	52	49	52	49	0.6	0.7	No	No	No	No
1775159	RS	60	55	54	52	55	52	55	52	0.8	0.8	No	No	No	No
1775162	RS	60	55	54	51	55	52	54	52	0.5	0.6	No	No	No	No
1775165	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1775167	RS	60	55	52	49	52	49	52	49	-0.1	-0.1	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1775168	RS	60	55	52	49	52	49	52	49	0.4	0.3	No	No	No	No
1775169	RS	60	55	55	52	55	52	55	52	0.8	0.8	No	No	No	No
1775170	RS	60	55	53	49	53	50	52	49	0.5	0.6	No	No	No	No
1775171	RS	60	55	58	56	58	55	58	55	-0.3	-0.3	No	No	No	No
1775175	RS	60	55	64	61	65	63	64	62	0.8	1.4	No	Yes	Yes	Yes
1775184	RS	60	55	52	49	53	50	52	50	0.3	0.4	No	No	No	No
1775189	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1775191	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1775193	RS	60	55	50	48	51	48	51	48	0.7	0.7	No	No	No	No
1775195	RS	60	55	47	44	48	45	48	45	0.6	0.5	No	No	No	No
1775197	RS	60	55	47	44	48	45	48	45	0.7	0.7	No	No	No	No
1775200	RS	60	55	53	50	53	50	53	50	0.3	0.3	No	No	No	No
1775202	RS	60	55	54	51	54	51	54	51	0.5	0.4	No	No	No	No
1775203	RS	60	55	54	51	55	52	54	51	0.6	0.6	No	No	No	No
1775205	RS	60	55	45	42	46	43	45	43	0.5	0.6	No	No	No	No
1775207	RS	60	55	50	47	51	48	50	47	0.5	0.4	No	No	No	No
1775208	RS	60	55	53	51	54	51	54	51	0.8	0.9	No	No	No	No
1775211	RS	60	55	61	57	61	58	59	56	0.6	0.7	No	No	No	No
1775213	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1775214	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1775218	RS	60	55	59	56	59	56	59	56	0.7	0.7	No	No	No	No
1775230	RS	60	55	54	51	55	52	54	51	0.5	0.6	No	No	No	No
1775231	RS	60	55	53	50	53	50	53	50	-0.3	-0.3	No	No	No	No
1775232	RS	60	55	62	59	62	59	61	59	0.0	0.0	No	No	No	No
1775234	RS	60	55	53	50	54	51	54	51	0.6	0.5	No	No	No	No
1775235	RS	60	55	53	50	54	51	53	51	0.4	0.4	No	No	No	No
1775238	RS	60	55	67	61	67	61	55	52	0.1	0.6	No	No	No	No
1775250	RS	60	55	60	57	60	57	60	57	0.7	0.7	No	No	No	No
1775255	RS	60	55	46	43	46	43	46	43	0.7	0.7	No	No	No	No
1775257	RS	60	55	53	49	54	49	51	48	0.4	0.5	No	No	No	No
1775262	RS	60	55	50	47	50	47	50	47	0.1	0.2	No	No	No	No
1775273	RS	60	55	50	48	51	48	51	48	0.7	0.8	No	No	No	No
1775275	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1775276	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1775277	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1775278	RS	60	55	49	46	49	46	49	46	0.6	0.6	No	No	No	No
1775281	RS	60	55	54	50	54	51	54	51	0.4	0.4	No	No	No	No
1775282	RS	60	55	46	43	47	44	47	44	0.4	0.3	No	No	No	No
1775293	RS	60	55	52	49	52	50	52	50	0.7	0.7	No	No	No	No
1775296	RS	60	55	51	48	51	48	51	48	0.8	0.7	No	No	No	No
1775299	RS	60	55	52	49	52	50	52	49	0.6	0.6	No	No	No	No
1775304	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1775306	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1775308	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1775309	RS	60	55	55	51	55	52	54	51	0.5	0.5	No	No	No	No
1775310	RS	60	55	54	51	55	52	54	51	0.6	0.6	No	No	No	No
1775317	RS	60	55	42	38	42	39	42	39	0.5	0.5	No	No	No	No
1775322	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1775323	RS	60	55	56	53	57	54	57	54	0.5	0.5	No	No	No	No
1775327	RS	60	55	56	53	56	53	56	53	-0.6	-0.7	No	No	No	No
1775329	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1775334	RS	60	55	54	51	54	51	54	51	0.2	0.2	No	No	No	No
1775335	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1775339	RS	60	55	48	45	48	46	48	46	0.7	0.8	No	No	No	No
1775340	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1775341	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1775347	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No
1775355	RS	60	55	55	52	55	53	55	53	0.8	0.7	No	No	No	No
1775356	RS	60	55	54	50	54	51	53	50	0.3	0.5	No	No	No	No
1775364	RS	60	55	49	46	50	47	49	46	0.7	0.7	No	No	No	No
1775367	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1775372	RS	60	55	52	49	53	50	52	49	0.7	0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1775375	RS	60	55	52	49	53	50	52	49	0.7	0.8	No	No	No	No
1775376	RS	60	55	58	55	59	55	58	55	0.5	0.6	No	No	No	No
1775377	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1775378	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1775379	RS	60	55	51	48	52	49	52	49	0.9	0.8	No	No	No	No
1775381	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1775384	RS	60	55	48	45	48	45	47	45	0.6	0.6	No	No	No	No
1775386	RS	60	55	54	51	55	51	54	51	0.4	0.4	No	No	No	No
1775388	RS	60	55	51	48	52	49	52	49	0.6	0.5	No	No	No	No
1775389	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1775390	RS	60	55	53	50	53	51	53	51	0.6	0.7	No	No	No	No
1775395	RS	60	55	64	61	64	62	64	62	0.7	0.7	No	No	Yes	Yes
1775398	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1775400	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1775402	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1775404	RS	60	55	49	46	49	46	49	46	-0.2	-0.2	No	No	No	No
1775405	RS	60	55	47	44	48	45	48	45	0.3	0.3	No	No	No	No
1775409	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1775411	RS	60	55	50	45	50	46	48	46	0.4	0.5	No	No	No	No
1775429	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1775435	RS	60	55	53	50	54	51	53	50	0.4	0.5	No	No	No	No
1775443	RS	60	55	50	48	51	48	51	48	0.7	0.7	No	No	No	No
1775446	RS	60	55	53	50	54	51	53	51	0.7	0.7	No	No	No	No
1775447	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1775455	RS	60	55	52	49	52	50	52	50	0.7	0.7	No	No	No	No
1775460	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1775462	RS	60	55	55	52	55	52	55	52	0.5	0.4	No	No	No	No
1775464	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1775465	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1775468	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1775474	RS	60	55	58	54	58	55	57	54	0.6	0.7	No	No	No	No
1775478	RS	60	55	47	44	48	45	48	45	0.7	0.8	No	No	No	No
1775486	RS	60	55	55	52	55	52	55	52	0.4	0.4	No	No	No	No
1775488	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1775489	RS	60	55	50	47	50	47	50	47	0.6	0.5	No	No	No	No
1775490	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1775491	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1775495	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1775497	RS	60	55	56	53	57	53	56	53	0.7	0.7	No	No	No	No
1775499	RS	60	55	58	55	59	56	58	55	0.6	0.9	No	No	No	No
1775509	RS	60	55	51	48	52	49	51	49	0.5	0.4	No	No	No	No
1775511	RS	60	55	57	54	57	54	57	54	0.8	0.8	No	No	No	No
1775521	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1775523	RS	60	55	50	47	50	47	50	47	0.6	0.6	No	No	No	No
1775524	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1775527	RS	60	55	60	55	60	55	54	51	0.1	0.6	No	No	No	No
1775528	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1775533	RS	60	55	56	53	57	54	56	53	0.7	0.7	No	No	No	No
1775537	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1775539	RS	60	55	51	48	51	48	51	48	0.3	0.3	No	No	No	No
1775542	RS	60	55	55	53	56	53	56	53	0.8	0.7	No	No	No	No
1775546	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1775551	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1775554	RS	60	55	54	49	54	49	49	46	0.2	0.4	No	No	No	No
1775555	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1775560	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1775564	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1775565	RS	60	55	55	52	56	53	55	52	0.5	0.6	No	No	No	No
1775567	RS	60	55	57	54	57	54	57	54	0.6	0.6	No	No	No	No
1775569	RS	60	55	56	53	56	53	56	53	0.3	0.3	No	No	No	No
1775571	RS	60	55	54	52	55	52	55	52	0.5	0.4	No	No	No	No
1775574	RS	60	55	55	52	55	52	55	52	0.6	0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1775575	RS	60	55	46	43	47	44	47	44	0.6	0.5	No	No	No	No
1775579	RS	60	55	53	49	53	50	52	50	0.5	0.6	No	No	No	No
1775586	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1775587	RS	60	55	59	57	59	56	59	56	-0.2	-0.3	No	No	No	No
1775588	RS	60	55	54	51	53	50	53	50	-0.5	-0.5	No	No	No	No
1775591	RS	60	55	58	55	59	56	58	56	0.7	0.7	No	No	No	No
1775594	RS	60	55	51	48	51	48	51	48	0.6	0.5	No	No	No	No
1775595	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1775602	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1775603	RS	60	55	54	51	53	50	53	50	-0.2	-0.3	No	No	No	No
1775607	RS	60	55	54	51	54	52	54	51	0.7	0.7	No	No	No	No
1775610	RS	60	55	58	55	59	56	58	55	0.4	0.5	No	No	No	No
1775611	RS	60	55	58	55	59	56	58	56	0.5	0.4	No	No	No	No
1775613	RS	60	55	58	55	59	56	58	55	0.7	0.7	No	No	No	No
1775619	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1775623	RS	60	55	59	56	60	56	59	56	0.6	0.6	No	No	No	No
1775624	RS	60	55	54	52	55	52	55	52	0.5	0.5	No	No	No	No
1775629	RS	60	55	58	56	59	56	59	56	0.7	0.7	No	No	No	No
1775631	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1775634	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1775647	RS	60	55	54	51	55	52	54	51	0.8	0.8	No	No	No	No
1775648	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1775661	RS	60	55	56	53	57	54	57	54	0.7	0.8	No	No	No	No
1775668	RS	60	55	48	45	48	45	48	45	0.5	0.5	No	No	No	No
1775674	RS	60	55	50	47	51	48	50	48	0.8	0.7	No	No	No	No
1775677	RS	60	55	53	50	54	51	54	51	0.6	0.6	No	No	No	No
1775682	RS	60	55	48	46	49	46	49	46	0.8	0.8	No	No	No	No
1775683	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1775684	RS	60	55	56	53	56	53	56	53	0.8	0.8	No	No	No	No
1775685	RS	60	55	61	55	62	55	62	49	0.1	0.2	No	No	No	No
1775687	RS	60	55	54	51	54	51	54	51	0.8	0.7	No	No	No	No
1775688	RS	60	55	55	52	55	52	55	52	0.8	0.7	No	No	No	No
1775694	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1775700	RS	60	55	54	51	54	52	54	52	0.7	0.7	No	No	No	No
1775702	RS	60	55	51	48	52	49	52	49	0.9	0.8	No	No	No	No
1775703	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1775704	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1775708	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1775713	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1775714	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1775715	RS	60	55	49	45	49	46	49	46	0.5	0.7	No	No	No	No
1775716	RS	60	55	68	61	69	60	65	52	0.7	-0.9	No	No	No	No
1775717	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1775718	RS	60	55	53	50	54	51	54	51	0.6	0.6	No	No	No	No
1775719	RS	60	55	53	50	53	50	53	50	0.2	0.3	No	No	No	No
1775728	RS	60	55	54	51	54	51	54	51	0.6	0.5	No	No	No	No
1775729	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1775731	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1775732	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1775736	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No
1775738	RS	60	55	51	48	51	49	51	48	0.7	0.7	No	No	No	No
1775739	RS	60	55	55	52	56	52	54	52	0.6	0.6	No	No	No	No
1775740	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1775742	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1775743	RS	60	55	52	49	53	50	52	49	0.6	0.7	No	No	No	No
1775746	RS	60	55	56	53	57	54	57	54	0.6	0.5	No	No	No	No
1775747	RS	60	55	61	58	61	58	60	57	0.4	0.5	No	No	No	No
1775748	RS	60	55	49	46	50	47	49	47	0.4	0.3	No	No	No	No
1775749	RS	60	55	64	58	64	59	57	54	-0.1	0.4	No	No	No	No
1775752	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1775753	RS	60	55	52	49	53	49	52	49	0.6	0.7	No	No	No	No
1775755	RS	60	55	54	51	55	52	54	52	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1775756	RS	60	55	65	62	65	63	65	63	0.8	0.7	No	No	Yes	Yes
1775757	RS	60	55	53	49	53	50	52	49	0.6	0.6	No	No	No	No
1775760	RS	60	55	50	47	51	48	50	48	0.4	0.4	No	No	No	No
1775761	RS	60	55	55	52	55	52	54	52	-0.2	-0.3	No	No	No	No
1775764	RS	60	55	51	48	52	48	51	48	0.3	0.3	No	No	No	No
1775768	RS	60	55	53	50	53	51	53	50	0.3	0.4	No	No	No	No
1775770	RS	60	55	54	50	54	51	54	51	0.3	0.4	No	No	No	No
1775773	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1775775	RS	60	55	59	56	60	57	59	56	0.6	0.8	No	No	No	No
1775778	RS	60	55	72	66	72	66	62	59	0.1	-0.1	No	No	No	No
1775779	RS	60	55	58	54	58	54	56	53	0.4	0.6	No	No	No	No
1775781	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1775801	RS	60	55	59	56	59	56	59	56	0.5	0.5	No	No	No	No
1775810	RS	60	55	59	55	59	56	57	54	0.5	0.6	No	No	No	No
1775812	RS	60	55	56	53	56	54	56	54	0.7	0.8	No	No	No	No
1775817	RS	60	55	54	51	53	50	53	50	-0.5	-0.5	No	No	No	No
1775821	RS	60	55	54	51	55	51	54	51	0.6	0.6	No	No	No	No
1775827	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1775829	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1775834	RS	60	55	54	51	55	52	54	52	0.7	0.8	No	No	No	No
1775837	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1775841	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1775845	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1775850	RS	60	55	53	50	53	50	53	50	0.4	0.3	No	No	No	No
1775851	RS	60	55	56	53	57	54	56	54	0.7	0.7	No	No	No	No
1775856	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1775867	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1775871	RS	60	55	57	54	57	55	57	55	0.7	0.7	No	No	No	No
1775876	RS	60	55	48	45	48	45	48	45	0.6	0.6	No	No	No	No
1775877	RS	60	55	38	35	39	36	38	36	0.5	0.5	No	No	No	No
1775880	RS	60	55	53	49	53	50	52	49	0.6	0.6	No	No	No	No
1775881	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1775883	RS	60	55	53	50	54	50	53	50	0.2	0.4	No	No	No	No
1775884	RS	60	55	47	44	48	45	48	45	0.6	0.5	No	No	No	No
1775888	RS	60	55	52	49	52	49	52	49	0.6	0.5	No	No	No	No
1775889	RS	60	55	45	42	46	43	45	42	0.4	0.3	No	No	No	No
1775892	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1775894	RS	60	55	54	51	55	52	54	52	0.6	0.6	No	No	No	No
1775898	RS	60	55	50	47	50	48	50	47	0.7	0.8	No	No	No	No
1775899	RS	60	55	63	57	63	57	53	50	0.0	0.0	No	No	No	No
1775904	RS	60	55	51	48	52	48	51	48	0.7	0.6	No	No	No	No
1775906	RS	60	55	47	44	48	45	48	45	0.7	0.7	No	No	No	No
1775911	RS	60	55	50	47	50	47	50	47	0.7	0.8	No	No	No	No
1775913	RS	60	55	54	51	53	50	53	50	-0.3	-0.4	No	No	No	No
1775916	RS	60	55	56	53	56	53	56	53	-0.5	-0.5	No	No	No	No
1775925	RS	60	55	57	54	57	54	57	54	-0.6	-0.6	No	No	No	No
1775926	RS	60	55	57	54	57	54	57	54	0.7	0.8	No	No	No	No
1775930	RS	60	55	51	49	52	49	52	49	0.5	0.5	No	No	No	No
1775933	RS	60	55	52	49	53	50	52	49	0.6	0.7	No	No	No	No
1775944	RS	60	55	47	44	47	44	47	44	0.5	0.5	No	No	No	No
1775946	RS	60	55	58	53	58	53	54	51	0.1	0.3	No	No	No	No
1775949	RS	60	55	59	56	59	56	59	56	-0.2	-0.3	No	No	No	No
1775952	RS	60	55	52	49	52	49	52	49	0.5	0.6	No	No	No	No
1775955	RS	60	55	49	46	50	47	49	46	0.6	0.6	No	No	No	No
1775957	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1775959	RS	60	55	54	51	54	51	54	51	-0.4	-0.5	No	No	No	No
1775960	RS	60	55	67	64	68	65	67	65	0.8	1.0	No	Yes	Yes	Yes
1775961	RS	60	55	59	54	59	54	55	52	0.1	0.4	No	No	No	No
1775962	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1775966	RS	60	55	50	48	50	47	50	47	-0.7	-0.6	No	No	No	No
1775968	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1775973	RS	60	55	58	54	58	54	56	53	0.0	0.2	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1775974	RS	60	55	53	50	53	50	53	50	0.3	0.3	No	No	No	No
1775977	RS	60	55	63	60	63	61	63	61	0.8	0.8	No	Yes	Yes	Yes
1775979	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1775994	RS	60	55	56	53	56	54	56	54	0.9	0.7	No	No	No	No
1775996	RS	60	55	70	65	70	65	55	52	0.0	0.0	No	No	No	No
1775997	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1776008	RS	60	55	57	54	58	55	57	54	0.7	0.8	No	No	No	No
1776010	RS	60	55	57	54	57	54	57	54	0.6	0.5	No	No	No	No
1776013	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1776018	RS	60	55	57	54	58	55	57	54	0.6	1.1	No	No	No	No
1776020	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1776034	RS	60	55	50	46	50	47	49	46	0.3	0.6	No	No	No	No
1776036	RS	60	55	61	58	61	58	61	58	0.7	0.6	No	No	No	No
1776037	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1776038	RS	60	55	58	55	59	56	58	55	0.5	0.7	No	No	No	No
1776040	RS	60	55	50	47	51	48	49	46	0.7	0.8	No	No	No	No
1776048	RS	60	55	59	57	60	57	60	57	0.8	0.7	No	No	No	No
1776050	RS	60	55	60	57	61	57	59	56	0.4	0.6	No	No	No	No
1776056	RS	60	55	50	47	51	48	50	47	0.6	0.5	No	No	No	No
1776058	RS	60	55	63	58	63	58	55	53	0.0	0.0	No	No	No	No
1776070	RS	60	55	51	47	52	47	49	46	0.6	0.2	No	No	No	No
1776075	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1776080	RS	60	55	52	49	52	49	52	49	0.6	0.6	No	No	No	No
1776085	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1776087	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1776089	RS	60	55	65	58	65	57	52	49	0.5	-0.5	No	No	No	No
1776098	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1776100	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1776101	RS	60	55	51	48	51	48	51	48	0.2	0.2	No	No	No	No
1776102	RS	60	55	53	50	54	51	54	51	0.6	0.6	No	No	No	No
1776104	RS	60	55	52	49	53	50	53	50	0.6	0.6	No	No	No	No
1776105	RS	60	55	54	51	54	51	54	51	0.8	0.8	No	No	No	No
1776106	RS	60	55	51	48	51	48	51	48	-0.1	-0.2	No	No	No	No
1776107	RS	60	55	50	47	50	47	50	47	0.8	0.7	No	No	No	No
1776112	RS	60	55	55	52	56	53	55	53	0.5	0.5	No	No	No	No
1776117	RS	60	55	50	47	50	48	50	48	0.4	0.5	No	No	No	No
1776123	RS	60	55	46	43	47	44	47	44	0.8	0.7	No	No	No	No
1776128	RS	60	55	51	49	51	48	51	48	-0.2	-0.3	No	No	No	No
1776129	RS	60	55	56	53	56	53	56	53	0.6	0.6	No	No	No	No
1776134	RS	60	55	56	53	57	54	57	54	0.7	0.8	No	No	No	No
1776163	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1776173	RS	60	55	51	48	52	49	52	49	0.6	0.6	No	No	No	No
1776174	RS	60	55	56	53	57	54	57	54	0.8	0.7	No	No	No	No
1776177	RS	60	55	51	48	51	49	51	49	0.7	0.7	No	No	No	No
1776181	RS	60	55	63	56	64	56	52	49	0.5	-0.5	No	No	No	No
1776186	RS	60	55	50	47	50	47	50	47	-0.2	-0.2	No	No	No	No
1776190	RS	60	55	55	52	56	53	55	53	0.8	0.8	No	No	No	No
1776197	RS	60	55	51	47	51	47	49	46	0.4	0.5	No	No	No	No
1776201	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1776203	RS	60	55	58	55	59	55	57	54	0.2	0.3	No	No	No	No
1776209	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1776210	RS	60	55	46	43	46	43	46	43	0.4	0.4	No	No	No	No
1776212	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1776213	RS	60	55	69	63	69	63	57	54	0.1	-0.1	No	No	No	No
1776218	RS	60	55	52	49	52	49	52	49	0.3	0.3	No	No	No	No
1776219	RS	60	55	52	49	53	50	52	49	0.7	0.7	No	No	No	No
1776223	RS	60	55	52	48	52	49	51	48	0.5	0.6	No	No	No	No
1776224	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1776228	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1776234	RS	60	55	50	47	51	48	50	47	0.4	0.4	No	No	No	No
1776235	RS	60	55	48	45	48	45	48	45	0.4	0.4	No	No	No	No
1776236	RS	60	55	48	45	48	46	48	46	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1776237	RS	60	55	57	55	58	56	58	55	0.8	0.9	No	No	No	No
1776238	RS	60	55	53	49	53	50	52	49	0.5	0.7	No	No	No	No
1776240	RS	60	55	53	50	54	51	53	50	0.4	0.5	No	No	No	No
1776242	RS	60	55	46	43	47	44	46	44	0.5	0.5	No	No	No	No
1776245	RS	60	55	55	52	56	53	55	53	0.5	0.5	No	No	No	No
1776255	RS	60	55	51	48	52	49	52	49	0.6	0.6	No	No	No	No
1776256	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1776261	RS	60	55	56	53	56	53	56	53	0.7	0.8	No	No	No	No
1776262	RS	60	55	50	46	50	47	50	47	0.3	0.4	No	No	No	No
1776263	RS	60	55	54	51	54	51	54	51	0.4	0.3	No	No	No	No
1776267	RS	60	55	48	45	48	45	48	45	0.4	0.3	No	No	No	No
1776269	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1776270	RS	60	55	54	51	55	52	55	52	0.6	0.7	No	No	No	No
1776272	RS	60	55	58	55	58	56	58	55	0.6	0.8	No	No	No	No
1776282	RS	60	55	51	48	51	49	51	49	0.8	0.8	No	No	No	No
1776283	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1776294	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1776301	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1776304	RS	60	55	54	51	54	51	54	51	0.4	0.5	No	No	No	No
1776306	RS	60	55	54	51	55	52	54	52	0.5	0.5	No	No	No	No
1776307	RS	60	55	52	49	53	50	53	50	0.9	0.9	No	No	No	No
1776309	RS	60	55	43	40	44	41	43	41	0.5	0.6	No	No	No	No
1776310	RS	60	55	50	47	50	47	50	47	0.6	0.6	No	No	No	No
1776316	RS	60	55	52	49	51	49	51	49	-0.1	-0.1	No	No	No	No
1776317	RS	60	55	71	65	71	65	59	56	0.0	0.0	No	No	No	No
1776330	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1776334	RS	60	55	51	48	52	49	51	48	0.6	0.7	No	No	No	No
1776339	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1776352	RS	60	55	57	54	57	54	57	54	0.7	0.8	No	No	No	No
1776354	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1776356	RS	60	55	52	50	53	50	53	50	0.8	0.8	No	No	No	No
1776357	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1776358	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1776362	RS	60	55	61	58	62	59	62	59	0.8	0.9	No	No	No	No
1776363	RS	60	55	54	51	55	52	55	52	0.4	0.4	No	No	No	No
1776364	RS	60	55	51	47	51	48	50	47	0.6	0.7	No	No	No	No
1776368	RS	60	55	58	55	59	56	58	55	0.7	0.8	No	No	No	No
1776371	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1776373	RS	60	55	52	49	52	49	52	49	0.7	0.9	No	No	No	No
1776389	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1776395	RS	60	55	49	46	49	46	49	46	0.6	0.5	No	No	No	No
1776396	RS	60	55	45	42	46	43	45	43	0.7	0.7	No	No	No	No
1776400	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1776402	RS	60	55	50	47	51	48	50	48	0.5	0.5	No	No	No	No
1776405	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1776406	RS	60	55	58	53	58	54	54	52	0.1	0.3	No	No	No	No
1776407	RS	60	55	50	46	50	46	48	46	0.4	0.5	No	No	No	No
1776409	RS	60	55	64	61	64	62	64	61	0.6	0.6	No	Yes	Yes	Yes
1776414	RS	60	55	51	48	51	49	51	49	0.7	0.7	No	No	No	No
1776415	RS	60	55	55	52	54	51	54	51	-0.6	-0.7	No	No	No	No
1776418	RS	60	55	54	51	54	51	54	51	-0.1	-0.1	No	No	No	No
1776420	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1776424	RS	60	55	62	59	62	60	62	59	0.7	0.7	No	Yes	No	Yes
1776426	RS	60	55	49	47	49	46	49	46	-0.4	-0.4	No	No	No	No
1776427	RS	60	55	55	53	56	53	56	53	0.7	0.7	No	No	No	No
1776431	RS	60	55	70	65	70	65	59	56	0.0	0.0	No	No	No	No
1776433	RS	60	55	52	49	52	49	52	49	0.5	0.6	No	No	No	No
1776437	RS	60	55	49	46	49	46	49	46	-0.1	-0.1	No	No	No	No
1776445	RS	60	55	53	50	53	50	53	50	0.8	0.7	No	No	No	No
1776449	RS	60	55	56	53	57	54	57	54	0.9	0.8	No	No	No	No
1776450	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1776451	RS	60	55	64	61	64	61	64	61	0.7	0.7	No	No	Yes	Yes

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1776453	RS	60	55	50	48	51	48	51	48	0.9	0.8	No	No	No	No
1776457	RS	60	55	55	52	56	53	56	53	0.8	1.0	No	No	No	No
1776459	RS	60	55	47	45	48	45	48	45	0.6	0.5	No	No	No	No
1776460	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1776461	RS	60	55	57	54	56	53	56	53	-0.6	-0.7	No	No	No	No
1776470	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1776472	RS	60	55	56	53	56	53	56	53	0.3	0.3	No	No	No	No
1776474	RS	60	55	54	51	54	51	54	51	0.4	0.3	No	No	No	No
1776476	RS	60	55	50	48	51	48	51	48	0.4	0.3	No	No	No	No
1776477	RS	60	55	52	49	53	50	53	50	0.4	0.4	No	No	No	No
1776480	RS	60	55	52	49	52	49	52	49	0.5	0.5	No	No	No	No
1776482	RS	60	55	46	43	46	43	46	43	0.3	0.3	No	No	No	No
1776483	RS	60	55	54	50	54	51	53	50	0.6	0.7	No	No	No	No
1776488	RS	60	55	63	60	64	61	63	61	0.8	1.0	No	Yes	Yes	Yes
1776498	RS	60	55	52	49	52	49	52	49	0.6	0.7	No	No	No	No
1776509	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1776510	RS	60	55	50	47	50	48	50	48	0.7	0.8	No	No	No	No
1776511	RS	60	55	55	52	56	53	55	52	0.7	0.7	No	No	No	No
1776512	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1776513	RS	60	55	51	48	52	48	51	48	0.5	0.4	No	No	No	No
1776514	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1776515	RS	60	55	51	48	52	49	51	49	0.5	0.6	No	No	No	No
1776516	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1776517	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1776519	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1776520	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1776521	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1776522	RS	60	55	53	50	54	51	53	51	0.7	0.7	No	No	No	No
1776523	RS	60	55	50	47	50	47	50	47	0.1	0.1	No	No	No	No
1776526	RS	60	55	53	50	54	51	53	51	0.8	0.8	No	No	No	No
1776527	RS	60	55	53	50	53	50	53	50	0.1	0.0	No	No	No	No
1776529	RS	60	55	47	44	48	45	48	45	0.5	0.6	No	No	No	No
1776531	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1776533	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1776547	RS	60	55	53	50	53	51	53	51	0.7	0.7	No	No	No	No
1776550	RS	60	55	54	51	55	51	54	51	0.3	0.3	No	No	No	No
1776552	RS	60	55	52	49	52	49	52	49	0.1	0.1	No	No	No	No
1776556	RS	60	55	54	51	55	52	54	51	0.6	0.7	No	No	No	No
1776558	RS	60	55	48	44	48	44	47	44	0.4	0.4	No	No	No	No
1776562	RS	60	55	55	52	55	52	55	52	0.4	0.4	No	No	No	No
1776569	RS	60	55	54	50	54	50	52	49	0.3	0.5	No	No	No	No
1776580	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1776584	RS	60	55	54	50	54	51	53	50	0.2	0.3	No	No	No	No
1776589	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1776592	RS	60	55	48	46	49	46	49	46	0.8	0.8	No	No	No	No
1776601	RS	60	55	63	57	63	57	55	52	0.1	0.2	No	No	No	No
1776604	RS	60	55	48	45	48	45	48	45	0.7	0.7	No	No	No	No
1776608	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1776609	RS	60	55	51	48	52	49	52	49	0.9	0.8	No	No	No	No
1776610	RS	60	55	50	47	51	48	50	47	0.5	0.6	No	No	No	No
1776611	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1776612	RS	60	55	54	51	54	51	54	51	0.6	0.7	No	No	No	No
1776625	RS	60	55	55	52	55	52	55	52	0.4	0.4	No	No	No	No
1776630	RS	60	55	55	52	55	52	55	52	0.7	0.8	No	No	No	No
1776632	RS	60	55	49	46	50	47	50	47	0.4	0.4	No	No	No	No
1776633	RS	60	55	54	51	54	52	54	51	0.7	0.8	No	No	No	No
1776636	RS	60	55	59	56	59	57	58	56	0.8	1.3	No	No	No	No
1776643	RS	60	55	50	47	50	47	50	47	0.1	0.1	No	No	No	No
1776652	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1776659	RS	60	55	53	50	54	51	54	51	0.9	0.9	No	No	No	No
1776662	RS	60	55	56	53	56	54	56	54	0.8	0.8	No	No	No	No
1776665	RS	60	55	52	49	53	50	53	50	0.9	0.9	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1776669	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1776670	RS	60	55	50	47	50	48	50	48	0.8	0.8	No	No	No	No
1776671	RS	60	55	47	44	48	45	48	45	0.7	0.7	No	No	No	No
1776678	RS	60	55	55	51	55	51	52	49	0.2	0.5	No	No	No	No
1776683	RS	60	55	56	53	57	54	56	54	0.8	0.7	No	No	No	No
1776686	RS	60	55	59	55	59	55	57	54	0.1	0.3	No	No	No	No
1776687	RS	60	55	69	64	69	64	64	61	0.0	0.3	No	Yes	Yes	Yes
1776689	RS	60	55	51	48	52	49	51	49	0.7	0.7	No	No	No	No
1776693	RS	60	55	50	46	50	47	49	47	0.5	0.4	No	No	No	No
1776701	RS	60	55	50	47	51	47	50	47	0.5	0.4	No	No	No	No
1776703	RS	60	55	47	45	48	45	48	45	0.8	0.7	No	No	No	No
1776711	RS	60	55	50	47	50	47	50	47	-0.1	-0.1	No	No	No	No
1776719	RS	60	55	47	44	48	45	47	44	0.5	0.5	No	No	No	No
1776725	RS	60	55	56	53	57	54	56	54	0.5	0.5	No	No	No	No
1776730	RS	60	55	50	47	51	48	51	48	0.5	0.5	No	No	No	No
1776733	RS	60	55	53	50	54	51	53	50	0.7	0.7	No	No	No	No
1776734	RS	60	55	59	56	59	56	59	56	0.7	0.6	No	No	No	No
1776736	RS	60	55	55	52	55	53	55	53	0.7	0.7	No	No	No	No
1776738	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1776743	RS	60	55	52	48	52	49	51	49	0.4	0.3	No	No	No	No
1776747	RS	60	55	50	47	50	47	50	47	0.7	0.8	No	No	No	No
1776750	RS	60	55	47	44	48	45	48	45	0.8	0.8	No	No	No	No
1776751	RS	60	55	52	49	53	50	53	50	0.4	0.4	No	No	No	No
1776754	RS	60	55	52	49	53	50	52	49	0.5	0.6	No	No	No	No
1776757	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1776758	RS	60	55	53	50	54	51	53	51	0.3	0.3	No	No	No	No
1776759	RS	60	55	54	51	54	51	53	51	0.0	0.1	No	No	No	No
1776761	RS	60	55	48	45	48	46	48	46	0.7	0.7	No	No	No	No
1776764	RS	60	55	47	44	48	45	48	45	0.7	0.7	No	No	No	No
1776766	RS	60	55	55	52	56	53	55	53	0.9	0.8	No	No	No	No
1776767	RS	60	55	52	49	53	50	53	50	0.8	0.9	No	No	No	No
1776773	RS	60	55	52	49	53	50	53	50	0.6	0.6	No	No	No	No
1776776	RS	60	55	51	48	52	49	52	49	0.6	0.5	No	No	No	No
1776779	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1776781	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1776783	RS	60	55	50	47	50	47	50	47	0.5	0.4	No	No	No	No
1776784	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1776790	RS	60	55	54	51	54	51	54	51	-0.1	-0.2	No	No	No	No
1776791	RS	60	55	52	48	52	49	52	49	0.6	0.6	No	No	No	No
1776792	RS	60	55	58	55	59	56	58	55	0.7	0.9	No	No	No	No
1776794	RS	60	55	52	49	53	50	52	50	0.7	0.8	No	No	No	No
1776799	RS	60	55	55	52	55	52	55	52	0.7	0.8	No	No	No	No
1776800	RS	60	55	55	52	56	53	55	53	0.7	0.7	No	No	No	No
1776824	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1776826	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1776830	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1776839	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1776843	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1776849	RS	60	55	51	48	52	49	51	49	0.3	0.3	No	No	No	No
1776853	RS	60	55	47	45	48	45	48	45	0.6	0.6	No	No	No	No
1776860	RS	60	55	51	48	51	48	51	48	0.6	0.6	No	No	No	No
1776861	RS	60	55	49	46	50	47	50	47	0.8	0.9	No	No	No	No
1776863	RS	60	55	48	46	49	46	49	46	0.6	0.6	No	No	No	No
1776865	RS	60	55	56	54	57	54	57	54	0.8	0.8	No	No	No	No
1776866	RS	60	55	54	51	54	52	54	52	0.8	0.8	No	No	No	No
1776867	RS	60	55	49	46	49	46	49	46	-0.1	-0.1	No	No	No	No
1776873	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1776874	RS	60	55	56	53	56	54	56	54	0.5	0.5	No	No	No	No
1776880	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1776881	RS	60	55	51	48	52	49	51	48	0.6	0.6	No	No	No	No
1776885	RS	60	55	58	55	59	56	58	56	0.8	0.7	No	No	No	No
1776890	RS	60	55	49	46	48	45	48	45	-0.6	-0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1776891	RS	60	55	54	51	54	51	54	51	0.8	0.7	No	No	No	No
1776892	RS	60	55	48	45	48	45	48	45	0.7	0.7	No	No	No	No
1776895	RS	60	55	46	43	46	43	46	43	0.7	0.7	No	No	No	No
1776897	RS	60	55	52	49	53	49	52	49	0.4	0.4	No	No	No	No
1776899	RS	60	55	53	50	54	51	54	51	0.4	0.4	No	No	No	No
1776906	RS	60	55	56	53	56	54	56	54	0.6	0.5	No	No	No	No
1776909	RS	60	55	47	44	48	45	48	45	0.7	0.8	No	No	No	No
1776910	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1776914	RS	60	55	52	49	53	49	52	49	0.4	0.5	No	No	No	No
1776919	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1776920	RS	60	55	53	51	54	51	54	51	0.7	0.7	No	No	No	No
1776922	RS	60	55	56	53	57	54	57	54	0.6	0.5	No	No	No	No
1776923	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1776938	RS	60	55	52	49	52	49	52	49	0.8	0.8	No	No	No	No
1776941	RS	60	55	50	47	51	48	51	48	0.5	0.6	No	No	No	No
1776944	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1776948	RS	60	55	51	48	51	48	51	48	0.2	0.3	No	No	No	No
1776949	RS	60	55	51	48	51	48	51	48	0.4	0.5	No	No	No	No
1776950	RS	60	55	52	49	52	49	52	49	-0.2	-0.2	No	No	No	No
1776951	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1776952	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1776954	RS	60	55	52	50	52	49	52	49	-0.1	-0.2	No	No	No	No
1776956	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1776958	RS	60	55	54	51	55	52	54	51	0.7	0.8	No	No	No	No
1776959	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1776964	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1776965	RS	60	55	59	56	60	57	59	57	0.4	0.5	No	No	No	No
1776969	RS	60	55	57	54	57	55	57	55	0.5	0.6	No	No	No	No
1776970	RS	60	55	52	49	52	50	52	50	0.8	0.7	No	No	No	No
1776972	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1776976	RS	60	55	57	53	57	53	55	52	0.3	0.4	No	No	No	No
1776980	RS	60	55	59	54	59	55	55	52	0.1	0.4	No	No	No	No
1776982	RS	60	55	56	53	57	54	57	54	0.7	0.8	No	No	No	No
1776984	RS	60	55	53	50	53	50	53	50	0.0	0.0	No	No	No	No
1776987	RS	60	55	53	50	54	51	53	51	0.8	0.9	No	No	No	No
1776988	RS	60	55	59	53	60	53	53	51	0.2	0.3	No	No	No	No
1776997	RS	60	55	49	47	50	47	50	47	0.7	0.7	No	No	No	No
1777023	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1777024	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1777030	RS	60	55	54	51	54	51	54	51	-0.2	-0.3	No	No	No	No
1777034	RS	60	55	51	49	51	48	51	48	-0.4	-0.5	No	No	No	No
1777035	RS	60	55	63	60	64	61	64	61	0.6	0.6	No	No	Yes	Yes
1777038	RS	60	55	54	51	55	52	54	52	0.8	0.7	No	No	No	No
1777040	RS	60	55	53	50	54	51	53	50	0.6	0.7	No	No	No	No
1777045	RS	60	55	53	49	53	50	53	50	0.5	0.3	No	No	No	No
1777047	RS	60	55	71	66	71	66	56	53	0.0	0.0	No	No	No	No
1777049	RS	60	55	56	53	56	53	56	53	-0.2	-0.2	No	No	No	No
1777051	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1777057	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1777058	RS	60	55	55	51	56	52	54	51	0.5	0.5	No	No	No	No
1777060	RS	60	55	48	45	48	45	48	45	0.3	0.3	No	No	No	No
1777064	RS	60	55	57	54	57	54	57	54	0.4	0.4	No	No	No	No
1777066	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1777067	RS	60	55	52	49	52	50	52	50	0.8	0.7	No	No	No	No
1777070	RS	60	55	55	52	56	53	55	53	0.7	0.7	No	No	No	No
1777072	RS	60	55	57	54	58	55	57	54	0.7	0.6	No	No	No	No
1777073	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1777075	RS	60	55	58	55	58	55	58	55	0.7	0.7	No	No	No	No
1777081	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1777089	RS	60	55	55	52	55	53	55	52	0.8	0.8	No	No	No	No
1777090	RS	60	55	47	44	48	45	47	44	0.7	0.8	No	No	No	No
1777091	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1777093	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1777096	RS	60	55	58	54	58	54	55	52	0.6	0.5	No	No	No	No
1777100	RS	60	55	53	50	54	51	53	50	0.7	0.8	No	No	No	No
1777113	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1777117	RS	60	55	50	47	51	48	50	48	0.5	0.5	No	No	No	No
1777119	RS	60	55	58	54	58	55	57	54	0.5	0.5	No	No	No	No
1777135	RS	60	55	57	54	58	55	58	55	0.7	0.8	No	No	No	No
1777139	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1777160	RS	60	55	55	52	56	53	55	52	0.7	0.9	No	No	No	No
1777161	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1777163	RS	60	55	53	51	54	51	54	51	0.7	0.8	No	No	No	No
1777166	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1777174	RS	60	55	50	47	50	48	50	48	0.2	0.1	No	No	No	No
1777175	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1777179	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1777185	RS	60	55	51	49	52	49	52	49	0.8	0.8	No	No	No	No
1777186	RS	60	55	52	49	53	50	52	50	0.7	0.7	No	No	No	No
1777187	RS	60	55	56	53	56	54	56	54	0.8	0.8	No	No	No	No
1777192	RS	60	55	50	47	50	47	50	47	0.2	0.1	No	No	No	No
1777193	RS	60	55	57	54	58	55	58	55	0.8	0.9	No	No	No	No
1777196	RS	60	55	51	48	51	48	51	48	0.5	0.6	No	No	No	No
1777198	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No
1777204	RS	60	55	53	50	52	50	52	50	-0.4	-0.4	No	No	No	No
1777205	RS	60	55	51	48	51	48	51	48	0.6	0.5	No	No	No	No
1777207	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1777210	RS	60	55	54	51	54	51	54	51	-0.6	-0.6	No	No	No	No
1777211	RS	60	55	50	47	50	47	50	47	0.0	-0.1	No	No	No	No
1777213	RS	60	55	48	46	48	45	48	45	-0.1	-0.1	No	No	No	No
1777214	RS	60	55	63	60	64	61	64	61	0.8	0.8	No	No	Yes	Yes
1777227	RS	60	55	63	56	63	56	54	51	0.1	0.2	No	No	No	No
1777228	RS	60	55	63	57	63	58	55	52	0.1	0.2	No	No	No	No
1777231	RS	60	55	55	52	55	52	55	52	-0.7	-0.7	No	No	No	No
1777233	RS	60	55	51	48	51	48	51	48	-0.2	-0.2	No	No	No	No
1777246	RS	60	55	63	60	63	60	62	59	0.5	0.7	No	Yes	No	Yes
1777257	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1777275	RS	60	55	47	44	47	44	47	44	0.5	0.4	No	No	No	No
1777276	RS	60	55	53	49	53	50	53	50	0.7	0.7	No	No	No	No
1777277	RS	60	55	47	44	47	44	47	44	0.5	0.5	No	No	No	No
1777281	RS	60	55	47	44	48	45	48	45	0.5	0.6	No	No	No	No
1777291	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1777294	RS	60	55	53	51	54	51	54	51	0.8	0.7	No	No	No	No
1777295	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1777297	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1777298	RS	60	55	51	48	51	48	51	48	-0.1	-0.2	No	No	No	No
1777299	RS	60	55	52	49	52	49	52	49	0.5	0.4	No	No	No	No
1777302	RS	60	55	50	47	51	47	49	46	0.4	0.5	No	No	No	No
1777307	RS	60	55	51	48	51	48	51	48	0.5	0.5	No	No	No	No
1777311	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1777312	RS	60	55	49	46	49	46	49	46	0.5	0.6	No	No	No	No
1777314	RS	60	55	52	48	52	49	51	48	0.4	0.5	No	No	No	No
1777324	RS	60	55	54	51	55	52	54	52	0.4	0.5	No	No	No	No
1777327	RS	60	55	46	43	47	44	46	43	0.5	0.5	No	No	No	No
1777331	RS	60	55	57	54	58	55	58	55	0.6	0.5	No	No	No	No
1777333	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1777339	RS	60	55	50	46	50	47	49	47	0.4	0.3	No	No	No	No
1777342	RS	60	55	55	52	56	52	54	52	0.5	0.6	No	No	No	No
1777344	RS	60	55	50	47	51	48	51	48	0.6	0.5	No	No	No	No
1777345	RS	60	55	51	48	52	49	51	49	0.5	0.4	No	No	No	No
1777350	RS	60	55	49	46	50	47	50	47	0.4	0.4	No	No	No	No
1777357	RS	60	55	61	55	62	56	58	55	0.3	0.7	No	No	No	No
1777360	RS	60	55	66	59	66	60	54	51	0.1	1.1	No	No	No	No
1777362	RS	60	55	54	52	55	52	55	52	0.6	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1777369	RS	60	55	50	47	50	47	50	47	0.5	0.6	No	No	No	No
1777370	RS	60	55	53	50	54	50	53	50	0.4	0.5	No	No	No	No
1777373	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1777374	RS	60	55	57	54	57	55	57	55	0.5	0.5	No	No	No	No
1777377	RS	60	55	48	45	48	45	48	45	0.7	0.6	No	No	No	No
1777380	RS	60	55	45	42	45	43	45	42	0.8	0.7	No	No	No	No
1777381	RS	60	55	49	46	50	47	50	47	0.8	0.7	No	No	No	No
1777382	RS	60	55	56	54	57	54	57	54	0.7	0.7	No	No	No	No
1777383	RS	60	55	55	52	56	52	54	51	0.5	0.6	No	No	No	No
1777385	RS	60	55	49	46	49	46	49	46	0.6	0.5	No	No	No	No
1777387	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1777390	RS	60	55	56	53	57	54	57	54	0.6	0.6	No	No	No	No
1777391	RS	60	55	52	49	52	50	52	50	0.8	0.8	No	No	No	No
1777393	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1777395	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1777397	RS	60	55	53	48	54	48	49	47	0.3	0.5	No	No	No	No
1777398	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1777400	RS	60	55	51	49	51	49	51	49	0.0	0.0	No	No	No	No
1777410	RS	60	55	53	50	53	50	53	50	0.4	0.3	No	No	No	No
1777413	RS	60	55	53	51	54	51	54	51	0.5	0.4	No	No	No	No
1777418	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1777422	RS	60	55	58	55	58	55	58	55	0.5	0.6	No	No	No	No
1777424	RS	60	55	63	60	63	61	63	61	0.6	0.6	No	No	Yes	Yes
1777425	RS	60	55	57	54	58	55	57	54	0.7	0.7	No	No	No	No
1777426	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1777429	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1777433	RS	60	55	54	51	54	51	54	51	0.6	0.8	No	No	No	No
1777442	RS	60	55	55	51	55	52	55	52	0.6	0.7	No	No	No	No
1777448	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1777449	RS	60	55	48	45	49	46	49	46	0.8	0.9	No	No	No	No
1777452	RS	60	55	56	53	56	53	56	53	0.7	0.6	No	No	No	No
1777455	RS	60	55	54	51	55	52	54	51	0.5	0.6	No	No	No	No
1777457	RS	60	55	52	49	51	48	51	48	-0.4	-0.5	No	No	No	No
1777465	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1777469	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1777471	RS	60	55	48	45	48	46	48	45	0.1	0.1	No	No	No	No
1777476	RS	60	55	60	53	60	54	52	50	0.1	0.3	No	No	No	No
1777481	RS	60	55	55	52	55	52	55	52	-0.2	-0.2	No	No	No	No
1777482	RS	60	55	52	49	52	49	52	49	0.2	0.2	No	No	No	No
1777513	RS	60	55	56	53	56	53	56	53	0.4	0.5	No	No	No	No
1777517	RS	60	55	54	51	54	51	54	51	-0.2	-0.2	No	No	No	No
1777519	RS	60	55	53	50	52	49	52	49	-0.2	-0.2	No	No	No	No
1777539	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1777541	RS	60	55	48	45	47	44	47	44	-0.2	-0.2	No	No	No	No
1777542	RS	60	55	53	50	54	50	53	50	0.5	0.5	No	No	No	No
1777544	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1777546	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1777548	RS	60	55	53	50	54	51	53	51	0.8	0.8	No	No	No	No
1777549	RS	60	55	53	51	54	51	54	51	0.7	0.8	No	No	No	No
1777551	RS	60	55	55	52	55	52	55	52	0.8	0.8	No	No	No	No
1777552	RS	60	55	55	52	55	52	55	52	0.0	0.0	No	No	No	No
1777554	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1777559	RS	60	55	50	47	50	48	50	48	0.7	0.8	No	No	No	No
1777561	RS	60	55	53	50	53	50	53	50	0.3	0.4	No	No	No	No
1777564	RS	60	55	53	51	54	51	54	51	0.1	0.1	No	No	No	No
1777565	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1777575	RS	60	55	55	52	55	53	55	53	0.8	0.7	No	No	No	No
1777577	RS	60	55	55	51	55	52	54	51	0.5	0.7	No	No	No	No
1777578	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1777580	RS	60	55	51	48	51	48	51	48	0.8	0.8	No	No	No	No
1777582	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1777583	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1777587	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1777588	RS	60	55	67	62	67	63	63	60	0.0	0.4	No	Yes	Yes	Yes
1777590	RS	60	55	52	50	53	50	53	50	0.4	0.4	No	No	No	No
1777592	RS	60	55	51	49	52	49	52	49	0.8	0.8	No	No	No	No
1777593	RS	60	55	55	52	55	52	55	52	0.4	0.3	No	No	No	No
1777597	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1777603	RS	60	55	52	49	51	48	51	48	-0.2	-0.2	No	No	No	No
1777610	RS	60	55	63	58	63	58	53	50	0.0	0.0	No	No	No	No
1777611	RS	60	55	55	51	55	52	54	51	0.3	0.3	No	No	No	No
1777614	RS	60	55	56	53	56	53	56	53	0.4	0.4	No	No	No	No
1777618	RS	60	55	47	44	47	44	47	44	0.5	0.5	No	No	No	No
1777620	RS	60	55	49	46	49	47	49	47	0.7	0.7	No	No	No	No
1777625	RS	60	55	51	48	51	48	51	48	-0.3	-0.2	No	No	No	No
1777628	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1777629	RS	60	55	50	48	51	48	51	48	0.7	0.7	No	No	No	No
1777630	RS	60	55	51	48	52	49	51	49	0.8	0.8	No	No	No	No
1777632	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1777633	RS	60	55	54	51	54	51	54	51	-0.1	-0.2	No	No	No	No
1777635	RS	60	55	62	59	63	60	63	60	0.7	0.8	No	No	Yes	Yes
1777638	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1777639	RS	60	55	57	54	58	55	57	55	0.6	0.6	No	No	No	No
1777640	RS	60	55	52	49	52	49	52	49	0.0	0.1	No	No	No	No
1777642	RS	60	55	50	48	51	48	50	48	0.2	0.1	No	No	No	No
1777643	RS	60	55	47	43	47	44	47	44	0.4	0.4	No	No	No	No
1777649	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1777654	RS	60	55	50	47	50	47	50	47	0.5	0.5	No	No	No	No
1777678	RS	60	55	53	49	53	50	52	50	0.5	0.6	No	No	No	No
1777679	RS	60	55	52	49	53	50	53	50	0.5	0.4	No	No	No	No
1777680	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1777684	RS	60	55	53	49	53	50	52	50	0.5	0.6	No	No	No	No
1777685	RS	60	55	61	59	62	59	62	59	0.8	0.7	No	No	No	No
1777686	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1777691	RS	60	55	51	48	51	49	51	49	0.9	0.8	No	No	No	No
1777694	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1777699	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1777700	RS	60	55	57	54	57	54	57	54	0.6	0.7	No	No	No	No
1777704	RS	60	55	54	51	55	52	55	52	0.6	0.5	No	No	No	No
1777705	RS	60	55	62	60	63	60	63	60	0.7	0.7	No	Yes	Yes	Yes
1777707	RS	60	55	54	50	54	51	54	51	0.6	0.7	No	No	No	No
1777708	RS	60	55	54	50	55	51	52	50	0.3	0.4	No	No	No	No
1777732	RS	60	55	51	49	52	49	52	49	0.7	0.7	No	No	No	No
1777739	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1777742	RS	60	55	53	48	53	48	50	47	0.4	0.0	No	No	No	No
1777744	RS	60	55	53	50	54	51	53	51	0.7	0.7	No	No	No	No
1777748	RS	60	55	50	47	50	47	50	47	0.4	0.3	No	No	No	No
1777749	RS	60	55	57	53	57	54	55	52	0.7	0.6	No	No	No	No
1777750	RS	60	55	54	51	55	51	54	51	0.5	0.6	No	No	No	No
1777752	RS	60	55	52	49	52	50	52	50	0.8	0.7	No	No	No	No
1777753	RS	60	55	54	51	55	51	54	51	0.4	0.5	No	No	No	No
1777754	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1777757	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1777762	RS	60	55	51	47	52	48	50	47	0.4	0.6	No	No	No	No
1777764	RS	60	55	52	49	53	50	53	50	0.5	0.5	No	No	No	No
1777770	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1777771	RS	60	55	50	47	51	47	49	47	0.5	0.5	No	No	No	No
1777773	RS	60	55	47	44	47	44	47	44	0.5	0.5	No	No	No	No
1777774	RS	60	55	49	46	50	47	50	47	0.6	0.6	No	No	No	No
1777777	RS	60	55	56	53	56	54	56	54	0.7	0.7	No	No	No	No
1777780	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1777782	RS	60	55	55	53	56	53	56	53	0.8	0.8	No	No	No	No
1777785	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1777786	RS	60	55	46	43	47	44	47	44	0.5	0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1777791	RS	60	55	52	49	52	49	52	49	-0.2	-0.2	No	No	No	No
1777794	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1777802	RS	60	55	46	43	46	43	46	43	0.4	0.4	No	No	No	No
1777803	RS	60	55	47	45	48	45	48	45	0.8	0.7	No	No	No	No
1777811	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1777822	RS	60	55	62	59	62	60	62	59	0.8	0.8	No	Yes	No	Yes
1777828	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1777834	RS	60	55	61	58	62	59	61	59	0.7	0.7	No	No	No	No
1777838	RS	60	55	49	46	50	47	50	47	0.6	0.6	No	No	No	No
1777840	RS	60	55	57	54	57	54	57	54	0.7	0.7	No	No	No	No
1777844	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1777854	RS	60	55	60	53	60	53	51	49	0.0	0.2	No	No	No	No
1777858	RS	60	55	49	46	50	47	50	47	0.5	0.5	No	No	No	No
1777860	RS	60	55	64	61	65	61	62	60	0.6	0.7	No	Yes	Yes	Yes
1777862	RS	60	55	47	44	48	45	48	45	0.8	0.7	No	No	No	No
1777864	RS	60	55	55	52	55	52	54	52	-0.5	-0.5	No	No	No	No
1777865	RS	60	55	55	51	55	52	54	51	0.5	0.5	No	No	No	No
1777868	RS	60	55	64	56	64	57	55	52	0.1	0.2	No	No	No	No
1777875	RS	60	55	52	47	52	48	49	46	0.3	0.4	No	No	No	No
1777880	RS	60	55	55	52	55	52	54	52	0.0	0.0	No	No	No	No
1777881	RS	60	55	56	53	56	53	56	53	0.8	0.7	No	No	No	No
1777882	RS	60	55	55	52	56	52	55	52	0.6	0.7	No	No	No	No
1777886	RS	60	55	49	46	50	47	49	47	0.4	0.4	No	No	No	No
1777887	RS	60	55	54	51	54	51	54	51	0.6	0.5	No	No	No	No
1777888	RS	60	55	61	55	61	55	56	53	0.1	0.3	No	No	No	No
1777889	RS	60	55	59	56	59	56	59	56	0.8	0.8	No	No	No	No
1777893	RS	60	55	50	47	51	48	50	48	0.7	0.7	No	No	No	No
1777897	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1777911	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1777913	RS	60	55	56	53	56	53	56	53	0.7	0.7	No	No	No	No
1777915	RS	60	55	54	50	54	51	54	51	0.6	0.7	No	No	No	No
1777920	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1777924	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1777927	RS	60	55	68	61	69	60	55	52	0.8	-0.9	No	No	No	No
1777929	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1777941	RS	60	55	51	48	51	48	50	48	-0.1	-0.1	No	No	No	No
1777946	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1777957	RS	60	55	59	54	60	54	54	51	0.3	0.8	No	No	No	No
1777963	RS	60	55	47	44	47	45	47	44	0.1	0.1	No	No	No	No
1777968	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1777971	RS	60	55	61	58	62	59	61	59	0.8	0.7	No	No	No	No
1777977	RS	60	55	49	45	49	46	49	46	0.4	0.3	No	No	No	No
1777978	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1777980	RS	60	55	64	60	64	60	61	58	-0.1	0.2	No	Yes	No	Yes
1777982	RS	60	55	47	45	48	45	48	45	0.8	0.8	No	No	No	No
1777984	RS	60	55	70	64	70	65	64	61	0.0	0.3	No	Yes	Yes	Yes
1777985	RS	60	55	52	49	52	50	52	50	0.8	0.7	No	No	No	No
1777987	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1777988	RS	60	55	60	55	60	55	52	49	0.0	0.1	No	No	No	No
1777989	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1777992	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1777994	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1777995	RS	60	55	57	54	58	55	58	55	0.8	0.7	No	No	No	No
1777997	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1778000	RS	60	55	49	46	49	46	49	46	0.0	-0.1	No	No	No	No
1778003	RS	60	55	50	47	50	47	50	47	0.2	0.3	No	No	No	No
1778004	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1778007	RS	60	55	51	48	52	49	51	48	0.5	0.5	No	No	No	No
1778012	RS	60	55	51	49	51	48	51	48	-0.5	-0.6	No	No	No	No
1778015	RS	60	55	51	48	52	49	52	49	0.9	0.8	No	No	No	No
1778019	RS	60	55	53	51	53	50	53	50	-0.4	-0.4	No	No	No	No
1778023	RS	60	55	51	48	52	49	51	49	0.6	0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1778025	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1778028	RS	60	55	46	43	47	44	47	44	0.7	0.7	No	No	No	No
1778032	RS	60	55	56	53	56	53	55	53	-0.1	0.0	No	No	No	No
1778033	RS	60	55	61	58	62	59	62	59	0.7	0.7	No	No	No	No
1778035	RS	60	55	46	43	46	44	46	43	0.5	0.5	No	No	No	No
1778037	RS	60	55	52	47	53	47	49	46	0.6	0.1	No	No	No	No
1778038	RS	60	55	49	46	49	46	49	46	0.7	0.5	No	No	No	No
1778040	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1778042	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1778049	RS	60	55	55	52	56	53	56	53	0.8	0.9	No	No	No	No
1778054	RS	60	55	53	49	53	50	53	50	0.5	0.6	No	No	No	No
1778058	RS	60	55	50	47	51	48	51	48	0.5	0.4	No	No	No	No
1778062	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1778065	RS	60	55	51	49	52	49	52	49	0.5	0.4	No	No	No	No
1778069	RS	60	55	58	55	59	56	58	56	0.8	0.9	No	No	No	No
1778072	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1778076	RS	60	55	52	50	53	51	53	50	0.8	1.0	No	No	No	No
1778083	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1778087	RS	60	55	63	56	63	55	52	49	0.8	-0.8	No	No	No	No
1778089	RS	60	55	55	52	56	53	55	52	0.7	0.7	No	No	No	No
1778090	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1778093	RS	60	55	50	48	51	48	51	48	0.8	0.8	No	No	No	No
1778096	RS	60	55	59	56	60	57	59	57	0.7	0.7	No	No	No	No
1778098	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1778105	RS	60	55	54	51	54	51	54	51	0.2	0.2	No	No	No	No
1778116	RS	60	55	53	50	53	50	53	50	-0.1	-0.1	No	No	No	No
1778118	RS	60	55	59	56	60	57	60	57	0.8	0.9	No	No	No	No
1778126	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1778130	RS	60	55	52	49	53	50	52	50	0.8	0.9	No	No	No	No
1778135	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1778139	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1778144	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1778147	RS	60	55	54	51	55	52	54	52	0.8	0.8	No	No	No	No
1778148	RS	60	55	46	43	46	44	46	44	0.8	0.8	No	No	No	No
1778150	RS	60	55	53	50	53	50	53	50	-0.3	-0.3	No	No	No	No
1778154	RS	60	55	56	53	56	54	56	54	0.8	0.8	No	No	No	No
1778155	RS	60	55	57	54	58	55	57	54	0.6	0.7	No	No	No	No
1778156	RS	60	55	48	45	49	46	48	46	0.8	0.7	No	No	No	No
1778162	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1778164	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1778168	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1778171	RS	60	55	52	48	52	48	51	48	0.4	0.3	No	No	No	No
1778173	RS	60	55	62	59	62	59	61	58	0.2	0.1	No	No	No	No
1778185	RS	60	55	54	51	54	51	54	51	0.7	0.8	No	No	No	No
1778188	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1778190	RS	60	55	52	48	52	48	50	47	0.1	0.2	No	No	No	No
1778194	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1778199	RS	60	55	61	57	62	57	60	57	0.3	0.5	No	No	No	No
1778200	RS	60	55	62	59	62	60	62	60	0.9	0.8	No	No	Yes	Yes
1778204	RS	60	55	57	54	57	54	57	54	0.4	0.4	No	No	No	No
1778206	RS	60	55	62	59	62	59	61	58	0.2	0.2	No	No	No	No
1778210	RS	60	55	46	43	46	43	46	43	0.3	0.3	No	No	No	No
1778212	RS	60	55	49	46	49	47	49	47	0.7	0.7	No	No	No	No
1778213	RS	60	55	54	51	55	52	54	52	0.5	0.4	No	No	No	No
1778214	RS	60	55	52	50	52	50	52	50	0.0	-0.1	No	No	No	No
1778215	RS	60	55	49	46	49	46	48	46	-0.4	-0.4	No	No	No	No
1778216	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1778220	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1778221	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1778222	RS	60	55	57	54	57	54	57	54	0.2	0.2	No	No	No	No
1778226	RS	60	55	48	45	49	46	49	46	0.7	0.7	No	No	No	No
1778232	RS	60	55	52	48	52	48	51	48	0.2	0.3	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1778233	RS	60	55	55	51	55	52	54	51	0.4	0.5	No	No	No	No
1778234	RS	60	55	52	49	52	49	52	49	0.6	0.7	No	No	No	No
1778239	RS	60	55	57	54	56	54	56	54	-0.5	-0.5	No	No	No	No
1778241	RS	60	55	55	52	56	53	55	53	0.7	0.7	No	No	No	No
1778242	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1778248	RS	60	55	54	50	54	50	52	50	0.4	0.6	No	No	No	No
1778254	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1778256	RS	60	55	43	40	44	41	44	41	0.6	0.5	No	No	No	No
1778263	RS	60	55	53	49	53	49	52	49	0.5	0.4	No	No	No	No
1778267	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1778273	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1778276	RS	60	55	54	50	54	51	54	51	0.6	0.7	No	No	No	No
1778279	RS	60	55	52	49	53	49	52	49	0.3	0.3	No	No	No	No
1778281	RS	60	55	51	48	52	49	51	49	0.3	0.3	No	No	No	No
1778282	RS	60	55	47	44	48	45	48	45	0.5	0.6	No	No	No	No
1778283	RS	60	55	49	46	50	46	49	46	0.4	0.3	No	No	No	No
1778286	RS	60	55	54	51	55	52	55	52	0.7	0.8	No	No	No	No
1778292	RS	60	55	62	56	62	57	55	52	0.1	0.6	No	No	No	No
1778293	RS	60	55	51	48	51	49	51	48	0.7	0.8	No	No	No	No
1778295	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1778301	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1778303	RS	60	55	52	50	53	50	53	50	0.7	0.8	No	No	No	No
1778304	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1778307	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1778316	RS	60	55	50	47	50	48	50	48	0.7	0.8	No	No	No	No
1778327	RS	60	55	50	47	50	47	50	47	0.7	0.7	No	No	No	No
1778329	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1778330	RS	60	55	49	46	50	47	49	47	0.8	0.7	No	No	No	No
1778335	RS	60	55	54	51	54	51	54	51	0.4	0.4	No	No	No	No
1778337	RS	60	55	52	50	53	50	53	50	0.4	0.4	No	No	No	No
1778338	RS	60	55	56	53	57	54	57	54	0.5	0.5	No	No	No	No
1778342	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1778344	RS	60	55	50	47	50	47	50	47	-0.1	-0.2	No	No	No	No
1778349	RS	60	55	46	43	47	44	47	44	0.4	0.4	No	No	No	No
1778358	RS	60	55	56	53	56	53	56	53	-0.1	-0.2	No	No	No	No
1778368	RS	60	55	60	54	60	55	54	52	0.2	0.3	No	No	No	No
1778371	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1778372	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1778375	RS	60	55	58	55	59	56	59	56	0.8	0.9	No	No	No	No
1778379	RS	60	55	56	53	56	53	56	53	0.7	0.8	No	No	No	No
1778382	RS	60	55	47	44	48	45	47	44	0.7	0.7	No	No	No	No
1778383	RS	60	55	52	49	52	49	52	49	0.8	0.8	No	No	No	No
1778387	RS	60	55	55	51	55	52	54	51	0.6	0.8	No	No	No	No
1778388	RS	60	55	59	56	59	56	59	56	0.5	0.6	No	No	No	No
1778390	RS	60	55	49	47	50	47	50	47	0.7	0.8	No	No	No	No
1778391	RS	60	55	61	58	61	58	61	58	0.0	0.0	No	No	No	No
1778392	RS	60	55	55	52	55	52	55	52	-0.5	-0.5	No	No	No	No
1778395	RS	60	55	53	48	53	49	50	48	0.4	0.6	No	No	No	No
1778402	RS	60	55	52	50	52	50	52	50	0.0	0.0	No	No	No	No
1778405	RS	60	55	51	48	51	49	51	48	0.2	0.1	No	No	No	No
1778410	RS	60	55	57	54	58	55	57	54	0.6	0.7	No	No	No	No
1778416	RS	60	55	53	50	54	51	54	51	0.7	0.9	No	No	No	No
1778423	RS	60	55	49	46	49	46	49	46	0.7	0.8	No	No	No	No
1778431	RS	60	55	51	48	51	49	51	49	0.8	0.7	No	No	No	No
1778433	RS	60	55	49	46	50	47	50	47	0.7	0.8	No	No	No	No
1778436	RS	60	55	53	49	53	50	52	49	0.4	0.5	No	No	No	No
1778437	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1778440	RS	60	55	55	52	54	51	54	51	-0.3	-0.3	No	No	No	No
1778444	RS	60	55	49	46	49	46	48	45	0.4	0.4	No	No	No	No
1778446	RS	60	55	46	43	47	44	47	44	0.7	0.7	No	No	No	No
1778447	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1778456	RS	60	55	52	48	52	49	51	48	0.1	0.2	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1778464	RS	60	55	52	50	52	49	52	49	-0.1	-0.2	No	No	No	No
1778472	RS	60	55	58	53	58	53	55	52	0.0	0.1	No	No	No	No
1778485	RS	60	55	48	45	48	45	48	45	-0.1	-0.1	No	No	No	No
1778492	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1778496	RS	60	55	52	49	52	49	52	49	0.6	0.6	No	No	No	No
1778497	RS	60	55	54	52	55	52	55	52	0.3	0.3	No	No	No	No
1778499	RS	60	55	51	48	51	49	51	49	0.7	0.7	No	No	No	No
1778501	RS	60	55	48	45	49	46	49	46	0.5	0.5	No	No	No	No
1778504	RS	60	55	52	50	53	50	53	50	0.8	0.7	No	No	No	No
1778505	RS	60	55	65	58	66	57	49	46	0.8	-1.0	No	No	No	No
1778508	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1778512	RS	60	55	55	51	55	52	54	51	0.3	0.3	No	No	No	No
1778513	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1778516	RS	60	55	52	49	52	49	52	49	0.7	0.8	No	No	No	No
1778519	RS	60	55	56	53	56	53	56	53	0.4	0.4	No	No	No	No
1778539	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1778543	RS	60	55	52	49	53	50	52	50	0.4	0.3	No	No	No	No
1778554	RS	60	55	51	47	51	48	51	48	0.5	0.6	No	No	No	No
1778557	RS	60	55	60	53	60	54	52	49	0.1	0.3	No	No	No	No
1778566	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1778575	RS	60	55	55	52	56	53	56	53	0.9	1.0	No	No	No	No
1778576	RS	60	55	52	49	52	50	52	50	0.3	0.2	No	No	No	No
1778577	RS	60	55	43	40	43	40	43	40	0.2	0.2	No	No	No	No
1778578	RS	60	55	54	51	55	52	55	52	0.3	0.5	No	No	No	No
1778584	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1778586	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1778599	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1778604	RS	60	55	51	48	52	49	52	49	0.9	0.9	No	No	No	No
1778606	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1778609	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1778610	RS	60	55	47	44	48	45	47	45	0.6	0.6	No	No	No	No
1778618	RS	60	55	46	43	47	44	47	44	0.3	0.3	No	No	No	No
1778620	RS	60	55	57	54	58	55	57	55	0.8	1.1	No	No	No	No
1778622	RS	60	55	50	47	51	48	51	48	0.8	0.8	No	No	No	No
1778624	RS	60	55	63	60	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1778625	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1778628	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1778629	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1778648	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1778653	RS	60	55	51	48	51	48	51	48	0.1	0.0	No	No	No	No
1778656	RS	60	55	46	44	47	44	47	44	0.4	0.3	No	No	No	No
1778658	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1778663	RS	60	55	55	51	55	52	53	50	0.6	0.6	No	No	No	No
1778666	RS	60	55	61	58	61	59	61	59	0.8	0.8	No	No	No	No
1778672	RS	60	55	51	48	51	48	51	48	0.4	0.3	No	No	No	No
1778674	RS	60	55	50	47	50	47	50	47	0.4	0.5	No	No	No	No
1778677	RS	60	55	55	52	56	52	55	52	0.5	0.6	No	No	No	No
1778679	RS	60	55	47	44	47	44	47	44	0.3	0.3	No	No	No	No
1778681	RS	60	55	56	53	57	54	56	54	0.7	0.8	No	No	No	No
1778688	RS	60	55	57	54	58	55	58	55	0.7	0.8	No	No	No	No
1778689	RS	60	55	56	53	56	53	56	53	0.1	0.0	No	No	No	No
1778699	RS	60	55	54	52	55	52	55	52	0.6	0.6	No	No	No	No
1778710	RS	60	55	51	48	52	49	51	49	0.8	0.9	No	No	No	No
1778711	RS	60	55	52	49	52	49	52	49	0.5	0.5	No	No	No	No
1778712	RS	60	55	53	50	53	50	53	50	-0.6	-0.6	No	No	No	No
1778717	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1778728	RS	60	55	49	46	50	47	50	47	0.7	0.7	No	No	No	No
1778732	RS	60	55	50	47	51	48	50	47	0.4	0.5	No	No	No	No
1778736	RS	60	55	52	49	53	50	53	50	0.5	0.4	No	No	No	No
1778740	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1778742	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1778751	RS	60	55	63	61	64	61	64	61	0.5	0.4	No	No	Yes	Yes

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1778754	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1778757	RS	60	55	55	53	56	53	56	53	0.8	0.7	No	No	No	No
1778760	RS	60	55	47	44	48	45	48	45	0.8	0.8	No	No	No	No
1778763	RS	60	55	66	61	66	61	59	56	0.0	0.1	No	Yes	No	Yes
1778768	RS	60	55	55	52	55	52	55	52	0.6	0.5	No	No	No	No
1778769	RS	60	55	47	44	47	44	47	44	0.6	0.5	No	No	No	No
1778770	RS	60	55	62	59	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1778774	RS	60	55	51	48	52	49	52	49	0.9	0.9	No	No	No	No
1778777	RS	60	55	50	47	50	47	50	47	0.8	0.7	No	No	No	No
1778778	RS	60	55	51	48	51	48	51	48	0.0	0.0	No	No	No	No
1778779	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1778786	RS	60	55	53	50	54	50	53	50	0.3	0.3	No	No	No	No
1778789	RS	60	55	51	48	52	49	52	49	0.8	0.7	No	No	No	No
1778790	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1778792	RS	60	55	49	47	50	47	50	47	0.8	0.7	No	No	No	No
1778793	RS	60	55	52	49	52	49	52	49	0.3	0.3	No	No	No	No
1778794	RS	60	55	53	50	53	50	53	50	0.2	0.1	No	No	No	No
1778800	RS	60	55	60	57	61	57	60	57	0.8	0.8	No	No	No	No
1778801	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1778815	RS	60	55	59	56	60	57	59	56	0.6	0.9	No	No	No	No
1778817	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1778818	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1778823	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1778840	RS	60	55	55	51	55	52	54	51	0.7	0.8	No	No	No	No
1778847	RS	60	55	52	49	53	49	52	49	0.5	0.5	No	No	No	No
1778849	RS	60	55	56	53	56	54	56	54	0.9	0.8	No	No	No	No
1778850	RS	60	55	51	48	51	48	51	48	0.2	0.1	No	No	No	No
1778872	RS	60	55	50	47	50	48	50	48	0.7	0.7	No	No	No	No
1778876	RS	60	55	48	45	49	46	49	46	0.7	0.8	No	No	No	No
1778878	RS	60	55	67	61	68	60	51	48	0.7	-1.0	No	No	No	No
1778879	RS	60	55	53	50	54	50	53	50	0.4	0.3	No	No	No	No
1778880	RS	60	55	51	48	51	48	51	48	-0.2	-0.3	No	No	No	No
1778882	RS	60	55	53	50	53	50	53	50	0.3	0.2	No	No	No	No
1778886	RS	60	55	48	45	49	46	49	46	0.7	0.7	No	No	No	No
1778888	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1778895	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1778898	RS	60	55	51	48	52	48	51	48	0.4	0.6	No	No	No	No
1778899	RS	60	55	48	45	49	46	48	45	0.6	0.6	No	No	No	No
1778901	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1778902	RS	60	55	52	48	52	49	51	48	0.5	0.6	No	No	No	No
1778908	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1778909	RS	60	55	54	52	55	52	55	52	0.6	0.5	No	No	No	No
1778919	RS	60	55	50	47	51	48	51	48	0.8	0.7	No	No	No	No
1778924	RS	60	55	56	53	57	54	57	54	0.8	0.9	No	No	No	No
1778926	RS	60	55	60	54	60	54	47	44	0.0	0.0	No	No	No	No
1778927	RS	60	55	57	54	58	55	57	54	0.7	0.7	No	No	No	No
1778929	RS	60	55	53	50	53	50	53	50	0.4	0.2	No	No	No	No
1778933	RS	60	55	60	54	60	55	53	51	0.2	0.8	No	No	No	No
1778937	RS	60	55	55	52	56	53	55	52	0.6	0.7	No	No	No	No
1778939	RS	60	55	52	49	52	49	51	49	0.4	0.4	No	No	No	No
1778940	RS	60	55	46	43	46	43	46	43	0.5	0.5	No	No	No	No
1778945	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1778948	RS	60	55	56	54	57	54	57	54	0.7	0.9	No	No	No	No
1778954	RS	60	55	46	43	46	43	46	43	0.7	0.7	No	No	No	No
1778957	RS	60	55	57	54	58	55	58	55	0.6	0.7	No	No	No	No
1778958	RS	60	55	54	51	55	52	54	51	0.6	0.7	No	No	No	No
1778959	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1778961	RS	60	55	54	51	55	52	54	52	0.7	0.8	No	No	No	No
1778964	RS	60	55	59	56	60	56	58	56	0.5	0.6	No	No	No	No
1778966	RS	60	55	56	53	56	53	56	53	0.6	0.6	No	No	No	No
1778969	RS	60	55	57	54	58	55	57	54	0.7	0.6	No	No	No	No
1778972	RS	60	55	56	53	56	54	56	53	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1778976	RS	60	55	53	50	53	51	53	51	0.7	0.7	No	No	No	No
1778979	RS	60	55	52	49	52	49	52	49	0.7	0.7	No	No	No	No
1778981	RS	60	55	53	50	54	50	53	50	0.2	0.1	No	No	No	No
1778989	RS	60	55	53	50	53	51	53	50	0.6	0.7	No	No	No	No
1778991	RS	60	55	58	55	59	56	59	56	0.8	0.7	No	No	No	No
1778993	RS	60	55	56	53	56	53	56	53	0.8	0.8	No	No	No	No
1778998	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1779007	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1779012	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1779013	RS	60	55	54	51	55	52	54	52	0.8	0.8	No	No	No	No
1779014	RS	60	55	59	57	60	57	60	57	0.6	0.6	No	No	No	No
1779015	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1779021	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1779022	RS	60	55	50	47	50	47	50	47	-0.2	-0.3	No	No	No	No
1779030	RS	60	55	56	53	56	53	56	53	0.7	0.7	No	No	No	No
1779035	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1779037	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1779039	RS	60	55	47	44	47	44	47	44	0.4	0.5	No	No	No	No
1779045	RS	60	55	52	49	53	49	51	48	0.1	0.2	No	No	No	No
1779046	RS	60	55	52	49	53	50	52	50	0.3	0.3	No	No	No	No
1779049	RS	60	55	50	47	50	48	50	48	0.8	0.7	No	No	No	No
1779050	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1779052	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1779065	RS	60	55	47	44	48	45	47	45	0.4	0.4	No	No	No	No
1779067	RS	60	55	54	51	55	52	55	52	0.8	0.7	No	No	No	No
1779068	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1779074	RS	60	55	51	48	51	48	51	48	0.0	-0.1	No	No	No	No
1779077	RS	60	55	52	49	53	50	52	49	0.8	0.8	No	No	No	No
1779083	RS	60	55	61	57	61	58	58	56	0.3	0.5	No	No	No	No
1779085	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1779086	RS	60	55	50	47	49	46	49	46	-0.3	-0.4	No	No	No	No
1779088	RS	60	55	60	55	60	55	56	53	0.3	0.4	No	No	No	No
1779093	RS	60	55	56	53	55	52	55	52	-0.6	-0.6	No	No	No	No
1779095	RS	60	55	56	53	56	53	56	53	0.5	0.4	No	No	No	No
1779109	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1779114	RS	60	55	51	48	51	48	51	48	0.3	0.3	No	No	No	No
1779116	RS	60	55	59	52	59	53	51	48	0.1	0.2	No	No	No	No
1779118	RS	60	55	56	53	56	53	56	53	0.8	0.8	No	No	No	No
1779120	RS	60	55	54	52	54	51	54	51	-0.5	-0.5	No	No	No	No
1779123	RS	60	55	50	47	50	48	50	48	0.3	0.3	No	No	No	No
1779124	RS	60	55	59	56	60	56	59	56	0.5	0.7	No	No	No	No
1779130	RS	60	55	52	49	53	50	53	50	0.8	0.9	No	No	No	No
1779141	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1779144	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1779145	RS	60	55	57	54	56	53	56	53	-0.5	-0.5	No	No	No	No
1779146	RS	60	55	51	48	52	49	51	49	0.8	0.7	No	No	No	No
1779156	RS	60	55	52	49	53	50	53	50	0.7	0.8	No	No	No	No
1779158	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1779162	RS	60	55	51	47	51	48	51	48	0.4	0.5	No	No	No	No
1779163	RS	60	55	50	47	50	47	50	47	0.5	0.6	No	No	No	No
1779170	RS	60	55	62	56	63	55	49	46	0.6	-0.9	No	No	No	No
1779171	RS	60	55	53	50	53	50	53	50	0.5	0.5	No	No	No	No
1779172	RS	60	55	56	53	57	54	56	53	0.8	0.8	No	No	No	No
1779175	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1779179	RS	60	55	48	45	49	46	49	46	0.7	0.7	No	No	No	No
1779190	RS	60	55	52	49	52	49	52	49	0.6	0.6	No	No	No	No
1779191	RS	60	55	51	47	51	48	50	48	0.6	0.6	No	No	No	No
1779198	RS	60	55	53	49	53	50	53	50	0.4	0.4	No	No	No	No
1779202	RS	60	55	54	50	54	51	53	50	0.6	0.7	No	No	No	No
1779206	RS	60	55	49	46	49	46	49	46	0.5	0.5	No	No	No	No
1779207	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1779208	RS	60	55	53	50	53	50	53	50	-0.2	-0.2	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1779211	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1779214	RS	60	55	56	53	57	54	57	54	0.8	1.0	No	No	No	No
1779216	RS	60	55	53	50	53	50	53	50	0.6	0.5	No	No	No	No
1779217	RS	60	55	49	47	50	47	50	47	0.9	0.8	No	No	No	No
1779222	RS	60	55	52	49	53	50	52	49	0.4	0.4	No	No	No	No
1779224	RS	60	55	54	52	54	51	54	51	-0.2	-0.2	No	No	No	No
1779225	RS	60	55	48	46	49	46	49	46	0.8	0.7	No	No	No	No
1779227	RS	60	55	55	52	55	52	55	52	-0.4	-0.5	No	No	No	No
1779229	RS	60	55	50	47	51	47	49	47	0.5	0.6	No	No	No	No
1779230	RS	60	55	49	46	49	46	49	46	0.6	0.5	No	No	No	No
1779231	RS	60	55	50	47	50	48	50	48	0.8	0.9	No	No	No	No
1779235	RS	60	55	55	52	56	53	56	53	0.8	0.9	No	No	No	No
1779239	RS	60	55	60	58	61	58	61	58	0.8	0.8	No	No	No	No
1779242	RS	60	55	61	58	61	59	61	59	0.8	0.8	No	No	No	No
1779255	RS	60	55	48	45	48	45	48	45	0.7	0.8	No	No	No	No
1779258	RS	60	55	53	50	54	51	53	50	0.8	0.9	No	No	No	No
1779265	RS	60	55	65	59	65	59	58	55	-0.1	0.4	No	No	No	No
1779269	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1779271	RS	60	55	47	44	47	45	47	44	0.7	0.8	No	No	No	No
1779276	RS	60	55	51	48	52	49	52	49	0.7	0.7	No	No	No	No
1779278	RS	60	55	67	61	68	59	50	47	0.8	-1.2	No	No	No	No
1779279	RS	60	55	52	49	53	50	52	50	0.8	0.8	No	No	No	No
1779281	RS	60	55	51	48	52	49	51	48	0.6	0.7	No	No	No	No
1779282	RS	60	55	56	53	57	54	56	53	0.7	0.8	No	No	No	No
1779284	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1779286	RS	60	55	50	46	50	46	49	46	0.5	0.6	No	No	No	No
1779292	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1779294	RS	60	55	61	54	61	54	53	50	0.5	-0.5	No	No	No	No
1779297	RS	60	55	54	52	54	51	54	51	-0.1	-0.2	No	No	No	No
1779298	RS	60	55	52	49	53	50	52	49	0.7	0.8	No	No	No	No
1779311	RS	60	55	48	45	48	45	48	45	-0.1	0.0	No	No	No	No
1779312	RS	60	55	50	47	51	48	51	48	0.7	0.7	No	No	No	No
1779318	RS	60	55	55	53	55	52	55	52	-0.3	-0.3	No	No	No	No
1779323	RS	60	55	59	57	60	57	60	57	0.7	0.7	No	No	No	No
1779327	RS	60	55	57	54	57	54	57	54	-0.3	-0.3	No	No	No	No
1779329	RS	60	55	61	58	61	58	61	58	-0.1	-0.1	No	No	No	No
1779330	RS	60	55	50	47	51	48	50	48	0.6	0.7	No	No	No	No
1779332	RS	60	55	52	49	53	50	52	50	0.6	0.6	No	No	No	No
1779333	RS	60	55	52	48	53	49	52	49	0.5	0.7	No	No	No	No
1779356	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1779360	RS	60	55	55	52	56	53	55	53	0.5	0.5	No	No	No	No
1779370	RS	60	55	49	47	50	47	50	47	0.8	0.8	No	No	No	No
1779390	RS	60	55	51	48	51	48	51	48	0.5	0.6	No	No	No	No
1779391	RS	60	55	47	44	48	45	47	45	0.7	0.7	No	No	No	No
1779393	RS	60	55	56	53	56	53	56	53	0.4	0.5	No	No	No	No
1779398	RS	60	55	51	48	52	49	52	49	0.5	0.6	No	No	No	No
1779400	RS	60	55	57	54	58	55	58	55	0.6	0.5	No	No	No	No
1779401	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1779402	RS	60	55	57	54	58	55	58	55	0.6	0.5	No	No	No	No
1779403	RS	60	55	48	45	49	46	48	46	0.8	0.7	No	No	No	No
1779406	RS	60	55	56	53	57	54	57	54	0.4	0.4	No	No	No	No
1779408	RS	60	55	58	55	57	54	57	54	-0.5	-0.6	No	No	No	No
1779414	RS	60	55	53	50	54	51	54	51	0.8	0.7	No	No	No	No
1779415	RS	60	55	53	50	53	50	53	50	0.5	0.6	No	No	No	No
1779416	RS	60	55	60	57	61	58	61	58	0.4	0.4	No	No	No	No
1779418	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1779429	RS	60	55	51	48	52	49	51	49	0.6	0.6	No	No	No	No
1779430	RS	60	55	52	49	53	50	52	50	0.4	0.5	No	No	No	No
1779431	RS	60	55	51	48	52	49	52	49	0.5	0.5	No	No	No	No
1779433	RS	60	55	55	52	55	52	55	52	-0.2	-0.2	No	No	No	No
1779435	RS	60	55	52	49	52	49	52	49	-0.2	-0.2	No	No	No	No
1779436	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1779438	RS	60	55	58	55	59	56	58	56	0.8	0.9	No	No	No	No
1779439	RS	60	55	45	42	45	42	45	42	0.8	0.8	No	No	No	No
1779442	RS	60	55	57	54	58	55	58	55	0.5	0.6	No	No	No	No
1779444	RS	60	55	49	46	49	47	49	46	0.7	0.8	No	No	No	No
1779450	RS	60	55	53	50	54	50	53	50	0.5	0.3	No	No	No	No
1779451	RS	60	55	61	59	62	59	62	59	0.7	0.7	No	No	No	No
1779453	RS	60	55	51	48	52	48	50	47	0.5	0.6	No	No	No	No
1779456	RS	60	55	48	45	49	46	48	45	0.7	0.7	No	No	No	No
1779459	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1779461	RS	60	55	50	47	51	47	50	47	0.6	0.7	No	No	No	No
1779464	RS	60	55	44	40	44	41	44	41	0.6	0.8	No	No	No	No
1779466	RS	60	55	51	48	51	48	51	48	0.4	0.4	No	No	No	No
1779468	RS	60	55	62	58	62	58	59	56	0.3	0.4	No	No	No	No
1779469	RS	60	55	48	45	49	46	49	46	0.8	0.8	No	No	No	No
1779471	RS	60	55	56	53	57	54	56	54	0.7	0.7	No	No	No	No
1779477	RS	60	55	52	49	53	50	53	50	0.8	0.8	No	No	No	No
1779478	RS	60	55	64	59	64	59	58	55	-0.1	0.4	No	No	No	No
1779479	RS	60	55	48	45	48	45	48	45	0.3	0.3	No	No	No	No
1779481	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1779486	RS	60	55	55	52	56	53	55	52	0.7	0.7	No	No	No	No
1779489	RS	60	55	57	54	58	55	58	55	0.8	0.7	No	No	No	No
1779492	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1779495	RS	60	55	49	45	49	46	49	46	0.6	0.7	No	No	No	No
1779496	RS	60	55	51	48	51	48	51	48	0.7	0.9	No	No	No	No
1779498	RS	60	55	51	47	51	47	49	46	0.4	0.5	No	No	No	No
1779500	RS	60	55	53	50	53	51	53	51	0.5	0.5	No	No	No	No
1779506	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1779508	RS	60	55	54	51	55	52	54	52	0.7	0.7	No	No	No	No
1779510	RS	60	55	51	48	51	48	51	48	-0.2	-0.2	No	No	No	No
1779512	RS	60	55	47	44	48	45	48	45	0.7	0.7	No	No	No	No
1779513	RS	60	55	48	45	48	45	48	45	0.4	0.3	No	No	No	No
1779526	RS	60	55	54	51	55	52	54	51	0.7	0.7	No	No	No	No
1779541	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1779545	RS	60	55	53	50	54	51	54	51	0.9	0.8	No	No	No	No
1779546	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1779547	RS	60	55	53	50	54	51	54	51	0.8	0.8	No	No	No	No
1779548	RS	60	55	56	53	57	54	56	53	0.7	1.0	No	No	No	No
1779550	RS	60	55	49	46	49	47	49	47	0.7	0.8	No	No	No	No
1779554	RS	60	55	56	53	56	54	56	54	0.8	0.7	No	No	No	No
1779558	RS	60	55	55	51	55	51	54	51	0.0	0.0	No	No	No	No
1779570	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1779587	RS	60	55	53	51	54	51	54	51	0.8	0.7	No	No	No	No
1779592	RS	60	55	63	55	63	55	51	48	0.1	0.1	No	No	No	No
1779602	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No
1779606	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1779607	RS	60	55	53	50	53	51	53	51	0.8	0.8	No	No	No	No
1779608	RS	60	55	50	47	50	48	50	48	0.7	0.8	No	No	No	No
1779609	RS	60	55	56	54	57	54	57	54	0.8	0.7	No	No	No	No
1779620	RS	60	55	51	48	52	49	52	49	0.9	0.8	No	No	No	No
1779621	RS	60	55	53	50	54	51	54	51	0.9	0.9	No	No	No	No
1779627	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1779628	RS	60	55	59	56	59	57	59	57	0.8	0.7	No	No	No	No
1779629	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1779630	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1779631	RS	60	55	53	50	53	50	53	50	0.8	0.7	No	No	No	No
1779632	RS	60	55	56	53	56	54	56	54	0.8	0.8	No	No	No	No
1779633	RS	60	55	54	51	54	52	54	52	0.8	0.7	No	No	No	No
1779634	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1779635	RS	60	55	59	56	59	57	59	57	0.8	0.8	No	No	No	No
1779636	RS	60	55	58	56	59	56	59	56	0.8	0.8	No	No	No	No
1779637	RS	60	55	53	51	54	51	54	51	0.8	0.8	No	No	No	No
1779638	RS	60	55	54	51	55	52	55	52	0.8	0.8	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1779639	RS	60	55	55	52	55	53	55	53	0.8	0.8	No	No	No	No
1779644	RS	60	55	57	54	58	55	57	55	0.7	0.7	No	No	No	No
1779645	RS	60	55	54	51	55	52	54	51	0.7	0.6	No	No	No	No
1779646	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1779647	RS	60	55	52	48	52	49	52	49	0.6	0.7	No	No	No	No
1779648	RS	60	55	57	54	58	55	58	55	0.9	0.9	No	No	No	No
1779649	RS	60	55	58	55	59	56	59	56	0.9	0.9	No	No	No	No
1779650	RS	60	55	59	56	60	57	59	57	0.9	0.8	No	No	No	No
1779651	RS	60	55	57	54	58	55	58	55	0.8	0.9	No	No	No	No
1779652	RS	60	55	57	54	57	55	57	55	0.8	0.8	No	No	No	No
1779653	RS	60	55	57	54	57	55	57	55	0.7	0.8	No	No	No	No
1779654	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1779655	RS	60	55	57	55	58	55	58	55	0.7	0.8	No	No	No	No
1779656	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1779657	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1779658	RS	60	55	57	54	58	55	58	55	0.8	0.7	No	No	No	No
1779659	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1779660	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1779661	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1779662	RS	60	55	52	49	53	50	53	50	0.7	0.7	No	No	No	No
1779663	RS	60	55	52	50	53	50	53	50	0.7	0.7	No	No	No	No
1779664	RS	60	55	51	48	51	48	51	48	0.7	0.7	No	No	No	No
1779665	RS	60	55	54	51	55	52	55	52	0.7	0.7	No	No	No	No
1779666	RS	60	55	53	50	53	50	53	50	0.7	0.7	No	No	No	No
1779676	RS	60	55	52	49	52	49	52	49	0.5	0.5	No	No	No	No
1779677	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1779678	RS	60	55	50	47	50	47	50	47	0.5	0.4	No	No	No	No
1779679	RS	60	55	47	44	48	45	47	44	0.4	0.3	No	No	No	No
1779680	RS	60	55	47	44	48	45	48	45	0.4	0.3	No	No	No	No
1779681	RS	60	55	47	44	47	44	47	44	0.4	0.3	No	No	No	No
1779682	RS	60	55	52	48	52	49	52	49	0.4	0.3	No	No	No	No
1779683	RS	60	55	52	49	53	50	53	50	0.5	0.4	No	No	No	No
1779684	RS	60	55	51	48	52	49	51	49	0.5	0.4	No	No	No	No
1779685	RS	60	55	54	50	54	51	53	51	0.5	0.4	No	No	No	No
1779686	RS	60	55	51	48	51	48	51	48	0.5	0.4	No	No	No	No
1779687	RS	60	55	50	47	51	48	51	48	0.5	0.4	No	No	No	No
1779688	RS	60	55	52	48	52	49	52	49	0.4	0.4	No	No	No	No
1779692	RS	60	55	52	49	53	50	53	50	0.5	0.4	No	No	No	No
1779696	RS	60	55	51	47	51	48	50	47	0.4	0.4	No	No	No	No
1779697	RS	60	55	53	49	53	50	53	50	0.5	0.5	No	No	No	No
1779706	RS	60	55	57	55	58	55	58	55	0.7	0.7	No	No	No	No
1779707	RS	60	55	65	60	65	60	60	58	0.0	0.2	No	Yes	No	Yes
1779708	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1779709	RS	60	55	48	46	49	46	49	46	0.7	0.8	No	No	No	No
1779710	RS	60	55	48	45	49	46	49	46	0.8	0.7	No	No	No	No
1779711	RS	60	55	50	47	51	48	51	48	0.7	0.8	No	No	No	No
1779712	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1779713	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1779714	RS	60	55	50	47	51	48	51	48	0.9	0.9	No	No	No	No
1779715	RS	60	55	49	46	49	47	49	47	0.8	0.7	No	No	No	No
1779716	RS	60	55	49	46	49	46	49	46	0.7	0.7	No	No	No	No
1779717	RS	60	55	49	46	50	47	50	47	0.8	0.8	No	No	No	No
1779720	RS	60	55	57	54	58	55	58	55	0.8	0.7	No	No	No	No
1779721	RS	60	55	57	55	58	55	58	55	0.7	0.7	No	No	No	No
1779722	RS	60	55	58	55	59	56	58	56	0.7	0.6	No	No	No	No
1779723	RS	60	55	56	54	57	54	57	54	0.8	0.8	No	No	No	No
1779724	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1779725	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1779726	RS	60	55	55	53	56	53	56	53	0.8	0.8	No	No	No	No
1779727	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1779729	RS	60	55	61	55	61	55	56	53	0.2	0.3	No	No	No	No
1779730	RS	60	55	60	53	60	54	56	53	0.1	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1779731	RS	60	55	60	54	60	55	56	54	0.3	0.5	No	No	No	No
1779732	RS	60	55	60	54	60	55	57	54	0.3	0.6	No	No	No	No
1779733	RS	60	55	59	54	59	55	58	55	0.4	0.6	No	No	No	No
1779734	RS	60	55	58	55	58	56	58	56	0.6	0.6	No	No	No	No
1779735	RS	60	55	61	58	62	59	62	59	0.7	0.7	No	No	No	No
1779736	RS	60	55	57	55	57	55	57	55	-0.1	-0.1	No	No	No	No
1779737	RS	60	55	54	51	54	51	54	51	-0.1	-0.2	No	No	No	No
1779823	RS	60	55	62	59	62	60	62	60	0.5	0.5	No	No	Yes	Yes
1779824	RS	60	55	57	54	57	54	57	54	0.5	0.4	No	No	No	No
1779825	RS	60	55	62	59	62	59	62	59	0.5	0.5	No	No	No	No
1779826	RS	60	55	56	53	56	53	56	53	-0.2	-0.2	No	No	No	No
1779827	RS	60	55	56	53	55	52	55	52	-0.2	-0.3	No	No	No	No
1779828	RS	60	55	65	63	66	63	66	63	0.8	0.8	No	No	Yes	Yes
1779829	RS	60	55	56	53	56	53	56	53	0.0	-0.1	No	No	No	No
1779830	RS	60	55	57	54	58	55	58	55	0.5	0.5	No	No	No	No
1779831	RS	60	55	55	52	55	52	55	52	-0.5	-0.5	No	No	No	No
1779832	RS	60	55	56	53	55	52	55	52	-0.2	-0.3	No	No	No	No
1779833	RS	60	55	63	60	63	60	63	60	0.6	0.6	No	No	Yes	Yes
1779834	RS	60	55	56	53	57	54	57	54	0.9	0.9	No	No	No	No
1779835	RS	60	55	50	47	51	48	51	48	0.6	0.6	No	No	No	No
1779836	RS	60	55	66	63	67	64	67	64	0.7	0.7	No	No	Yes	Yes
1779837	RS	60	55	58	56	59	56	59	56	0.5	0.5	No	No	No	No
1779838	RS	60	55	58	55	59	56	59	56	0.5	0.5	No	No	No	No
1779839	RS	60	55	55	52	55	52	55	52	-0.4	-0.5	No	No	No	No
1779840	RS	60	55	60	57	61	58	61	58	0.5	0.4	No	No	No	No
1779841	RS	60	55	65	58	65	57	53	51	0.5	-0.5	No	No	No	No
1779842	RS	60	55	50	47	51	48	50	47	0.6	0.6	No	No	No	No
1779843	RS	60	55	60	57	59	56	59	56	-0.6	-0.7	No	No	No	No
1779844	RS	60	55	59	56	59	56	59	56	0.5	0.5	No	No	No	No
1779845	RS	60	55	58	55	58	55	58	55	-0.2	-0.2	No	No	No	No
1779846	RS	60	55	55	53	56	53	56	53	0.8	0.8	No	No	No	No
1779847	RS	60	55	60	58	61	58	61	58	0.8	0.8	No	No	No	No
1779848	RS	60	55	64	61	64	61	64	61	0.5	0.5	No	No	Yes	Yes
1779849	RS	60	55	56	53	56	53	56	53	0.0	-0.1	No	No	No	No
1779850	RS	60	55	58	55	59	56	59	56	0.5	0.5	No	No	No	No
1779851	RS	60	55	59	56	60	57	60	57	0.6	0.5	No	No	No	No
1779852	RS	60	55	56	54	57	54	57	54	0.9	0.8	No	No	No	No
1779853	RS	60	55	58	55	57	54	57	54	-0.1	-0.1	No	No	No	No
1779854	RS	60	55	57	54	57	54	57	54	-0.1	-0.1	No	No	No	No
1779855	RS	60	55	65	62	65	63	65	62	0.8	0.8	No	Yes	Yes	Yes
1779856	RS	60	55	57	54	57	54	57	54	0.0	0.0	No	No	No	No
1779857	RS	60	55	56	53	56	53	56	53	-0.1	-0.2	No	No	No	No
1779858	RS	60	55	62	59	63	60	63	60	0.5	0.5	No	No	Yes	Yes
1779859	RS	60	55	59	56	59	56	59	56	0.5	0.4	No	No	No	No
1779860	RS	60	55	54	51	54	51	54	51	0.5	0.4	No	No	No	No
1779861	RS	60	55	59	57	60	57	60	57	0.6	0.6	No	No	No	No
1779862	RS	60	55	59	57	60	57	60	57	0.5	0.4	No	No	No	No
1779863	RS	60	55	59	57	60	57	60	57	0.3	0.4	No	No	No	No
1779864	RS	60	55	61	58	61	58	61	58	0.6	0.6	No	No	No	No
1779865	RS	60	55	57	54	56	53	56	53	-0.8	-1.0	No	No	No	No
1779868	RS	60	55	59	56	58	55	58	55	-0.9	-0.9	No	No	No	No
1779869	RS	60	55	61	58	62	59	62	59	0.9	0.9	No	No	No	No
1779870	RS	60	55	63	60	63	60	63	60	0.5	0.5	No	No	Yes	Yes
1779871	RS	60	55	64	58	65	59	59	56	0.2	0.8	No	No	No	No
1779872	RS	60	55	59	57	59	56	59	56	-0.8	-0.8	No	No	No	No
1779873	RS	60	55	59	56	59	56	59	56	-0.5	-0.5	No	No	No	No
1779874	RS	60	55	58	55	58	55	58	55	-0.3	-0.3	No	No	No	No
1779875	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1779876	RS	60	55	60	57	60	58	60	57	0.7	0.7	No	No	No	No
1779877	RS	60	55	55	52	55	52	55	52	-0.3	-0.3	No	No	No	No
1779878	RS	60	55	57	54	57	54	57	54	0.4	0.4	No	No	No	No
1779879	RS	60	55	67	64	68	65	67	64	0.5	0.9	No	Yes	Yes	Yes

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1779880	RS	60	55	60	57	60	58	60	58	0.7	0.7	No	No	No	No
1779881	RS	60	55	60	57	61	58	60	58	0.7	0.7	No	No	No	No
1779882	RS	60	55	54	51	54	51	54	51	0.7	0.7	No	No	No	No
1779883	RS	60	55	60	57	60	58	60	57	0.7	0.8	No	No	No	No
1779884	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1779885	RS	60	55	53	50	54	51	54	51	0.5	0.5	No	No	No	No
1779886	RS	60	55	62	59	63	60	63	60	0.8	0.7	No	No	Yes	Yes
1779887	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1779888	RS	60	55	67	62	67	63	65	62	0.3	0.4	No	Yes	Yes	Yes
1779889	RS	60	55	56	53	56	53	56	53	-0.1	-0.2	No	No	No	No
1779890	RS	60	55	54	51	55	52	55	52	0.9	0.8	No	No	No	No
1779891	RS	60	55	57	54	58	55	58	55	0.5	0.5	No	No	No	No
1779892	RS	60	55	61	58	62	59	62	59	0.5	0.5	No	No	No	No
1779893	RS	60	55	57	54	57	54	57	54	-0.1	-0.1	No	No	No	No
1779895	RS	60	55	55	52	55	53	55	52	0.8	0.8	No	No	No	No
1779896	RS	60	55	58	55	58	55	58	55	-0.2	-0.2	No	No	No	No
1779897	RS	60	55	53	50	54	51	53	51	0.5	0.4	No	No	No	No
1779898	RS	60	55	68	62	68	62	59	56	0.2	0.4	No	No	No	No
1779899	RS	60	55	57	54	57	55	57	55	0.4	0.4	No	No	No	No
1779900	RS	60	55	59	56	59	56	59	56	0.3	0.3	No	No	No	No
1779901	RS	60	55	57	54	57	54	57	54	0.6	0.5	No	No	No	No
1779902	RS	60	55	60	57	60	57	60	57	0.5	0.5	No	No	No	No
1779903	RS	60	55	59	56	59	56	59	56	0.3	0.3	No	No	No	No
1779904	RS	60	55	66	63	67	64	67	64	0.6	0.6	No	No	Yes	Yes
1779905	RS	60	55	60	57	60	57	60	57	-0.2	-0.4	No	No	No	No
1779906	RS	60	55	60	56	60	57	60	57	0.5	0.6	No	No	No	No
1779907	RS	60	55	60	57	59	56	59	56	-0.6	-0.7	No	No	No	No
1779908	RS	60	55	55	52	56	53	55	53	0.8	0.7	No	No	No	No
1779909	RS	60	55	61	58	60	57	60	57	-0.4	-0.4	No	No	No	No
1779910	RS	60	55	62	59	63	60	63	60	0.8	0.8	No	No	Yes	Yes
1779911	RS	60	55	62	59	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1779912	RS	60	55	59	56	59	56	59	56	0.5	0.5	No	No	No	No
1779913	RS	60	55	56	53	56	53	56	53	0.0	-0.1	No	No	No	No
1779914	RS	60	55	67	64	68	65	68	65	0.7	0.7	No	No	Yes	Yes
1779915	RS	60	55	57	54	57	55	57	55	0.4	0.4	No	No	No	No
1779916	RS	60	55	66	63	67	64	67	64	0.9	0.9	No	No	Yes	Yes
1779917	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1779918	RS	60	55	59	56	59	56	59	56	0.5	0.4	No	No	No	No
1779919	RS	60	55	59	56	59	56	59	56	0.5	0.5	No	No	No	No
1779920	RS	60	55	55	52	55	52	55	52	-0.2	-0.2	No	No	No	No
1779921	RS	60	55	56	53	57	54	57	54	0.5	0.4	No	No	No	No
1779922	RS	60	55	69	66	70	67	70	67	0.8	0.8	No	No	Yes	Yes
1779923	RS	60	55	54	51	54	51	54	51	0.5	0.4	No	No	No	No
1779924	RS	60	55	56	53	57	54	56	54	0.6	0.7	No	No	No	No
1779925	RS	60	55	66	63	66	63	66	63	0.7	0.7	No	No	Yes	Yes
1779926	RS	60	55	65	62	66	63	66	63	0.6	0.6	No	No	Yes	Yes
1779927	RS	60	55	64	61	64	62	64	62	0.7	0.7	No	No	Yes	Yes
1779928	RS	60	55	65	62	66	63	66	63	0.7	0.7	No	No	Yes	Yes
1779929	RS	60	55	56	53	57	54	57	54	0.4	0.5	No	No	No	No
1779930	RS	60	55	64	61	65	62	65	62	0.9	0.9	No	No	Yes	Yes
1779931	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1779932	RS	60	55	54	51	55	52	55	52	0.4	0.5	No	No	No	No
1779933	RS	60	55	63	60	64	61	64	61	0.9	0.8	No	No	Yes	Yes
1779934	RS	60	55	67	64	68	65	68	65	0.9	0.9	No	No	Yes	Yes
1779935	RS	60	55	61	58	61	58	61	58	0.2	0.2	No	No	No	No
1779936	RS	60	55	66	63	67	64	67	64	0.7	0.6	No	Yes	Yes	Yes
1779937	RS	60	55	59	56	58	55	58	55	-0.3	-0.4	No	No	No	No
1779938	RS	60	55	66	63	67	64	67	64	0.5	0.5	No	Yes	Yes	Yes
1779940	RS	60	55	59	56	60	57	60	57	0.8	0.7	No	No	No	No
1779941	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1779942	RS	60	55	72	66	72	66	60	57	0.0	0.0	No	No	No	No
1779943	RS	60	55	56	53	57	54	57	54	0.5	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1779944	RS	60	55	58	55	58	55	58	55	-0.2	-0.2	No	No	No	No
1779945	RS	60	55	53	51	54	51	54	51	0.8	0.7	No	No	No	No
1779946	RS	60	55	56	53	56	53	56	53	-0.1	-0.3	No	No	No	No
1779947	RS	60	55	63	60	63	60	63	60	0.5	0.5	No	No	Yes	Yes
1779948	RS	60	55	57	54	57	54	57	54	-0.2	-0.2	No	No	No	No
1779949	RS	60	55	55	53	56	53	56	53	0.8	0.8	No	No	No	No
1779950	RS	60	55	61	58	60	57	60	57	-1.0	-1.0	No	No	No	No
1779951	RS	60	55	56	54	56	53	56	53	-0.6	-0.6	No	No	No	No
1779952	RS	60	55	59	56	60	57	60	57	0.8	0.7	No	No	No	No
1779953	RS	60	55	67	65	68	65	68	65	0.5	0.5	No	Yes	Yes	Yes
1779954	RS	60	55	57	55	58	55	58	55	0.8	0.7	No	No	No	No
1779955	RS	60	55	59	56	59	56	59	56	0.5	0.5	No	No	No	No
1779956	RS	60	55	59	56	60	57	60	57	0.5	0.5	No	No	No	No
1779957	RS	60	55	72	66	72	66	60	57	0.0	0.0	No	No	No	No
1779958	RS	60	55	61	58	62	59	61	59	0.8	0.8	No	No	No	No
1779959	RS	60	55	58	55	59	56	59	56	0.4	0.5	No	No	No	No
1779960	RS	60	55	66	63	67	64	67	64	0.6	0.5	No	No	Yes	Yes
1779961	RS	60	55	60	57	60	58	60	58	0.5	0.5	No	No	No	No
1779962	RS	60	55	59	56	60	57	60	57	0.4	0.4	No	No	No	No
1779963	RS	60	55	58	55	58	54	58	54	-0.1	-0.2	No	No	No	No
1779964	RS	60	55	57	54	57	54	57	54	0.0	-0.1	No	No	No	No
1779965	RS	60	55	61	58	62	59	62	59	0.8	0.7	No	No	No	No
1779966	RS	60	55	56	52	56	52	56	52	0.1	0.0	No	No	No	No
1779967	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1779968	RS	60	55	61	58	61	59	61	59	0.8	0.8	No	No	No	No
1779969	RS	60	55	65	62	66	63	66	63	0.7	0.7	No	No	Yes	Yes
1779970	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1779971	RS	60	55	59	56	60	57	60	57	0.5	0.4	No	No	No	No
1779972	RS	60	55	69	66	70	68	69	66	1.2	1.7	No	Yes	Yes	Yes
1779973	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1779974	RS	60	55	59	57	60	57	60	57	0.8	0.8	No	No	No	No
1779975	RS	60	55	65	62	66	63	66	63	0.7	0.7	No	Yes	Yes	Yes
1779976	RS	60	55	59	56	59	56	59	56	0.6	0.5	No	No	No	No
1779977	RS	60	55	58	55	57	54	57	54	-0.1	-0.2	No	No	No	No
1779978	RS	60	55	56	53	57	54	57	54	0.5	0.6	No	No	No	No
1779979	RS	60	55	61	58	62	59	62	59	0.8	0.7	No	No	No	No
1779980	RS	60	55	63	60	64	61	64	61	0.8	0.7	No	No	Yes	Yes
1779981	RS	60	55	65	62	65	62	65	62	0.7	0.8	No	Yes	Yes	Yes
1779982	RS	60	55	56	54	57	54	57	54	0.8	0.8	No	No	No	No
1779983	RS	60	55	57	55	57	54	57	54	-0.6	-0.7	No	No	No	No
1779984	RS	60	55	55	52	55	52	55	52	0.0	-0.1	No	No	No	No
1779985	RS	60	55	66	63	67	64	67	64	0.7	0.7	No	No	Yes	Yes
1779986	RS	60	55	57	54	57	54	57	54	-0.1	-0.2	No	No	No	No
1779987	RS	60	55	59	56	59	56	59	56	0.6	0.5	No	No	No	No
1779988	RS	60	55	56	53	57	54	57	54	0.8	0.8	No	No	No	No
1779989	RS	60	55	56	53	56	54	56	53	0.8	0.8	No	No	No	No
1779990	RS	60	55	66	63	67	64	67	64	0.6	0.6	No	No	Yes	Yes
1779991	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1779992	RS	60	55	62	59	62	59	62	59	0.4	0.4	No	No	No	No
1779993	RS	60	55	60	58	60	57	60	57	-0.6	-0.7	No	No	No	No
1779994	RS	60	55	62	59	62	59	62	59	-0.2	-0.2	No	No	No	No
1779995	RS	60	55	62	59	62	59	62	59	0.5	0.6	No	No	No	No
1779996	RS	60	55	58	55	59	56	59	56	0.5	0.5	No	No	No	No
1779997	RS	60	55	56	53	56	53	56	53	-0.1	-0.2	No	No	No	No
1779998	RS	60	55	63	60	64	61	63	60	0.6	0.5	No	Yes	Yes	Yes
1779999	RS	60	55	61	58	62	59	62	59	0.7	0.7	No	No	No	No
1780000	RS	60	55	60	57	60	57	60	57	0.4	0.4	No	No	No	No
1780001	RS	60	55	61	59	61	58	61	58	-0.1	-0.2	No	No	No	No
1780002	RS	60	55	55	52	55	52	55	52	0.5	0.4	No	No	No	No
1780003	RS	60	55	57	54	58	55	57	55	0.5	0.5	No	No	No	No
1780004	RS	60	55	57	54	57	54	57	54	-0.3	-0.3	No	No	No	No
1780005	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1780006	RS	60	55	55	52	55	52	55	52	-0.3	-0.3	No	No	No	No
1780007	RS	60	55	61	58	61	58	61	58	0.5	0.5	No	No	No	No
1780008	RS	60	55	61	58	62	59	62	59	0.5	0.5	No	No	No	No
1780009	RS	60	55	58	55	58	55	58	55	-0.5	-0.6	No	No	No	No
1780010	RS	60	55	70	67	71	69	69	67	1.2	2.1	Yes	Yes	Yes	Yes
1780011	RS	60	55	55	52	55	52	55	52	-0.1	-0.2	No	No	No	No
1780012	RS	60	55	63	60	64	61	64	61	0.8	0.7	No	No	Yes	Yes
1780013	RS	60	55	59	56	60	57	60	57	0.3	0.3	No	No	No	No
1780014	RS	60	55	58	55	59	56	59	56	0.5	0.5	No	No	No	No
1780015	RS	60	55	64	61	65	63	64	61	0.9	1.5	No	Yes	Yes	Yes
1780016	RS	60	55	59	56	60	57	60	57	0.5	0.5	No	No	No	No
1780017	RS	60	55	54	51	55	52	55	52	0.4	0.4	No	No	No	No
1780018	RS	60	55	63	60	64	61	64	61	0.5	0.4	No	Yes	Yes	Yes
1780019	RS	60	55	69	66	69	66	69	66	0.5	0.5	No	No	Yes	Yes
1780020	RS	60	55	57	54	57	54	57	54	-0.5	-0.5	No	No	No	No
1780021	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1780022	RS	60	55	54	51	55	52	55	52	0.6	0.6	No	No	No	No
1780023	RS	60	55	58	55	58	56	58	56	0.6	0.6	No	No	No	No
1780024	RS	60	55	65	62	66	63	66	63	0.6	0.5	No	No	Yes	Yes
1780025	RS	60	55	59	56	60	57	60	57	0.5	0.5	No	No	No	No
1780026	RS	60	55	60	57	61	58	61	58	0.4	0.3	No	No	No	No
1780027	RS	60	55	62	60	63	60	63	60	0.6	0.5	No	No	Yes	Yes
1780029	RS	60	55	62	59	63	60	63	60	0.8	0.7	No	No	Yes	Yes
1780030	RS	60	55	72	69	73	71	72	70	1.1	1.4	No	Yes	Yes	Yes
1780031	RS	60	55	57	54	57	53	57	53	0.0	-0.1	No	No	No	No
1780032	RS	60	55	60	57	61	58	61	58	0.5	0.5	No	No	No	No
1780033	RS	60	55	67	64	68	65	68	65	0.8	0.7	No	No	Yes	Yes
1780034	RS	60	55	61	58	62	59	62	59	0.9	0.9	No	No	No	No
1780035	RS	60	55	62	60	63	60	63	60	0.3	0.4	No	Yes	Yes	Yes
1780036	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1780037	RS	60	55	62	59	63	60	63	60	0.8	0.8	No	No	Yes	Yes
1780038	RS	60	55	54	51	54	51	54	51	0.6	0.5	No	No	No	No
1780039	RS	60	55	60	57	60	57	60	57	0.7	0.8	No	No	No	No
1780040	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1780041	RS	60	55	54	51	54	51	54	51	-0.2	-0.2	No	No	No	No
1780042	RS	60	55	60	57	60	57	60	57	0.4	0.5	No	No	No	No
1780043	RS	60	55	56	53	57	54	57	54	0.5	0.5	No	No	No	No
1780044	RS	60	55	57	54	57	55	57	55	0.5	0.5	No	No	No	No
1780045	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1780046	RS	60	55	67	64	67	65	66	63	0.9	1.8	No	Yes	Yes	Yes
1780047	RS	60	55	62	59	62	60	62	60	0.9	0.9	No	No	Yes	Yes
1780048	RS	60	55	58	55	57	54	57	54	-0.6	-0.7	No	No	No	No
1780049	RS	60	55	56	53	56	53	56	53	0.1	0.1	No	No	No	No
1780050	RS	60	55	62	59	62	59	62	59	0.7	0.7	No	No	No	No
1780051	RS	60	55	60	57	59	56	59	56	-0.8	-0.8	No	No	No	No
1780052	RS	60	55	59	56	60	57	60	57	0.7	0.6	No	No	No	No
1780053	RS	60	55	55	52	55	52	55	52	-0.4	-0.4	No	No	No	No
1780054	RS	60	55	60	57	60	57	60	57	0.4	0.4	No	No	No	No
1780055	RS	60	55	60	57	60	57	60	57	0.1	0.0	No	No	No	No
1780056	RS	60	55	60	58	60	57	60	57	-0.5	-0.5	No	No	No	No
1780057	RS	60	55	60	57	60	57	60	57	0.4	0.5	No	No	No	No
1780058	RS	60	55	60	57	60	57	60	57	0.8	0.7	No	No	No	No
1780059	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1780060	RS	60	55	53	50	54	51	53	51	0.4	0.4	No	No	No	No
1780061	RS	60	55	60	57	59	56	59	56	-0.6	-0.6	No	No	No	No
1780062	RS	60	55	62	59	62	60	62	60	0.4	0.5	No	No	Yes	Yes
1780063	RS	60	55	54	51	54	51	54	51	0.5	0.4	No	No	No	No
1780064	RS	60	55	59	55	59	56	59	56	0.5	0.4	No	No	No	No
1780065	RS	60	55	56	53	56	54	56	54	0.3	0.3	No	No	No	No
1780066	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1780067	RS	60	55	57	54	58	55	58	55	0.5	0.5	No	No	No	No
1780068	RS	60	55	60	57	60	57	60	57	-0.6	-0.6	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1780069	RS	60	55	60	57	61	58	61	58	0.4	0.4	No	No	No	No
1780070	RS	60	55	58	55	57	54	57	54	-1.1	-1.2	No	No	No	No
1780071	RS	60	55	58	55	57	54	57	54	-0.1	-0.2	No	No	No	No
1780072	RS	60	55	59	56	60	57	60	57	0.8	0.8	No	No	No	No
1780073	RS	60	55	59	56	60	57	60	57	0.5	0.4	No	No	No	No
1780074	RS	60	55	63	60	63	60	63	60	0.6	0.5	No	No	Yes	Yes
1780075	RS	60	55	59	56	59	57	59	57	0.8	0.8	No	No	No	No
1780076	RS	60	55	56	53	57	54	56	54	0.4	0.4	No	No	No	No
1780078	RS	60	55	55	52	55	52	55	52	0.5	0.4	No	No	No	No
1780079	RS	60	55	58	55	57	55	57	55	-0.3	-0.3	No	No	No	No
1780080	RS	60	55	68	64	68	66	65	62	0.4	2.4	Yes	Yes	Yes	Yes
1780081	RS	60	55	63	60	64	61	64	61	0.6	0.6	No	No	Yes	Yes
1780082	RS	60	55	58	55	57	54	57	54	-0.3	-0.4	No	No	No	No
1780083	RS	60	55	56	53	56	53	56	53	-0.1	0.0	No	No	No	No
1780084	RS	60	55	58	55	58	55	58	55	0.6	0.6	No	No	No	No
1780085	RS	60	55	62	59	62	60	62	60	0.8	0.8	No	Yes	Yes	Yes
1780086	RS	60	55	55	52	56	53	56	53	0.9	0.9	No	No	No	No
1780087	RS	60	55	54	51	55	52	55	52	0.6	0.5	No	No	No	No
1780088	RS	60	55	61	57	61	57	60	57	0.4	0.4	No	No	No	No
1780089	RS	60	55	56	54	57	54	57	54	0.6	0.5	No	No	No	No
1780090	RS	60	55	57	54	58	55	58	55	0.7	0.7	No	No	No	No
1780091	RS	60	55	66	63	67	64	67	64	0.9	0.9	No	No	Yes	Yes
1780092	RS	60	55	57	54	58	54	57	54	0.4	0.5	No	No	No	No
1780093	RS	60	55	57	54	56	53	56	53	-0.7	-0.7	No	No	No	No
1780094	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1780095	RS	60	55	67	64	68	65	68	65	0.5	0.5	No	Yes	Yes	Yes
1780096	RS	60	55	63	60	64	61	64	61	0.8	0.8	No	Yes	Yes	Yes
1780097	RS	60	55	61	59	62	59	62	59	0.5	0.5	No	No	No	No
1780098	RS	60	55	63	60	63	60	63	60	-0.2	-0.2	No	No	Yes	Yes
1780099	RS	60	55	67	58	67	59	56	53	0.0	0.1	No	No	No	No
1780100	RS	60	55	58	55	58	56	58	56	0.8	0.8	No	No	No	No
1780101	RS	60	55	59	56	59	56	59	56	0.4	0.4	No	No	No	No
1780102	RS	60	55	57	54	57	54	57	54	-0.1	-0.1	No	No	No	No
1780103	RS	60	55	62	59	62	60	62	60	0.9	0.9	No	No	Yes	Yes
1780104	RS	60	55	66	63	66	63	66	63	0.7	0.7	No	No	Yes	Yes
1780105	RS	60	55	59	56	58	55	58	55	-0.3	-0.4	No	No	No	No
1780106	RS	60	55	58	56	59	56	59	56	0.5	0.4	No	No	No	No
1780107	RS	60	55	55	52	56	53	56	53	0.8	0.7	No	No	No	No
1780108	RS	60	55	57	54	57	54	57	54	-0.1	-0.1	No	No	No	No
1780110	RS	60	55	69	63	70	63	62	59	0.7	-0.4	No	Yes	No	Yes
1780111	RS	60	55	66	63	67	64	67	64	0.8	0.8	No	No	Yes	Yes
1780112	RS	60	55	65	58	65	58	56	53	0.4	-0.3	No	No	No	No
1780113	RS	60	55	58	55	58	55	58	55	-0.2	-0.2	No	No	No	No
1780114	RS	60	55	67	64	68	66	67	65	1.0	1.6	No	Yes	Yes	Yes
1780115	RS	60	55	55	52	56	53	56	53	0.7	0.7	No	No	No	No
1780116	RS	60	55	61	58	61	59	61	59	0.5	0.5	No	No	No	No
1780117	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1780118	RS	60	55	60	57	61	58	61	58	0.5	0.4	No	No	No	No
1780119	RS	60	55	56	53	56	53	56	53	0.4	0.5	No	No	No	No
1780120	RS	60	55	57	54	58	55	58	55	0.6	0.6	No	No	No	No
1780121	RS	60	55	57	54	57	54	57	54	0.0	-0.1	No	No	No	No
1780122	RS	60	55	56	53	57	54	57	54	0.4	0.4	No	No	No	No
1780123	RS	60	55	59	56	60	57	60	57	0.6	0.7	No	No	No	No
1780124	RS	60	55	63	60	64	61	64	61	0.7	0.7	No	No	Yes	Yes
1780125	RS	60	55	56	53	56	53	56	53	-0.3	-0.3	No	No	No	No
1780126	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1780127	RS	60	55	58	55	59	56	59	56	0.7	0.8	No	No	No	No
1780128	RS	60	55	62	60	63	60	63	60	0.8	0.8	No	No	Yes	Yes
1780129	RS	60	55	57	54	57	55	57	55	0.6	0.6	No	No	No	No
1780130	RS	60	55	56	53	57	54	56	53	0.7	0.7	No	No	No	No
1780131	RS	60	55	62	59	62	59	62	59	0.1	0.1	No	No	No	No
1780132	RS	60	55	61	58	61	58	61	58	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1780133	RS	60	55	60	57	60	57	60	57	0.4	0.4	No	No	No	No
1780134	RS	60	55	60	57	59	57	59	57	-0.4	-0.4	No	No	No	No
1780135	RS	60	55	58	55	58	55	58	55	0.3	0.3	No	No	No	No
1780136	RS	60	55	72	69	72	69	72	69	0.5	0.5	No	No	Yes	Yes
1780137	RS	60	55	58	55	59	56	58	56	0.5	0.4	No	No	No	No
1780138	RS	60	55	57	54	58	55	57	54	0.6	0.6	No	No	No	No
1780139	RS	60	55	67	61	67	61	61	58	0.1	0.2	No	Yes	No	Yes
1780140	RS	60	55	59	56	58	55	58	55	-0.9	-0.9	No	No	No	No
1780141	RS	60	55	62	59	61	58	61	58	-0.7	-0.8	No	No	No	No
1780142	RS	60	55	62	59	62	59	62	59	0.4	0.4	No	No	No	No
1780143	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1780144	RS	60	55	64	61	64	61	64	61	0.6	0.5	No	No	Yes	Yes
1780145	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1780146	RS	60	55	60	57	61	58	61	58	0.5	0.5	No	No	No	No
1780147	RS	60	55	56	53	55	52	55	52	-0.4	-0.5	No	No	No	No
1780148	RS	60	55	62	60	63	60	63	60	0.8	0.7	No	No	Yes	Yes
1780149	RS	60	55	65	62	66	63	66	63	0.7	0.7	No	No	Yes	Yes
1780150	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1780151	RS	60	55	55	52	55	52	55	52	0.0	0.0	No	No	No	No
1780152	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1780153	RS	60	55	56	53	56	53	56	53	0.0	-0.1	No	No	No	No
1780154	RS	60	55	65	63	66	63	66	63	0.7	0.7	No	No	Yes	Yes
1780155	RS	60	55	56	53	57	53	56	53	0.4	0.3	No	No	No	No
1780156	RS	60	55	63	60	63	61	63	60	0.7	0.8	No	Yes	Yes	Yes
1780157	RS	60	55	56	53	57	54	57	54	0.4	0.4	No	No	No	No
1780158	RS	60	55	57	54	56	53	56	53	-0.1	-0.1	No	No	No	No
1780160	RS	60	55	55	52	55	52	55	52	-0.2	-0.2	No	No	No	No
1780161	RS	60	55	56	53	55	52	55	52	-0.6	-0.7	No	No	No	No
1780162	RS	60	55	57	54	57	54	57	54	0.6	0.6	No	No	No	No
1780163	RS	60	55	59	56	60	57	59	57	0.5	0.4	No	No	No	No
1780164	RS	60	55	62	60	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1780165	RS	60	55	62	59	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1780166	RS	60	55	59	56	59	55	59	55	-0.1	-0.3	No	No	No	No
1780167	RS	60	55	63	60	64	61	64	61	0.5	0.5	No	No	Yes	Yes
1780168	RS	60	55	55	52	55	52	55	52	-0.2	-0.2	No	No	No	No
1780169	RS	60	55	60	57	60	57	60	57	0.4	0.3	No	No	No	No
1780170	RS	60	55	63	60	64	61	64	61	0.8	0.8	No	No	Yes	Yes
1780171	RS	60	55	61	58	61	58	61	58	0.4	0.5	No	No	No	No
1780172	RS	60	55	56	53	56	54	56	54	0.8	0.9	No	No	No	No
1780173	RS	60	55	58	55	58	55	58	55	-0.1	-0.1	No	No	No	No
1780174	RS	60	55	56	53	57	54	56	53	0.5	0.5	No	No	No	No
1780175	RS	60	55	61	58	62	59	62	59	0.7	0.7	No	No	No	No
1780176	RS	60	55	52	49	52	49	52	49	-0.2	-0.2	No	No	No	No
1780177	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1780178	RS	60	55	68	65	68	66	68	66	0.7	0.7	No	No	Yes	Yes
1780179	RS	60	55	57	54	57	54	57	54	0.5	0.4	No	No	No	No
1780180	RS	60	55	57	54	57	54	57	54	0.5	0.4	No	No	No	No
1780181	RS	60	55	60	57	61	58	61	58	0.8	0.7	No	No	No	No
1780182	RS	60	55	66	64	67	65	66	63	1.0	1.8	No	Yes	Yes	Yes
1780183	RS	60	55	59	56	60	57	60	57	0.8	0.7	No	No	No	No
1780184	RS	60	55	57	55	57	54	57	54	-0.3	-0.4	No	No	No	No
1780185	RS	60	55	62	59	63	60	63	60	0.6	0.6	No	No	Yes	Yes
1780186	RS	60	55	56	53	56	53	56	53	-0.2	-0.3	No	No	No	No
1780187	RS	60	55	58	55	59	56	58	56	0.7	0.8	No	No	No	No
1780188	RS	60	55	56	53	56	54	56	53	0.8	0.8	No	No	No	No
1780189	RS	60	55	53	51	54	51	54	51	0.5	0.5	No	No	No	No
1780190	RS	60	55	60	57	60	57	60	57	0.7	0.7	No	No	No	No
1780191	RS	60	55	53	50	54	51	54	51	0.7	0.7	No	No	No	No
1780192	RS	60	55	59	56	60	57	60	57	0.5	0.4	No	No	No	No
1780193	RS	60	55	53	50	53	50	53	50	0.5	0.4	No	No	No	No
1780194	RS	60	55	62	59	62	59	62	59	0.5	0.5	No	No	No	No
1780195	RS	60	55	55	52	55	52	55	52	-0.2	-0.2	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1780196	RS	60	55	59	56	59	56	59	56	0.3	0.3	No	No	No	No
1780197	RS	60	55	58	55	58	55	58	55	0.3	0.3	No	No	No	No
1780198	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1780199	RS	60	55	56	53	56	53	56	53	0.0	0.0	No	No	No	No
1780200	RS	60	55	60	57	61	58	61	58	0.8	0.8	No	No	No	No
1780201	RS	60	55	62	59	62	59	62	59	0.4	0.5	No	No	No	No
1780202	RS	60	55	68	62	69	61	57	54	0.7	-0.9	No	No	No	No
1780203	RS	60	55	59	56	59	57	59	57	0.2	0.1	No	No	No	No
1780204	RS	60	55	58	55	59	56	58	55	0.4	0.5	No	No	No	No
1780205	RS	60	55	64	58	65	57	58	55	0.7	-0.6	No	No	No	No
1780207	RS	60	55	59	56	60	57	60	57	0.5	0.4	No	No	No	No
1780208	RS	60	55	60	57	61	58	61	58	0.6	0.5	No	No	No	No
1780209	RS	60	55	56	53	56	53	56	53	-0.5	-0.5	No	No	No	No
1780210	RS	60	55	58	56	58	55	58	55	-0.9	-1.0	No	No	No	No
1780211	RS	60	55	56	53	56	53	56	53	0.5	0.4	No	No	No	No
1780212	RS	60	55	55	52	55	52	55	52	0.6	0.6	No	No	No	No
1780213	RS	60	55	70	66	71	66	68	65	0.6	0.2	No	Yes	Yes	Yes
1780214	RS	60	55	59	56	60	57	59	57	0.6	0.5	No	No	No	No
1780215	RS	60	55	68	65	69	66	69	66	0.6	0.5	No	No	Yes	Yes
1780216	RS	60	55	67	58	67	58	55	52	0.0	0.0	No	No	No	No
1780217	RS	60	55	56	53	57	54	57	54	0.5	0.5	No	No	No	No
1780218	RS	60	55	55	52	55	52	55	52	0.0	-0.1	No	No	No	No
1780219	RS	60	55	60	57	60	58	60	58	0.8	0.9	No	No	No	No
1780220	RS	60	55	59	56	59	56	59	56	0.4	0.4	No	No	No	No
1780221	RS	60	55	60	57	61	58	61	58	0.5	0.5	No	No	No	No
1780222	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1780223	RS	60	55	57	54	57	54	57	54	-0.1	-0.2	No	No	No	No
1780224	RS	60	55	54	51	54	51	54	51	-0.1	-0.1	No	No	No	No
1780226	RS	60	55	68	62	69	62	59	56	0.7	-0.7	No	No	No	No
1780227	RS	60	55	61	59	62	59	62	59	0.6	0.6	No	No	No	No
1780228	RS	60	55	55	52	54	51	54	51	-0.2	-0.2	No	No	No	No
1780229	RS	60	55	60	57	60	57	60	57	0.8	0.8	No	No	No	No
1780230	RS	60	55	59	56	60	57	60	57	0.9	0.9	No	No	No	No
1780231	RS	60	55	57	54	57	54	57	54	0.0	-0.1	No	No	No	No
1780232	RS	60	55	60	57	60	57	60	57	0.4	0.4	No	No	No	No
1780233	RS	60	55	71	66	72	67	62	59	0.7	0.9	No	No	No	No
1780235	RS	60	55	65	58	66	58	54	51	0.5	-0.4	No	No	No	No
1780236	RS	60	55	55	52	55	52	55	52	0.7	0.7	No	No	No	No
1780237	RS	60	55	55	52	56	53	56	53	0.6	0.6	No	No	No	No
1780238	RS	60	55	62	59	63	60	63	60	0.7	0.6	No	No	Yes	Yes
1780239	RS	60	55	54	51	54	51	53	50	-0.1	-0.2	No	No	No	No
1780240	RS	60	55	57	54	57	54	57	54	-0.1	-0.2	No	No	No	No
1780241	RS	60	55	61	58	62	59	62	59	0.9	0.9	No	No	No	No
1780242	RS	60	55	54	52	54	51	54	51	-0.4	-0.5	No	No	No	No
1780243	RS	60	55	65	62	66	63	66	63	0.8	0.7	No	No	Yes	Yes
1780244	RS	60	55	62	59	63	60	63	60	0.5	0.5	No	Yes	Yes	Yes
1780245	RS	60	55	60	57	61	58	61	58	0.5	0.4	No	No	No	No
1780246	RS	60	55	61	58	62	59	62	59	0.8	0.7	No	No	No	No
1780247	RS	60	55	57	54	57	54	57	54	0.4	0.4	No	No	No	No
1780248	RS	60	55	60	57	60	58	60	58	0.6	0.6	No	No	No	No
1780249	RS	60	55	56	53	56	53	56	53	0.7	0.7	No	No	No	No
1780250	RS	60	55	56	53	56	53	56	53	-0.1	-0.1	No	No	No	No
1780251	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1780252	RS	60	55	55	52	55	52	55	52	0.5	0.4	No	No	No	No
1780253	RS	60	55	55	52	56	53	56	53	0.5	0.5	No	No	No	No
1780254	RS	60	55	59	56	59	56	59	56	0.4	0.3	No	No	No	No
1780255	RS	60	55	60	57	60	57	60	57	0.5	0.5	No	No	No	No
1780256	RS	60	55	59	56	60	57	59	57	0.5	0.4	No	No	No	No
1780257	RS	60	55	58	55	58	55	58	55	0.0	-0.1	No	No	No	No
1780258	RS	60	55	60	57	61	58	60	57	0.5	0.5	No	No	No	No
1780259	RS	60	55	56	53	57	54	57	54	0.5	0.5	No	No	No	No
1780260	RS	60	55	71	68	71	69	70	67	0.9	1.6	No	Yes	Yes	Yes

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1780261	RS	60	55	55	52	56	53	56	53	0.4	0.5	No	No	No	No
1780262	RS	60	55	59	56	59	56	59	56	-0.2	-0.3	No	No	No	No
1780263	RS	60	55	66	63	66	64	66	64	0.8	0.8	No	No	Yes	Yes
1780264	RS	60	55	58	55	58	56	58	56	0.8	0.8	No	No	No	No
1780265	RS	60	55	61	58	61	59	61	59	0.8	0.7	No	No	No	No
1780266	RS	60	55	62	59	62	59	62	59	0.5	0.6	No	No	No	No
1780267	RS	60	55	57	55	57	54	57	54	-0.6	-0.7	No	No	No	No
1780268	RS	60	55	57	54	57	54	57	54	-0.1	-0.1	No	No	No	No
1780269	RS	60	55	57	54	58	55	58	55	0.6	0.6	No	No	No	No
1780270	RS	60	55	61	58	61	58	61	58	0.8	0.8	No	No	No	No
1780271	RS	60	55	59	56	60	57	60	57	0.5	0.5	No	No	No	No
1780272	RS	60	55	53	50	53	50	53	50	-0.1	-0.2	No	No	No	No
1780273	RS	60	55	58	55	58	55	58	55	-0.2	-0.2	No	No	No	No
1780274	RS	60	55	61	58	62	59	62	59	0.8	0.7	No	No	No	No
1780275	RS	60	55	60	58	61	58	61	58	0.5	0.5	No	No	No	No
1780276	RS	60	55	58	55	59	56	59	56	0.8	0.8	No	No	No	No
1780277	RS	60	55	58	55	58	55	58	55	0.4	0.4	No	No	No	No
1780278	RS	60	55	56	53	56	53	56	53	-0.2	-0.3	No	No	No	No
1780279	RS	60	55	60	57	60	57	60	57	-0.1	-0.1	No	No	No	No
1780280	RS	60	55	61	58	61	59	61	59	0.6	0.6	No	No	No	No
1780281	RS	60	55	58	55	57	55	57	55	-0.4	-0.4	No	No	No	No
1780282	RS	60	55	60	57	60	57	60	57	0.5	0.4	No	No	No	No
1780283	RS	60	55	61	58	62	59	62	59	0.6	0.5	No	No	No	No
1780284	RS	60	55	58	56	59	56	59	56	0.7	0.7	No	No	No	No
1780285	RS	60	55	57	54	57	54	57	54	-0.4	-0.5	No	No	No	No
1780286	RS	60	55	57	54	58	55	58	55	0.9	0.9	No	No	No	No
1780287	RS	60	55	51	48	52	49	52	49	0.8	0.8	No	No	No	No
1780288	RS	60	55	59	56	58	56	58	56	-0.8	-0.8	No	No	No	No
1780289	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1780290	RS	60	55	65	62	66	63	65	62	0.8	1.2	No	Yes	Yes	Yes
1780291	RS	60	55	57	54	57	54	57	54	-0.1	-0.1	No	No	No	No
1780292	RS	60	55	65	57	65	57	57	54	0.1	0.1	No	No	No	No
1780293	RS	60	55	59	56	59	56	59	56	0.5	0.4	No	No	No	No
1780294	RS	60	55	62	59	62	60	62	60	0.8	0.8	No	No	Yes	Yes
1780295	RS	60	55	61	58	62	59	62	59	0.5	0.5	No	No	No	No
1780296	RS	60	55	64	61	64	61	64	61	0.6	0.6	No	No	Yes	Yes
1780297	RS	60	55	57	55	58	55	58	55	0.9	0.9	No	No	No	No
1780298	RS	60	55	61	58	62	59	62	59	0.4	0.4	No	No	No	No
1780299	RS	60	55	55	52	55	53	55	53	0.5	0.5	No	No	No	No
1780300	RS	60	55	62	59	63	60	62	60	0.8	0.7	No	No	Yes	Yes
1780301	RS	60	55	60	57	60	57	60	57	0.5	0.5	No	No	No	No
1780302	RS	60	55	66	63	67	65	66	63	1.0	1.8	No	Yes	Yes	Yes
1780303	RS	60	55	58	55	58	56	58	56	0.6	0.5	No	No	No	No
1780304	RS	60	55	67	64	68	65	68	65	0.7	0.8	No	No	Yes	Yes
1780305	RS	60	55	58	55	58	56	58	56	0.7	0.7	No	No	No	No
1780306	RS	60	55	58	55	58	55	58	55	-0.2	-0.3	No	No	No	No
1780307	RS	60	55	52	49	52	49	52	49	-0.1	-0.2	No	No	No	No
1780308	RS	60	55	62	60	63	60	63	60	0.9	0.8	No	No	Yes	Yes
1780309	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1780310	RS	60	55	53	50	53	50	53	50	-0.1	-0.1	No	No	No	No
1780311	RS	60	55	64	61	65	62	65	62	0.6	0.6	No	No	Yes	Yes
1780312	RS	60	55	63	60	63	60	63	60	-0.3	-0.3	No	No	Yes	Yes
1780313	RS	60	55	61	58	62	59	62	59	0.8	0.9	No	No	No	No
1780314	RS	60	55	59	56	59	56	59	56	-0.1	-0.1	No	No	No	No
1780315	RS	60	55	67	64	67	65	67	65	0.7	0.7	No	No	Yes	Yes
1780317	RS	60	55	67	64	67	65	67	65	0.5	0.5	No	No	Yes	Yes
1780318	RS	60	55	60	57	61	58	60	58	0.6	0.7	No	No	No	No
1780319	RS	60	55	58	55	58	55	58	55	-0.4	-0.5	No	No	No	No
1780320	RS	60	55	56	53	55	52	55	52	-0.2	-0.2	No	No	No	No
1780321	RS	60	55	57	55	57	54	57	54	-0.1	-0.2	No	No	No	No
1780322	RS	60	55	63	60	64	61	64	61	0.7	0.7	No	No	Yes	Yes
1780323	RS	60	55	59	56	59	57	59	57	0.4	0.3	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1780324	RS	60	55	57	54	57	54	57	54	0.4	0.4	No	No	No	No
1780325	RS	60	55	67	64	68	65	67	64	0.8	1.2	No	Yes	Yes	Yes
1780326	RS	60	55	68	66	69	67	69	66	1.0	1.5	No	Yes	Yes	Yes
1780327	RS	60	55	54	51	54	51	54	51	-0.2	-0.3	No	No	No	No
1780328	RS	60	55	62	59	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1780329	RS	60	55	61	59	62	59	62	59	0.8	0.7	No	No	No	No
1780330	RS	60	55	59	56	60	57	60	57	0.5	0.5	No	No	No	No
1780331	RS	60	55	56	53	57	54	57	54	0.6	0.5	No	No	No	No
1780332	RS	60	55	56	53	56	53	56	53	0.7	0.7	No	No	No	No
1780333	RS	60	55	72	66	72	66	60	57	0.0	0.0	No	No	No	No
1780334	RS	60	55	67	61	67	61	63	60	0.2	0.7	No	Yes	Yes	Yes
1780335	RS	60	55	56	53	57	54	57	54	0.4	0.4	No	No	No	No
1780336	RS	60	55	56	53	56	53	56	53	0.5	0.5	No	No	No	No
1780337	RS	60	55	56	53	57	53	56	53	0.4	0.3	No	No	No	No
1780338	RS	60	55	58	55	59	56	59	56	0.7	0.8	No	No	No	No
1780339	RS	60	55	57	54	57	54	57	54	0.4	0.4	No	No	No	No
1780340	RS	60	55	62	59	62	59	62	59	0.4	0.5	No	No	No	No
1780341	RS	60	55	62	60	63	60	63	60	0.9	0.8	No	No	Yes	Yes
1780342	RS	60	55	57	54	57	54	57	54	0.5	0.4	No	No	No	No
1780343	RS	60	55	61	59	62	59	62	59	0.5	0.5	No	No	No	No
1780344	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1780345	RS	60	55	66	63	67	64	66	63	0.6	1.0	No	Yes	Yes	Yes
1780346	RS	60	55	57	54	58	55	57	55	0.5	0.5	No	No	No	No
1780347	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1780348	RS	60	55	65	62	65	62	65	62	0.7	0.8	No	No	Yes	Yes
1780349	RS	60	55	52	49	53	50	53	50	0.6	0.6	No	No	No	No
1780350	RS	60	55	64	61	65	62	65	62	0.6	0.6	No	Yes	Yes	Yes
1780352	RS	60	55	62	59	63	60	63	60	0.7	0.6	No	No	Yes	Yes
1780354	RS	60	55	61	58	62	59	62	59	0.8	0.7	No	No	No	No
1780355	RS	60	55	57	54	57	54	57	54	0.6	0.5	No	No	No	No
1780356	RS	60	55	60	57	61	58	61	58	0.8	0.8	No	No	No	No
1780357	RS	60	55	61	58	61	58	61	58	0.5	0.4	No	No	No	No
1780358	RS	60	55	59	56	59	56	59	56	0.4	0.4	No	No	No	No
1780359	RS	60	55	59	56	59	57	59	57	0.5	0.5	No	No	No	No
1780360	RS	60	55	55	52	56	53	56	53	0.8	0.8	No	No	No	No
1780361	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1780363	RS	60	55	58	56	59	56	59	56	0.5	0.5	No	No	No	No
1780364	RS	60	55	62	59	63	60	63	60	0.8	0.8	No	No	Yes	Yes
1780365	RS	60	55	58	56	59	56	59	56	0.5	0.5	No	No	No	No
1780366	RS	60	55	65	58	65	58	55	52	0.4	-0.3	No	No	No	No
1780367	RS	60	55	69	63	69	63	60	57	0.0	0.0	No	No	No	No
1780368	RS	60	55	65	57	65	57	55	52	0.0	0.1	No	No	No	No
1780369	RS	60	55	58	55	58	55	58	55	0.5	0.5	No	No	No	No
1780370	RS	60	55	60	57	60	57	60	57	0.7	0.7	No	No	No	No
1780371	RS	60	55	60	57	60	57	60	57	0.6	0.6	No	No	No	No
1780372	RS	60	55	59	56	59	56	59	56	-0.2	-0.2	No	No	No	No
1780373	RS	60	55	60	57	60	58	60	57	0.5	0.6	No	No	No	No
1780374	RS	60	55	66	64	67	64	67	64	0.8	0.8	No	Yes	Yes	Yes
1780375	RS	60	55	63	60	64	61	64	61	0.9	0.8	No	No	Yes	Yes
1780376	RS	60	55	56	53	56	53	56	53	-0.2	-0.2	No	No	No	No
1780377	RS	60	55	62	60	63	60	63	60	0.8	0.7	No	No	Yes	Yes
1780380	RS	60	55	62	59	63	60	63	60	0.5	0.5	No	No	Yes	Yes
1780381	RS	60	55	63	60	63	60	62	60	-0.2	-0.2	No	No	Yes	Yes
1780382	RS	60	55	63	60	64	61	64	61	0.8	0.9	No	No	Yes	Yes
1780383	RS	60	55	56	53	56	53	56	53	-0.2	-0.3	No	No	No	No
1780384	RS	60	55	53	50	54	51	54	51	0.7	0.8	No	No	No	No
1780385	RS	60	55	56	53	57	54	57	54	0.4	0.4	No	No	No	No
1780386	RS	60	55	61	58	61	58	61	58	0.7	0.7	No	No	No	No
1780387	RS	60	55	67	61	67	61	62	59	0.2	0.3	No	Yes	No	Yes
1780388	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1780389	RS	60	55	63	60	63	61	63	61	0.6	0.5	No	No	Yes	Yes
1780390	RS	60	55	57	55	57	54	57	54	-0.3	-0.4	No	No	No	No


House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1780391	RS	60	55	58	55	59	56	59	56	0.5	0.5	No	No	No	No
1780392	RS	60	55	71	68	72	70	71	68	0.9	1.4	No	Yes	Yes	Yes
1780393	RS	60	55	55	52	55	52	55	52	0.5	0.4	No	No	No	No
1780394	RS	60	55	57	54	58	55	58	55	0.5	0.6	No	No	No	No
1780395	RS	60	55	65	62	65	62	65	62	0.7	0.7	No	No	Yes	Yes
1780396	RS	60	55	62	59	61	58	61	58	-0.5	-0.6	No	No	No	No
1780397	RS	60	55	57	54	58	55	58	55	0.8	0.9	No	No	No	No
1780398	RS	60	55	57	54	58	55	58	55	0.6	0.5	No	No	No	No
1780400	RS	60	55	67	65	68	65	68	65	0.6	0.6	No	No	Yes	Yes
1780401	RS	60	55	56	53	56	53	56	53	-0.1	-0.1	No	No	No	No
1780402	RS	60	55	58	55	57	55	57	55	-0.5	-0.5	No	No	No	No
1780403	RS	60	55	67	61	67	61	64	61	0.2	0.4	No	Yes	Yes	Yes
1780404	RS	60	55	60	58	61	58	61	58	0.8	0.8	No	No	No	No
1780405	RS	60	55	59	56	59	56	59	56	-0.2	-0.2	No	No	No	No
1780406	RS	60	55	60	57	61	58	61	58	0.5	0.5	No	No	No	No
1780407	RS	60	55	60	57	60	57	60	57	0.5	0.5	No	No	No	No
1780408	RS	60	55	53	50	54	51	53	51	0.5	0.4	No	No	No	No
1780409	RS	60	55	57	54	57	54	57	54	-0.1	-0.1	No	No	No	No
1780410	RS	60	55	55	52	55	52	55	52	-0.6	-0.7	No	No	No	No
1780411	RS	60	55	59	56	59	56	59	56	-0.7	-0.8	No	No	No	No
1780412	RS	60	55	65	62	65	62	65	62	0.4	0.5	No	No	Yes	Yes
1780413	RS	60	55	66	63	67	65	66	63	1.0	1.7	No	Yes	Yes	Yes
1780414	RS	60	55	62	59	63	60	63	60	0.6	0.6	No	No	Yes	Yes
1780415	RS	60	55	62	59	63	61	62	59	1.0	1.6	No	Yes	No	Yes
1780416	RS	60	55	70	67	70	68	70	68	0.6	0.6	No	No	Yes	Yes
1780417	RS	60	55	55	52	54	51	54	51	-0.4	-0.4	No	No	No	No
1780418	RS	60	55	61	59	62	59	62	59	0.5	0.5	No	No	No	No
1780419	RS	60	55	57	54	57	54	57	54	0.6	0.5	No	No	No	No
1780420	RS	60	55	60	57	60	57	60	57	0.7	0.7	No	No	No	No
1780421	RS	60	55	61	58	62	59	61	59	0.7	0.7	No	No	No	No
1780422	RS	60	55	54	51	55	52	55	52	0.5	0.5	No	No	No	No
1780423	RS	60	55	71	65	71	65	63	60	0.0	0.1	No	No	Yes	Yes
1780424	RS	60	55	60	57	60	57	60	57	0.3	0.3	No	No	No	No
1780425	RS	60	55	66	63	67	64	67	64	0.8	0.7	No	No	Yes	Yes
1780426	RS	60	55	57	54	57	54	57	54	0.5	0.4	No	No	No	No
1780427	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1780428	RS	60	55	59	56	59	56	59	56	-0.3	-0.4	No	No	No	No
1780429	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1780430	RS	60	55	57	54	58	55	57	55	0.5	0.4	No	No	No	No
1780431	RS	60	55	56	54	57	54	57	54	0.7	0.7	No	No	No	No
1780432	RS	60	55	64	61	65	62	65	62	0.6	0.6	No	No	Yes	Yes
1780433	RS	60	55	61	58	62	59	62	59	0.5	0.4	No	No	No	No
1780434	RS	60	55	56	53	57	54	57	54	0.4	0.5	No	No	No	No
1780435	RS	60	55	61	59	62	59	62	59	0.9	0.8	No	No	No	No
1780436	RS	60	55	63	60	64	61	64	61	0.7	0.7	No	No	Yes	Yes
1780437	RS	60	55	59	56	59	56	59	56	0.4	0.5	No	No	No	No
1780438	RS	60	55	61	58	61	59	61	59	0.5	0.5	No	No	No	No
1780439	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1780440	RS	60	55	58	55	58	55	58	55	-0.2	-0.2	No	No	No	No
1780441	RS	60	55	59	56	58	55	58	55	-0.8	-0.8	No	No	No	No
1780442	RS	60	55	57	54	57	54	57	54	-0.1	-0.1	No	No	No	No
1780443	RS	60	55	59	56	59	56	59	56	0.5	0.5	No	No	No	No
1780444	RS	60	55	55	52	56	53	56	53	0.9	0.9	No	No	No	No
1780445	RS	60	55	56	53	56	53	56	53	-0.1	-0.1	No	No	No	No
1780446	RS	60	55	59	56	60	57	60	57	0.7	0.8	No	No	No	No
1780447	RS	60	55	57	54	57	54	57	54	-0.3	-0.3	No	No	No	No
1780448	RS	60	55	60	57	60	57	60	57	0.5	0.5	No	No	No	No
1780449	RS	60	55	57	54	58	55	57	55	0.4	0.4	No	No	No	No
1780450	RS	60	55	67	64	67	65	67	65	0.4	0.4	No	No	Yes	Yes
1780451	RS	60	55	59	56	58	55	58	55	-0.3	-0.3	No	No	No	No
1780452	RS	60	55	57	54	58	55	58	55	0.8	0.7	No	No	No	No
1780453	RS	60	55	54	51	55	52	55	52	0.5	0.4	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1780454	RS	60	55	60	57	59	57	59	57	-0.6	-0.7	No	No	No	No
1780455	RS	60	55	58	55	58	55	58	55	0.4	0.4	No	No	No	No
1780456	RS	60	55	62	59	63	60	63	60	0.5	0.5	No	No	Yes	Yes
1780457	RS	60	55	57	54	57	54	57	54	-0.1	-0.1	No	No	No	No
1780458	RS	60	55	62	59	63	60	63	60	0.8	0.7	No	No	Yes	Yes
1780459	RS	60	55	59	56	60	57	60	57	0.5	0.4	No	No	No	No
1780460	RS	60	55	59	56	58	55	58	55	-0.4	-0.5	No	No	No	No
1780461	RS	60	55	55	52	55	52	55	52	0.6	0.7	No	No	No	No
1780462	RS	60	55	59	56	59	56	59	56	0.8	0.7	No	No	No	No
1780463	RS	60	55	60	57	61	58	61	58	0.9	0.9	No	No	No	No
1780464	RS	60	55	62	59	62	59	62	59	0.5	0.4	No	No	No	No
1780465	RS	60	55	57	54	57	54	57	54	-0.1	-0.2	No	No	No	No
1780466	RS	60	55	56	54	57	54	57	54	0.5	0.5	No	No	No	No
1780467	RS	60	55	56	53	57	54	57	54	0.4	0.4	No	No	No	No
1780468	RS	60	55	63	60	64	61	64	61	0.6	0.6	No	No	Yes	Yes
1780469	RS	60	55	56	53	56	53	56	53	0.4	0.4	No	No	No	No
1780470	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1780471	RS	60	55	61	58	62	59	62	59	0.8	0.7	No	No	No	No
1780472	RS	60	55	56	53	56	53	56	53	0.6	0.5	No	No	No	No
1780473	RS	60	55	62	59	63	60	63	60	0.8	0.8	No	No	Yes	Yes
1780474	RS	60	55	59	56	60	56	59	56	0.4	0.4	No	No	No	No
1780475	RS	60	55	54	51	54	51	54	51	0.5	0.5	No	No	No	No
1780476	RS	60	55	62	59	62	59	62	59	0.5	0.5	No	No	No	No
1780477	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1780478	RS	60	55	66	63	67	64	67	64	0.4	0.4	No	No	Yes	Yes
1780479	RS	60	55	59	56	60	57	59	57	0.6	0.5	No	No	No	No
1780480	RS	60	55	63	60	63	61	63	61	0.7	0.8	No	No	Yes	Yes
1780481	RS	60	55	59	56	60	57	60	57	0.5	0.4	No	No	No	No
1780482	RS	60	55	60	57	60	57	60	57	0.4	0.4	No	No	No	No
1780483	RS	60	55	57	54	57	54	57	54	0.5	0.5	No	No	No	No
1780484	RS	60	55	62	59	63	60	63	60	0.7	0.7	No	No	Yes	Yes
1780485	RS	60	55	55	52	56	53	56	53	0.5	0.4	No	No	No	No
1780486	RS	60	55	63	57	64	56	56	53	0.6	-0.4	No	No	No	No
1780487	RS	60	55	63	60	63	60	63	60	0.7	0.6	No	No	Yes	Yes
1780488	RS	60	55	56	53	57	54	56	54	0.5	0.6	No	No	No	No
1780489	RS	60	55	57	54	57	54	57	54	0.4	0.4	No	No	No	No
1780490	RS	60	55	58	55	58	55	58	55	-0.2	-0.3	No	No	No	No
1780492	RS	60	55	56	53	57	54	57	54	0.8	0.9	No	No	No	No
1780493	RS	60	55	59	56	58	56	58	56	-0.6	-0.6	No	No	No	No
1780494	RS	60	55	60	57	61	58	61	58	0.7	0.7	No	No	No	No
1780495	RS	60	55	64	61	65	62	64	61	0.6	1.1	No	Yes	Yes	Yes
1780496	RS	60	55	64	60	64	60	63	60	0.4	0.4	No	Yes	Yes	Yes
1780497	RS	60	55	63	60	64	61	64	61	0.6	0.6	No	Yes	Yes	Yes
1780499	RS	60	55	59	56	60	57	60	57	0.7	0.7	No	No	No	No
1780500	RS	60	55	59	57	60	57	60	57	0.8	0.7	No	No	No	No
1780502	RS	60	55	62	59	62	58	62	58	-0.2	-0.2	No	No	No	No
1780503	RS	60	55	61	58	62	59	62	59	0.6	0.5	No	No	No	No
1780504	RS	60	55	63	60	62	59	62	59	-0.2	-0.2	No	No	No	No
1780505	RS	60	55	63	60	64	61	64	61	0.8	0.8	No	No	Yes	Yes
1780506	RS	60	55	54	51	53	50	53	50	-0.4	-0.5	No	No	No	No
1780507	RS	60	55	57	54	57	54	57	54	-0.3	-0.4	No	No	No	No
1780508	RS	60	55	61	58	62	59	62	59	0.8	0.8	No	No	No	No
1780509	RS	60	55	54	50	54	51	53	50	0.5	0.4	No	No	No	No
1780510	RS	60	55	54	51	54	51	54	51	-0.3	-0.4	No	No	No	No
1780511	RS	60	55	55	52	55	52	55	52	-0.6	-0.7	No	No	No	No
1780512	RS	60	55	64	61	65	62	65	62	0.7	0.7	No	Yes	Yes	Yes
1780513	RS	60	55	59	57	60	57	60	57	0.8	0.9	No	No	No	No
1780514	RS	60	55	57	54	57	54	57	54	0.5	0.4	No	No	No	No
1780515	RS	60	55	55	52	56	52	55	52	0.7	0.7	No	No	No	No
1780516	RS	60	55	55	52	55	52	55	52	0.4	0.4	No	No	No	No
1780517	RS	60	55	61	58	60	57	60	57	-0.3	-0.4	No	No	No	No
1780518	RS	60	55	56	53	57	54	57	54	0.5	0.5	No	No	No	No

House ID	Usage	Criteria L _{Aeq(period)} dB(A)		Predicted Noise Level L _{Aeq(period)} dB(A) - Year 2036								Equal or exceed controlling criteria with an increase in noise level > 2dB	Equal or exceed the cumulative limit with the project roads adding > 2dB to the total noise levels	Is the contribution from the project road Acute?	Eligible for mitigation
		Day	Night	Day	Night	Day	Night	Day	Night	Day	Night				
1780519	RS	60	55	69	66	70	67	70	67	0.8	0.7	No	No	Yes	Yes
1780520	RS	60	55	59	56	59	56	59	56	0.4	0.4	No	No	No	No
1780521	RS	60	55	58	55	58	55	58	55	-0.2	-0.2	No	No	No	No
1780522	RS	60	55	60	57	60	58	60	57	0.7	0.8	No	No	No	No
1780523	RS	60	55	58	55	59	56	59	56	0.7	0.7	No	No	No	No
1780524	RS	60	55	57	55	58	55	58	55	0.5	0.4	No	No	No	No
1780525	RS	60	55	55	52	56	53	56	53	0.9	0.9	No	No	No	No
1780526	RS	60	55	55	52	55	52	55	52	0.5	0.5	No	No	No	No
1780527	RS	60	55	65	63	66	63	66	63	0.7	0.7	No	Yes	Yes	Yes
1780528	RS	60	55	61	58	62	59	62	59	0.7	0.8	No	No	No	No
1780529	RS	60	55	57	54	58	55	58	55	0.8	0.8	No	No	No	No
1780530	RS	60	55	56	54	57	54	57	54	0.2	0.2	No	No	No	No
1780531	RS	60	55	58	55	57	54	57	54	-0.2	-0.2	No	No	No	No
1780533	RS	60	55	55	52	56	52	55	52	0.5	0.4	No	No	No	No
1780534	RS	60	55	61	58	61	58	61	58	0.5	0.5	No	No	No	No
1780535	RS	60	55	65	62	64	61	64	61	-0.4	-0.4	No	No	Yes	Yes
1780536	RS	60	55	61	58	61	59	61	58	0.7	0.8	No	No	No	No
1780537	RS	60	55	61	56	62	55	58	55	0.5	-0.1	No	No	No	No
1780538	RS	60	55	61	58	61	58	61	58	0.5	0.5	No	No	No	No
1780539	RS	60	55	62	59	63	60	63	60	0.7	0.8	No	No	Yes	Yes
1780540	RS	60	55	68	65	68	65	68	65	0.4	0.4	No	No	Yes	Yes
1780541	RS	60	55	61	58	62	59	62	59	0.7	0.7	No	No	No	No
1780542	RS	60	55	56	52	56	53	55	52	0.4	0.4	No	No	No	No
1780543	RS	60	55	62	59	62	60	62	60	0.7	0.7	No	No	Yes	Yes
1780544	RS	60	55	64	62	65	62	65	62	0.7	0.7	No	No	Yes	Yes
1780545	RS	60	55	62	59	62	59	62	59	0.5	0.6	No	No	No	No
1780546	RS	60	55	56	53	57	54	57	54	0.7	0.7	No	No	No	No
1780547	RS	60	55	61	58	61	59	61	59	0.8	0.8	No	No	No	No
1780548	RS	60	55	60	57	61	58	61	58	0.9	0.9	No	No	No	No
1780549	RS	60	55	60	57	60	58	60	58	0.9	0.9	No	No	No	No
1780550	RS	60	55	56	53	57	54	57	54	0.9	0.9	No	No	No	No
1780551	RS	60	55	60	58	61	58	61	58	0.9	0.8	No	No	No	No
1780552	RS	60	55	62	59	63	60	63	60	0.9	0.8	No	No	Yes	Yes
1780553	RS	60	55	62	59	63	60	63	60	0.9	0.9	No	No	Yes	Yes
1780575	RS	60	55	66	63	67	64	67	64	0.4	0.4	No	No	Yes	Yes
1780581	RS	60	55	68	66	69	66	69	66	0.4	0.3	No	No	Yes	Yes
1780630	RS	60	55	58	55	59	56	59	56	0.5	0.6	No	No	No	No
1780631	RS	60	55	60	57	61	58	61	58	0.5	0.5	No	No	No	No
1780630	RS	60	55	58	55	59	56	59	56	0.5	0.6	No	No	No	No
1780631	RS	60	55	60	57	61	58	61	58	0.5	0.5	No	No	No	No

Appendix G

Operational road traffic
noise level maps



Transurban

AECOM

LEGEND

Do not require mitigation

Eligible for mitigation

Multiple Story Buildings

School

Place of Worship

Future Road Alignment

Noise Barrier Upgrades/Additions

Existing Noise Barriers

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)




M7 Widening
Operational Assessment
Noise Affected Buildings

Future Day L_{Aeq,15h}
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
1-2



DATUM GDA 1994, PROJECTION MGA ZONE 50
0 40 80 160 metres
1:4,000 (when printed at A3)

LEGEND

Do not require mitigation

Eligible for mitigation

Multiple Story Buildings

School

Place of Worship

Future Road Alignment

Noise Barrier Upgrades/Additions

Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Day $L_{Aeq,15h}$
Predicted Noise Levels

PROJECT ID60603874
CREATED BYJZ
LAST MODIFIED20 June 2022

Figure
1-3

A3 size





DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160 metres

1:4,000 (when printed at A3)



LEGEND

 Do not require mitigation

 Eligible for mitigation

 Multiple Story Buildings

 School

 Place of Worship

 Future Road Alignment

 Noise Barrier Upgrades/Additions

 Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

**Future Day L_{Aeq,15h}
Predicted Noise Levels**

PROJECT ID	60603874
CREATED BY	JZ
LAST MODIFIED	20 June 2022

Figure
1-4



Transurban

AECOM

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)



LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship



- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Day $L_{Aeq,15h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
1-6



Transurban

AECOM

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)



LEGEND

Do not require mitigation

Eligible for mitigation

Multiple Story Buildings

School

Place of Worship

Future Road Alignment

Noise Barrier Upgrades/Additions


Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Day $L_{Aeq,15h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
1-7





DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160 metres

1:4,000 (when printed at A3)



LEGEND

 Do not require mitigation

 Eligible for mitigation

 Multiple Story Buildings

 School

 Place of Worship

 Future Road Alignment

 Noise Barrier Upgrades/Additions


 Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

**Future Day $L_{Aeq,15h}$
Predicted Noise Levels**

PROJECT ID	60603874
CREATED BY	JZ
LAST MODIFIED	20 June 2022

Figure
1-9





DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160 metres

1:4,000 (when printed at A3)



LEGEND

 Do not require mitigation

 Eligible for mitigation

 Multiple Story Buildings

 School

 Place of Worship

 Future Road Alignment

 Noise Barrier Upgrades/Additions


 Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

**Future Day $L_{Aeq,15h}$
Predicted Noise Levels**

PROJECT ID	60603874
CREATED BY	JZ
LAST MODIFIED	20 June 2022

Figure
1-10





DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160 metres

1:4,000 (when printed at A3)



Do not require mitigation

Eligible for mitigation

Multiple Story Buildings

School

Place of Worship

Future Road Alignment

Noise Barrier Upgrades/Additions

Existing Noise Barriers


M7 Widening
Operational Assessment
Noise Affected Buildings

Future Day $L_{Aeq,15h}$
Predicted Noise Levels

PROJECT ID60603874
CREATED BYJZ
LAST MODIFIED20 June 2022

Figure
1-11

A3 size



Transurban

AECOM

LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship

- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160

metres


1:4,000 (when printed at A3)

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Day $L_{Aeq,15h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
1-12





DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160 metres

1:4,000 (when printed at A3)



LEGEND

 Do not require mitigation

 Eligible for mitigation

 School

 Place of Worship

 Future Road Alignment

 Noise Barrier Upgrades/Additions

 Existing Noise Barriers

 Multiple Story Buildings

M7 Widening
Operational Assessment
Noise Affected Buildings

**Future Day $L_{Aeq,15h}$
Predicted Noise Levels**


PROJECT ID	60603874	Figure 1-13
CREATED BY	JZ	
LAST MODIFIED	20 June 2022	



Transurban

AECOM

DATUM GDA 1994, PROJECTION MGA ZONE 50



1:4,000 (when printed at A3)



LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship


- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Day $L_{Aeq,15h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
1-14



Transurban

AECOM

LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship

- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres


1:4,000 (when printed at A3)

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
2-1



Transurban

AECOM

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)



LEGEND

Do not require mitigation

Eligible for mitigation

Multiple Story Buildings

School

Place of Worship

Future Road Alignment

Noise Barrier Upgrades/Additions


Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
2-2



Transurban

AECOM

LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship

- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160

metres

1:4,000 (when printed at A3)

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
2-3



Transurban

AECOM

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)



LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship

- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
2-4



Transurban

AECOM

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)



LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship

- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure

2-5



Transurban

AECOM

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)



LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship


- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
2-6



Transurban

AECOM

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)



LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship


- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
2-7



Transurban

AECOM

LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship

- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160

metres


1:4,000 (when printed at A3)

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
2-8





DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160 metres

1:4,000 (when printed at A3)



LEGEND

Do not require mitigation

Eligible for mitigation

Multiple Story Buildings

School

Place of Worship

Future Road Alignment

Noise Barrier Upgrades/Additions


Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

**Future Night $L_{Aeq,9h}$
Predicted Noise Levels**

PROJECT ID	60603874
CREATED BY	JZ
LAST MODIFIED	20 June 2022

Figure
2-9





DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160 metres

1:4,000 (when printed at A3)



LEGEND

 Do not require mitigation

 Eligible for mitigation

 Multiple Story Buildings

 School

 Place of Worship

 Future Road Alignment

 Noise Barrier Upgrades/Additions


 Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

**Future Night $L_{Aeq,9h}$
Predicted Noise Levels**

PROJECT ID	60603874
CREATED BY	JZ
LAST MODIFIED	20 June 2022

Figure
2-10



Transurban

AECOM

LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship

- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160 metres


1:4,000 (when printed at A3)

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
2-12



Transurban

AECOM

LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship

- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)



M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure

2-13



Transurban

AECOM

DATUM GDA 1994, PROJECTION MGA ZONE 50

0 40 80 160
metres

1:4,000 (when printed at A3)



LEGEND

- Do not require mitigation
- Eligible for mitigation

- Multiple Story Buildings
- School
- Place of Worship

- Future Road Alignment
- Noise Barrier Upgrades/Additions
- Existing Noise Barriers

M7 Widening
Operational Assessment
Noise Affected Buildings

Future Night $L_{Aeq,9h}$
Predicted Noise Levels

PROJECT ID 60603874
CREATED BY JZ
LAST MODIFIED 20 June 2022

Figure
2-14