



Fil Cerone
Director Sustainability, Environment and Planning
Sydney Metro
Level 43, 680 George Street
Sydney, NSW, 2000

24 September 2021

Dear Mr Cerone

**Sydney Metro City and South West - Chatswood to Sydenham (SSI-7400)
Artarmon Substation Heritage Interpretation Plan (HIP)**

I refer to the Artarmon Substation Heritage Interpretation Plan (HIP) which was submitted to the Department for information in accordance with Condition E21 of the approval for the Chatswood to Sydenham project (SSI-7400).

I note that the Artarmon Substation HIP has been prepared in accordance with:

- the *NSW Heritage Manual*,
- the *NSW Heritage Office's Interpreting Heritage Places and Items: Guidelines* (August 2005), and
- the *NSW Heritage Council's Heritage Interpretation Policy*.

I also note that the HIP was prepared in consultation Heritage NSW and Willoughby City Council, both of which agreed further interpretation at this site is not required. It is noted that consultation with Registered Aboriginal Parties was attempted but no responses were received.

You are reminded that if there is any inconsistency between the Artarmon Substation Heritage Interpretation Plan and the conditions of approval, then the requirements of the conditions of approval will prevail.

If you wish to discuss the matter further, please contact Grant Brown at grant.brown@dpie.nsw.gov.au.

Yours sincerely

A handwritten signature in black ink, appearing to read 'M. Todd-Jones'.

Matthew Todd-Jones
**Team Leader – Rail
Infrastructure Management**

As nominee of the Secretary