



Sam Blanco
Senior Environmental Advisor
Level 16
180 Ann Street
Brisbane, QLD, 4001

13/04/2021

Dear Mr Blanco

**Narrabri to North Star Phase 1 (SSI-7474)
Conditions E43-45: Public Level Crossing Treatment Report**

I refer to the Public Level Crossing Treatment Report which was submitted for information in accordance with Condition E45 of Schedule 2 of the approval for the Narrabri to North Star Project (SSI-7474).

I note that the Public Level Crossing Treatment Report (Revision 0, dated 24 February 2021):

- has been prepared in consultation with the relevant government agencies/stakeholders
- contains the information required by the conditions of approval

You are reminded that the design of any level crossing on a public road must be endorsed by Transport for NSW or the relevant road authority prior to commencing construction of that crossing.

If there is any inconsistency between the approved document and the conditions of approval, then the requirements of the conditions of approval will prevail.

Please ensure that you make the Public Level Crossing Treatment Report publicly available on the project website.

If you wish to discuss the matter further, please contact Grant Brown at grant.brown@dpie.nsw.gov.au.

Yours sincerely

A handwritten signature in black ink, appearing to read 'M. Todd-Jones'.

Matthew Todd-Jones
Team Leader - Rail
Infrastructure Management

As nominee of the Planning Secretary