



NSW RURAL FIRE SERVICE

Department of Planning and Environment (Sydney Offices)
GPO Box 39
Sydney NSW 2001

Your reference: SSD-60598738
Our reference: DA20230803003416-SEARS-1

ATTENTION: Kurtis Wathen

Date: Tuesday 8 August 2023

Dear Sir/Madam,

**State Significant Development - Electricity Generating Works
Request for Secretary's Environmental Assessment Requirements**

**Lake Lyell Hydro Energy Storage Project - Sir Thomas Mitchell Drive South Bowenfels NSW 2790,
103//DP751651, 3//DP246233, 4//DP246233**

Reference is made to correspondence dated 01/08/2023 seeking input regarding the preparation of Secretary's Environmental Assessment Requirements for the above State Significant Development in accordance with the *Environmental Planning and Assessment Act 1979*.

The New South Wales Rural Fire Service (NSW RFS) has reviewed the information provided and advises that a bush fire assessment report shall be prepared which identifies the extent to which the proposed development conforms with or deviates from the relevant provisions of *Planning for Bush Fire Protection 2019*.

For any queries regarding this correspondence, please contact Simon Derevnin on 1300 NSW RFS.

Yours sincerely,

Kalpana Varghese
**Supervisor Development Assessment & Plan
Built & Natural Environment**

Postal address

NSW Rural Fire Service
Locked Bag 17
GRANVILLE NSW 2142

Street address

NSW Rural Fire Service
4 Murray Rose Ave
SYDNEY OLYMPIC PARK NSW 2127

T (02) 8741 5555
F (02) 8741 5550
www.rfs.nsw.gov.au