

CHANGELOG

Revision	Date completed	Change	Documents	Initials	TN Updated
	6/05/2019	PLRP-TFNSW-APP-CORR-000263: The HRW trees have the impact written in the IA column (cell AP) but is not always in the Contractor (cell AR) column. - Issue fixed	PLRP-TFNSW-APP-CORR-000263	GG	
	6/05/2019	PLRP-TFNSW-APP-CORR-000263: Update Tree 1035, 1036 and 1037 as being as outside the heritage curtilage (this has been updated since submission based on heritage specialist advice) - Updated	PLRP-TFNSW-APP-CORR-000263	GG	
	6/05/2019	Delete text against TN 5572 as this is no longer applicable (Suggest rename to 5572 as there are two 5568, 5572 is a free number) - striketrough for now	PLRP-TFNSW-APP-CORR-000263	GG	
	6/05/2019	Update tree data based on form - Update text for tree 2102 to be as written in the tree form (currently has HAC have put in an individual tree removal form. Approval acknowledgement provided by IA on 8 April 2019 (PLRP-APP-TFNSWCORR-000223). Confirmed would put in overarching register). - Updated, agreement date added	PLRP-TFNSW-APP-CORR-000263	GG	
	6/05/2019	TN 1037 updated E105(c) Alternative Options to reflect that it is not being harmed by root pruning	PLRP-TFNSW-APP-CORR-000263	GG	
	6/05/2019	Tree 3184 - this tree is no longer present (damaged in storm on 8/2) but all of the information on why it needs to be removed etc is still in the table. Inconsistency – eg it states in column AH that the crown overhangs travel lane – but it also says only a stump is remaining - Strikethrough text to show it is no longer applicable but maintain history of tree.	PLRP-TFNSW-APP-CORR-000263	GG	
	14/05/2019	Changes to various trees from PLRP-TFNSW-APP-CORR-000275 ~~Status change-3160, 3221, 3228-3230, 5677—Damage to Tree- 2567 & 3568—Added tree info for new Trees- 3228, 3229, 3230—Updated~~ ~~Barney—Dunlop: 3106, 3107, 3108, 3109, 3110, 3111, 3112, 3113, 3114, 3115, 3116, 3117, 3118. Dunlop—Factory: 3170, 3180, 3185, 3186, 3187, 3188, 3222, 3218.~~ ~~4009 has had the test excavation within approx. 18% of the TPZ, which is "Minor root pruning"~~	PLRP-TFNSW-APP-CORR-000275	GG	
04	14/05/2019	Added Columns IA status, Contractor status		GG	
04		There are an additional 3 small trees within the private property 55 O'Connell Street which meet the definition of tree as listed in the report (3m+ height) - 2 x 4m high Camellia and 1x 3m high Backhousia along the Factory Street boundary	PLRP-TFNSW-APP-CORR-000275		
04	14/05/2019	Changes to formatting		GG	
04	21/05/2019	Existing assessment agreements added with Y/N (future agreements to have date added) Adjusted compensatory vegetation columns, relabelled "If pruning req. (maintenance)" as E104 (f)		GG	
04	21/05/2019	Added TeamBinder ref column and Separated contractor comments and assessment into contractors columns (Meeting Richard Farmer, Danny Draper, Andrew Bennet, Peter Monsted, Gavin Gunawan)		GG	
04	28/05/2019	Added trees from Mons Road compound - under HAC trees 1-25. Need to give Tree ID to these trees. (Amenity - Heritage curtilage) and (Ecological value - threatened species), need to find better columns ??	PLRP-TFNSW-TX-001041	GG	
04	28/05/2019	Changed HRW to HAC	PLRP-TFNSW-TX-001041	GG	
05	11/06/2019	Added notes from Danny Draper for inspection of Mons Rd TN 1-25 on 7/6/19 (retain)	PLRP-TFNSW-TX-001041	GG	
05	18/06/2019	Added tree updates from transmittal attachment excel file received 17/06/19	PLRP-TFNSW-TX-001098	GG	
05	2/07/2019	Added information from word file in attachments received 17/06/19 (speak to Danny - added as % enroachment and comments)	PLRP-TFNSW-TX-001098	GG	
06	9/07/2019	Added legend tab to clarify column data	PLR-APP-PIT-PE-REG-000001	GG	
06	9/07/2019	Removed SRIV column (redundant as different requirements specified for contracts)	PLR-APP-PIT-PE-REG-000001	GG	
06	9/07/2019	TN 5215, 5217, 5218, 5226, 5232 updated as (action) pruned , TN 5224, 6225, 5227, 5228 Confirmed previously removed (status) inspection		DD	
07	30/07/2019	HAC updates received 22/07/19 (PLR-HAC-HRW-BI-FRM-000002 - 08.-03). Trees 1345, 1346 added. HAC Tree Protection and Pruning Specification columns added	PLRP-TFNSW-TX-001187	JC	
07	1/08/2019	IA Assessment updated following discussions with HAC Contractor. Verified on site, Tree Numbers TN8509, TN8510, TN8511 are double ups of TN1138, TN1139, TN1141, respectively.	IA email 31/7/19	JC	
08	9/08/2019	IA Assessment for removal of TN 5216 updated	PLR-APP-APP-CORR-000108	JC	
09	17/09/2019	HAC updates: HRW Pruning specifications updated for Trees 1137, 2101	IA email 16/9/19	JC	
10	3/10/2019	Several Changes from received Tree register covering T6 bus stop trees due to existing TN overlapping on carlingford line 11510 >> 9269 11511 >> 9270 11512 >> 9271 11513 >> 9272 11514 >> 9154 11515 >> 9155 11516 >> 9153 11517 >> 9156 11518 >> 9157 11519 >> 9177 11520 >> 9083 11526 >> 9622 (awaiting geolocation data for trees not overlapping existing TN 11501-11509, 11521-11525)	PLR-PLR1ALL-APP-CPBD-CORR-000009	GG	
10	3/10/2019	Several changes from jemina gas relocation due to overlapping TN 1= 26 2= 1033 3= 1032 4= 5520 5= 27 6=28 7= 29 8= 30 9= 31 10= 32 11= 33 12= 34 13= 35 14= 36 15= 37 16= 38 17= 7243 18= 7244 19= 7249 20= 7250 21= 39 22= 40 23= 41 24= 42 25= 43 26= 44 (awaiting geolocation data for trees not overlapping existing TN not in red above)	PLR-PLR1ALL-APP-APP-CORR-000005	GG	
11	4/10/2019	EN (Newleaf) have been allocated TN 50-999	Email 4/10/19	GG	
11	21/10/2019	TN 10395, 10396 reserved for trees @11 Grand Avenue Camellia	Text from IA	GG	
11	24/10/2019	TN 10397-10406 reserved for trees for Adrian Swain by IA	Text from IA	GG	
11	29/10/2019	Updates to register from Diona Ward register (Filter Last updated column 29/10/19 Rev 11)	PLRP-APP-APP-CORR-000137	GG	
11	30/10/2019	TN 6029, 10395 updated	PLRM-CPBD-APP-TX-000015	GG	
11	4/11/2019	Aboreport has Reserved TN 10407-10444	email 4/11/2019	GG	
11	7/11/2019	Updated register Tree Survey Data for the Dundas Ancillary Facility	PLRM-CPBD-APP-TX-000020 PLR1INF-CPBD-A03-EO-REG-000003	GG	
11	7/11/2019	Updated register Tree Survey Data: Fleet St and Factory St Parramatta	PLRM-CPBD-APP-TX-000019 PLR1INF-CPBD-A03-EO-REG-000002	GG	
11	7/11/2019	Updated register Tree Survey Data: Ross St and Church St in Parramatta	PLRM-CPBD-APP-TX-000018 PLR1INF-CPBD-A01-EO-REG-000003	GG	
11	7/11/2019	Updated register Tree Survey Data: Jemena Condition Assessments – Grand Avenue Camellia	PLRM-CPBD-APP-TX-000017 PLR1INF-CPBD-APP-TX-000004	GG	
11	7/11/2019	Updated register Tree Survey Data: November 2019 Possession	PLRM-CPBD-APP-TX-000016 PLR1INF-CPBD-A03-EO-REG-000002	GG	
11	7/11/2019	Tree survey data at 13 Grand Avenue	PLRM-CPBD-APP-TX-000014 PLR1INF-CPBD-A03-EO-REG-000001	GG	
12	8/11/2019	Aboreport has Reserved TN 10445-11000	Email 8/11/2019	GG	
12	8/11/2019	Tree Protection Plan: Telstra Works - Darcy Rd and Hawkesbury Rd Westmead (note: 1046 double up contract)	PLRM-CPBD-APP-TX-000022	GG	
12	8/11/2019	Tree Survey Data: Utility Investigations at Macquarie and Harris Street Intersection Parramatta (TN 4679 = 7469) (5417 double up contract)	PLRM-CPBD-APP-TX-000023	GG	
12	11/11/2019	Tree Protection Plan and Tree Survey Data for the Optus Relocation – Kissing Point Road (TN 10445,10456)	PLRM-CPBD-APP-TX-000024	GG	
12	12/11/2019	Tree Survey Data: Jemena Condition Assessments – Hainsworth St (note: 2027 double up contract)	PLRM-CPBD-APP-TX-000025	GG	
12	19/11/2019	Tree Survey Data: Phillip Street Temporary Bus Stop (TN 5283)	PLRM-CPBD-APP-TX-000028	GG	
12	19/11/2019	Tree Survey Data: Victoria Road Temporary Bus Stop	PLRM-CPBD-APP-TX-000029	GG	
12	19/11/2019	Updated IA tree removal confirmation status (TN 45,-49, 3217, 3219, 3228-3230, 3567)	PLRP-APP-APP-CORR-000141	DD	
13	28/11/2019	Tree Survey Data for the Jemena Relocation works on Harris Street	PLRM-CPBD-APP-TX-000031 PLR1INF-CPBD-A02-EO-REG-000001.A.S2.A.01	GG	
13	28/11/2019	TN 5417 double up from 8/11/19 corrected. INF TN 5417 from this transmittal should be TN 7439	PLRM-CPBD-APP-TX-000023	GG	
13	28/11/2019	INF (Birds) updated and added TN	PLR1INF-CPBD-A03-EO-RPT-000007	GG	
13	10/12/2019	PLR - Tree Survey Data: Utility Relocations in Parramatta CBD	PLRM-CPBD-APP-TX-000035 PLR1INF-CPBD-A02-EO-REG-000005	GG	
13	10/12/2019	Tree Survey Data: Utility Investigations South of Lennox Bridge (TN 10481)	PLRM-CPBD-APP-TX-000034 PLR1INF-CPBD-A02-EO-REG-000007	GG	

13	10/12/2019	not updated-require excel register in addition to rpt- Updated with PLRM-CPBD-APP-TX-000040 23/01/2020	PLRM-CPBD-APP-TX-000032	GG
13	10/12/2019	Updated IA tree removal confirmation status (TN 4748-4752, 4772, 4773, 4775, 4776, 9455-4960, 11126-11143, 11163-11169, 11181-11183, 11186 and 11187)	PLR-PLR1ALL-APP-APP-CORR-000006	DD
14*		changes after 10/12/19 to be updated in the new year (in rev 14)		
14	8/01/2020	Updated Tree Survey Data for the January 2020 Possession (TN 4748-4745, 9247, 9449, 9538-9539, 9616, 9623-9624, 9661, 9779-9781, 9784, 9793, 10397-10417, 10426-10443, 10492-10518)	PLRM-CPBD-APP-TX-000037 PLR1INF-CPBD-A03-EO-REG-000007 PLRP-APP-APP-CORR-000141 PLR-PLR0ALL-TFNSW-APP-CORR-000016	GG
14	8/01/2020	Updated IA tree removal confirmation status (TN 47, 48, 49, 3568)		GG
15	9/01/2020	IA Tree status of TN 48 & 49 corrected (switched) (TN 49 retained)		DD
16	10/01/2020	(INF) updated Tree Survey Data for the AAPT Works at Hassall and Charles St (TN 3557, 3562, 7426, 7458, 7467, 7559, 10480, 10520)	PLRM-CPBD-APP-TX-000043 PLR1INF-CPBD-A02-EO-REG-000008	GG
16	13/01/2020	Updated Status of trees from previous report (TN 5083, 9153-9157, 9177, 9269-9272, 9622, 11501-11509, 11521-11525)	PLR-PLR1ALL-APP-APP-CORR-000002	DD
16	13/01/2020	Fixed Trees 9169-9172 >> 9269-9272 (reverted 9169-9172 to rev 8 data)	PLR-PLR1ALL-APP-APP-CORR-000002	GG
16	13/01/2020	IA Tree status of TN 49 corrected (TN 49 retain status fixed to remove)		DD
17	23/01/2020	(INF) updated Tree Survey Data for the Grand Avenue North Utility Works (4761-4763, 4772-4776, 9455-9460, 9528, 11179, 11181-11187)	PLRM-CPBD-APP-TX-000040 PLR1INF-CPBD-A03-EO-REG-000006	GG
17	23/01/2020	(INF) East St Pedestrianisation Tree survey data, Rev A (No changes to tree status)	PLR1INF-CPBD-APP-CORR-000311	GG
17	23/01/2020	(INF) Updated AIA and Tree Register - Grand Avenue North TN 4774, 11153-11162 and 11184-11185 are now to be removed.	PLR-PLR1INF-CPBD-APP-CORR-000314	GG
17	23/01/2020	Checks on IA tree status agreements		DD
18	11/02/2020	(INF) Section 2 tree register updated (2500 Urban Design & Arch PDR submission)	PLR1INF-COX-A02-UD-REG-500001.A	GG
18	12/02/2020	(INF) Section 3 tree register updated (1016 Tree entries updated)	PLR1INF-CPBD-A03-EO-REG-000009 PLR-PLR1INF-CPBD-APP-CORR-000336	GG
18	13/02/2020	(INF) Section 1 Tree register updated (1500 Urban Design & Arch PDR submission)	PLR1INF-COX-A01-UD-REG-500001.A	GG
18	13/02/2020	Tree removal certificate of TN 11503 updated in register (in line with 9155, 9157, 9177)	PLR1INF-CPBD-ALL-EO-CER-000001	GG
18	17/02/2020	(INF) Section 3 tree register updated	PLR1INF-CPBD-A03-EO-REG-000007 PLR-PLR1INF-CPBD-APP-CORR-000327	GG
18	18/02/2020	(INF) Section 2 tree register updated (AIA-Section 2 Rev B)	PLR1INF-CPBD-A02-EO-REG-000009 PLR-PLR1INF-CPBD-APP-CORR-000346	GG
18	18/02/2020	(INF) Area 2 Tree Protection Plan for 198 George Street (TN 5200, 5202, 5204-5206, 7470-7477, 10529-10537)	PLR1INF-CPBD-A02-EO-REG-000010 PLR1INF-CPBD-A02-EO-RPT-000011 PLR-PLR1INF-CPBD-APP-CORR-000347	GG
18	18/02/2020	(EN) reserve 3 x TN (new leaf arborist). 15209, 15210, 15213		GG
18	24/02/2020	(INF) Tree Protection Plan - Cumberland Hospital Archaeological Salvage Update IA endorsement tree status	PLR1INF-CPBD-A01-EO-RPT-000011 PLRM-CPBD-APP-TX-000058	GG
18	25/02/2020	(INF) Tree Protection Plan - Hainsworth St - EE-06 Investigation Works Update IA endorsement tree status	PLR1INF-CPBD-A01-EO-RPT-000007 PLRM-CPBD-APP-TX-000051	GG
18	26/02/2020	(EN) Tree Register Updated to January 2020	PLRP-APP-APP-CORR-000158	GG
18	26/02/2020	Partial IA endorsement of Priority trees for removal (column BU) (TN 9218, 9509-9510, 9463, 9518-9519, 9535-9546, 9705-9706, 9711-9714, 9744, 11212-11224, 11226-11232, 11384, 11414-11420, 11432)	PLR-PLR1ALL-APP-TFNSW-CORR-000049 PLR1INF-CPBD-A03-EO-RPT-000008	GG
19	28/02/2020	Updated Status of trees from previous report (TN 1 - TN 51, 1006-1008, 1013, 1023 - 1027, 1033, 1034, 1759, 5524, 5525)	PLR-PLR1ALL-APP-APP-CORR-000002, PLR1INF-CPBD-A01-EO-RPT-000004	DD
19	28/02/2020	Tree Register updated - TN 3475, 3476, 5422, 5423, 5425 - 5436, 5453 - 5461, 7559, 10479, 10482 - 10491	PLR1INF-CPBD-A02-EO-RPT-000005	DD
19	28/02/2020	IA updated 6/1/2020 Tree Protection Plan: AAPT Works Hassall and Charles Street, Parramatta. TN 3557, 5338 - 5340, 7426, 7458, 7467, 7526 - 7552, 7554, 7556, 7559, 7560, 7563, 10461 - 10478, 10480, 10492 - 10520	PLR1INF-CPBD-A02-EO-RPT-000008	DD
19	28/02/2020	Updated Status of trees from previous report of 16/12/2019 Tree Protection Plan: January 2020 Possession TN 4744, TN 4745, 9247, 9449, 9538, 9544, 9546, 9779, 9780, 9781, 9784, 10421 - 10443	PLR1INF-CPBD-A02-EO-RPT-000001	DD
19	28/02/2020	IA updated from 25/11/2020 PAA AIA Tree Protection Plan - Grand Avenue North UTC - TN 4747 - 4758, 4761 - 4763, 4766, 9455 - 9460, 9528, 10397 - 10417, 11126 - 11171	PLR1INF-CPBD-A03-EO-RPT-000007	DD
19	28/02/2020	IA updated 31/10/2019 Tree Protection Plan: Jemena Condition Assessments - Grand Avenue Camellia - TN 4772 - 4776	PLR1INF-CPBD-A03-EO-RPT-000004	DD
19	28/02/2020	IA updated status from previous report, trees removed - Certificate 2 - tree removed 14/12/2019 - TN 5671, 5672.	PLR-PLR1INF-APP-APP-CORR-000037	DD
19	28/02/2020	Tree Register updated - TN 6029		DD
19	28/02/2020	Updated Status of trees from previous report - Jemena works 21/11/2019 - TN 7462	PLR1INF-CPBD-A02-EO-RPT-000002	DD
19	28/02/2020	Updated Status of trees from previous report - Jemena works 21/11/2019 - TN 7463	PLR1INF-CPBD-A02-EO-RPT-000003	DD
19	28/02/2020	Updated Status of trees from previous report - TN 7524		DD
19	28/02/2020	Updated Status of trees from previous report - TN 7525		DD
19	28/02/2020	Updated Status of trees from previous report - TN 9218, 9463, 9518, 9519, 9535 - 9546, 9711 - 9714, 9744, 9746	PLR-PLR1ALL-APP-TFNSW-CORR-000046 PLR-PLR1ALL-APP-TFNSW-CORR-000049	DD
19	28/02/2020	IA updated 10/02/2020 Rev. D, AIA Report (Section 3) Camellia, Carlingford, Main, Facility and Sandown Line - TN 5750, 5752, 9798 - 9800, 9931, 9932, 9950 - 9961, 11211 - 11232, 14000 - 14013, 14017 - 14021, 14023 - 14028, 14030, 14031, 14034, 14036 - 14039, 14041 - 14049, 14052 - 14058, 14062 - 14064, 14066 - 14075, 14077 - 14079, 14081, 14083 - 14087, 14089 - 14159, 14161, 14163, 14165	PLR1INF-CPBD-A03-EO-RPT-000010	DD
19	28/02/2020	Updated Status of trees from previous report - trees removed - Certificate 2 - 13/01/2020 - tree removed TN 9177	PLR1INF-CPBD-ALL-EO-CER-000001	DD
19	28/02/2020	Updated Status of trees from previous report - TN 10395		DD
19	28/02/2020	IA updated 31/10/2019 Tree Protection Plan: Jemena Condition Assessments - Grand Avenue Camellia - TN 10420	PLR1INF-CPBD-A03-EO-RPT-000004	DD
19	28/02/2020	Updated Status of trees from previous report - TN 10481, 11181 - 11187	PLR1INF-CPBD-A02-EO-RPT-000007	DD
19	28/02/2020	Updated Status of trees from previous report - TN 11180, 11501		DD
19	28/02/2020	IA updated Status of trees from previous report - TN 11502 - 11526	PLR-PLR1ALL-APP-APP-CORR-000002	DD
20	4/03/2020	IA updated Status of trees from previous report - TN 4736, 5938 - 5961, 9000 - 9034, 9052, 9053, 9060, 9084, 9086, 9091, 9092, 9097, 9098, 9133 - 9135, 9137 - 9164, 9167, 9168, 9170 - 9175, 9181 - 9183, 9187, 9189, 9195, 9196, 9203 - 9210, 9212 - 9218, 9220 - 9224, 9235, 9237 - 9246, 9251, 9252, 9255 - 9266, 9279 - 9283, 9286 - 9289, 9291 - 9295, 9297, 9298, 9300 - 9305, 9310 - 9314, 9316 - 9319, 9322 - 9327, 9329 - 9332, 9334, 9337 - 9355, 9357 - 9359, 9362 - 9374, 9376 - 9398, 9401 - 9405, 9407 - 9410, 9412 - 9422, 9427, 9428, 9430 - 9435, 9437 - 9442, 9444, 9446 - 9448, 9461, 9462, 9464, 9469 - 9486, 9481 - 9502, 9504 - 9508, 9511 - 9516, 9529, 9531, 9532, 9551, 9552, 9566, 9567, 9571, 9572, 9605, 9610 - 9615, 9617, 9622 - 9656, 9664 - 9671, 9677, 9681 - 9685, 9688, 9690, 9698, 9700, 9701, 9704, 9721, 9722, 9724, 9727 - 9731, 9733, 9735, 9736, 9738, 9739, 9740, 9743, 9746, 9747, 9749, 9756, 9757, 9764 - 9763, 9779, 9780, 9782 - 9790, 9792, 9793, 9811 - 9816, 11188, 11197, 11198, 11202 - 11209, 11233 - 11238, 11240 - 11245, 11247 - 11268, 11277 - 11286, 11289, 11290, 11294, 11293 - 11298, 11302, 11304, 11306 - 11375, 11377 - 11382, 11385 - 11393, 11397 - 11413, 11422 - 11431, 11433 - 11494	PLR1INF-CPBD-A03-EO-RPT-000010	DD
20	4/03/2020	IA Updated 10/02/2020 Rev. D, AIA Report (Section 3) Minor encroachment - Level Changes. Some localised level changes may be required - TN 9054, 9055, 9059,		DD
20	4/03/2020	Updated Status of trees from previous report - TN 9530		DD
20	4/03/2020	Updated Status of trees from previous report - TN 8038	PLR-PLR1ALL-APP-TFNSW-CORR-000046	DD
20	12/03/2020	IA updated 12/03/2020 TPP - A2-Area 2 East Site Investigations - TN 3556, 3557, 4407 - 4413, 4420 - 4425, 4430 - 4438, 4680, 5269 - 5272, 5411 - 5417, 11086 - 11100, 11144 - 11147, 11171	PLR1INF-CPBD-A02-EO-RPT-000013	DD
20	13/03/2020	IA Update 13/03/2020 TPP - 198 George St., Parramatta, Rev. A, Doc. - TN 5200, 5202, 5204 - 5206, 10529 - 10544	PLR1INF-CPBD-A02-EO-RPT-000011	DD
21	9/04/2020	A2 Macquarie Street TMP Implementation, TN 2073.	PLR1INF-CPBD-A01-EO-RPT-000013	DD
21	9/04/2020	Area 2 128 Railway Parade and 149 Hawkesbury demolition TN 4, 5520, 5521, 5522, 5523, 5524, 5525 and 5526.	CORR-PLR-PLR1INF-CPBD-APP-CORR-000412	DD
21	9/04/2020	Area 1 - Fleet and Factory streets, gas relocation - TN 5668, 5669, 5670 and 5673.	CORR-PLR-PLR1INF-CPBD-APP-CORR-000424	DD
21	9/04/2020	Area 2 - Tree Removal - Root Mapping and interpretation - TN 7545 and 7551.	CORR-PLR-PLR1INF-CPBD-APP-CORR-000433	DD
21	9/04/2020	Area 2 - (CBD Utility Works) Market Street to Macquarie Street, Parramatta CBD - TN 3475, 3476, 5453-5461, 7530, 7531, 11045-11047, 11049-11066	CORR-PLR-PLR1INF-CPBD-APP-CORR-000478	DD
21	9/04/2020	Area 3 - Tree Determination - Section 3 PLR - TN 9156, 9247, 9296, 9328, 9333, 9360, 9401, 9424, 9429, 9521, 9522, 9566, 9657, 9740, 9749, 9781, 9782, 9783, 11188, 11199, 11201, 11247, 11294, 11302, 11304, 11316 - 11319, 11322, 11324, 11375 and 11379	CORR-PLR-PLR1INF-CPBD-APP-CORR-000480-Tree Determination - Section 3 PLR (S)	DD
21	9/04/2020	Area 2 - Tramway Avenue Utilities - TN 11144, 11145 and 11146	PLR1INF-CPBD-A03-EO-RPT-000018	DD
21	14/04/2020	Area 2 - Status of trees uncertain subject to redesign review - TN 15228 - 15232	PLR-PLR1ALL-TFNSW-APP-CORR-000019	DD
21	15/04/2020	Area 2 - Micro Tunnel - Remove TN 7424 and 7528; Retain TN 7529 and 10486.	CORR-PLR-PLR1INF-CPBD-APP-CORR-000499-AR	DD
22	21/04/2020	Area 3 - bridge over Kissing Point Road, Dundas - TN 9433, 11302, 11304, 11307 - 11314, 11316 - 11324, 11495 - 11507, 11529 - 11532	PLR1INF-CPBD-A03-EO-RPT-000010 and PLR-PLR1INF-CPBD-APP-CORR-000495	DD
22	22/04/2020	Nothings fixed using rev 19 (previous copy duplicate error) - TN 9157-10395		
22	22/04/2020	Removed inconsistencies between column 'BR-BS' and Columns AR, AT, AY, BC.	PLR-PLR0ALL-TFNSW-APP-CORR-000030	GG
22	22/04/2020	check inconsistencies TN 4407-4438, 4736 - 4738, 4744, 5412, 5453 - 5461, 7532 - 7552, 7554, 7555, 7559, 7560, 7563, 9721, 9722, 9724, 9727, 9781, 10297, 10298, 10502 - 10504, 11197, 11198, 11203, 11307, 11421 and 11432.	PLR-PLR0ALL-TFNSW-APP-CORR-000029	GG/DD
23	24/04/2020	Area 3 - bridge over Kissing Point Road, Dundas - TN 11509 - 11528	PLR1INF-CPBD-A03-EO-RPT-000010	DD
24	17/04/2020	Area 1 - Section 1 - Arboricultural Impact Assessment (AIA) Rev D and Updated Tree Register Submission for review and endorsement - 1020, 1021, 1023 - 1029, 1032, 1035 - 1044, 1046, 1051 - 1054, 1088 - 1091, 1103, 1104, 1106-1108, 1132, 1133, 1134, 1136-1139, 1141, 1143, 1144, 1147, 1148, 1150 - 1155, 1160 - 1164, 1166-1168, 1170, 1171, 1173, 1176, 1182, 1183, 1184, 1185, 1187 - 1191, 1193, 1202 - 1207, 1218-1220, 1223, 1225, 1228, 1231, 1234, 1237, 1238, 1239, 1242, 1243, 1245, 1246, 1248, 1249, 1250, 1254, 1255, 1257, 1258, 1259, 1260, 1265, 1270, 1271, 1272, 1273, 1275, 1277, 1281, 1282, 1286, 1287, 1288, 1293, 1294, 1295, 1299, 1377-1739, 1742, 1743, 1744, 1759, 1774, 1777, 1798, 1843, 2010 - 2023, 2025 - 2053, 2056, 2058, 2061, 2062, 2063, 2065 - 2075, 2077 - 2086, 2089 - 2104, 3205 - 3214, 3217, 3219, 3220, 3221, 3223 - 3237, 3239, 3240, 3241, 3246, 3242, 3244, 3246, 3253-3257, 3317 - 3325, 3327, 4175, 4176, 4184, 4185, 4250 - 4257, 4263, 4264, 4365, 4266, 4268, 4269, 4370, 4271, 4275, 4276, 4277, 4278, 4281, 4282, 4284, 4286, 4287, 4291, 4292, 4294, 4295, 4297, 4299 - 4303, 4309 - 4313, 4315 - 4326, 4328 - 4333, 4335, 4337, 4338, 4339, 4340, 4343-4347, 4361 - 4375, 4379, 4380, 4584, 4664 - 4668, 4672, 5001, 5003 - 5008, 5015 - 5018, 5026, 5027, 5439, 5441, 5442, 5445, 5450, 5456, 5457 - 5464, 5466, 5520 - 5528, 5538, 5540, 5543, 5550, 5552, 5553, 5555, 5557, 5559, 5559, 5561 - 5564, 5566, 5568, 5569, 5570, 5571, 5573 - 5587, 5591 - 5599, 5603 - 5610, 5612, 5613, 5414, 5617, 5618, 5619, 5623, 5626 - 5631, 5634, 5635, 5640 - 5645, 5656 - 5662, 5664 - 5677, 5692 - 5702, 5708 - 5715, 5718 - 5725, 5737, 5738, 5740, 7541, 5745 - 5752, 5754, 5755, 5756, 5757, 5759 - 5762, 7019 - 7026, 7096 - 7102, 7112, 7113, 7400, 7401, 8038, 8252, 10019, 10035, 10036, 10037, 10039, 10052, 10053, 10064, 10082, 10084, 10093, 10097, 10098, 10106, 10107, 10109, 10110, 10112, 10117, 10119, 10120, 10123, 10130, 10131, 10133, 10157, 10160, 10165, 10166, 10167, 10170, 10186, 10187, 10196, 10198, 10199, 10200, 10201, 10204, 10258 - 10261, 10271-10274, 10276, 10278, 10286, 10287, 10297, 10298, 10328, 10330, 10335, 10389, 11001 - 11008, 11012, 11013, 11016 - 11019, 11028, 11029, 11033, 11036-1038, 11040-11042, 15000 15009, 15015 - 15024, 15029, 15030, 15031, 15033, 15035, 15037, 15038, 15158 - 15165, 15183, 15190, 15191, 15223, 15224, 15225, 15227 - 15232.	CORR-PLR-PLR1INF-CPBD-APP-CORR-000358-20200219 and PLR-PLR1INF-CPBD-APP-CORR-000555	DD
24	24/04/2020	check inconsistencies TN 7561, 9764, 9779, 9780, 9792, 9793, 10165, 10166, 10167, 10169, 10170, 10510 - 10517, 15209, 15210, 15213.		
24	5/05/2020	Clearing of Area 2 Trees with Priority List - Approval required (Urgent trees by 07/05/20) TN 3475, 3476, 3563 - 3566, 4677, 4678, 4679, 5417, 5453 - 5455, 5487, 5488, 7424, 7432 - 7437, 7478, 7479, 7480, 7483 - 7487, 7524, 7530 - 7534, 11045 - 11066 and 11081 - 11084.	PLR-PLR1INF-CPBD-APP-CORR-000577	DD
24	6/05/2020	Additional comments from Project Arborist regarding transplantation feasibility of Trees 15229 - 15232.	PLR-PLR1ALL-CPBD-APP-CORR-000062	DD

25	8/05/2020	Check inconsistencies	PLR-PLR0ALL-APP-TFNSW-CORR-000042	DD
25	8/05/2020	Clearing of Area 2 Trees with Priority List - Approval required (Urgent trees by 07/05/20) TN 5489, 5490, 12010, 12011, 12012 and 12013	PLR-PLR1INF-CPBD-APP-CORR-0000594	DD
26	12/05/2020	Area 2 - Arboricultural Impact Assessment (AIA) Rev E, Updated to address Condition E105 - TN 3536, 3537, 4403, 4407 - 4413, 4420 - 4425, 4430 - 4438, 4680, 4747 - 4758, 4766, 5200, 5202, 5204, 5205, 5206, 5212, 5269 - 5272, 5411 - 5416, 5433, 5773, 5814, 5817 - 5825, 5827, 5835, 5837, 7425, 7426 - 2731, 7438 - 7454, 7456, 7457, 7470 - 7477, 7481, 7482, 7488, 7489, 7491, 7493, 7495, 7496, 7497, 7499 - 7509, 7516, 7519, 7521, 7522, 7523, 7525, 7535 - 7544, 7546 - 7550, 7552, 7554, 7555, 7559, 7560 and 7563.	PLRM-CPBD-APP-TX-0000075	DD
26	13/05/2020	Area 3 - Tree Assessment Report - Parramatta River Bridge, Camellia NSW - TN 12014, 12015, 12016 & 12017	PLR1INF-CPBD-A03-EO-RPT-000019	DD
26	13/05/2020	Area 3 - Tree Assessment Report - Vineyard Creek, Rydalmere NSW - TN 9419, 9563, 12018, 12019, 12020 and 12021	PLR1INF-CPBD-A03-EO-RPT-000020	DD
27	27/05/2020	Area 2 - Arboricultural Impact Assessment (AIA) Rev E, Updated to address Condition E105 and Area 2 Tree Protection Plan for approval (TPP-A2_006) - works proposed to commence 14/05/20 - Tree Protection Plan (TPP) - A2_006 - UTC 006 Utility Relocations - Harris/Macquarie Streets - TN 3556, 3557, 3563 - 3566, 4677 - 4680, 5271, 5272, 5487 - 5490, 7426 - 7453, 7458 - 7463, 7467, 10480, 11081 - 11084, 12007-12016.	PLRM-CPBD-APP-TX-0000075 and PLR-PLR1INF-CPBD-APP-CORR-0000577 and PLR1INF-CPBD-A02-EO-RPT-000010. TN 4679 and TN 4680 - PLR-PLR1INF-CPBD-APP-CORR-000667.	DD
27	15/06/2020	Area 2 - TPP - A2_008 for approval - commencing 22/06/20 - TN 4039, 4040, 4041, 5346, 5347, 5350, 5351, 5352, 5405 - 5410, 5433 - 5436, 5465, 5466, 5471, 10484, 10485, 12022, 12023, 12025 - 12028.	PLR-PLR1INF-CPBD-APP-CORR-000709	DD
27	16/06/2020	Area 3 - Tree Protection Plan - Grand Avenue, Camellia, TN 12038 - 12055.	PLR-PLR1INF-CPBD-APP-CORR-000720 PLR1INF-CPBD-A03-EO-PLN-000002	DD
27	17/06/2020	Check inconsistencies TN 5641, 5642 and 15228 - 15232. (note changelog 6/5 should include 15228)	PLR1ALL-CPBD-APP-CORR-000062	DD
27	18/06/2020	LEGEND tab has been updated to better disambiguate IA and PA inputs	PLR-PLR1INF-TFNSW-APP-CORR-000072	GG
27	18/06/2020	entry 7469 struck through (previously noted same as 4679) status changed from retain to N/A	PLR-PLR1INF-TFNSW-APP-CORR-000072	GG
27	18/06/2020	Column 'AR' added to record instances of trees outside project boundary (will be populated going forward)	PLR-PLR1INF-TFNSW-APP-CORR-000072	GG
27	18/06/2020	Duplicate TN 120010-12013 struck through (status remove > N/A). Up to date entry 'retain' as agreed by PA and IA		GG
28	19/06/2020	Minor corrections to 4677 and 4679		GG
29	22/06/2020	Area 3 - AIA Rev. G - New submission with new additional trees from Camellia to Carlingford - TN 4969 - 4973, 9135, 11191 - 11194, 11380, 11546 - 11575.	PLR1INF-CPBD-A03-EO-RPT-000010	DD
29	23/06/2020	Area 2 - AIA Rev. H - 21 June 2020, Revision of status of TN 4679	PLR1INF-COX-A02-UD-REG-500001 and PLR1INF-COX-A02-UD-REG-500003.A.C3.A.01	DD
29	25/06/2020	Updated georeference data section 3	PLR Tree Register section 3 BTC PLR-PLR1INF-CPBD-APP-CORR-000632	GG
29	25/06/2020	Consideration and status update of trees for removal of trees within the SPIR Project boundary (EIS Boundary), which is separate to and outside of the permanent design boundary as shown in the AIA Report - TN 9469-9473, 11191-11194, 11546-11555		DD
29	25/06/2020	Check inconsistencies for status. Confirmed trees to be retained - TN 12014, 12015, 12016		DD
29	25/06/2020	Status of trees being reassessed by PA - status changed to uncertain - TN 9407-9410		DD
29	26/06/2020	Request to correct discrepancy in tree register 28 for trees 10335, 15015 and 15016 (Now status'd for removal based on review on AIA plan DWG: A07 and 08 REV L)	PLR-PLR1INF-TFNSW-APP-CORR-000076	DD
30	2/07/2020	Area 2 - Arboricultural Impact Assessment (AIA) Rev E - update Tree Register Submission for review and endorsement - TN 11067 - 11078, 11085 - 11123, 11126 - 11143, 11147 - 11175.	PLR1INF-CPBD-A02-EO-RPT-000010 PLRM-CPBD-APP-TX-0000075	DD
30	6/07/2020	Added geolocation data for TN 10297, 10298, 11001-8, 11010, 11012-13, 11016-19, 11028-29, 11033, 36, 37, 38, 11040-42, 11067, 11069-72, 11075, 11078, 11085, 11087-99, 11108, 11114, 11117, 11120, 11129-36, 11139, 11147, 11150, 11170, 11172-75. (Need corrected data for 11160, 11165, 11167)	PLR-PLR1INF-CPBD-TFNSW-CORR-002377	GG
31	28/07/2020	Area 3 - Tree Assessment Report - Rydalmere Retaining Wall - TN 9285, 12005, 12019, 12077 and 12078.	PLR-PLR1INF-CPBD-APP-CORR-000873	DD
31	13/08/2020	Area 3 - Tree Protection Plan - 55 Kissing Point Road, Dundas NSW - TN 12073.	PLR-PLR1INF-CPBD-APP-CORR-000924	DD
31	13/08/2020	Area 2 - Tree Protection Plan - A2_007-UTC 009 Utility relocations - Area 2 East - TN 4403, 4407, 4411, 4413, 4420, 4421, 4431, 4438, 5202, 5204, 5205, 5212, 5223, 5773, 7476, 7481, 7482, 7489, 7495, 7496, 7497, 7500 - 7509, 7521, 7522, 7523, 7525, 10531, 10532, 10545 - 10548, 11086, 11101, 11103, 11104, 11105, 11107 - 11110, 12000, and 12024.	PLR-PLR1INF-CPBD-APP-CORR-000711	DD
31	13/08/2020	Area 2 - Tree Protection Plan - TPP-A2_009 - TN 4403, 4408 - 4413, 4420 - 4425, 4430 - 4438, 5817, 5818, 5821, 5822 5824, 5827, 5835, 7488, 7491, 7499-7503, 7516, 7519, 10545-10548, 11086 - 11123, 11126 - 11131, 11133 - 11143, 12000, 12028 - 12037, 12095 - 12097.	PLR-PLR1INF-CPBD-APP-CORR-000928	DD
31	14/08/2020	Area 1 - TMP - For Review and Approval - Trees proposed to be removed for High Pressure Gas Main and Sewer Construction - TN 10036, 10037, 10082, 10198, 10286, 10287, 10388 and 10389.	PLR-PLR1INF-CPBD-APP-CORR-000931	DD
31	14/08/2020	Area 1 - TMP - For Review and Approval - Trees proposed to be removed for Water Main - TN 7112 and 7113.	PLR-PLR1INF-CPBD-APP-CORR-000934	
32	24/08/2020	Area 1 - Correction of discrepancies: Duplicate of TN 5449 was TN 8507, which was struck out. Duplicate of TN 1141 was TN 8508, which was struck out. Duplicate of TN 1138 was TN 8509, which was struck out. Duplicate of TN 1139 was TN 8510, which was struck out. Duplicate of TN 5450 was TN 8511, which was struck out. Duplicate of TN 1144 was TN 8512, which was struck out.		
32	24/08/2020	Area 2 - Change of status from Retain to Remove - TN 7434, 7435 and 7437	PLRM-CPBD-APP-TX-000075	DD
32	24/08/2020	Area 1 - Trees removed without requiring consent as they were shrubs, struck out - TN 5764 - 6771.		DD
32	24/08/2020	Area 3 - Correction of status of tree is within project boundary and co-ordinates corrected - TN 12018.	PLR-PLR1INF-CPBD-APP-CORR-000611	DD
32	24/08/2020	Area 3 - Correction of status of tree outside project boundary from remove to retain until planning documentation is in place for removal. - TN 9206.	PLR-PLR1INF-CPBD-TFNSW-CORR-001351	DD
32	25/08/2020	Area 1 - Revise status from 'retain/transplant' to 'remove' for Palm Trees - TN 10019, 10096, 4286 and 4287.	PLR-PLR1INF-CPBD-APP-CORR-000955	DD
32	26/08/2020	Area 3 - Arboricultural Impact Assessment Report Area 3, Revision I - TN 9664 - 9670.	PLR-PLR1INF-CPBD-APP-CORR-000872	DD
32	26/08/2020	Area 3 - Tree Protection Plan - Leamington Road, Telopea (UTC-015) - Commencement Date 7 September 2020 - TN 9372, 9440 - 9442, 9446, 9503, 12145 - 12151	PLR-PLR1INF-CPBD-APP-CORR-000949	DD
32	1/09/2020	Area 3 - Updated Coordinate for Tree 12018 - PCPLR Section 3 - TN 12018	PLR-PLR1INF-CPBD-APP-CORR-000974	DD
33	3/09/2020	Area 1 - For Review and Approval Rev B - TMP - UTC-023 Works along Church St between Factory St and Albert St., Parramatta - TN 1160 - 1178, 1182 - 1185, 1187 - 1191, 1193, 1194, 1195, 1199 - 1202, 4263, 4272, 4275 - 4281, 4322, 4335 - 4340, 4342 - 4347, 4357 (shrub struck through), 4665 - 4672, 4673 not present and struck out, TN 4674 - 5439 - 11028, 11029, 11031 - 11033, 12074, 12152, 12153, 12154 and 12158.	PLR-PLR1INF-CPBD-APP-CORR-000981	DD
33	4/09/2020	Area 2 - Tree Protection Plan for approval - TPP-A2_010 - Proposed commencement 09/09/20 - TN 10481.	PLR-PLR1INF-CPBD-APP-CORR-000984	DD
33	4/09/2020	Area 3 - Tree Management Plan - Kenny Place, Carlingford - Urgent - TN 9063.	PLR-PLR1INF-CPBD-APP-CORR-000989	DD
33	4/09/2020	Area 1 - For Review and Approval - TMP - Trees Proposed to be removed - UTC-019 Cumberland Campus - TN 5736, TN 10273, TN 10418, duplicate number 11011 struck out, TN 12108 - 12114, TN 2053, 5445, 5656, 5657, 10019, 10038, 10093, 10097, 10133, 10196, 10198, 10273, 10286, 10287, 10297, 10326, 15191.	PLR-PLR1INF-CPBD-APP-CORR-000995	DD
33	5/09/2020	Area 3 - Tree Protection Plan - Reserve Street, Rydalmere (UTC-014) - TN 9259 and 9262.	PLR-PLR1INF-CPBD-APP-CORR-000994	DD
33	8/09/2020	TN 5643 duplicate number TN 10302 struck out. TN 5646 duplicate number TN 10019 struck out. TN 5644 duplicate number TN 10270 struck out.	PLR-PLR0ALL-TFNSW-APP-CORR-000051	DD
33	8/09/2020	Area 3 - Trees Impacted by Retaining Wall - Camellia (Section 3) - TPP for Approval - TN 9272, 9514, 9515, 9529, 9530, 11197 and 11198.	PLR-PLR1INF-CPBD-APP-CORR-001001	DD
34	9/09/2020	Area 1 - Fennel Street Compound Tree Removal - TN 4314 and TN 10549 - 10555. TN 12074 was a duplicate number with that in IA PLR Register Rev.33, now changed to TN 0052, TN 12075 - 12079.	PLR-PLR1INF-CPBD-APP-CORR-000840	DD
34	10/09/2020	Area 1 - For Review and Approval - TMP - Trees Proposed to be removed - UTC-017 Hawkesbury Road - TN 1051, 1054, 1087, 1088, 1089, 1090, 1091, 1138, 1139, 1148, 1160, 2104, 7096, 7401 and 12170.	PLR-PLR1INF-CPBD-APP-CORR-001005	DD
34	14/09/2020	Area 3 - Updated Section 3 AIA - Revision I - TFNSW comments (Revision J) - TN 9407-9410 already been removed by PCPLR, Non-Conformance Report (NCR) (reference: INX 213876).	PLR-PLR1INF-TFNSW-APP-CORR-000099	DD
34	14/09/2020	Area 2 - Tree transplanted by PCPLR. Completion of works noted. Columns 'AS', 'AU', 'BS' and 'BT' changed to transplant to reflect this activity. - TN 4749.	PLR-PLR1INF-CPBD-TFNSW-CORR-002728	DD
34	14/09/2020	Area 3 - For Approval - Tree Protection Plan - Robert Street Drainage Works - TN 12163 (dead tree), TN 12168 and 12169.	PLR-PLR1INF-CPBD-APP-CORR-001008	DD
34	14/09/2020	Area 3 - Priority List - Camellia, Carlingford, Maintenance Facility & Sandown - Tree Register Tree Protection Plan - UTC-013B - TN 11480, 9341, 9133 and 9670.	PLR-PLR1INF-CPBD-APP-CORR-001007	DD
34	15/09/2020	Area 1 - Clarifications of tree status - TN 1171, 1173, 1176, 1185, 1187, 1188, 1190, 3210 - 3213, 3221, 3223 - 3227, 4280 - 4282, 4292, 4294, 4295, 4332, 4333, 4335, 4337, 4339, 4340, 4344, 4345, 4664 - 4668, 5439, 5692, 5693, 5694, 5696, 5697, 5757, 5760 - 5763, 11017, 11031 and 11033.	PLR-PLR1INF-CPBD-APP-CORR-001022	DD
34	15/09/2020	Area 3 - Priority List - TN 9054, 9055, 9174, 9391-9392, 9482, 9483, 9507, 9508, 11352, 11363 - 11368, 11593 - 11598, 11600, 11602 - 11607, 11613, 11617 - 11631, 11633, 11636, 11638-11640 and 11643-11661.	PLR-PLR1INF-CPBD-APP-CORR-001009	DD
34	15/09/2020	Area 3 - Arboricultural Impact Assessment Report, revision J - TN 11700 - 11737.	PLR-PLR1INF-CPBD-TFNSW-CORR-002728	DD
35	21/09/2020	Area 2 - Tree Protection Plan - TPP-A2_009 - Proposed Commencement 28/09/20 - TN 4413, 4421, 5817, 5818, 11098, 11099 & 11100	PLR-PLR1INF-CPBD-APP-CORR-001050	DD
35	22/09/2020	Area 2 - Arboricultural Impact Assessment (AIA) Report - Section 2 - Revision J with Priority Trees - TN 11071 - 11078, 11101, 11109 - 11112, 11117, 11118, 11120, 11144 - 11146, 11738 struck out as duplicate number with TN 10481. TN 11739 - 11750 and 11760 - 11765 and 11769 - 11803. TN 11804 - 11817 struck out as shrubs & 3 high.	PLR-PLR1INF-CPBD-APP-CORR-001049	DD
35	22/09/2020	Area 3 - Tree Management Plan - Sandown Line (Area 3) - Urgent Approval Required - TN 14086.	PLR-PLR1INF-CPBD-APP-CORR-001055	DD
35	24/09/2020	Discrepancies - TN 4293 on private property, status changed to same as adjacent palm 4294.	PLR-PLR1INF-CPBD-APP-CORR-001022	DD
		Discrepancies - , TN 4261 struck out as duplicate number with 4369. TN 4267 struck out as Shrub TN 10460 struck out, duplicate number with TN 11050. TN 10461 struck out, duplicate number with TN 11052. TN 10462 struck out, duplicate number with TN 11053. TN 10464 struck out, duplicate number with TN 11051. TN 10465 struck out, duplicate number with TN 11049. TN 10466 struck out, duplicate number with TN 11056. TN 10467 struck out, duplicate number with TN 11062. TN 10468 struck out, duplicate number with TN 11063. TN 10469 struck out, duplicate number with TN 11055. TN 10470 struck out, duplicate number with TN 11057. TN 10471 struck out, duplicate number with TN 11058. TN 10472 struck out, duplicate number with TN 11059. TN 10473 struck out, duplicate number with TN 11060. TN 10474 struck out, duplicate number with TN 11061. TN 10475 struck out, duplicate number with TN 11064. TN 10476 struck out, duplicate number with TN 11065. TN 10477 struck out, duplicate number with TN 11066. TN 7494 struck out, duplicate number with TN 7505. TN 4512 struck out, duplicate number with TN 11144. TN 4562 struck out, duplicate number with TN 11165. TN 4583 struck out, duplicate number with TN 11166. TN 4285 struck out, duplicate number with TN 11167. TN 10420 struck out, duplicate number with TN 11165. TN 4561 struck out, duplicate number with TN 11170.		
35	25/09/2020	Area 3 - Arboricultural Impact Assessment Report, revision J - TN 9054 and 9055.	PLR-PLR1INF-CPBD-TFNSW-CORR-002728	DD
35	25/09/2020	Area 1 - For Review and Approval - TMP - Tree 5443 Proposed to be removed to support UECOMMS Installation - TN 5443.	PLR-PLR1INF-CPBD-APP-CORR-000969	DD
35	25/09/2020	Area 1 - TMP For Review and Approval - Victoria Road - Trees 4177 to 4180 proposed to be removed to allow drainage installation within CSSI Footprint - TN 4177 - 4180.	PLR-PLR1INF-CPBD-APP-CORR-000968	DD
35	25/09/2020	Geolocation corrections TN 1088-1091, 1139, 1141, 1143, 1144, 1147, 1148, 10170, 112018	PLR-PLR0ALL-TFNSW-APP-CORR-000057	GG
35	29/09/2020	Discrepancies TN 11103, 11117-11110 status change resulting on root mapping outcome. TN 5818 status change as tree on private property and subject to Consistency Assessment.		DD

35	29/09/2020	Georeference TN 11068 fixed to that of 10478 (now struck out) Georeference TN 11069 fixed to that of 10484 (now struck out) Georeference TN 11070 fixed to that of 10485 (now struck out) Georeference TN 11071 fixed to that of 10482 (now struck out) Georeference TN 11072 fixed to that of 10483 (now struck out) 4462 struck out as duplicated by 11112 4404 struck out as duplicated by 11101		GG
35	30/09/2020	Georeference TN 11067 adjusted to reflect AIA		GG
36	1/10/2020	Shrubs struck out <3m TN 14014-14016 Struck out TN 9375, duplicate of TN 9374		GG
36	4/10/2020	Discrepancies - TN 4 reverted to 'retain' from rev 20 ('tree 4' in TPP actually held data for TN 5520 which is already currently status'ed as remove). TN 5508 struck out as a shrub <3 m high.		DD
36	4/10/2020	Area 3 - Consistency Assessment PCPLR-CA-015 - Condition A24 - TN 9931, 9932, and TN 11662 - 11699.	PLR1INF-CPBD-A03-EO-RPT-000010	DD
36	6/10/2020	Area 3 - Tree Management Plan - Grand Avenue Camellia Drainage - TN 12173 - 12178, 12180 - 12201 and 12203. TN 12179 - Mangrove species captured in Contractor's vegetation register and offset in accordance with Condition E100.	PLR-PLR1INF-CPBD-APP-CORR-001077	DD
37	9/10/2020	Tree removal certificates added for area 3 (A03.01 - A03.11)	PLR-PLR1INF-CPBD-APP-CORR-001034	GG
37	14/10/2020	Area 3 - Tree Management Plan - Drainage Outlet and Mangrove Pruning, Grand Avenue, Camellia - TN 9933, 12500 and 12501.	PLR-PLR1INF-CPBD-APP-CORR-001108	DD
37	15/10/2020	Area 2 - George Street North (UTC-010) - TN 11103, 11107-11111 & 11763. Note: TN 11103, 11107-11110 & 11763 subject to Consistency Assessment PCPLR-CA-023 (Rev1).	PLR-PLR1INF-CPBD-APP-CORR-001103	DD
37	15/10/2020	Area 2 - Consistency Assessment - George Street Heritage Property Works (PCPLR-CA-023, Rev.01) - TN 7495, 7504 - 7509, 11103, 11107-11110, 11760, 11763, 11764 and 11765.	PLR-PLR1INF-CPBD-APP-CORR-001119	DD
37	16/10/2020	Area 3 - Discrepancy - Tree Management Plan - Grand Avenue Camellia Drainage - TN 12179 - Mangrove species captured in Contractor's vegetation register and offset in accordance with Condition E100, reinstated from being struckout - Rev. 36 as >3 m.	PLR-PLR1ALL-TFNSW-APP-CORR-000053	DD
37	19/10/2020	Area 3 - Tree Management Plan - Winter Street, Telopea - TN 12132 and 12133 and 12204 - 12221.	PLR-PLR1INF-CPBD-APP-CORR-001122	DD
37	19/10/2020	Area 1 - Revise status from 'retain/transplant' to 'remove' for Palm Tree - TN 5646. TN 10019 struck out as duplicate of TN 5646.	PLR-PLR1INF-CPBD-APP-CORR-000955	DD
37	19/10/2020	Area 2 - Clarification, Revise status, George Street, Parramatta - Trees removed by others. - TN 12033 and 12034. TN 5493 was struck out as a duplicate of TN 12033. TN 5494 was struck out as a duplicate of TN 12034.	PLR-PLR1INF-CPBD-APP-CORR-000928	DD
37	19/10/2020	Area 1 - Clarification - Subject to assessment and outcome of additional Root Mapping works - status changed from remove to Uncertain. - TN 5724.		DD
37	20/10/2020	Area 1 - TMP Update - TN 12158 Albert St North Parramatta post Root Mapping. - TN 12158.	PLR-PLR1INF-CPBD-APP-CORR-001127	DD
37	20/10/2020	Struck out duplicate TN 3417 of TN 5258		GG
37	20/10/2020	Area 1 - Added status 'trees removed by others' to trees identified as removed for Hospital development - TN 10054, 10056, 10091, 10092, 10112, 10113, 10114, 10115, 10116, 10160, 10161, 10188, 10190, 10191, 10265, 10275, 10282, 10285, 15010, 15011, 15012 and 15013.	PLR-PLR1ALL-TFNSW-APP-CORR-000052	DD
38	23/10/2020	Area 3 - Area 3 - Tree Management Plan - Jenkins and James Streets, Carlingford - TN 9604, 9605, 12222 - 12237. Dead tree struck out - TN 9604.	PLR-PLR1INF-CPBD-APP-CORR-001128	DD
38	23/10/2020	Area 3 - Area 3 - Tree Protection plan - Sturt street Telopea - TN 9791 and 12108 - 12144. TN 12108 - 12114 already in IA PLR Tree Register - Rev 33 and TN 12132 and 12123 already in IA PLR Tree Register - Rev 37 to be updated with new numbers. Updates completed with - TN 9791 and 12115 - 12122, 12124-12131 and 12133 - 12144.	PLR-PLR1INF-CPBD-APP-CORR-000921	DD
38	23/10/2020	Area 3 - Discrepancy - Updated status of "Tree to be retained", Arboricultural Impact Assessment Report, Doc No.: PLR1INF-CPBD-A03-EO-RPT-000010, Revision Date 31/7/2020, Revision J - TN 9625. Updated status to retain - TN 9774 - 9776.	PLR-PLR1INF-CPBD-TFNSW-CORR-002728	DD
38	23/10/2020	Area 3 - Status change from tree to shrub <5 m high - TN 9709 and 9716 and struck out.	PLRM-TFNSW-APP-TX-000454	DD
38	26/10/2020	Area 2 - TPP-A2_011 - 200 George Street, Parramatta - TN 11781-11783.	PLR-PLR1INF-CPBD-APP-CORR-001140	DD
38	26/10/2020	Area 1 - TMP Update - TN 12001 O'Connell Street, North Parramatta - TN 12001.	PLR-PLR1INF-CPBD-APP-CORR-001137	DD
38	27/10/2020	Area 3 - Discrepancy - Grand Avenue North. Tree marked for removal in IA PLR Tree Register Rev 17 24/1/2020 but not marked in register for removal - status updated to removal. TN 4752.	PLR-PLR1INF-TFNSW-APP-CORR-000113 and PLRM-CPBD-APP-TX-000075	DD
38	28/10/2020	Area 3 - Tree Management Plan - Parramatta River South Drainage - TN 11576 - 11588 and 12238 - 12260.	PLR-PLR1INF-CPBD-APP-CORR-001144	DD
38	28/10/2020	Area 3 - Tree Management Plan - Kissing Point Road Retaining Wall and Footpath - TN 12502 - 12507.	PLR-PLR1INF-CPBD-APP-CORR-001145	DD
38	29/10/2020	Updated Section areas and updated offsets - (offsets for trees with IA status remove, otherwise shown as N/A, all changes highlighted)	PLR-PLR1ALL-APP-APP-CORR-000056	GG
38	3/11/2020	Area 2 - Arthur Phillip High School, Parramatta - trees removed by others. TN 7540, 7546, 7547, 7548, 7549, 7550, 7552 and 7553.	PLR-PLR1ALL-TFNSW-APP-CORR-000056	DD
38	6/11/2020	All Areas - Change of status to 'Uncertain' (except where shown differently) of some trees in consideration of CoA E105 requirements - TN 3223 - 3227* (*5 trees) 1173, 1174, 1176 5697 4282 4664 (already removed - 17/04/2020 IA update, - Agreed. 29/03/19) 11031 11002 (Note: TN 11002 not TN 1102 as TN 1102 already removed), 1033, TN 1032 (duplicate with TN 11002 and TN 1032 struckout) 5439 4439 1051, 1054 7401 1107 (no change from existing 'Uncertain' status), TN 1134 (no change from existing 'Uncertain' status), 1148, 2104 5015 (no change from existing 'Uncertain' status), TN 5017 (duplicate with TN 5015 and and TN 5017 struckout), TN 5018 (no change from existing 'Uncertain' status) 1087 - 1091* (*5 trees), 7096 - 7102* (*7 trees) 5591 - 5599* (*9 trees) 10326, TN 5715 (removed - consent Rev. 24)	PLR-PLR0ALL-TFNSW-APP-CORR-000066	DD
38	6/11/2020	5724 (no change from existing 'Uncertain' status), 5713 3210 - 3212* (*3 trees) 5692 - 5694* (*3 trees) 3219 (Tree Removed - consent in Rev. 24), 4266 4272 3231 - 3241* (*11 trees) 4286, 4287, 4293, 4294, 4295, 4584, 4263, 4672, 1160, 1164, 1166, 1168, 1170, 1171, 1173, 4339, 4340, 5439, 4335, 4337, 4338, 4343, 4344, 4345 10442 (tree within construction area, removed without consent) 11076, 7538 - 7542* (*5 trees) 11076 - (no change from existing 'Uncertain' status), 7538 - 7542* (*5 trees) - (no change from existing 'Uncertain' status) 10479, TN 11739 and TN 3566 - (TN 11739 and TN 3566 removed by other and struckout) 11780, 7438 - 7452* (*14 trees) 5818 11276	PLR-PLR0ALL-TFNSW-APP-CORR-000066	DD
39	13/11/2020 and 24/11/2020	Discrepancies and clarifications from TFNSW workshop #001 22/05/2020 - TN 7556 Removed by others on adjacent development and struckout. TN 5217 struck out as duplicate of TN 10541. TN 5218 struck out as duplicate of TN 10540. TN 5219 struck out as duplicate of TN 10539. TN 4459 struck out as duplicate of TN 11111. TN 4468 struck out as duplicate of TN 11118. TN 4466 struck out as duplicate of TN 11113. TN 4463 struck out as duplicate of TN 11115. TN 4467 struck out as duplicate of TN 11116. TN 4444 struck out as duplicate of TN 11102. TN 4444, street tree Angophora costata removed prior to project. Actual TN 4445 located opposite path within adjacent private property and since TN 11102 was incorrectly given the Geodata data for TN 4444 which has been corrected with that of TN 4445 thus TN 4445 struck out as redundant duplicate. TN 11107 status changed to 'Uncertain'. TN 4455 struck out as duplicate of TN 11106. TN 4448 struck out as duplicate of TN 11105. TN 4454 struck out as duplicate of TN 11109. TN 4447 struck out as duplicate of TN 11104. TN 4449 struck out as duplicate of TN 11107. TN 4450 struck out as duplicate of TN 11763. TN 4446 struck out as duplicate of TN 11103. TN 4490 struck out as duplicate of TN 12030. TN 4488 struck out as duplicate of TN 10545. TN 4487 struck out as duplicate of TN 10546. TN 4486 struck out as duplicate of TN 10547. TN 4483 struck out as duplicate of TN 12024. TN 4484 struck out as duplicate of TN 12032. TN 4485 struck out as duplicate of TN 12031. TN 4440 struck out as duplicate of TN 12037. TN 4441 struck out as duplicate of TN 11785. TN 4442 struck out as duplicate of TN 11761. TN 4597 struck out as <3 m high and not a tree per AS4373(2007) and AS4970(2009). TN 5492 struck out as duplicate of TN 12035. TN 10479 Tree located within Arthur Phillip High School, Parramatta, and removed by others during redevelopment works. TN 5828 struck out as a mature epicormic shoot (5 m high) emanating from TN 5829 and not a separate tree. TN 4624 struck out as duplicate of 11163. TN 4623 struck out as duplicate of 11164. TN 4480 struck out as duplicate of TN11143. TN 4481 struck out as duplicate of TN11142. TN 4482 struck out as duplicate of TN11141.	PLRM-TFNSW-APP-TX-000454 and PLR-PLR1ALL-TFNSW-APP-CORR-000056 (TN 10479)	DD
39	19/11/2020	Area 2 - Tree Impact Assessment (TIA) Area 2 - (Camphor Laurel) - TN 11112 removal and replacement with and advanced tree in a similar location adjacent public housing.	19/11/2020 IA update, Ref. No.: PLR-PLR1INF-CPBD-APP-CORR-001150 and PLR-PLR1ALL-CPBD-APP-CORR-000125.	DD
39	19/11/2020	Area 2 - Crown Pruning works for TN 11150 at Tramway Avenue, Rosehill - TN 11150.	PLRM-TFNSW-APP-TX-000690	DD
39	19/11/2020	Area 3 - Tree Priority List - Updated 01 October 2020 - TN 9176.	PLR-PLR1INF-CPBD-APP-CORR-001192	DD
39	19/11/2020	Area 3 - Tree Management Plan - Sandown Line, Camellia - TN 14006, 14007, 14043 and 14044.	PLR-PLR1INF-CPBD-APP-CORR-001172	DD
39	19/11/2020	Tree removal certificates added for area 2 (A2_014 - A2_018)	PLR-PLR1INF-CPBD-APP-CORR-001173	GG
39	19/11/2020	Tree removal certificates added for area 1 (A1-003 - A1-025)	PLR-PLR1INF-CPBD-APP-CORR-001176	GG
39	19/11/2020	Tree removal certificate added for area 3 (A03.12)	PLR-PLR1INF-CPBD-APP-CORR-001177	GG
39	19/11/2020	Area 1 - updated - incorrectly struckout and former status restored - TN 5740, 5746-5753.	PLR-PLR0ALL-TFNSW-APP-CORR-000067	DD
39	24/11/2020	BNW Column status changed 'Request for additional information.' - TN 1045, 1135, 1138, 5258, 5321, 5450, 5936, 5937, 9426, 9774, 9790, 10503, 11200, 11374, 11383, 11432, 11480.	PLR-PLR0ALL-TFNSW-APP-CORR-000067	DD/GG
39	28/11/2020	Area 3 - Tree Assessment Report - Winter Street Water Main Diversion - No encroachment for TN 9073, 9171, 9172, 11372, 11373 and 12238 - 12243.	PLR-PLR1INF-CPBD-APP-CORR-001199	DD
39	28/11/2020	Change of status to 'Uncertain' (except where shown differently) of some trees in consideration of CoA E105 requirements - TN 4664-4669.	PLR-PLR1INF-TFNSW-APP-CORR-000124	DD

40	3/12/2020	Area 3 - Consistency Assessment PCPLR-CA-025 and TFNSW-CA-012 - Condition A24, Consistency Assessment for activities relating to the Infrastructure Package (Package 4), in compliance with Condition of Approval A24 (b). PCPLR-CA-025 Drainage Outside Project Footprint in Camellia PCPLR-CA-012 Carlingford Line Stockpile, - Tree Management Plan - Camellia Stop Retaining Wall - TN 9422, 9514, 9515, 9529, 9530, 11197 and 11198, - Tree Management Plan - Kissing Point Road Retaining Wall and Footpath - TN 12503 - 12507.	PLRM-TFNSW-APP-TX-000719	DD
40	4/12/2020	Area 1 - TMP for IA Approval - Requesting removal of trees 10120, 15017, 15018, 15019 and 15020 as per onsite discussion on 27/11 - TN 10120, 15017, 15018, 15019, 15020 and 12058 and 12059.	PLR-PLR1INF-CPBD-APP-CORR-001225	DD
40	4/12/2020	Area 3 - Tree Assessment Report - TN 9735, 104-106 Adderton Rd, Carlingford - TN 9735.	PLR-PLR1INF-CPBD-APP-CORR-001220 and PLR-PLR1INF-CPBD-APP-CORR-001245	DD
40	10/12/2020	Area 1 - TN 5724 Tree Impact Assessment Report, Minor Crown Pruning being <10% of crown where Damage is not being caused, works status changed from 'Retain' to 'Retain, pr, cr' - TN 7524.	PLR-PLR1INF-TFNSW-CPBD-CORR-003187	DD
40	10/12/2020	Area 3 - Tree Viability Assessment by IA and tree status changed from 'Remove' to 'Retain' - TN 9016, 9020, 9124, 9125, 9134, 9170, 9172, 9173, 9184, 9214, 9215, 9235, 9264, 9265, 9364, 9366, 9372, 9505, 9572, 9735, 9764, 9789, 11241 and 14086.	PLR-PLR1INF-CPBD-APP-CORR-001245	DD
40	10/12/2020	'Change of status to 'Uncertain' (except where shown differently) of some trees in consideration of CoA E105 requirements - TN 3219, 3221 and 4292.	PLR-PLR0ALL-TFNSW-APP-CORR-000066	DD
40	10/12/2020	Discrepancies and corrections - TN 26 struck out as duplicate of TN 11001, TN 4405 correct location for data for TN 11784. TN 4405 to be struck out and Georeferencing transferred to TN 11784. TN 4406 shrub <3 m high and struck out, TN 4458 shrub <3 m high and struck out, TN 4460 Tree on private property to be retained and not impacted by project. TN 4461 Tree on private property to be retained and not impacted by project. TN 4465 Tree on private property to be retained and not impacted by project. TN 1045 IA approved for removal on 27 April 2020 (PLR-PLR1INF-APP-CPBD-CORR-000477) but did not subsequently reflect in the Tree Register.	PLR-PLR0ALL-CPBD-APP-CORR-000040 (all other trees), PLR-PLR1INF-CPBD-APP-CORR-000555 (TN 1045).	DD
40	14/12/2020	Discrepancies and corrections - TN 11197 and TN 11198 updated from Georeferencing coordinates provided in PLR-PLR1INF-CPBD-APP-CORR-001194	PLR-PLR1INF-CPBD-APP-CORR-001194	DD
41	17/12/2020	Discrepancies and corrections - Status changed from Tree to Shrub <3 m high and struck out - TN 12172.	PLR-PLR1INF-CPBD-APP-CORR-001269	DD
41	4/01/2021	Discrepancies and corrections - Age class status changed from Young to Mature - TN 15017 - 15020.	PLR-PLR0ALL-TFNSW-APP-CORR-000070	DD
41	4/01/2021	Area 1 - Tree Impact Assessment - St Patrick's Cemetery - Urgent Approval Request for removal of trees TN 1229 and 1249. Other trees assessed in the Non-destructive Digging (NDD) root mapping works report of 2 January 2021 to be retained: TN 1319, 1205, 1206, 1207, 1223, 1237, 1238, 1254, 1255, 1259, 1265, 1271, 1272, 1277, 1286 and 1294.	PLR-PLR1INF-CPBD-APP-CORR-001293	DD
41	5/01/2021	Area 3 - Tree Management Plan - Adderton Road Utility Works, negligible impact - TN 12066.	PLR-PLR1INF-CPBD-APP-CORR-001294	DD
41	11/01/2021	Area 2 - Tree Impact Assessment - TIA - TN 5818 (Pruning, crown and roots) - TN 5818.	PLR-PLR1INF-CPBD-APP-CORR-001300	DD
41	11/01/2021	Area 2 - Tree Impact Assessment (TIA) - TIA - TN 11774 and 11775.	PLR-PLR1INF-CPBD-APP-CORR-001305	DD
41	11/01/2021	Area 3 - Tree Assessment Report - Drainage at Reserve Street, Rydalmere - TN 12060 - 12065.	PLR-PLR1INF-CPBD-APP-CORR-001305	DD
42	25/01/2021	Discrepancies and corrections: TN 1135 - struck out as confirmed did not exist. TN 1138 - Tree Removal Cert. struck out as tree retained. TN 4452 - Geododata reference copied to TN 11108 and TN 4452 struck out as a duplicate. TN 4456 - revised on 15/10/2020 and updated in Rev 38. TN 4457 - Shrub - Struck out. TN 4470 - struck out as duplicate of TN 11117. TN 4471 - struck out as duplicate of TN 11793. TN 4472 - struck out as duplicate of TN 11792. TN 4473 - duplicate of TN 11791 and 4471 struck out. TN 5258 - tree removed by other party outside of project works - struck out. TN 5321 - tree removed by other party outside of project works - struck out. TN 11763 - incorrectly shown in the location of TN 4456. Both are separate trees growing close together. Georeferencing for TN 11763 has been recorded separately.	PLR-PLR0ALL-CPBD-APP-CORR-000040	DD/GG
42	10/02/2021	Area 2 - Robin Thomas Reserve - TN 53 and 54.	PLR-PLR1RTR-APP-TFNSW-CORR-000001	DD
42	10/02/2021	Area 1 - TPP for review and approval - T1206 and T1207 requiring removal for footpath installation near St Patrick's Cemetery - TN 1206 and 1207.	PLR-PLR1INF-CPBD-APP-CORR-001347	DD
42	12/02/2021	Area 2 - Tree Impact Assessment (TIA), TIA - TN 7443, Root pruning of TN 7443 for CSR pit & platform - TN 7443.	PLR-PLR1INF-CPBD-APP-CORR-001352 and PLR-PLR1INF-CPBD-APP-CORR-001368	DD
42	12/02/2021	Area 2 - 1. Tree Protection Plan (TPP) TPP - A2_014 Purchase + George Street Drainage - TN 4408, 4409, 4410, 4412, 4424, 4425 and 4437. 2. Tree Impact Assessment TIA - TN 4408 & 4409.	1. PLR-PLR1INF-CPBD-APP-CORR-001353 2. PLR-PLR1INF-CPBD-APP-CORR-001367	DD
42	12/02/2021	Area 1 - Tree 1023 pruning for streetlight installation - TPP - TN 1023	PLR-PLR1INF-CPBD-APP-CORR-001363	DD
42	14/02/2021	Area 3 - Tree at CH6460 - Additional information provided to support the removal of TN 9735	PLR-PLR1ALL-CPBD-APP-CORR-000155	DD
42	14/02/2021	Area 2 - TPP-A2_013 - Lennox Bridge North Drainage Works - TN 12028	PLR-PLR1INF-CPBD-APP-CORR-001366	DD
42	19/02/2021	Area 3 - Tree Viability Assessment by IA and tree status changed from 'Remove' to 'Retain' - TN 11634 and 11635.	PLR-PLR1ALL-APP-CPBD-CORR-000063	DD
42	19/02/2021	Area 2 - Tree Impact Assessment (TIA), TIA - TN 7443, Root pruning of TN 7443 for CSR pit & platform - TN 7443.		
42	19/02/2120	Area 3 - Tree Management Plan - James Ruse Drive Arch Installation Works - TN 11150, 11151, 11152, 4747, 4767, 11170, 12508 and 12509.	PLR-PLR1INF-CPBD-APP-CORR-001377 and PLR-PLR1INF-CPBD-APP-CORR-001398	DD
42	19/02/2021	Area 1 - Dead tree, not previously included in the Tree Register, but removed without a Tree Impact Permit in June 2020. This is to close an action relating to INX210845 - TN 56.	PLR-PLR0ALL-TFNSW-TFNSW-CORR-000152	DD
42	20/02/2021	Area 2 - Record of structural root stripped of bark to its cambium causing total dysfunction with the damaged caused by others. Note in Register prior to pruning as consent is not required as this dysfunctional root is effectively dead. TN 7443.	PLR-PLR1INF-CPBD-APP-CORR-001408	DD
42	20/02/2021	Area 2 - George Street Underbore + Drainage Works - TN 5230, 5233 - 5241, 5243, 5245 and 5248.	PLR-PLR1INF-CPBD-APP-CORR-001407	DD
43	1/03/2021	Discrepancies and corrections - Georeference data obtained - TN 3568.	PLR-PLR0ALL-TFNSW-APP-CORR-000078	DD
43	1/03/2021	Area 1 - TMP for review and approval - TN4390 and TN12002 required to be removed for stormwater installation. - TN 3490, 4391, 4392, 4394, 4395 and 12002.	PLR-PLR1INF-CPBD-APP-CORR-001430	DD
43	3/03/2021	Area 3 - Tree Management Plan - HP Gas James Ruse Drive Utility Work - TN 12067 - 12070.	PLR-PLR1INF-CPBD-APP-CORR-001423	DD
43	4/03/2021	Area 1 - Revised Tree Management Plan, Factory Street, North Parramatta - Request for information for trees listed within the PLR IA Tree Register - TN 4272, 12003, 12006, 12071, 12155 and 12156.	PLR-PLR0ALL-CPBD-APP-CORR-000041	DD
43	9-10/03/2021	Area 1 - Changes subject to CA-021 Site Walk from site inspection with contractor and TFNSW on 4/03/2021 to determine tree impacts from design, excavation and construction. - TN 3210, 3211, 3213, Tree details collected on site - TN 12099. Tree may be subject to minor root pruning to construct retaining wall on property boundary - TN 5617, 5618, 5692, 5696 and 5697.	PLR-PLR1INF-TFNSW-CPBD-CORR-003656 - Trees 3210, 3211, 3213 and 12099, PLR-PLR1INF-TFNSW-APP-CORR-000154 - Trees 5617, 5618, 5692, 5696 and 5697.	DD
43	9/03/2021	Area 3 - Tree Management Plan - James Ruse Drive Arch Installation Works - TN 11170, 4747, 12508 and 12509.	PLR-PLR1INF-CPBD-APP-CORR-001460	DD
43	10/03/2021	Discrepancies and corrections - tree removal certificates - TN 9426, 9514, 9515, 9529, 9530, 11197, 11198, 11374, 11342 and 11480.	PLR-PLR1INF-CPBD-APP-CORR-001391	DD
44	18/03/2021	Discrepancies and corrections - Georeference data added for - TN 27 - 44, TN 4272 - dimensions corrected post site inspection. TN 4464 - Struck out as duplicate of TN 11113.	PLR-PLR0ALL-CPBD-APP-CORR-000042	DD/GG
44	18/03/2021	Discrepancies and corrections - Data for TN 3490 restored to version of Tree Register Revision 42. Data for TN 4390 written in TN 3490 in Register Revision 43 corrected to TN 4390.	PLR-PLR0ALL-CPBD-APP-CORR-000043	DD
44	18/03/2021	Area 2 - Confirmation of the extent of impact of Non Destructive Digging using Water Knife and Vacuum Truck on damaged roots - TN 11774.	PLR-PLR1INF-CPBD-APP-CORR-001474	DD

45	14/04/2021	Area 3 - Tree Removal Certificates. CORR-PLR-PLR1INF-CPBD-APP-CORR-001514-A03.14 Tree Removal Certificate (Area 3 all - Up to 06.04.21) - Rev0 for TN 12500, 12501, 12502, 12503, 12504, 12508, 12509, 9735, 11170, 4747, 9931-9933, 11662-11692, 11694-11699, 12173-12176, 12179, 12182, 12184-12185, 12188-12193, 12198-12199 and 12203.	PLR-PLR1INF-CPBD-APP-CORR-001514	DD
45	15/04/2021	Area 2 - Tree Removal Certificates. CORR-PLR-PLR1INF-CPBD-APP-CORR-001518-Tree Removal Certificate - TRP_A2_020 - TRR 45 for TN 11777, 11778, 11794, 11795, 11796, 11797, 11798; CORR-PLR-PLR1INF-CPBD-APP-CORR-001518-Tree Removal Certificate - TRP_A2_024 for TN 4408 and 4409, CORR-PLR-PLR1INF-CPBD-APP-CORR-001518-Tree Removal Certificate - TRP_A2_006 for TN 3475, 3476, 5453, 5455, 5456, 5457, 5458, 5459, 5460, 5461, 5462, 5463, 5464, 7424, 7530, 7531, 7532, 7533, 7534, 11045, 11046, 11047, 11048, 11049, 11050, 11051, 11052, 11053, 11054, 11055, 11056, 11057, 11058, 11059, 11060, 11061, 11062, 11063, 11064, 11065 and 11066, CORR-PLR-PLR1INF-CPBD-APP-CORR-001518-Tree Removal Certificate - TRP-A2_009 for TN 3563, 3564, 3565, 7427, 7428, 7429, 7430, 7431, 7432, 7535, 7536, 7537, 7544, 7545, 7551, 7554, 7555, 7559, 7560, 7563, 11081, 11082, 11083 and 11084, CORR-PLR-PLR1INF-CPBD-APP-CORR-001518-Tree Removal Certificate - TRP-A2_019 for TN 11067 and 11068, CORR-PLR-PLR1INF-CPBD-APP-CORR-001518-Tree Removal Certificate - TRP-A2_021 for TN 11112, and CORR-PLR-PLR1INF-CPBD-APP-CORR-001518-Tree Removal Certificate - TRP-A2_025 for TN 5835.	PLR-PLR1INF-CPBD-APP-CORR-001518	DD
45	15/04/2021	Area 1 - Tree Removal Certificates. CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 026 for TN 10064, 10123, 10199, 10200, 10201, 10202, 10204, 12109, 15024, 15027, 15029, 15030, 15031, 15033, 15035, 15037, 15038, 10096, 10169, 10213, 10214, 10215, 15196, 15197, 15198, 15199, 15200, 15201, 15202, 15203, 15204, 15205, 15206, 15207, 15208, 15211, 15212, 15214, 5656, 10019 (duplicate of TN 5646) and 5710; CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 027 for TN 2031, CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 028 for TN 12170, CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 029 for TN 2033 - 2050 and 8038, CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 030 for TN 1046, CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 033 for TN 10052, 10053, 10196, 15015 and 15016, CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 034 for TN 12172 (shrub) and 0052, CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 036 for TN 11005, 11006, 11007 and 11008, CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 037 for TN 4177, 4178, 4179 and 4180, CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 038 for TN 2031, 15000, 15001, 15004 and 15005, and CORR-PLR-PLR1INF-CPBD-APP-CORR-001522-Tree Removal Certificate 039 for TN 11010.	PLR-PLR1INF-CPBD-APP-CORR-001522	DD
45	15/04/2021	Discrepancies and corrections - TN 4456, 11682 (struck out as a missing tree and Tree Removal Certificate reference deleted), 11132 dead tree struck out and 11607 dead tree struck out.	PLR-PLR0ALL-TFNSW-APP-CORR-000081	DD
45	15/04/2021	Area 3 - Tree Impact Report - Kissing Point Road Drainage - TN 10454, 11320 and 11321.	PLR-PLR1INF-CPBD-APP-CORR-001530	DD
46	19/04/2021	Discrepancies and corrections - TN 3563 - Tree Status changed to Remove, back dated from PLRM-CPBD-APP-TX-000075, 31 March 2020 10:13 PM. Offset status updated. TN 11321 - Status returned to Retain, per Rev.44. TN 4177-4180 - Tree certificate information entered into columns BW/BX. TN 3563 - Offset information added to column AF and N/A deleted as tree removed. TN 15200 - Information updated and non-existent tree struck out.	PLR-PLR1INF-TFNSW-TFNSW-CORR-002205 and for TN 15200, PLR-PLR0ALL-CPBD-APP-CORR-000045	DD/GG
46	19/04/2021	Area 1 - Impact assessment letter 31/03/2021, TN 1087 Retain, prune crown and roots.	PLR-PLR1INF-CPBD-APP-CORR-001517	DD
46	19/04/2021	Area 2 - TPP_A2_015 - O'Connell Street, Parramatta Compound - TN 3411, 4687, 4689, 4690, 4710 - 4725, and 12080 - 12094.	PLR-PLR1INF-CPBD-APP-CORR-001519	DD
46	19/04/2021	Area 1 - Response to Consistency Assessment PCPLR-CA-027 - Section 1 Out of Boundary Trees and Retaining Walls (Rev 1) (Originator's Reference No.: PLR-PLR1INF-TFNSW-CPBD-LETTER-001172) - TN 62, 2053, 2058, 2062, 3212, 4295, 5445, 12071, 12099, 12155 and 12156.	PLR-PLR1INF-TFNSW-APP-CORR-000180 including TN 62 and PLR-PLR1INF-CPBD-APP-CORR-001536 additionally for TN 62 only.	DD
46	20/04/2021	Discrepancies and corrections - TN 9217 - Tree Status changed Threatened species "Y" in column X as tree appears to be part of the EEC identified in the EIS.	PLRM-TFNSW-APP-TX-000454	DD
47	13/05/2021	Discrepancies and corrections - TN 5062 - Shrub <3 m high and not a tree per definition of AS4970(2009) and tree struck out. TN 10447, 10448 and 10449 - Trees struckout as duplicates of stand of trees TN 11495-11498, 11500, 11501 and 11504.	PLR-PLR1INF-CPBD-APP-CORR-000495	DD
47	23/05/2021	TN 12028 - Tree located outside project boundary, tree died prior to commencement of PCPLR works nearby. Dead tree struck out.	PLR-PLR1INF-CPBD-APP-CORR-001565	DD
47	27/05/2021	TN 56 duplicate of TN 10555 and dead tree and struck out. TN 10555 previously struck out. TN 3152 - Declining tree within electrical substation land and removed by others prior to project. Tree struck out.	PLR-PLR1ALL-TFNSW-APP-CORR-000081	DD
47	17/06/2021	Discrepancies and corrections - Update E104 and E105 details TN 1141 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 TN 2094 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 2095 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 5543 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 1044 - Ref: PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 4369 - Ref: PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 4679 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 4752 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 5710 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 5712 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 5738 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 5741 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 5745 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-TFNSW-CPBD-LETTER-000797 TN 5821 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000928 and Transmittal No: PLRM-CPBD-APP-TX-000075 TN 7424 - Ref: Transmittal No: PLRM-CPBD-APP-TX-000075 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 7483 - Ref: Transmittal No: PLRM-CPBD-APP-TX-000075 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 7484 - Ref: Transmittal No: PLRM-CPBD-APP-TX-000075 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 7485 - Ref: Transmittal No: PLRM-CPBD-APP-TX-000075 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 7486 - Ref: Transmittal No: PLRM-CPBD-APP-TX-000075 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 7532 - Ref: Transmittal No: PLRM-CPBD-APP-TX-000075 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 7533 - Ref: Transmittal No: PLRM-CPBD-APP-TX-000075 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 7534 - Ref: Transmittal No: PLRM-CPBD-APP-TX-000075 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 9230 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000872 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 9247 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000872 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 9536 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000872 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 9537 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000872 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 9545 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000872 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 9546 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000872 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 10393 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 11283 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000872 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 11478 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000872 and PLR1INF-TFNSW-CPBD-LETTER-000797 TN 15192 - Ref: PLR-PLR1INF-CPBD-APP-CORR-000358, PLR-PLR1INF-CPBD-APP-CORR-000449 and PLR-PLR1INF-CPBD-APP-CORR-000872	PLR-PLR1INF-CPBD-APP-CORR-000449, PLR-PLR1INF-TFNSW-CPBD-LETTER-000797, PLR-PLR1INF-CPBD-APP-CORR-000928, Transmittal No: PLRM-CPBD-APP-TX-000075, PLR-PLR1INF-CPBD-APP-CORR-000872, PLR-PLR1INF-CPBD-APP-CORR-000358	DD
47	17/06/2021	TN 4266 - Tree approved for root pruning investigation and pruning works subject to PCPLR-CA-021 (Rev 3)	PLR-PLR1INF-CPBD-APP-CORR-001642	DD
47	17/06/2021	TN 11780 Discrepancies and corrections - Status changed from Remove to Uncertain while awaiting additional E104 and E105 information. General Correspondence No.: PLR-PLR0ALL-APP-CPBD-CORR-000087, 26 June 2021, 18:22.	PLR-PLR1INF-CPBD-APP-CORR-001657	DD
47	18/06/2021	TN 9605, 12222, 12223, 12229, 12230, 12231, 12232, 12233, 12234, 12237, to be retained and TN 12235 and 12236 to be removed.	PLR-PLR1INF-CPBD-APP-CORR-001660	DD
47	28/06/2021	TN 1090 and 1091, Retain and root prune. TN 5692 and 5695 Remove. Environmental Consistency Assessment PCPLR-CA-028 (Rev 1).	PLR-PLR1INF-CPBD-APP-CORR-001688 and PLR-PLR1INF-TFNSW-CPBD-LETTER-001310	DD
48	30/08/2021	TN 1090 and 1091, Removal subject to root investigation by water knife and vacuum truck 30/08/2021 as supervised and monitored by the Project Arborist (PA) and Independent Arborist (IA). Request to Update the Tree Register - E105 evidence - CA-028 Consistency Assessment Approval. Correspondence Ref. No.: PLR-PLR1INF-TFNSW-CPBD-CORR-004333, Date: 28 June 2021, 15:22. "We note that the CA-028 identified that trees 1090 and 1091 require further investigation and confirmation of outcome: - Undertake root investigation to the depth of the proposed foundation. - Project Arborist and Independent Arborist to consider root lowering, protection or pruning to retain tree(s). - The Independent Arborist will determine whether to remove or retain TN 1090 and TN 1091 based on root mapping and site investigations."	PLR-PLR1INF-TFNSW-CPBD-CORR-004333	DD

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Project Information		Financial Summary		Operational Data		Compliance & Risk		Performance Metrics		Resource Allocation		Timeline & Milestones		Stakeholder Engagement		Reporting & Documentation	
Project ID	Project Name	Budget (USD)	Actual Cost (USD)	Units Produced	Quality Score	Compliance Status	Risk Level	Efficiency (%)	Customer Satisfaction	Team Size	Equipment Utilization	Start Date	End Date	Key Stakeholders	Communication Frequency	Report Type	Document Version
P001	Project Alpha	1,200,000	1,150,000	15,000	92	Compliant	Low	85	4.5	12	95%	2023-01-15	2023-06-30	John Doe, Jane Smith	Weekly	Quarterly Report	1.2
P002	Project Beta	800,000	820,000	10,000	88	Minor Issues	Medium	78	4.2	8	90%	2023-02-01	2023-07-15	Mike Johnson, Sarah Lee	Bi-weekly	Monthly Report	2.1
P003	Project Gamma	1,500,000	1,480,000	20,000	95	Compliant	Low	90	4.8	15	98%	2023-03-10	2023-08-31	David Brown, Emily White	Daily	Weekly Report	3.0
P004	Project Delta	950,000	970,000	12,000	85	Non-Compliant	High	70	3.8	10	88%	2023-04-05	2023-09-10	Chris Green, Alex Black	Weekly	Quarterly Report	1.5
P005	Project Epsilon	1,100,000	1,080,000	18,000	90	Compliant	Low	88	4.6	14	96%	2023-05-01	2023-10-31	Olivia Pink, Noah Blue	Bi-weekly	Monthly Report	2.3
P006	Project Zeta	700,000	710,000	8,000	80	Major Issues	Very High	65	3.5	6	85%	2023-06-01	2023-11-15	Liam Yellow, Sophia Purple	Daily	Weekly Report	1.8
P007	Project Eta	1,300,000	1,290,000	16,000	93	Compliant	Low	87	4.7	13	97%	2023-07-01	2023-12-31	Ethan Orange, Ava Green	Weekly	Quarterly Report	2.5
P008	Project Theta	600,000	610,000	7,000	75	Non-Compliant	High	60	3.2	5	82%	2023-08-01	2024-01-15	Noah Blue, Isabella Pink	Bi-weekly	Monthly Report	1.9
P009	Project Iota	1,400,000	1,380,000	19,000	94	Compliant	Low	89	4.9	16	99%	2023-09-01	2024-02-28	Lucas Yellow, Mia Purple	Daily	Weekly Report	3.1
P010	Project Kappa	850,000	860,000	11,000	82	Minor Issues	Medium	75	4.1	9	89%	2023-10-01	2024-03-31	Oliver Blue, Sophia Green	Weekly	Quarterly Report	2.2
P011	Project Lambda	1,600,000	1,590,000	22,000	96	Compliant	Low	91	5.0	18	100%	2023-11-01	2024-04-30	Ava Pink, Noah Yellow	Bi-weekly	Monthly Report	3.2
P012	Project Mu	500,000	510,000	6,000	70	Major Issues	Very High	55	3.0	4	80%	2023-12-01	2024-05-15	Ethan Blue, Olivia Green	Daily	Weekly Report	1.7
P013	Project Nu	1,700,000	1,680,000	25,000	97	Compliant	Low	92	5.1	20	101%	2024-01-01	2024-06-30	Lucas Yellow, Mia Purple	Weekly	Quarterly Report	3.3
P014	Project Xi	900,000	910,000	13,000	83	Minor Issues	Medium	76	4.3	11	91%	2024-02-01	2024-07-15	Oliver Blue, Sophia Green	Bi-weekly	Monthly Report	2.4
P015	Project Omicron	1,800,000	1,790,000	28,000	98	Compliant	Low	93	5.2	22	102%	2024-03-01	2024-08-31	Ava Pink, Noah Yellow	Daily	Weekly Report	3.4
P016	Project Pi	400,000	410,000	5,000	65	Major Issues	Very High	50	2.8	3	78%	2024-04-01	2024-09-15	Ethan Blue, Olivia Green	Weekly	Quarterly Report	1.6
P017	Project Rho	1,900,000	1,880,000	30,000	99	Compliant	Low	94	5.3	24	103%	2024-05-01	2024-10-31	Lucas Yellow, Mia Purple	Bi-weekly	Monthly Report	3.5
P018	Project Sigma	750,000	760,000	9,000	78	Minor Issues	Medium	72	4.0	7	87%	2024-06-01	2024-11-15	Oliver Blue, Sophia Green	Daily	Weekly Report	2.0
P019	Project Tau	1,000,000	990,000	14,000	86	Compliant	Low	80	4.4	12	93%	2024-07-01	2025-01-31	Ava Pink, Noah Yellow	Weekly	Quarterly Report	2.6
P020	Project Upsilon	650,000	660,000	8,500	72	Major Issues	High	62	3.3	6	84%	2024-08-01	2025-02-15	Ethan Blue, Olivia Green	Bi-weekly	Monthly Report	1.8
P021	Project Phi	1,150,000	1,140,000	17,000	91	Compliant	Low	86	4.7	14	97%	2024-09-01	2025-03-31	Lucas Yellow, Mia Purple	Daily	Weekly Report	3.0
P022	Project Chi	550,000	560,000	7,500	73	Minor Issues	Medium	68	3.6	5	83%	2024-10-01	2025-04-15	Oliver Blue, Sophia Green	Weekly	Quarterly Report	1.9
P023	Project Psi	1,250,000	1,240,000	19,000	94	Compliant	Low	89	4.9	16	99%	2024-11-01	2025-05-31	Ava Pink, Noah Yellow	Bi-weekly	Monthly Report	3.1
P024	Project Omega	450,000	460,000	6,500	68	Major Issues	High	58	3.1	4	81%	2024-12-01	2025-06-15	Ethan Blue, Olivia Green	Daily	Weekly Report	1.7
P025	Project Alpha	1,350,000	1,340,000	21,000	96	Compliant	Low	91	5.0	18	100%	2025-01-01	2025-07-31	Lucas Yellow, Mia Purple	Weekly	Quarterly Report	3.2
P026	Project Beta	880,000	890,000	12,500	84	Minor Issues	Medium	77	4.2	10	90%	2025-02-01	2025-08-15	Oliver Blue, Sophia Green	Bi-weekly	Monthly Report	2.3
P027	Project Gamma	1,550,000	1,530,000	23,000	95	Compliant	Low	90	4.8	17	98%	2025-03-01	2025-09-30	Ava Pink, Noah Yellow	Daily	Weekly Report	3.3
P028	Project Delta	720,000	730,000	9,500	76	Major Issues	High	64	3.4	7	86%	2025-04-01	2025-10-15	Ethan Blue, Olivia Green	Weekly	Quarterly Report	1.8
P029	Project Epsilon	1,050,000	1,040,000	16,500	87	Compliant	Low	81	4.5	13	94%	2025-05-01	2025-11-30	Lucas Yellow, Mia Purple	Bi-weekly	Monthly Report	2.7
P030	Project Zeta	620,000	630,000	8,200	74	Minor Issues	Medium	69	3.7	6	85%	2025-06-01	2026-01-15	Oliver Blue, Sophia Green	Daily	Weekly Report	2.1
P031	Project Eta	1,180,000	1,170,000	18,500	92	Compliant	Low	87	4.6	15	97%	2025-07-01	2026-02-28	Ava Pink, Noah Yellow	Weekly	Quarterly Report	3.0
P032	Project Theta	580,000	590,000	7,800	71	Major Issues	High	61	3.2	5	82%	2025-08-01	2026-03-15	Ethan Blue, Olivia Green	Bi-weekly	Monthly Report	1.9
P033	Project Iota	1,280,000	1,270,000	20,500	94	Compliant	Low	89	4.9	17	99%	2025-09-01	2026-04-30	Lucas Yellow, Mia Purple	Daily	Weekly Report	3.1
P034	Project Kappa	780,000	790,000	11,500	81	Minor Issues	Medium	74	4.1	9	89%	2025-10-01	2026-05-15	Oliver Blue, Sophia Green	Weekly	Quarterly Report	2.2
P035	Project Lambda	1,680,000	1,660,000	24,000	97	Compliant	Low	92	5.1	19	101%	2025-11-01	2026-06-30	Ava Pink, Noah Yellow	Bi-weekly	Monthly Report	3.2
P036	Project Mu	480,000	490,000	6,800	69	Major Issues	High	59	3.0	4	80%	2025-12-01	2026-07-15	Ethan Blue, Olivia Green	Daily	Weekly Report	1.7
P037	Project Nu	1,780,000	1,760,000	26,000	98	Compliant	Low	93	5.2	21	102%	2026-01-01	2026-07-31	Lucas Yellow, Mia Purple	Weekly	Quarterly Report	3.3
P038	Project Xi	920,000	930,000	13,500	83	Minor Issues	Medium	76	4.3	11	91%	2026-02-01	2026-08-15	Oliver Blue, Sophia Green	Bi-weekly	Monthly Report	2.4
P039	Project Omicron	1,880,000	1,860,000	29,000	99	Compliant	Low	94	5.3	23	103%	2026-03-01	2026-09-30	Ava Pink, Noah Yellow	Daily	Weekly Report	3.4
P040	Project Pi	420,000	430,000	6,200	67	Major Issues	High	57	2.9	3	79%	2026-04-01	2026-10-15	Ethan Blue, Olivia Green	Weekly	Quarterly Report	1.6
P041	Project Rho	1,980,000	1,960,000	31,000	100	Compliant	Low	95	5.4	25	104%	2026-05-01	2026-11-30	Lucas Yellow, Mia Purple	Bi-weekly	Monthly Report	3.5
P042	Project Sigma	740,000	750,000	9,800	77	Minor Issues	Medium	73	4.0	8	88%	2026-06-01	2027-01-15	Oliver Blue, Sophia Green	Daily	Weekly Report	2.0
P043	Project Tau	1,080,000	1,070,000	17,500	88	Compliant	Low	82	4.5	14	95%	2026-07-01	2027-02-28	Ava Pink, Noah Yellow	Weekly	Quarterly Report	2.8
P044	Project Upsilon	640,000	650,000	8,800	75	Major Issues	High	63	3.3	7	86%	2026-08-01	2027-03-15	Ethan Blue, Olivia Green	Bi-weekly	Monthly Report	2.1
P045	Project Phi	1,160,000	1,150,000	18,800	91	Compliant	Low	86	4.7	15	97%	2026-09-01	2027-04-30	Lucas Yellow, Mia Purple	Daily	Weekly Report	3.0
P046	Project Chi	560,000	570,000	7,600	72	Minor Issues	Medium	69	3.6	5	83%	2026-10-01	2027-05-15	Oliver Blue, Sophia Green	Weekly	Quarterly Report	1.9
P047	Project Psi	1,260,000	1,250,000	20,800	94	Compliant	Low	89	4.9	17	99%	2026-11-01	2027-06-30	Ava Pink, Noah Yellow	Bi-weekly	Monthly Report	3.1
P048	Project Omega	460,000	470,000	6,600	68	Major Issues	High	58	3.1	4	81%	2026-12-01	2027-07-15	Ethan Blue, Olivia Green	Daily	Weekly Report	1.7
P049	Project Alpha	1,360,000	1,350,000	21,800	96	Compliant	Low	91	5.0	18	100%	2027-01-01	2027-07-31	Lucas Yellow, Mia Purple	Weekly	Quarterly Report	3.2
P050	Project Beta	860,000	870,000	12,800	84	Minor Issues	Medium	77	4.2	10	90%	2027-02-01	2027-08-15	Oliver Blue, Sophia Green	Bi-weekly	Monthly Report	2.3

E103	The Arborist must:	
a	be the principal point of advice in relation to the assessment and management of CSSI impacts on trees;	
b	prepare a Tree Register of all trees within the CSSI footprint (either for the entire CSSI or separate areas where tree removal and/or pruning is proposed) before the removal of any trees;	
c	identify those trees within the footprint that must be removed for construction to proceed or for CSSI operations; and	
d	identify those trees where their fate is uncertain and may be retained, removed or pruned (either for construction or for ongoing maintenance during operation).	
E104	The Tree Register must include:	
a	the georeferenced location of each tree;	
b	those attributes as defined in AS 4970-2009 Protection of trees on development sites;	
c	the tree retention value;	
d	the outcomes of a visual assessment of the condition of the tree;	
e	where a tree requires removal, whether, in the opinion of the Arborist, it can be successfully transplanted;	
f	the extent of the proposed impact (complete removal or extent of pruning);	
g	measures for the management, protection and monitoring of compensatory vegetation, for a minimum of two years from being planted; and	
h	timing and responsibilities for the implementation of compensatory vegetation.	
E105	For those trees identified as requiring removal in the Tree Register, the Proponent must demonstrate consideration of options to avoid or minimise impacts on trees through the detailed design and construction planning process. The options considered must include, but not be limited to:	
a	consideration of operational requirements with existing tree locations;	
b	consideration of the health of each tree, including its vigour and likely ability to survive in situ pruning or transplanting;	
c	review of the construction methodology and layout to identify any options to avoid or minimise impacts on trees;	
d	considering opportunities to narrow/move footpaths;	
e	modification of the design to reduce impact to the tree (e.g. use of porous pavement);	
f	reduction in the standard offsets required for underground services; and	
g	where fencing, other ancillary infrastructure or services affect tree retention, relocation or alternative construction methods are considered to reduce impacts (e.g. from strip footings to pier footings for posts).	
E106	The Tree Register and any evidence required by Condition E105 must be submitted to the Secretary before the removal or damage (as defined by the Independent Arborist) of a tree for the purposes of the CSSI. The recommendations of the Independent Arborist must be outlined in the Tree Register and implemented by the Proponent, unless otherwise agreed by the Secretary.	
E107	The Proponent must prepare and implement a Tree Offset Package for the CSSI in consultation with the independent Arborist required by Condition E102, and Relevant Council(s). The Package must consider the objectives and opportunities identified in Sydney Green Grid West Central District (Department of Planning and Environment, 2017), Greener Places (NSW Government Architect, 2017), and Parramatta Ways (Implementing Sydney's Green Grid) (City of Parramatta, 2017). The package must:	
a	identify how impacts on trees and vegetation will be mitigated, managed, and compensated;	
b	ensure that where trees are removed they are replaced at the following ratios regardless of their value, near the impact or, where this is not practicable, within other areas of the LGA or surrounding LGAs, in consultation with the relevant authority(s):	
i	large trees (DBH greater than 60cm) – plant minimum of eight trees	
ii	medium trees (DBH greater than 15 cm, but less than 60 cm) – plant minimum of four trees; and	
iii	small young trees (DBH less than 15cm) – plant minimum of two trees.	
c	ensure a mix of species and a range of mature heights to provide visual diversity and benefits, in consultation with the Relevant Council(s);	
d	street tree plantings are to have a minimum pot size of: i) 200 litres in the Parramatta CBD precinct; and ii) 75 litres in other streets;	
e	tree planting in parks, open space, bushland, and within the Carlingford Line corridor, should be sized to suit the location, species and planting style, in consultation with the relevant authority(s); and	
f	ensure at least 80% offset works must be completed before CSSI operations commence.	
	Where the requirements of this condition cannot be met, the Proponent must provide documented evidence demonstrating how the matters in (a) to (f) were considered and provide information and justification for an alternative offset option for the Secretary's approval.	