



## Department of Planning and Environment

Ms Angelique Easton  
A/Director Eastern Harbour and Central River City  
Environment and Sustainability  
Transport for NSW  
Locked Bag 5085  
PARRAMATTA NSW 2124

30/03/2022

Dear Ms Easton

### **Parramatta Light Rail Stage 1 (SSI-8285) Out of Hours Work (OOHW) Protocol**

I refer to the OOHW Protocol Revision 9.01 which was submitted to the Planning Secretary for approval in accordance with condition E28 of SSI-8285.

I note that the previously approved OOHW Protocol (Revision 8.8, dated November 2019) has been updated with minor and administrative amendments only.

I also note that the revised OOHW Protocol (Revision 9.01) has been prepared in consultation with the Acoustics Advisor (AA) Beau Weyers, and the Environmental Representative (ER) Gillian Lehn, and both have endorsed the document as follows:

- AA endorsement dated 9 March 2022
- ER endorsement dated 10 March 2022.

As nominee of the Planning Secretary, I approve the Parramatta Light Rail – Stage 1 OOHW Protocol Revision 9.01, pursuant to condition E28 of SSI-8285.

You are reminded that if there is any inconsistency between the approved OOHW Protocol and the conditions of approval, then the requirements of the conditions of approval will prevail.

Please ensure that you make the approved OOHW Protocol publicly available on the project website, before the commencement of any works to which it relates as required by condition B11.

If you wish to discuss the matter further, please contact Rebecca Eddington at [Rebecca.Eddington@dpie.nsw.gov.au](mailto:Rebecca.Eddington@dpie.nsw.gov.au).

Yours sincerely

A handwritten signature in black ink, appearing to read 'M. Todd-Jones', written in a cursive style.

Matthew Todd-Jones  
A/Director  
Infrastructure Management

As nominee of the Secretary