

Transport for NSW

Beaches Link and Gore Hill Freeway Connection

Environmental Impact Statement

December 2020



- nswroads.work/blportal
- @ whtbl@transport.nsw.gov.au
- **L** 1800 931 189
- Customer feedback
 Transport for NSW, Locked Bag 928
 North Sydney NSW 2059

Lodgement of Submissions

www.planningportal.nsw.gov.au/ major-projects/projects/on-exhibition Application number SSI-8862



Translating and Interpreting Service

If you need an interpreter, please call the Translating and Interpreting Service (TIS National) on **131 450** and ask them to telephone Transport for NSW on **1800 931 189**.

Chinese (simplified)

若您需要口译员,请拨打 **131 450** 致电翻译与口译服务处(TIS National), 并要求他们转拨**1800 931 189**致电Transport for NSW。

Italian

Se avete bisogno di un interprete, chiamate il servizio traduttori e interpreti (TIS National) al numero 131 450 e chiedete di telefonare a Transport for NSW al numero 1800 931 189.

Portuguese

Se necessitar de um(a) Intérprete, por favor, ligue para o Serviço de Tradução e Interpretação (TIS National), através de **131 450** e peça o telefone do Transport for NSW, através de **1800 931 189**.

RMS 20.429

ISBN: 978-1-922463-47-0

Contents

List	of Appendices	vii
Cert	ification	viii
Glos	sary and abbreviations	ix
Exec	cutive Summary	E-1
1	Introduction	1-1
1.1	Overview	1-1
1.2	2 The project	1-4
1.3	Project location	1-5
1.4	Purpose of this environmental impact statement	1-6
2	Assessment process	2-1
2.′	Assessment and approval framework	2-1
2.2	2 Other legislation	2-3
2.3	Next steps	2-7
3	Strategic context and project need	3-1
3.′	Sydney's present and future	3-1
3.2	The North District's road transport challenge	3-4
3.3	Congestion impacting urban amenity across the Eastern City and North Districts.	
3.4	The Western Harbour Tunnel and Beaches Link program of works	3-14
3.5	Key benefits of the Western Harbour Tunnel and Beaches Link program of works	
3.6	Key benefits of the Beaches Link and Gore Hill Freeway Connection project	3-19
3.7	7 Strategic planning and policy framework	3-26
4	Project development and alternatives	4-1
4.′	Overview	4-2
4.2	2 Historical context	4-3
4.3	3 Strategic alternatives	4-6
4.4	1 Corridor alternatives	4-16
4.5	5 Further project development	4-30
5	Project description	5-1
5.′	Project overview	5-2
5.2	2 Beaches Link	5-17
5.3	Gore Hill Freeway Connection	5-53

6		Construction work	6-1
	6.1	Overview of construction works	6-2
	6.2	Construction program	6-5
	6.3	Early works and site establishment	6-6
	6.4	Construction of Beaches Link	6-7
	6.5	Surface road works	6-31
	6.6	New open space and recreation facilities at Balgowlah	6-38
	6.7	Testing, commissioning and demobilisation	6-39
	6.8	Construction footprint and temporary construction support sites	6-39
	6.9	Construction management and resources	6-83
7		Stakeholder and community engagement	7-1
	7.1	Engagement and consultation process	7-2
	7.2	Engagement activities to date	7-6
	7.3	Feedback received	7-20
	7.4	Summary of project refinements in response to feedback	7-47
	7.5	Future engagement	7-51
8		Construction traffic and transport	8-1
	8.1	Strategic transport planning context	8-2
	8.2	Assessment methodology	8-3
	8.3	Existing environment	8-7
	8.4	Assessment of potential impacts	8-31
	8.5	Environmental management measures	8-71
9		Operational traffic and transport	9-1
	9.1	Strategic transport planning context	9-2
	9.2	Assessment methodology	9-5
	9.3	Existing environment	9-10
	9.4	Assessment of potential impacts	9-10
	9.5	Environmental management measures	9-45
1	0	Construction noise and vibration	10-1
	10.1	Acoustic terminology	10-4
	10.2	Legislative and policy framework	10-6
	10.3	3 Assessment methodology	10-6
	10.4	Assessment objectives and criteria	10-12
	10.5	Existing noise environment	10-17
	10.6	Assessment of potential impacts	10-22
	10.7	Zenvironmental management measures	10-88

11 (Operational noise and vibration	11-1
11.1	Legislative and policy framework	11-2
11.2	Assessment methodology	11-2
11.3	Assessment objectives and criteria	11-3
11.4	Existing noise environment	11-7
11.5	Assessment of operational impacts	11-7
11.6	Assessment of open space and recreation facilities at Balgowlah	11-18
11.7	Assessment of operational impacts – vibration	11-19
11.8	Environmental management measures	11-19
12 <i>A</i>	Air quality	12-1
12.1	Legislative and policy framework	12-3
12.2	Assessment methodology	12-5
12.3	Criteria and standards	12-14
12.4	Existing environment	12-16
12.5	Assessment of potential construction impacts	12-18
12.6	Assessment of potential operational impacts	12-26
12.7	Environmental management measures	12-50
13 H	luman health	13-1
13.1	Legislative and policy framework	13-4
13.2	Assessment methodology	13-4
13.3	Existing environment	13-6
13.4	Assessment of potential construction impacts	13-7
13.5	Assessment of potential operational impacts	13-15
13.6	Environmental management measures	13-27
14 N	Non-Aboriginal heritage	14-1
14.1	Legislative and policy framework	14-2
14.2	Assessment methodology	14-3
14.3	Existing environment	14-4
14.4	Assessment of potential impacts	14-7
14.5	Environmental management measures	14-35
15 <i>A</i>	Aboriginal cultural heritage	15-1
15.1	Legislative and policy framework	15-4
15.2	Assessment methodology	15-4
15.3	Existing environment	15-6
15.4	Assessment of potential impacts	15-21
15.5	Environmental management measures	15-28

16	Geology, soils and groundwater	16-1
16.1	1 Legislative and policy framework	16-5
16.2	2 Assessment methodology	16-6
16.3	B Existing environment	16-7
16.4	Assessment of potential construction impacts	16-27
16.5	5 Assessment of potential operational impacts	16-61
16.6	Policy compliance	16-68
16.7	7 Environmental management measures	16-73
17	Hydrodynamics and water quality	17-1
17.1	l Legislative and policy framework	17-6
17.2	2 Assessment methodology	17-11
17.3	B Existing environment	17-18
17.4	Assessment of potential construction impacts	17-35
17.5	5 Assessment of potential operational impacts	17-50
17.6	S Environmental management measures	17-58
18	Flooding	18-1
18.1	1 Flooding terminology and concepts	18-4
18.2	2 Legislative and policy framework	18-4
18.3	3 Assessment methodology	18-5
18.4	4 Existing environment	18-5
18.5	5 Assessment of potential construction impacts	18-21
18.6	Assessment of potential operational impacts	18-33
18.7	7 Assessment of cumulative impacts	18-53
18.8	B Environmental management measures	18-54
19	Biodiversity	19-1
19.1	Legislative and policy framework	19-3
19.2	2 Assessment methodology	19-4
19.3	B Existing environment	19-9
19.4	4 Avoidance and minimisation	19-56
19.5	Assessment of potential impacts	19-57
19.6	5	
20	Land use and property	
20.1	l Legislative and policy framework	20-3
20.2	6,	
20.3	B Existing environment	20-5
20.4	·	
20.5	5 Environmental management measures	20-51

21	Socio-economics	21-1
21.1	Legislative and policy framework	21-3
21.2	Assessment methodology	21-3
21.3	Existing environment	21-7
21.4	Assessment of potential construction impacts	21-27
21.5	Assessment of potential operational impacts	21-45
21.6	Environmental management measures	21-54
22	Urban design and visual amenity	22-1
22.1	Legislative and policy framework	22-3
22.2	Urban design framework	22-3
22.3	Assessment methodology	22-12
22.4	Existing environment	22-14
22.5	Project elements	22-27
22.6	Assessment of potential construction impacts	22-30
22.7	Assessment of potential operational impacts	22-43
22.8	Environmental management measures	22-66
23	Hazards and risks	23-1
23.1	Assessment methodology	23-2
23.2	Assessment of potential construction impacts	23-3
23.3	Assessment of potential operational impacts	23-17
23.4	Environmental management measures	23-27
24	Resource use and waste management	24-1
24.1	Legislative and policy framework	24-2
24.2	Assessment methodology	24-4
24.3	Assessment of potential construction impacts	24-4
24.4	Assessment of potential operational impacts	24-14
24.5	Waste disposal locations	24-16
24.6	Environmental management measures	24-17
25	Sustainability	25-1
25.1	Overview	25-1
25.2	Beaches Link and Gore Hill Freeway Connection sustainability framework	25-2
25.3	Ecologically sustainable development	25-10
25.4	Environmental management measures	25-13
26	Climate change and greenhouse gas	26-1
26.1	Climate change risk assessment	26-1
26.2	Greenhouse gas	26-6

27	Cumulative impacts	27-1
27.1	Assessment methodology	27-2
27.2	Projects assessed	27-4
27.3	Assessment of potential cumulative construction impacts	27-10
27.4	Assessment of potential cumulative operational impacts	27-20
27.5	5 Environmental management measures	27-22
28	Synthesis of the environmental impact statement	28-1
28.1	Overview and key features of the project	28-2
28.2	2 Construction of the project	28-8
28.3	Project uncertainties	28-9
28.4	Summary of project impacts and management measures	28-20
28.5	5 Environmental management plan framework	28-32
28.6	Performance outcomes	28-34
28.7	Project justification and conclusion	28-41
29	References	29-1

List of Appendices

Appendix reference:	Document name:
А	Secretary's environmental assessment requirements checklist
В	Environmental Planning and Assessment Regulation checklist
С	Environmental risk analysis
D	Utilities management strategy
E	Community consultation framework
F	Technical working paper: Traffic and transport
G	Technical working paper: Noise and vibration
Н	Technical working paper: Air quality
I	Technical working paper: Health impact assessment
J	Technical working paper: Non-Aboriginal heritage
K	Technical working paper: Maritime heritage
L	Technical working paper: Aboriginal cultural heritage assessment report
M	Technical working paper: Contamination
N	Technical working paper: Groundwater
0	Technical working paper: Surface water quality and hydrology
Р	Technical working paper: Hydrodynamic and dredge plume modelling
Q	Technical working paper: Marine water quality
R	Technical working paper: Flooding
S	Technical working paper: Biodiversity development assessment report
Т	Technical working paper: Marine ecology
U	Technical working paper: Socio-economic assessment
V	Technical working paper: Urban design, landscape character and visual impact
W	Technical working paper: Arboricultural impact assessment
Х	Climate change and greenhouse gas calculations
Υ	Compilation of environmental management measures

Certification

Submission of environmental impact statement

Prepared under Division 5.2 of the Environmental Planning and Assessment Act 1979.

Environmental impact statement prepared by:

Name: Tim Rodham

Qualifications: Bachelor of Engineering – Civil (Hons)

Jacobs / Arcadis

Address: Jacobs Group (Australia)

177 Pacific Highway

North Sydney NSW 2060

Arcadis

Level 16, 580 George Street

Sydney NSW 2000.

Responsible person: Alex Wendler

Chief Development Officer Infrastructure and Place Transport for NSW

18 Lee Street Chippendale NSW 2008.

Proposed development:

Beaches Link and Gore Hill Freeway Connection

Address of the land on which the infrastructure to which the statement relates:

Land within the North Sydney, Willoughby, Mosman and Northern Beaches local government areas as described within the environmental impact statement.

Description of the infrastructure to which the statement relates:

Construction and operation of the Beaches Link and Gore Hill Freeway Connection, which would comprise two main components:

- Twin tolled motorway tunnels connecting the Warringah Freeway at Cammeray and the Gore Hill Freeway at Artarmon to the Burnt Bridge Creek Deviation at Balgowlah and Wakehurst Parkway at Killarney Heights, and an upgrade of Wakehurst Parkway (the Beaches Link)
- Connection and integration works along the existing Gore Hill Freeway and surrounding roads at Artarmon (the Gore Hill Freeway Connection).

Environmental impact statement:

An environmental impact statement is attached addressing all matters in accordance with Division 5.2 of the *Environmental Planning and Assessment Act 1979*.

Declaration: I certify that I have prepared the contents of this environmental impact statement

in response to the Secretary's environmental assessment requirements dated 22 April 2020 and the relevant provisions of Schedule 2 of the Environmental Planning and Assessment Regulation 2000. To the best of my knowledge the information contained in the environmental impact statement is not false or

misleading.

Signature:

Name: Tim Rodham

Date: 4 December 2020

Glossary and abbreviations

Abbreviation	Definition
AADT	Annual average daily traffic
ABLV	Australian bat lyssavirus
ABS	Australian Bureau of Statistics
ACHAR	Aboriginal Cultural Heritage Assessment Report
ACTAQ	Advisory Committee on Tunnel Air Quality
AEP	Annual exceedance probability
AFG	Aboriginal focus group
AFL	Australian Football League
AHD	Australian height datum
AHIMS	Aboriginal Heritage Information Management System
Alluvium	Unconsolidated deposit of gravel, sand or mud formed by water flowing in identifiable channels. Commonly well sorted and stratified.
AM peak	Time period between 8am and 9am
ANZAC	Australian and New Zealand Army Corps
ANZECC	Australian and New Zealand Environment and Conservation Council
ANZG	Australian and New Zealand Guidelines for Fresh and Marine Water Quality
AQIA	Air Quality Impact Assessment
Average recurrence interval (ARI)	The long-term average number of years between the occurrence of a flood larger than the selected event.
ARMCANZ	Agriculture and Resource Management Council of Australia and New Zealand
ARR	Australian rainfall and runoff
AS	Australian standard
ASRIS	Australian Soil Resource Information System
ASSMAC	Acid Sulfate Soils Management Advisory Committee
BDAR	Biodiversity Development Assessment Report
Beaches Link	The Beaches Link and Gore Hill Freeway Connection project which comprises a new tolled motorway tunnel connection across Middle Harbour from the Warringah Freeway and Gore Hill Freeway to Balgowlah and Killarney Heights and including the surface upgrade of Wakehurst Parkway from Seaforth to Frenchs Forest and upgrade and integration works to connect to the Gore Hill Freeway and Reserve Road at Artarmon.
Biodiversity Assessment	Established under section 6.7 of the BC Act to assess impacts on threatened species and threatened ecological communities (TECs), and their habitats, and

Abbreviation	Definition
Method (BAM)	the impact on biodiversity values, where required under the BC Act.
BL	Beaches Link
B-Line	Northern Beaches Bus Rapid Transit
The Blue Book	Managing Urban Stormwater, Soils and Construction guidelines, Volumes 1 (Landcom, 2004) and 2 (2008).
ВОМ	Bureau of Meteorology
BTEX	Benzene, toluene, ethylbenzene and xylene
Burra Charter	Australia International Council on Monuments and Sites (ICOMOS) Charter for Places of Cultural Significance
CASA	Civil Aviation Safety Authority
CBD	Central business district
CCTV	Closed circuit television
CEMP	Construction environmental management plan
CEO	Chief Executive Officer
CH ₄	Methane
Chart datum	The level of water from which charted depths displayed on a nautical chart are measured.
CO	Carbon monoxide
CO ₂	Carbon dioxide
Cofferdam	A temporary enclosure within a body of water that is constructed to allow dewatering of an enclosed area.
Complaint fatigue	An impact that may occur where community perceptions of project complaint management systems result in failure to report concerns about construction impacts. This impact may be compounded where multiple agencies are responsible for issues in the same area where construction of multiple projects occurs.
Construction fatigue	An impact that may be experienced by receivers that are in the vicinity of concurrent or consecutive project construction activities where the activities overlap or have little or no break between the activities of one project, or multiple adjacent projects.
Construction footprint	The total area required to facilitate the construction of the project.
Construction support sites	Parcels of land on which temporary construction-related activities would be carried out.
COVID-19	Coronavirus disease
CPTED	Crime prevention through environmental design
CSIRO	Commonwealth Scientific and Industrial Research Organisation
Cumulative impact	An impact that may occur when impacts from one project interact or overlap with impacts from other projects and potentially result in a larger overall effect

Abbreviation	Definition
	on the environment, businesses or local communities. Cumulative impacts may also occur when projects are constructed consecutively with construction activities occurring over extended periods of time with little to no break in between.
Cut and cover tunnel	Tunnels that are typically constructed at locations where the tunnel alignment does not have enough rock cover to support the construction of traditional driven tunnels.
dB	Decibel
dB(A)	A-weighted decibels
DEC	Department of Environment and Conservation
DECC	Department of Environment and Climate Change
DECCW	Department of Environment Climate Change and Water
Dioxins	Polychlorinated dibenzo-para-dioxins
DIPNR	Department of Infrastructure Planning and Natural Resources
DLWC	Department of Lands and Water Conservation
DPE	Department of Planning and Environment (now known as Department of Planning, Industry and Environment)
DPI	Department of Primary Industries
DPIE	Department of Planning, Industry and Environment
Drawdown	The localised lowering of groundwater levels as a result of water extraction.
Dredging	Excavation carried out underwater or partially underwater.
Driven tunnel	Tunnels excavated using roadheaders.
EES	Environment, Energy and Science Group sitting within the Department of Planning, Industry and Environment
EIA	Environmental impact assessment
EIS	Environmental Impact statement
EMM	Environmental management measure
EMS	Environmental management system
EPA	NSW Environment Protection Authority
EPBC Act	Environment Protection and Biodiversity Conservation Act 1999 (Cth)
ESP	Electrostatic precipitator
FDM	Floodplain Development Manual
Floodway	Floodplains that transmit large quantities of water.
Flood fringe	Floodplains that do not play a significant role in either storing or conveying water.

Abbreviation	Definition
Flood storage	Floodplains that store a significant volume of water.
GDE	Groundwater dependent ecosystem
GHF	Gore Hill Freeway
Gore Hill Freeway Connection	Connection and integration works along the existing Gore Hill Freeway and surrounding roads at Artarmon.
GRAL	Graz Langrangian model
GRAMM	Graz Mesoscale model
Groundwater	All waters occurring below the land surface. The upper surface of the soils saturated by groundwater in any particular area is called the water table.
GSP	Gross state product
gy	Gymea landscape group
ha	Hawkesbury landscape group
HEPA	Heads of EPAs Australia and New Zealand
HMAS	Her Majesty's Australian Ship
IAQM	UK Institute of Air Quality Management
IBC	Intermediate bulk containers
ICOMOS	International Council on Monuments and Sites
Immersed tube tunnel	A series of steel tunnel segments placed on top, or within the top layers, of harbour rock and sediment.
IPCC	International Panel on Climate Change
ISCA	Infrastructure Sustainability Council of Australia
ISO	International Organisation for Standardisation
ISQG	High and Low Interim Sediment Quality Guidelines
kg	Kilogram
km	Kilometre
km/h	Kilometres per hour
kN	Kilonewtons
ktCO2-e	Kilotonnes of carbon dioxide equivalent
kV	Kilovolt
la	Lambert landscape group
L _{A90}	Noise level exceeded for 90 per cent of the measurement period.
LAeq	Sound level in decibels equivalent to the total A-weighted sound energy

Abbreviation	Definition
	measured over a stated period of time.
L _{Amax}	Maximum A - weighted sound pressure level.
LALC	Local Aboriginal Land Council
LCZ	Landscape character zone
LED	Light-emitting diode
LEP	Local environmental plan
LGA	Local government area
LoS	Level of service
L/s/km	Litres per second per kilometre
LSPS	Local Strategic Planning Statement
m	Metre
m/s	Metres per second
mm	Millimetres
mm/s	Millimetres per second
m ²	Square metres
m³	Cubic metres
m³/s	Cubic metres per second
Mainline tunnel	Tunnels connecting the approved M4-M5 Link at Rozelle to the Warringah Freeway and to the Beaches Link tunnels at Cammeray.
mf	Manmade fill
mg	Milligrams
mg/L	Milligrams per litre
mg/m³	Milligrams per cubic metre
ML/year	Megalitres per year
MUSIC	Model for Urban Stormwater Improvement Conceptualisation
MVA	Megavolt ampere
NAGD	National Assessment Guidelines for Dredging
NCA	Noise catchment area
NEPC	National Environment Protection Council
NHMRC	National Health and Medical Research Council
NML	Noise management level

Abbreviation	Definition
NO	Nitrogen oxides
NO ₂	Nitrous dioxide
NOx	Nitrogen oxides
NPW	National Parks and Wildlife
NSITP	North Sydney Integrated Transport Program
NSW	New South Wales
NTU	Nephelometric turbidity unit
NZS	New Zealand standard
OCP	Organochlorine pesticides
OCSE	Office of the Chief Scientist and Engineer
OEH	Office of Environment and Heritage (now known as the Department of Premier and Cabinet (Heritage) or Heritage NSW)
OLS	Obstruction limitation surface
OPP	Organophosphorus pesticides
PACHCI	Procedure for Aboriginal cultural heritage consultation and investigation
PAD	Potential archaeological deposit
PAH	Polycyclic aromatic hydrocarbons
Palaeochannels	Old river or stream channels which have been filled or buried by younger sediment.
PANS-OPS	Procedures for air navigation systems operations
PCB	Polychlorinated biphenyls
PCT	Plant community type
PCU	Passenger car unit
PFAS	Poly-fluoroalkyl substances
рН	A measure of the degree of acidity or alkalinity expressed on a logarithmic scale of 1-14, on which 1 is most acid, 7 is neutral and 14 is most basic (alkaline).
PIARC	Permanent International Association of Road Congress
Pile	Heavy stake or post installed to support the foundations of a structure.
PM peak	Time period between 5 pm and 6 pm.
PM _{2.5}	Particulate matter less than or equal to 2.5 micrometre diameter.
PM ₁₀	Particulate matter less than or equal to 10 micrometre diameter.

Abbreviation	Definition
PMF	Probable maximum flood event. The upper limiting value of floods that could reasonably be expected to occur (the result of the most severe combination of meteorological conditions) and defines the extent of flood prone land (ie the floodplain).
POEO Act	Protection of the Environment Operations Act 1977 (NSW)
Point to point transport	Includes taxis, hire cars, tourist services, rideshare services and other vehicles with 12 seats or less (including the driver) that provide passenger transport services for a fare.
ppm	Parts per million
PVC	Polyvinyl Chloride
RBL	Rated background level
Residual lands	Lots that would be wholly or partially occupied during construction of the project, but would not be required for permanent operational infrastructure or other operational activities (also referred to as surplus lands).
RFS	Rural Fire Service
Rh	Hawkesbury sandstone
RMS	NSW Roads and Maritime Services (now part of Transport for NSW)
Roadheader	An excavation machine that has a rotating, rock-cutting head on the front, mounted to a boom.
Roads and Maritime	NSW Roads and Maritime Services (now part of Transport for NSW)
RSL	Returned & Services League of Australia
RTA	Roads and Transport Authority
Rwa	Ashfield shale
SEPP	State environmental planning policy
SMPM	Sydney Motorway Planning Model
SO ₂	Sulphur dioxide
SREP	Sydney regional environmental plan
SSI	State Significant Infrastructure
Standard construction hours	7am to 6pm Monday to Friday, 8am to 1pm Saturday and no construction works on Sundays or public holidays.
STM	Strategic travel model
Substratum acquisition	The acquisition of land below the surface of the ground.
TAFE	Technical and Further Education
TAGG	Transport Authorities Greenhouse Group
ТВМ	Tunnel boring machine

Abbreviation	Definition
ТВТ	Tributyltin
TEQ	Toxic equivalence quotient
TfNSW	Transport for NSW
The project	The Beaches Link and Gore Hill Freeway Connection project.
TRH	Total recoverable hydrocarbons
Trough structure	Similar to cut and cover structure, except a cover is not required.
TSP	Total suspended particles
UNESCO	United Nations Educational, Scientific and Cultural Organisation
UNFCCC	United Nations Framework Convention on Climate Change
UNSW	University of New South Wales
USEPA	United States Environmental Protection Agency
μg/m³	Microgram per cubic metre
VENM	Virgin Excavated Natural Material
VIS	Vegetation Information System
VKT	Vehicle kilometres travelled
VOCs	Volatile organic compounds
Warringah Freeway Upgrade	Upgrade and integration works along the existing Warringah Freeway, including infrastructure required for connections to the Beaches Link and Gore Hill Freeway Connection project.
WBCSD	World Council for Sustainable Business Development
Western Harbour Tunnel	A new crossing of Sydney Harbour involving twin motorway tunnels connecting the M4-M5 Link at Rozelle and the existing Warringah Freeway at North Sydney.
WFU	Warringah Freeway Upgrade
WHO	World Health Organisation
WHT	Western Harbour Tunnel
WHTBL	Western Harbour Tunnel and Beaches Link
WQO	NSW water quality objectives
WRI	World Resources Institute
xx	Disturbed landscape group