



Chris Buscall
Environmental Compliance Lead
Snowy 2.0 Project

Via email: Chris.Buscall@snowyhydro.com.au

14/08/2020

Dear Chris

**Snowy 2.0 Main Works (SSI-9687) & Snowy 2.0 Exploratory Works (SSI 9208)
Spoil Management Plan**

I refer to the Spoil Management Plan which was submitted in accordance with condition 7 of Schedule 3 of the Infrastructure Approval for the Snowy 2.0 Main Works (SSI 9687) and condition 29 of Schedule 3 of the Infrastructure Approval for the Snowy 2.0 Exploratory Works (SSI 9208).

The Department has carefully reviewed the document and notes that it supersedes the approved Excavated Management Plan for the Snowy 2.0 Exploratory Works (SSI 9208) and is satisfied that it is prepared in accordance with the conditions.

Accordingly, the Planning Secretary has approved the Spoil Management Plan (revision G, dated 11 August 2020). Please ensure that the approved plan is placed on the project website at the earliest convenience.

If you wish to discuss the matter further, please contact Anthony Ko on 8217 2022.

Yours sincerely

A handwritten signature in blue ink, appearing to be 'NB', with a long horizontal line extending to the right.

Nicole Brewer
Director
Energy Assessments

As nominee of the Planning Secretary