

ARBORIST REPORT

for

New Maitland Hospital

Metford Road
METFORD

PREPARED BY
TATTERSALL LANDER
PTY LTD
DEVELOPMENT CONSULTANTS
June 2019



Contents

1.0 Introduction	4
2.0 Site Description	4
3.0 The Proposal	5
4.0 Methodology	6
5.0 Results/Discussions	7
6.0 Recommendations	7
7.0 Conclusion	8
8.0 Disclaimer	8
Appendix A: Tabulated Data		9
Appendix B: Site plan		49

Definitions and Abbreviations

AQF	Australian Qualifications Framework
AS	Australian Standard
Breast Height	1.4 metres above ground level
DBH	Diameter at Breast Height
SRZ	Structural Root Zone – radius taken from the centre of the trunk. The SRZ is the area of the root system (as calculated by AS4970-2009) required for stability of the tree.
TPZ	Tree Protection Zone – radius taken from the centre of the trunk. The TPZ is the area as calculated by AS4970 required to optimally provide adequate protection to the canopy and root system of the tree.

1.0 INTRODUCTION

Tattersall Lander Pty Ltd has been commissioned to undertake an Arborist Report for the proposed development, New Maitland Hospital at Metford Road, Metford.

The purpose of this report is to identify the trees within the site, evaluate these trees and determine the potential impact of the proposal on these trees.

This assessment and Arborist report has been undertaken and prepared by Benjamin Folbigg as an employee of Tattersall Lander. Ben has a Diploma (AQF Level 5) in Arboriculture obtained from NSW TAFE in 2010.




Figure 1 – Site Location Plan

2.0 SITE DESCRIPTION

At the time of assessment, the site had been partly cleared and earthworks were in progress; the site comprises a large cleared area with areas of remnant vegetation towards the edges of the site. There is a large drainage area within the site which is being utilised to assist in protection of water quality during the construction works.

An aerial photograph of the site has been provided below (figure 2) and this aerial photograph was sourced from Google Earth and was taken on 8 January 2019.



Figure 2 – Aerial Photograph (source: Google Earth)

3.0 THE PROPOSAL

The proposal is for a New Maitland Hospital to be constructed on the site, this will include car parking, landscaping, and all necessary infrastructure. This assessment has not gone into depth regarding the specific detail of the proposal as it is not considered necessary for this report, however, trees may be impacted upon as a result of this proposal due to the following:

- Excavation or filling works resulting in encroachments in the TPZs or SRZs;
- Construction works within the TPZs or SRZs;
- Stockpiling within TPZs or SRZs;
- Vehicular movements within the TPZs or SRZs resulting in soil compaction;
- Changes to the hydrology.

4.0 METHODOLOGY

Trees were numbered with aluminium tags prior to commencement of this report and these tags were utilised to identify the trees within this report. An inspection of the site by myself was undertaken over several days in early April, and the purpose of this assessment was to identify the trees which were remaining after the initial clearing works undertaken for stage 1 (SSDI 1) of the proposal and to identify species, height, DBH, and diameter – the fact that clearing had already commenced has resulted in gaps in the tree numbers. GPS co-ordinates for the trees were provided by Wildthing Environmental Consultants who were responsible for tagging of the trees. Whilst 776 trees were tagged, 326 of these were removed in stage 1 clearing works and therefore only 450 trees have been assessed in this report.

The tabulated data (in Appendix A) provides a column identifying whether a tree is to be retained or removed and this determination has been arrived at by the plan provided by Multiplex and as included in Appendix B. This report makes statements and arrives at conclusions using the information available at the time of writing this report. It is also specifically noted that no aerial analysis of any trees was undertaken, nor was any root mapping, probing, or similar investigations undertaken. The provision of the SRZ and TPZ allows for more precise determination in the event of modifications to the proposal – specifically, if the SRZ is impacted upon, then the tree should be removed and if more than 10% of the TPZ is impacted upon, then the tree should also be removed.

It is noted that no retention values were calculated for any of the trees assessed; retention values are calculated to allow for compensatory planting calculations however there are no compensatory plantings as part of the proposal. No comment has been made as to the condition or safe useful life expectancy (SULE) of any of the trees, nor have any defects or faults been recorded or commented on. SULE and comments as to defects/faults are used in calculations for retention values and also, perhaps more importantly, to assess a tree from a safety perspective; the reason this has not been done in this instance is that many of the high number of trees assessed are located in effective forest such that faults and defects are not a problem from a safety perspective. It is recommended that an inspection is undertaken at the completion of the project to ensure that there are no remaining trees that could be of concern from a safety perspective.

AS4970-2009 – *Protection of Trees on Development Sites* was referenced for this report.

5.0 RESULTS/DISCUSSION

The DBH and Diameter for each tree has been recorded in the table in Appendix 1.

The DBH has been used to calculate the TPZ and the formula for this calculation, as provided by *AS4970-2009 Protection of Trees on Development Sites*, is DBH multiplied by 12. The TPZ is measured as a radius; the minimum TPZ stipulated by the standard is 2 metres and the maximum TPZ is 15 metres.

The diameter has been used to calculate the SRZ and the formula for this calculation, as provided by *AS4970-2009 Protection of Trees on Development Sites*, is $(diameter \times 50)^{0.42} \times 0.64$ with the SRZ for trees with a diameter less than 0.15m being 1.5m. The SRZ is measured as a radius.

6.0 RECOMMENDATIONS

The following facts are relevant:

- 326 of the numbered trees were removed in Stage 1 – Early Works Approval Consent;
- 209 existing trees have been identified for removal;
- 241 of the existing numbered trees have been identified for retention;

Many of the trees within the site have not been tagged due to them being sufficiently distant from the proposal that it was able to be reasonably assumed that there was no possibility of impact upon these trees.

Due to the significance of this development, it is not considered appropriate to recommend compensatory plantings.

The following recommendations are considered appropriate:

- Tree protection fencing (in accordance with *AS4970-2009*) is to be installed for trees that are located within close proximity to the works – generally, the exclusion zone currently established to the project influence area is sufficient and tree protection fencing shall not be required.
- Trees to be removed which are not in the direct location of proposed works, but are within the TPZ of trees which are to remain, are to be felled without removal of the root ball, thereby ensuring no disturbance to the TPZ of trees to remain.

- Where root balls are required to be removed but the tree is within the TPZ of a tree to be retained, then the root ball shall be removed in such a way as to minimise ground disturbance and therefore minimise disturbance to the other TPZ.
- Should works result in the disturbance of the SRZ for a remain tree or trees, then advice shall be sought from a suitably qualified arborist.
- Upon completion of works, any retained trees adjacent to the works should be checked to ensure that there has not been any encroachment into the SRZ and no more than 10% encroachment into the TPZ; should either of these have occurred, then a suitably qualified arborist is to be consulted. Retained trees in the vicinity of the works should also be assessed for faults and defects to ensure that such faults and defects do not present a safety risk.

7.0 CONCLUSION

This Arborist report was prepared for the development of the New Maitland Hospital at Metford Road, Metford.

326 of the numbered trees were removed under stage 1 works, 209 of the numbered trees are yet to be removed and 241 of the numbered trees are to be retained. No investigation has been made as to offset/compensatory plantings. Upon or just prior to completion of works, further assessment is to be undertaken to ensure that retained trees within immediate proximity of the works have not had their root zones unacceptably impacted upon, resulting in potential destabilisation. This further assessment will also fully assess these trees for fault and defects which may present a hazard.

8.0 DISCLAIMER

All effort has been made to ensure the accuracy of this report, however, it is noted that Arboriculture is an inexact science. This report in no way guarantees the safety of any of the trees relevant to this report, or otherwise on the subject or adjoining sites, now or post remediation works. It is also noted that no assessment has been made, nor conclusion drawn as to the impact on the trees of the recently constructed infrastructure (retaining walls, roads and drainage)

It is reiterated that no aerial inspection was carried out on any of these trees.

Appendix A:

Tabulated Data

Table A1: Details of all trees

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
1.	<i>Eucalyptus fibrosa</i> Broad-leaved Ironbark	369266	6374618	0.13	N/A	N/A	N/A	8	N/A	Removed in SSI1
2.	<i>Corymbia maculata</i> Spotted Gum	369266	6374615	0.16	N/A	N/A	N/A	11	N/A	Remove
3.	<i>C. maculata</i>	369263	6374612	0.28	N/A	N/A	N/A	12	N/A	Remove
4.	<i>E. fibrosa</i>	369263	6374610	0.31	N/A	N/A	N/A	16	N/A	Removed in SSI1
5.	<i>E. fibrosa</i>	369263	6374609	0.13	N/A	N/A	N/A	7	N/A	Removed in SSI1
6.	<i>C. maculata</i>	369238	6374591	0.42	N/A	N/A	N/A	16	N/A	Retain
7.	<i>C. maculata</i>	369236	6374587	0.45	N/A	N/A	N/A	18	N/A	Retain
8.	<i>C. maculata</i>	369238	6374586	0.22	N/A	N/A	N/A	15	N/A	Removed in SSI1
9.	<i>C. maculata</i>	369238	6374587	0.20	N/A	N/A	N/A	10	N/A	Removed in SSI1
10.	<i>C. maculata</i>	369238	6374584	0.34	N/A	N/A	N/A	16	N/A	Removed in SSI1
11.	<i>C. maculata</i>	369231	6374579	0.18	N/A	N/A	N/A	10	N/A	Removed in SSI1
12.	<i>Eucalyptus punctata</i> Grey Gum	369238	6374534	0.14	N/A	N/A	N/A	7	N/A	Removed in SSI1
13.	<i>E. punctata</i>	369234	6374529	0.15	N/A	N/A	N/A	8	N/A	Removed in SSI1
14.	<i>E. punctata</i>	369230	6374525	0.14	N/A	N/A	N/A	7	N/A	Removed in SSI1
15.	<i>E. punctata</i>	369229	6374523	0.10	N/A	N/A	N/A	6	N/A	Removed in SSI1
16.	<i>E. punctata</i>	369224	6374525	0.29	N/A	N/A	N/A	9	N/A	Removed in SSI1
17.	<i>E. punctata</i>	369222	6374527	0.13	N/A	N/A	N/A	9	N/A	Removed in SSI1
18.	<i>E. punctata</i>	369233	6374537	0.09	N/A	N/A	N/A	6	N/A	Removed in SSI1
19.	<i>E. punctata</i>	369231	6374533	0.12	N/A	N/A	N/A	6	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
20.	<i>E. punctata</i>	369233	6374518	0.18	N/A	N/A	N/A	7	N/A	Removed in SSI1
21.	<i>E. punctata</i>	369231	6374518	0.12	N/A	N/A	N/A	7	N/A	Removed in SSI1
22.	<i>E. punctata</i>	369241	6374511	0.25	N/A	N/A	N/A	8	N/A	Removed in SSI1
23.	<i>E. punctata</i>	369235	6374509	0.13	N/A	N/A	N/A	8	N/A	Removed in SSI1
24.	<i>E. punctata</i>	369241	6374502	0.01	N/A	N/A	N/A	3	N/A	Removed in SSI1
25.	<i>E. punctata</i>	369236	6374488	0.01	N/A	N/A	N/A	5	N/A	Removed in SSI1
26.	<i>E. punctata</i>	369224	6374513	0.20	N/A	N/A	N/A	8	N/A	Removed in SSI1
27.	<i>E. punctata</i>	369223	6374506	0.55	N/A	N/A	N/A	16	N/A	Removed in SSI1
28.	<i>E. punctata</i>	369299	6374488	0.25	N/A	N/A	N/A	9	N/A	Removed in SSI1
29.	<i>Casuarina glauca</i> Swamp Oak	369327	6374476	0.19	N/A	N/A	N/A	7	N/A	Removed in SSI1
30.	<i>E. punctata</i>	369223	6374522	0.28	N/A	N/A	N/A	10	N/A	Removed in SSI1
31.	<i>E. punctata</i>	369224	6374520	0.20	N/A	N/A	N/A	7	N/A	Removed in SSI1
32.	<i>E. punctata</i>	369218	6374517	0.28	N/A	N/A	N/A	12	N/A	Removed in SSI1
33.	<i>E. punctata</i>	369216	6374517	0.11	N/A	N/A	N/A	9	N/A	Removed in SSI1
34.	<i>E. punctata</i>	369214	6374521	0.17	N/A	N/A	N/A	13	N/A	Removed in SSI1
35.	<i>E. punctata</i>	369213	6374516	0.01	N/A	N/A	N/A	8	N/A	Removed in SSI1
36.	<i>E. punctata</i>	369209	6374516	0.34	N/A	N/A	N/A	16	N/A	Removed in SSI1
37.	<i>E. punctata</i>	369217	6374515	0.12	N/A	N/A	N/A	10	N/A	Removed in SSI1
38.	<i>E. punctata</i>	369215	6374513	0.01	N/A	N/A	N/A	6	N/A	Removed in SSI1
39.	<i>E. punctata</i>	369206	6374510	0.30	N/A	N/A	N/A	16	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
40.	<i>E. punctata</i>	369204	6374507	0.30	N/A	N/A	N/A	16	N/A	Removed in SSI1
41.	<i>E. punctata</i>	369208	6374503	0.11	N/A	N/A	N/A	7	N/A	Removed in SSI1
42.	<i>E. punctata</i>	369207	6374505	0.15	N/A	N/A	N/A	14	N/A	Removed in SSI1
43.	Dead Tree	369207	6374501	0.22	N/A	N/A	N/A	10	N/A	Removed in SSI1
44.	<i>E. punctata</i>	369203	6374498	0.35	N/A	N/A	N/A	17	N/A	Removed in SSI1
45.	<i>E. punctata</i>	369216	6374503	0.30	N/A	N/A	N/A	16	N/A	Removed in SSI1
46.	<i>E. punctata</i>	369227	6374501	0.20	N/A	N/A	N/A	8	N/A	Removed in SSI1
47.	<i>E. punctata</i>	369228	6374504	0.20	N/A	N/A	N/A	9	N/A	Removed in SSI1
48.	<i>E. punctata</i>	369231	6374507	0.01	N/A	N/A	N/A	7	N/A	Removed in SSI1
49.	<i>E. punctata</i>	369229	6374507	0.13	N/A	N/A	N/A	6	N/A	Removed in SSI1
50.	<i>E. punctata</i>	369228	6374506	0.11	N/A	N/A	N/A	5	N/A	Removed in SSI1
51.	<i>E. punctata</i>	369232	6374504	0.11	N/A	N/A	N/A	7	N/A	Removed in SSI1
52.	<i>E. punctata</i>	369232	6374502	0.11	N/A	N/A	N/A	6	N/A	Removed in SSI1
53.	<i>E. punctata</i>	369227	6374492	0.28	N/A	N/A	N/A	11	N/A	Removed in SSI1
54.	<i>C. maculata</i>	369224	6374484	0.37	N/A	N/A	N/A	18	N/A	Removed in SSI1
55.	<i>C. maculata</i>	369222	6374483	0.29	N/A	N/A	N/A	17	N/A	Removed in SSI1
56.	<i>C. maculata</i>	369219	6374484	0.14	N/A	N/A	N/A	8	N/A	Removed in SSI1
57.	<i>C. maculata</i>	369218	6374484	0.34	N/A	N/A	N/A	18	N/A	Removed in SSI1
58.	<i>C. maculata</i>	369217	6374488	0.12	N/A	N/A	N/A	8	N/A	Removed in SSI1
59.	<i>C. maculata</i>	369217	6374486	0.21	N/A	N/A	N/A	11	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
60.	<i>C. maculata</i>	369217	6374486	0.27	N/A	N/A	N/A	17	N/A	Removed in SSI1
61.	<i>C. maculata</i>	369219	6374480	0.33	N/A	N/A	N/A	17	N/A	Removed in SSI1
62.	<i>C. maculata</i>	369219	6374483	0.25	N/A	N/A	N/A	17	N/A	Removed in SSI1
63.	<i>C. maculata</i>	369212	6374486	0.16	N/A	N/A	N/A	14	N/A	Removed in SSI1
64.	<i>C. maculata</i>	369212	6374490	0.30	N/A	N/A	N/A	18	N/A	Removed in SSI1
65.	<i>C. maculata</i>	369209	6374490	0.10	N/A	N/A	N/A	8	N/A	Removed in SSI1
66.	<i>C. maculata</i>	369207	6374491	0.25	N/A	N/A	N/A	17	N/A	Removed in SSI1
67.	<i>C. maculata</i>	369208	6374489	0.11	N/A	N/A	N/A	12	N/A	Removed in SSI1
68.	<i>C. maculata</i>	369209	6374489	0.15	N/A	N/A	N/A	15	N/A	Removed in SSI1
69.	<i>C. maculata</i>	369206	6374485	0.08	N/A	N/A	N/A	8	N/A	Removed in SSI1
70.	<i>C. maculata</i>	369207	6374482	0.11	N/A	N/A	N/A	7	N/A	Removed in SSI1
71.	<i>C. maculata</i>	369205	6374481	0.13	N/A	N/A	N/A	13	N/A	Removed in SSI1
72.	<i>C. maculata</i>	369208	6374484	0.08	N/A	N/A	N/A	5	N/A	Removed in SSI1
73.	<i>C. maculata</i>	369206	6374481	0.13	N/A	N/A	N/A	16	N/A	Removed in SSI1
74.	<i>C. maculata</i>	369213	6374484	0.11	N/A	N/A	N/A	8	N/A	Removed in SSI1
75.	<i>C. maculata</i>	369212	6374483	0.11	N/A	N/A	N/A	8	N/A	Removed in SSI1
76.	<i>C. maculata</i>	369214	6374477	0.14	N/A	N/A	N/A	10	N/A	Removed in SSI1
77.	<i>C. maculata</i>	369214	6374476	0.10	N/A	N/A	N/A	4	N/A	Removed in SSI1
78.	<i>C. maculata</i>	369214	6374477	0.08	N/A	N/A	N/A	6	N/A	Removed in SSI1
79.	<i>C. maculata</i>	369211	6374479	0.15	N/A	N/A	N/A	14	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
80.	<i>C. maculata</i>	369208	6374483	0.11	N/A	N/A	N/A	8	N/A	Removed in SSI1
81.	<i>C. maculata</i>	369206	6374482	0.10	N/A	N/A	N/A	9	N/A	Removed in SSI1
82.	<i>C. maculata</i>	369206	6374483	0.13	N/A	N/A	N/A	12	N/A	Removed in SSI1
83.	<i>C. maculata</i>	369208	6374479	0.12	N/A	N/A	N/A	14	N/A	Removed in SSI1
84.	<i>C. maculata</i>	369211	6374474	0.3	N/A	N/A	N/A	18	N/A	Removed in SSI1
85.	<i>C. maculata</i>	369213	6374471	0.15	N/A	N/A	N/A	8	N/A	Removed in SSI1
86.	<i>C. maculata</i>	369210	6374475	0.16	N/A	N/A	N/A	9	N/A	Removed in SSI1
87.	<i>C. maculata</i>	369209	6374476	0.12	N/A	N/A	N/A	8	N/A	Removed in SSI1
88.	<i>C. maculata</i>	369204	6374473	0.14	N/A	N/A	N/A	9	N/A	Removed in SSI1
89.	<i>C. maculata</i>	369205	6374471	0.18	N/A	N/A	N/A	16	N/A	Removed in SSI1
90.	<i>C. maculata</i>	369203	6374472	0.11	N/A	N/A	N/A	9	N/A	Removed in SSI1
91.	<i>C. maculata</i>	369201	6374476	0.14	N/A	N/A	N/A	15	N/A	Removed in SSI1
92.	<i>C. maculata</i>	369202	6374471	0.30	N/A	N/A	N/A	16	N/A	Removed in SSI1
93.	<i>C. maculata</i>	369204	6374467	0.26	N/A	N/A	N/A	12	N/A	Removed in SSI1
94.	<i>C. maculata</i>	369206	6374465	0.25	N/A	N/A	N/A	10	N/A	Removed in SSI1
95.	<i>C. maculata</i>	369213	6374467	0.17	N/A	N/A	N/A	8	N/A	Removed in SSI1
96.	<i>Eucalyptus globoidea</i> White Stringybark	369217	6374469	0.10	N/A	N/A	N/A	6	N/A	Removed in SSI1
97.	<i>E. globoidea</i>	369217	6374464	0.25	N/A	N/A	N/A	7	N/A	Removed in SSI1
98.	<i>E. globoidea</i>	369216	6374460	0.20	N/A	N/A	N/A	8	N/A	Removed in SSI1
99.	<i>E. globoidea</i>	369219	6374461	0.10	N/A	N/A	N/A	7	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
100.	<i>E. globoidea</i>	369213	6374461	0.25	N/A	N/A	N/A	8	N/A	Removed in SSI1
101.	<i>E. globoidea</i>	369214	6374457	0.08	N/A	N/A	N/A	6	N/A	Removed in SSI1
102.	<i>E. globoidea</i>	369215	6374455	0.42	N/A	N/A	N/A	8	N/A	Removed in SSI1
103.	<i>E. globoidea</i>	369217	6374453	0.32	N/A	N/A	N/A	7	N/A	Removed in SSI1
104.	<i>E. globoidea</i>	369213	6374452	0.22	N/A	N/A	N/A	10	N/A	Removed in SSI1
105.	<i>E. globoidea</i>	369209	6374454	0.22	N/A	N/A	N/A	8	N/A	Removed in SSI1
106.	<i>E. globoidea</i>	369207	6374448	0.28	N/A	N/A	N/A	8	N/A	Removed in SSI1
107.	<i>E. globoidea</i>	369213	6374450	0.18	N/A	N/A	N/A	8	N/A	Removed in SSI1
108.	<i>E. globoidea</i>	369215	6374449	0.12	N/A	N/A	N/A	7	N/A	Removed in SSI1
109.	<i>E. globoidea</i>	369212	6374451	0.08	N/A	N/A	N/A	6	N/A	Removed in SSI1
110.	<i>E. globoidea</i>	369212	6374449	0.10	N/A	N/A	N/A	7	N/A	Removed in SSI1
111.	<i>E. globoidea</i>	369215	6374448	0.13	N/A	N/A	N/A	8	N/A	Removed in SSI1
112.	<i>E. globoidea</i>	369208	6374447	0.17	N/A	N/A	N/A	9	N/A	Removed in SSI1
113.	<i>E. punctata</i>	369212	6374441	0.10	N/A	N/A	N/A	8	N/A	Removed in SSI1
114.	<i>Callistemon salignus</i> Willow Bottlebrush	369209	6374442	0.20	N/A	N/A	N/A	7	N/A	Removed in SSI1
115.	<i>C. glauca</i>	369255	6374414	0.11	N/A	N/A	N/A	6	N/A	Removed in SSI1
116.	<i>E. punctata</i>	369206	6374446	0.11	N/A	N/A	N/A	7	N/A	Removed in SSI1
117.	<i>E. punctata</i>	369201	6374444	0.08	N/A	N/A	N/A	6	N/A	Removed in SSI1
118.	<i>E. punctata</i>	369202	6374445	0.08	N/A	N/A	N/A	6	N/A	Removed in SSI1
119.	<i>C. maculata</i>	369199	6374463	0.12	N/A	N/A	N/A	13	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
120.	<i>C. maculata</i>	369195	6374469	0.13	N/A	N/A	N/A	9	N/A	Removed in SSI1
121.	<i>C. maculata</i>	369192	6374472	0.11	N/A	N/A	N/A	8	N/A	Removed in SSI1
122.	<i>C. maculata</i>	369191	6374461	0.32	N/A	N/A	N/A	14	N/A	Removed in SSI1
123.	<i>C. maculata</i>	369180	6374470	0.42	N/A	N/A	N/A	14	N/A	Removed in SSI1
124.	<i>C. maculata</i>	369182	6374481	0.10	N/A	N/A	N/A	7	N/A	Removed in SSI1
125.	<i>C. maculata</i>	369179	6374476	0.24	N/A	N/A	N/A	12	N/A	Removed in SSI1
126.	<i>C. maculata</i>	369176	6374479	0.34	N/A	N/A	N/A	14	N/A	Removed in SSI1
127.	<i>C. maculata</i>	369171	6374472	0.40	N/A	N/A	N/A	16	N/A	Removed in SSI1
128.	<i>C. maculata</i>	369172	6374471	0.20	N/A	N/A	N/A	10	N/A	Removed in SSI1
129.	<i>E. punctata</i>	369223	6374546	0.08	N/A	N/A	N/A	6	N/A	Removed in SSI1
130.	<i>E. punctata</i>	369224	6374542	0.07	N/A	N/A	N/A	5	N/A	Removed in SSI1
131.	<i>E. punctata</i>	369220	6374543	0.12	N/A	N/A	N/A	7	N/A	Removed in SSI1
132.	<i>E. punctata</i>	369220	6374542	0.14	N/A	N/A	N/A	8	N/A	Removed in SSI1
133.	<i>E. punctata</i>	369220	6374542	0.12	N/A	N/A	N/A	7	N/A	Removed in SSI1
134.	<i>E. punctata</i>	369217	6374542	0.14	N/A	N/A	N/A	8	N/A	Removed in SSI1
135.	<i>E. punctata</i>	369220	6374539	0.10	N/A	N/A	N/A	7	N/A	Removed in SSI1
136.	<i>E. punctata</i>	369221	6374535	0.14	N/A	N/A	N/A	8	N/A	Removed in SSI1
137.	<i>E. punctata</i>	369223	6374535	0.12	N/A	N/A	N/A	7	N/A	Removed in SSI1
138.	<i>E. punctata</i>	369223	6374534	0.10	N/A	N/A	N/A	6	N/A	Removed in SSI1
139.	<i>E. punctata</i>	369214	6374535	0.22	N/A	N/A	N/A	7	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
140.	<i>E. punctata</i>	369212	6374533	0.20	N/A	N/A	N/A	8	N/A	Removed in SSI1
141.	Dead Tree	369213	6374538	0.21	N/A	N/A	N/A	14	N/A	Removed in SSI1
142.	<i>E. punctata</i>	369207	6374537	0.45	N/A	N/A	N/A	16	N/A	Removed in SSI1
143.	<i>C. maculata</i>	369210	6374536	0.35	N/A	N/A	N/A	18	N/A	Removed in SSI1
144.	<i>E. punctata</i>	369213	6374525	0.35	N/A	N/A	N/A	15	N/A	Removed in SSI1
145.	<i>E. punctata</i>	369210	6374527	0.30	N/A	N/A	N/A	9	N/A	Removed in SSI1
146.	<i>E. punctata</i>	369210	6374529	0.10	N/A	N/A	N/A	5	N/A	Removed in SSI1
147.	<i>E. punctata</i>	369213	6374525	0.15	N/A	N/A	N/A	10	N/A	Removed in SSI1
148.	<i>E. punctata</i>	369206	6374519	0.24	N/A	N/A	N/A	8	N/A	Removed in SSI1
149.	<i>E. punctata</i>	369206	6374523	0.30	N/A	N/A	N/A	14	N/A	Removed in SSI1
150.	<i>E. punctata</i>	369211	6374523	0.30	N/A	N/A	N/A	18	N/A	Removed in SSI1
151.	<i>C. maculata</i>	369198	6374519	0.40	N/A	N/A	N/A	22	N/A	Removed in SSI1
152.	<i>C. maculata</i>	369193	6374521	0.60	N/A	N/A	N/A	20	N/A	Removed in SSI1
153.	<i>C. maculata</i>	369204	6374511	0.11	N/A	N/A	N/A	8	N/A	Removed in SSI1
154.	<i>C. maculata</i>	369198	6374502	0.26	N/A	N/A	N/A	15	N/A	Removed in SSI1
155.	<i>C. maculata</i>	369202	6374504	0.13	N/A	N/A	N/A	10	N/A	Removed in SSI1
156.	<i>E. globoidea</i>	369198	6374503	0.11	N/A	N/A	N/A	7	N/A	Removed in SSI1
157.	<i>C. maculata</i>	369199	6374499	0.08	N/A	N/A	N/A	7	N/A	Removed in SSI1
158.	<i>C. maculata</i>	369202	6374500	0.10	N/A	N/A	N/A	6	N/A	Removed in SSI1
159.	<i>C. maculata</i>	369200	6374499	0.35	N/A	N/A	N/A	18	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
160.	<i>C. maculata</i>	369203	6374497	0.25	N/A	N/A	N/A	15	N/A	Removed in SSI1
161.	<i>E. punctata</i>	369203	6374499	0.12	N/A	N/A	N/A	8	N/A	Removed in SSI1
162.	<i>C. maculata</i>	369203	6374496	0.21	N/A	N/A	N/A	16	N/A	Removed in SSI1
163.	<i>C. maculata</i>	369204	6374496	0.17	N/A	N/A	N/A	12	N/A	Removed in SSI1
164.	<i>C. maculata</i>	369204	6374492	0.28	N/A	N/A	N/A	17	N/A	Removed in SSI1
165.	<i>C. maculata</i>	369192	6374495	0.12	N/A	N/A	N/A	10	N/A	Removed in SSI1
166.	<i>C. maculata</i>	369194	6374500	0.11	N/A	N/A	N/A	8	N/A	Removed in SSI1
167.	<i>C. maculata</i>	369195	6374500	0.25	N/A	N/A	N/A	17	N/A	Removed in SSI1
168.	<i>C. maculata</i>	369194	6374492	0.24	N/A	N/A	N/A	17	N/A	Removed in SSI1
169.	<i>C. maculata</i>	369194	6374494	0.13	N/A	N/A	N/A	12	N/A	Removed in SSI1
170.	<i>C. maculata</i>	369197	6374491	0.18	N/A	N/A	N/A	8	N/A	Removed in SSI1
171.	<i>C. maculata</i>	369201	6374492	0.20	N/A	N/A	N/A	13	N/A	Removed in SSI1
172.	<i>C. maculata</i>	369196	6374497	0.21	N/A	N/A	N/A	14	N/A	Removed in SSI1
173.	<i>C. maculata</i>	369194	6374493	0.18	N/A	N/A	N/A	16	N/A	Removed in SSI1
174.	<i>C. maculata</i>	369192	6374491	0.16	N/A	N/A	N/A	16	N/A	Removed in SSI1
175.	<i>C. maculata</i>	369183	6374495	0.28	3.36	0.33	2.08	15	Semi mature	Remove
176.	<i>E.punctata</i>	369184	6374496	0.13	2	0.15	1.49	9	Juvenile	Remove
177.	<i>C. maculata</i>	369185	6374495	0.26	3.12	0.27	1.91	13	Semi mature	Remove
178.	<i>C. maculata</i>	369186	6374494	0.13	2	0.15	1.49	8	Juvenile	Remove
179.	<i>C. maculata</i>	369184	6374494	0.13	2	0.15	1.49	8	Juvenile	Remove

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
180.	<i>C. maculata</i>	369187	6374494	0.45	N/A	N/A	N/A	18	N/A	Removed in SSI1
181.	<i>C. maculata</i>	369190	6374493	0.30	N/A	N/A	N/A	16	N/A	Removed in SSI1
182.	<i>C. maculata</i>	369188	6374491	0.20	N/A	N/A	N/A	14	N/A	Removed in SSI1
183.	<i>C. maculata</i>	369189	6374491	0.10	N/A	N/A	N/A	17	N/A	Removed in SSI1
184.	<i>C. maculata</i>	369191	6374490	0.12	N/A	N/A	N/A	15	N/A	Removed in SSI1
185.	<i>C. maculata</i>	369190	6374494	0.18	N/A	N/A	N/A	19	N/A	Removed in SSI1
186.	<i>E. punctata</i>	369192	6374493	0.14	N/A	N/A	N/A	14	N/A	Removed in SSI1
187.	<i>C. maculata</i>	369189	6374494	0.10	N/A	N/A	N/A	8	N/A	Removed in SSI1
188.	<i>E. punctata</i>	369189	6374493	0.10	N/A	N/A	N/A	10	N/A	Removed in SSI1
189.	<i>C. maculata</i>	369193	6374488	0.28	N/A	N/A	N/A	16	N/A	Removed in SSI1
190.	<i>C. maculata</i>	369192	6374487	0.35	N/A	N/A	N/A	15	N/A	Removed in SSI1
191.	<i>C. maculata</i>	369190	6374476	0.35	N/A	N/A	N/A	17	N/A	Removed in SSI1
192.	<i>C. maculata</i>	369186	6374479	0.30	N/A	N/A	N/A	17	N/A	Removed in SSI1
193.	<i>E. punctata</i>	369220	6374569	0.35	N/A	N/A	N/A	17	N/A	Removed in SSI1
194.	<i>C. maculata</i>	369221	6374568	0.40	N/A	N/A	N/A	17	N/A	Removed in SSI1
195.	<i>Angophora floribunda</i> Rough-barked Apple	369214	6374561	0.23	N/A	N/A	N/A	10	N/A	Removed in SSI1
196.	<i>A. floribunda</i>	369214	6374558	0.30	N/A	N/A	N/A	13	N/A	Removed in SSI1
197.	<i>A. floribunda</i>	369215	6374555	0.11	N/A	N/A	N/A	7	N/A	Removed in SSI1
198.	<i>A. floribunda</i>	369214	6374554	0.13	N/A	N/A	N/A	8	N/A	Removed in SSI1
199.	<i>C. maculata</i>	369213	6374557	0.25	N/A	N/A	N/A	8	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
200.	<i>Eucalyptus tereticornis</i> Forest Red Gum	369212	6374553	0.08	N/A	N/A	N/A	6	N/A	Removed in SSI1
201.	<i>E. tereticornis</i>	369210	6374551	0.01	N/A	N/A	N/A	8	N/A	Removed in SSI1
202.	<i>E. punctata</i>	369209	6374550	0.19	N/A	N/A	N/A	10	N/A	Removed in SSI1
203.	<i>E. tereticornis</i>	369210	6374548	0.12	N/A	N/A	N/A	7	N/A	Removed in SSI1
204.	<i>E. tereticornis</i>	369210	6374545	0.11	N/A	N/A	N/A	8	N/A	Removed in SSI1
205.	<i>E. tereticornis</i>	369209	6374545	0.30	N/A	N/A	N/A	16	N/A	Removed in SSI1
206.	<i>E. tereticornis</i>	369208	6374549	0.17	N/A	N/A	N/A	14	N/A	Removed in SSI1
207.	<i>E. tereticornis</i>	369207	6374546	0.13	N/A	N/A	N/A	8	N/A	Removed in SSI1
208.	<i>C. maculata</i>	369199	6374538	0.41	N/A	N/A	N/A	17	N/A	Removed in SSI1
209.	<i>C. maculata</i>	369199	6374534	0.50	N/A	N/A	N/A	18	N/A	Removed in SSI1
210.	<i>E. punctata</i>	369197	6374537	0.10	N/A	N/A	N/A	6	N/A	Removed in SSI1
211.	<i>E. punctata</i>	369198	6374540	0.18	N/A	N/A	N/A	8	N/A	Removed in SSI1
212.	<i>E. punctata</i>	369198	6374537	0.10	N/A	N/A	N/A	8	N/A	Removed in SSI1
213.	<i>E. punctata</i>	369198	6374534	0.32	N/A	N/A	N/A	16	N/A	Removed in SSI1
214.	<i>E. punctata</i>	369203	6374529	0.30	N/A	N/A	N/A	16	N/A	Removed in SSI1
215.	<i>E. punctata</i>	369204	6374533	0.13	N/A	N/A	N/A	14	N/A	Removed in SSI1
216.	<i>E. punctata</i>	369203	6374528	0.32	N/A	N/A	N/A	15	N/A	Removed in SSI1
217.	<i>E. punctata</i>	369197	6374534	0.12	N/A	N/A	N/A	7	N/A	Removed in SSI1
218.	<i>E. punctata</i>	369197	6374531	0.20	N/A	N/A	N/A	12	N/A	Removed in SSI1
219.	<i>C. maculata</i>	369198	6374531	0.09	N/A	N/A	N/A	7	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
220.	<i>E. punctata</i>	369199	6374527	0.22	N/A	N/A	N/A	14	N/A	Removed in SSI1
221.	<i>Alphatonia excelsa</i> Red Ash	369192	6374529	0.12	N/A	N/A	N/A	8	N/A	Removed in SSI1
222.	<i>C. maculata</i>	369184	6374529	0.22	N/A	N/A	N/A	14	N/A	Removed in SSI1
223.	<i>E. punctata</i>	369187	6374530	0.11	N/A	N/A	N/A	12	N/A	Removed in SSI1
224.	<i>E. punctata</i>	369183	6374535	0.12	N/A	N/A	N/A	9	N/A	Removed in SSI1
225.	<i>C. maculata</i>	369178	6374538	0.45	N/A	N/A	N/A	17	N/A	Remove
226.	<i>E. punctata</i>	369175	6374542	0.20	N/A	N/A	N/A	10	N/A	Remove
227.	<i>C. maculata</i>	369191	6374526	0.26	N/A	N/A	N/A	16	N/A	Removed in SSI1
228.	<i>E. fibrosa</i>	369191	6374522	0.25	N/A	N/A	N/A	16	N/A	Removed in SSI1
229.	<i>A. excelsa</i>	369189	6374527	0.10	N/A	N/A	N/A	10	N/A	Removed in SSI1
230.	<i>C. maculata</i>	369188	6374523	0.13	N/A	N/A	N/A	12	N/A	Removed in SSI1
231.	<i>E. fibrosa</i>	369181	6374529	0.15	N/A	N/A	N/A	9	N/A	Removed in SSI1
232.	<i>C. maculata</i>	369180	6374531	0.13	N/A	N/A	N/A	12	N/A	Removed in SSI1
233.	<i>E. punctata</i>	369177	6374530	0.20	N/A	N/A	N/A	15	N/A	Removed in SSI1
234.	<i>C. maculata</i>	369176	6374531	0.20	N/A	N/A	N/A	13	N/A	Removed in SSI1
235.	<i>C. maculata</i>	369177	6374530	0.20	N/A	N/A	N/A	14	N/A	Removed in SSI1
236.	<i>C. maculata</i>	369179	6374532	0.30	N/A	N/A	N/A	10	N/A	Removed in SSI1
237.	<i>E. globoidea</i>	369173	6374539	0.10	N/A	N/A	N/A	9	N/A	Remove
238.	<i>C. maculata</i>	369170	6374532	0.19	N/A	N/A	N/A	14	N/A	Remove
240.	<i>E. globoidea</i>	369175	6374521	0.11	N/A	N/A	N/A	8	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
241.	<i>C. maculata</i>	369173	6374522	0.47	N/A	N/A	N/A	18	N/A	Removed in SSI1
242.	<i>E. punctata</i>	369171	6374523	0.21	N/A	N/A	N/A	12	N/A	Removed in SSI1
243.	<i>E. globoidea</i>	369169	6374524	0.12	N/A	N/A	N/A	8	N/A	Removed in SSI1
244.	<i>E. punctata</i>	369167	6374521	0.26	N/A	N/A	N/A	15	N/A	Removed in SSI1
245.	<i>E. punctata</i>	369162	6374520	0.11	N/A	N/A	N/A	7	N/A	Remove
246.	<i>E. punctata</i>	369155	6374523	0.22	2.64	0.26	1.88	13	Semi mature	Remove
247.	<i>C. maculata</i>	369158	6374523	0.15	2.00	0.17	1.57	10	Juvenile	Remove
248.	<i>E. punctata</i>	369156	6374522	0.11	2.00	0.13	1.40	10	Juvenile	Remove
249.	<i>C. maculata</i>	369157	6374519	0.12	2.00	0.12	1.36	10	Juvenile	Remove
250.	<i>C. maculata</i>	369163	6374519	0.32	3.84	0.37	2.18	17	Mature	Remove
251.	<i>C. maculata</i>	369160	6374519	0.08	N/A	N/A	N/A	6	N/A	Remove
252.	<i>E. tereticornis</i>	369155	6374515	0.52	6.24	1.15	3.51	17	Mature	Remove
253.	<i>C. maculata</i>	369158	6374510	0.19	2.28	0.23	1.79	12	Semi mature	Remove
254.	<i>E. fibrosa</i>	369152	6374513	0.10	2.00	0.10	1.26	7	Juvenile	Remove
255.	<i>C. maculata</i>	369152	6374508	0.35	4.2	0.47	2.41	14	Semi mature	Remove
256.	<i>E. punctata</i>	369159	6374507	0.14	N/A	N/A	N/A	8	N/A	Remove
257.	<i>C. maculata</i>	369163	6374501	0.22	N/A	N/A	N/A	9	N/A	Remove
258.	<i>E. punctata</i>	369185	6374521	0.18	N/A	N/A	N/A	9	N/A	Removed in SSI1
259.	<i>C. maculata</i>	369192	6374517	0.36	N/A	N/A	N/A	17	N/A	Removed in SSI1
260.	<i>C. maculata</i>	369188	6374511	0.38	N/A	N/A	N/A	17	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
261.	<i>E. punctata</i>	369190	6374510	0.06	N/A	N/A	N/A	6	N/A	Removed in SSI1
262.	<i>C. maculata</i>	369186	6374507	0.25	N/A	N/A	N/A	15	N/A	Removed in SSI1
263.	<i>E. punctata</i>	369187	6374502	0.12	N/A	N/A	N/A	8	N/A	Removed in SSI1
264.	<i>E. punctata</i>	369182	6374511	0.25	N/A	N/A	N/A	16	N/A	Removed in SSI1
265.	<i>E. punctata</i>	369175	6374514	0.10	2.00	0.12	1.36	8	Juvenile	Remove
266.	<i>Allocasuarina littoralis</i> Black Sheoak	369169	6374510	0.28	3.36	0.29	1.97	15	Mature	Remove
267.	<i>C. maculata</i>	369175	6374510	0.27	3.24	0.31	2.02	16	Semi mature	Remove
268.	<i>E. punctata</i>	369175	6374511	0.15	1.80	0.18	1.61	12	Semi mature	Remove
269.	<i>E. punctata</i>	369174	6374509	0.20	2.40	0.25	1.85	10	Semi mature	Remove
270.	<i>C. maculata</i>	369172	6374511	0.32	3.84	0.32	2.05	14	Mature	Remove
271.	<i>C. maculata</i>	369168	6374507	0.17	2.04	0.21	1.72	10	Juvenile	Remove
272.	<i>C. maculata</i>	369165	6374505	0.13	2.00	0.15	1.49	10	Juvenile	Remove
273.	<i>C. maculata</i>	369170	6374508	0.26	3.12	0.57	2.61	10	Semi mature	Remove
274.	<i>E. punctata</i>	369169	6374505	0.15	1.80	0.18	1.61	9	Juvenile	Remove
275.	<i>C. maculata</i>	369172	6374503	0.11	N/A	N/A	N/A	8	N/A	Remove
276.	<i>E. punctata</i>	369172	6374500	0.16	2.00	0.16	1.53	8	Juvenile	Remove
277.	<i>E. punctata</i>	369177	6374505	0.17	2.04	0.20	1.68	9	Juvenile	Remove
278.	<i>C. maculata</i>	369181	6374509	0.22	N/A	N/A	N/A	11	N/A	Removed in SSI1
279.	<i>E. punctata</i>	369181	6374496	0.35	4.20	0.42	2.30	14	Mature	Remove
280.	<i>C. maculata</i>	369184	6374498	0.20	2.40	0.23	1.79	12	Semi mature	Remove

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
281.	Dead Stag	369179	6374492	0.20	N/A	N/A	N/A	8	N/A	Remove
282.	<i>C. maculata</i>	369180	6374493	0.20	2.40	0.20	1.68	14	Semi mature	Remove
283.	<i>E. punctata</i>	369171	6374493	0.22	N/A	N/A	N/A	13	N/A	Remove
284.	<i>E. punctata</i>	369169	6374490	0.17	2.04	0.20	1.68	8	Juvenile	Remove
285.	<i>C. maculata</i>	369163	6374485	0.33	3.96	0.34	2.10	17	Mature	Remove
286.	<i>E. punctata</i>	369160	6374491	0.20	2.40	0.24	1.82	8	Juvenile	Remove
287.	<i>E. punctata</i>	369166	6374497	0.23	2.76	0.25	1.85	9	Semi mature	Remove
288.	<i>C. maculata</i>	369166	6374500	0.15	2.00	0.19	1.65	9	Juvenile	Remove
289.	<i>C. maculata</i>	369160	6374498	0.14	2.00	0.17	1.57	10	Juvenile	Remove
290.	<i>C. maculata</i>	369162	6374502	0.22	2.64	0.42	2.30	10	Semi mature	Remove
291.	<i>C. maculata</i>	369163	6374505	0.10	2.00	0.10	1.26	8	Juvenile	Remove
292.	<i>E. punctata</i>	369164	6374504	0.17	2.04	0.20	1.68	9	Juvenile	Remove
293.	<i>C. maculata</i>	369167	6374504	0.17	2.04	0.20	1.68	8	Juvenile	Remove
294.	<i>C. maculata</i>	369168	6374497	0.18	2.16	0.21	1.72	10	Juvenile	Remove
295.	<i>E. punctata</i>	369146	6374509	0.21	2.52	0.22	1.75	12	Semi mature	Remove
296.	<i>E. fibrosa</i>	369148	6374507	0.12	1.44	0.14	1.45	8	Juvenile	Remove
297.	<i>C. maculata</i>	369146	6374507	0.10	N/A	N/A	N/A	8	N/A	Remove
298.	<i>C. maculata</i>	369169	6374513	0.10	2.00	0.10	1.36	7	Juvenile	Remove
299.	<i>E. punctata</i>	369183	6374485	0.12	N/A	N/A	N/A	8	N/A	Removed in SSI1
300.	<i>C. maculata</i>	369160	6374545	0.31	3.72	0.36	2.15	18	Mature	Remove

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
301.	<i>C. maculata</i>	369162	6374544	0.10	2.00	0.11	1.31	7	Juvenile	Remove
302.	<i>E. fibrosa</i>	369165	6374538	0.23	2.76	0.28	1.94	16	Semi mature	Remove
303.	<i>C. maculata</i>	369163	6374537	0.17	2.04	0.20	1.68	13	Juvenile	Remove
304.	<i>E. fibrosa</i>	369165	6374535	0.21	2.52	0.26	1.88	12	Semi mature	Remove
305.	<i>E. punctata</i>	369165	6374533	0.15	2.00	0.17	1.57	9	Juvenile	Remove
306.	<i>E. fibrosa</i>	369165	6374533	0.42	5.04	0.46	2.39	17	Mature	Remove
307.	<i>E. fibrosa</i>	369165	6374536	0.16	2.00	0.20	1.68	8	Juvenile	Remove
308.	<i>C. maculata</i>	369166	6374539	0.10	2.00	0.12	1.36	7	Juvenile	Remove
309.	<i>C. maculata</i>	369162	6374538	0.16	2.00	0.19	1.65	10	Juvenile	Remove
310.	<i>C. maculata</i>	369158	6374533	0.10	2.00	0.11	1.31	7	Juvenile	Remove
311.	<i>C. maculata</i>	369161	6374532	0.12	2.00	0.14	1.45	10	Juvenile	Remove
312.	<i>C. maculata</i>	369161	6374531	0.11	2.00	0.12	1.36	8	Juvenile	Remove
313.	<i>C. maculata</i>	369159	6374530	0.12	2.00	0.14	1.45	9	Juvenile	Remove
314.	<i>C. maculata</i>	369157	6374529	0.23	2.76	0.23	1.79	12	Semi mature	Remove
315.	<i>C. maculata</i>	369154	6374529	0.18	2.16	0.20	1.68	10	Juvenile	Remove
316.	<i>C. maculata</i>	369161	6374525	0.11	2.00	0.14	1.45	9	Juvenile	Remove
317.	<i>C. maculata</i>	369156	6374525	0.12	2.00	0.15	1.49	9	Juvenile	Remove
318.	<i>C. maculata</i>	369151	6374518	0.53	6.36	0.57	2.61	12	Mature	Remove
319.	<i>C. maculata</i>	369151	6374532	0.32	N/A	N/A	N/A	15	N/A	Remove
320.	<i>Glochidion ferdinandi</i> Cheese Tree	369091	6374489	0.10	N/A	N/A	N/A	7	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
321.	<i>C.maculata</i>	369110	6374509	0.45	5.40	0.49	2.45	15	Mature	Removed in SSI1
322.	<i>C. maculata</i>	369115	6374515	0.46	5.52	0.44	2.34	19	Mature	Removed in SSI1
323.	<i>E. punctata</i>	369116	6374510	0.10	N/A	N/A	N/A	7	N/A	Removed in SSI1
324.	<i>E. punctata</i>	369116	6374515	0.18	2.16	0.23	1.79	9	Juvenile	Removed in SSI1
325.	<i>E. punctata</i>	369118	6374514	0.24	2.88	0.29	1.97	13	Semi mature	Removed in SSI1
326.	<i>C. maculata</i>	369120	6374515	0.30	3.60	0.34	2.10	17	Mature	Removed in SSI1
327.	<i>E. punctata</i>	369129	6374517	0.35	4.20	0.39	2.23	14	Mature	Remove
328.	<i>E. punctata</i>	369128	6374516	0.14	2.00	0.15	1.49	14	Juvenile	Remove
329.	<i>C. maculata</i>	369130	6374521	0.26	3.12	0.30	2.00	17	Semi mature	Remove
330.	<i>E. fibrosa</i>	369132	6374522	0.12	2.00	0.16	1.53	6	Juvenile	Remove
331.	<i>E. punctata</i>	369132	6374518	0.10	2.00	0.12	1.36	8	Juvenile	Remove
332.	<i>E. punctata</i>	369134	6374518	0.14	N/A	N/A	N/A	9	N/A	Remove
333.	<i>E. punctata</i>	369138	6374521	0.17	2.04	0.23	1.79	8	Juvenile	Remove
334.	<i>E. punctata</i>	369139	6374523	0.34	4.08	0.45	2.37	14	Mature	Remove
335.	<i>C. maculata</i>	369142	6374525	0.16	2.00	0.16	1.53	8	Juvenile	Remove
336.	<i>C. maculata</i>	369146	6374526	0.30	3.60	0.34	2.10	18	Mature	Remove
337.	<i>E. punctata</i>	369147	6374528	0.15	2.00	0.17	1.57	8	Juvenile	Remove
338.	<i>E. fibrosa</i>	369149	6374520	0.10	2.00	0.11	1.31	8	Juvenile	Remove
339.	<i>C. maculata</i>	369148	6374520	0.13	N/A	N/A	N/A	12	N/A	Remove
340.	<i>E. punctata</i>	369146	6374523	0.12	N/A	N/A	N/A	8	N/A	Remove

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
341.	<i>C. maculata</i>	369145	6374522	0.12				9		Remove
342.	<i>E. fibrosa</i>	369145	6374520	0.17	2.04	0.20	1.68	11	Juvenile	Remove
343.	<i>C. maculata</i>	369146	6374518	0.13	2.00	0.14	1.45	10	Juvenile	Remove
344.	<i>E. punctata</i>	369147	6374516	0.27	3.24	0.30	2.00	13	Semi mature	Remove
345.	<i>C. maculata</i>	369148	6374513	0.16	2.00	0.18	1.61	13	Juvenile	Remove
346.	<i>E. punctata</i>	369146	6374511	0.30	3.60	0.35	2.13	15	Mature	Remove
347.	<i>E. punctata</i>	369144	6374509	0.12	2.00	0.14	1.45	10	Juvenile	Remove
348.	<i>E. fibrosa</i>	369141	6374517	0.16	2.00	0.18	1.61	10	Juvenile	Remove
349.	<i>E. fibrosa</i>	369139	6374515	0.10	2.00	0.12	1.36	7	Juvenile	Remove
350.	<i>E. punctata</i>	369138	6374513	0.15	2.00	0.20	1.68	10	Juvenile	Remove
351.	<i>C. glauca</i>	369368	6374506	0.2	N/A	N/A	N/A	7	N/A	Removed in SSI1
352.	<i>C. glauca</i>	369386	6374512	0.18	N/A	N/A	N/A	7	N/A	Removed in SSI1
353.	<i>C. glauca</i>	369398	6374512	0.15	N/A	N/A	N/A	6	N/A	Removed in SSI1
354.	<i>C. glauca</i>	369411	6374504	0.20	N/A	N/A	N/A	7	N/A	Removed in SSI1
355.	<i>C. glauca</i>	369417	6374503	0.11	N/A	N/A	N/A	8	N/A	Removed in SSI1
356.	<i>C. glauca</i>	369451	6374481	0.22	N/A	N/A	N/A	8	N/A	Removed in SSI1
357.	<i>C. glauca</i>	369455	6374472	0.12	N/A	N/A	N/A	7	N/A	Removed in SSI1
358.	<i>C. glauca</i>	369455	6374462	0.11	N/A	N/A	N/A	6	N/A	Removed in SSI1
359.	<i>C. glauca</i>	369467	6374480	0.25	N/A	N/A	N/A	9	N/A	Removed in SSI1
360.	<i>C. glauca</i>	369468	6374480	0.12	N/A	N/A	N/A	6	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
361.	<i>C. glauca</i>	369467	6374479	0.13	N/A	N/A	N/A	7	N/A	Removed in SSI1
362.	<i>C. glauca</i>	369467	6374478	0.10	N/A	N/A	N/A	6	N/A	Removed in SSI1
363.	<i>C. glauca</i>	369476	6374473	0.10	N/A	N/A	N/A	6	N/A	Removed in SSI1
364.	<i>C. glauca</i>	369482	6374470	0.09	N/A	N/A	N/A	6	N/A	Removed in SSI1
365.	<i>C. glauca</i>	369482	6374469	0.10	N/A	N/A	N/A	6	N/A	Removed in SSI1
366.	<i>C. glauca</i>	369490	6374460	0.19	N/A	N/A	N/A	8	N/A	Removed in SSI1
367.	<i>C. glauca</i>	369493	6374459	0.19	N/A	N/A	N/A	7	N/A	Removed in SSI1
368.	<i>C. glauca</i>	369497	6374456	0.13	N/A	N/A	N/A	7	N/A	Removed in SSI1
369.	<i>C. glauca</i>	369495	6374437	0.12	N/A	N/A	N/A	6	N/A	Removed in SSI1
370.	<i>C. glauca</i>	369490	6374424	0.13	N/A	N/A	N/A	7	N/A	Removed in SSI1
371.	<i>C. glauca</i>	369486	6374422	0.17	N/A	N/A	N/A	7	N/A	Removed in SSI1
372.	<i>E. tereticornis</i>	369449	6374407	0.21	2.52	0.25	1.85	9	Semi mature	Retain
373.	<i>E. tereticornis</i>	369335	6374390	0.32	N/A	N/A	N/A	12	N/A	Removed in SSI1
374.	<i>E. tereticornis</i>	369381	6374411	0.35	N/A	N/A	N/A	11	N/A	Removed in SSI1
375.	<i>E. tereticornis</i>	369368	6374506	0.43	N/A	N/A	N/A	12	N/A	Removed in SSI1
376.	<i>E. punctata</i>	369341	6374363	0.19	2.28	0.23	1.79	8	Semi mature	Retain
377.	<i>E. punctata</i>	369333	6374367	0.12	2.00	0.14	1.45	4	Juvenile	Retain
378.	<i>E. fibrosa</i>	369335	6374360	0.14	2.00	0.16	1.53	4	Juvenile	Retain
379.	<i>E. fibrosa</i>	369337	6374359	0.15	2.00	0.17	1.57	5	Juvenile	Retain
380.	<i>E. fibrosa</i>	369321	6374350	0.26	3.12	0.28	1.94	8	Mature	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
381.	<i>C. maculata</i>	369322	6374343	0.26	3.12	0.28	1.94	16	Semi mature	Retain
382.	<i>C. maculata</i>	369308	6374363	0.13	2.00	0.15	1.49	7	Juvenile	Retain
383.	<i>C. maculata</i>	369302	6374356	0.40	4.80	0.90	3.17	18	Mature	Retain
384.	<i>Eucalyptus crebra</i> (Narrow-leaved Ironbark)	369295	6374363	0.24	2.88	0.27	1.91	7	Semi mature	Retain
385.	<i>C. maculata</i>	369290	6374359	0.32	3.84	0.35	2.13	18	Mature	Retain
386.	<i>E. crebra</i>	369288	6374368	0.25	3.00	0.28	1.94	7	Semi mature	Removed in SSI1
387.	<i>C. maculata</i>	369277	6374369	0.18	N/A	N/A	N/A	8	N/A	Retain
388.	<i>E. crebra</i>	369276	6374368	0.11	N/A	N/A	N/A	4	N/A	Retain
389.	<i>C. maculata</i>	369275	6374372	0.12	N/A	N/A	N/A	7	N/A	Removed in SSI1
390.	<i>E. crebra</i>	369273	6374376	0.08	N/A	N/A	N/A	5	N/A	Removed in SSI1
391.	<i>C. maculata</i>	369271	6374374	0.15	N/A	N/A	N/A	9	N/A	Removed in SSI1
392.	<i>C. maculata</i>	369266	6374376	0.16	N/A	N/A	N/A	8	N/A	Removed in SSI1
393.	<i>C. maculata</i>	369266	6374375	0.18	N/A	N/A	N/A	10	N/A	Removed in SSI1
394.	<i>C. maculata</i>	369260	6374379	0.18	N/A	N/A	N/A	10	N/A	Removed in SSI1
395.	<i>C. maculata</i>	369255	6374376	0.45	N/A	N/A	N/A	20	N/A	Removed in SSI1
396.	<i>C. maculata</i>	369279	6374365	0.36	N/A	N/A	N/A	20	N/A	Retain
397.	<i>C. maculata</i>	369276	6374362	0.47	N/A	N/A	N/A	20	N/A	Retain
398.	<i>C. maculata</i>	369270	6374361	0.25	N/A	N/A	N/A	18	N/A	Retain
399.	<i>C. maculata</i>	369271	6374357	0.33	N/A	N/A	N/A	22	N/A	Retain
400.	<i>C. maculata</i>	369267	6374362	0.33	3.96	0.36	2.15	8	Mature	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
401.	<i>C. maculata</i>	369261	6374362	0.25	N/A	N/A	N/A	18	N/A	Removed in SSI1
402.	<i>C. maculata</i>	369260	6374368	0.31	N/A	N/A	N/A	22	N/A	Removed in SSI1
403.	<i>E. punctata</i>	369264	6374370	0.20	N/A	N/A	N/A	16	N/A	Removed in SSI1
404.	<i>C. maculata</i>	369267	6374368	0.22	N/A	N/A	N/A	20	N/A	Removed in SSI1
405.	<i>E. punctata</i>	369261	6374368	0.08	N/A	N/A	N/A	7	N/A	Removed in SSI1
406.	<i>E. punctata</i>	369259	6374365	0.12	N/A	N/A	N/A	8	N/A	Removed in SSI1
407.	<i>C. maculata</i>	369257	6374362	0.22	N/A	N/A	N/A	15	N/A	Removed in SSI1
408.	<i>C. maculata</i>	369256	6374365	0.15	N/A	N/A	N/A	10	N/A	Removed in SSI1
409.	<i>C. maculata</i>	369255	6374367	0.07	N/A	N/A	N/A	8	N/A	Removed in SSI1
410.	<i>C. maculata</i>	369254	6374371	0.30	N/A	N/A	N/A	18	N/A	Removed in SSI1
411.	<i>C. maculata</i>	369254	6374372	0.22	N/A	N/A	N/A	17	N/A	Removed in SSI1
412.	<i>C. maculata</i>	369253	6374375	0.38	N/A	N/A	N/A	23	N/A	Removed in SSI1
413.	<i>C. maculata</i>	369252	6374370	0.06	N/A	N/A	N/A	7	N/A	Removed in SSI1
414.	<i>C. maculata</i>	369246	6374372	0.31	N/A	N/A	N/A	18	N/A	Removed in SSI1
415	<i>E. globidea</i>	369244	6374378	0.11	N/A	N/A	N/A	7	N/A	Removed in SSI1
416	<i>C. maculata</i>	369244	6374378	0.10	N/A	N/A	N/A	7	N/A	Removed in SSI1
417	<i>C. maculata</i>	369247	6374381	0.30	N/A	N/A	N/A	18	N/A	Removed in SSI1
418	<i>C. maculata</i>	369246	6374380	0.25	N/A	N/A	N/A	18	N/A	Removed in SSI1
419	<i>C. maculata</i>	369236	6374388	0.2	N/A	N/A	N/A	15	N/A	Removed in SSI1
420	<i>E. fibrosa</i>	369231	6374391	0.2	N/A	N/A	N/A	10	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
421	<i>E. punctata</i>	369229	6374392	0.2	N/A	N/A	N/A	8	N/A	Removed in SSI1
422	<i>C. maculata</i>	369227	6374390	0.3	N/A	N/A	N/A	18	N/A	Removed in SSI1
423	<i>C. maculata</i>	369220	6374393	0.35	N/A	N/A	N/A	23	N/A	Removed in SSI1
424	<i>C. maculata</i>	369220	6374398	0.35	N/A	N/A	N/A	17	N/A	Removed in SSI1
425	<i>C. maculata</i>	369218	6374400	0.30	N/A	N/A	N/A	20	N/A	Removed in SSI1
426	<i>E. fibrosa</i>	369228	6374406	0.11	N/A	N/A	N/A	5	N/A	Removed in SSI1
427	<i>C. maculata</i>	369228	6374407	0.06	N/A	N/A	N/A	6	N/A	Removed in SSI1
428	<i>C. maculata</i>	369233	6374417	0.35	N/A	N/A	N/A	8	N/A	Removed in SSI1
429	<i>C. maculata</i>	369220	6374410	0.42	N/A	N/A	N/A	18	N/A	Removed in SSI1
430	<i>C. maculata</i>	369216	6374412	0.25	N/A	N/A	N/A	12	N/A	Removed in SSI1
431	<i>C. maculata</i>	369216	6374422	0.38	N/A	N/A	N/A	15	N/A	Removed in SSI1
432	<i>C. maculata</i>	369211	6374436	0.13	N/A	N/A	N/A	8	N/A	Removed in SSI1
433	<i>C. maculata</i>	369199	6374429	0.20	N/A	N/A	N/A	12	N/A	Removed in SSI1
434	<i>C. maculata</i>	369197	6374414	0.16	2.00	0.18	1.61	8	Juvenile	Retain
435	<i>E. punctata</i>	369202	6374404	0.65	N/A	N/A	N/A	18	N/A	Retain
436	<i>E. punctata</i>	369194	6374415	0.19	2.28	0.26	1.88	6	Semi mature	Retain
437	<i>E. globoidea</i>	369191	6374435	0.19	N/A	N/A	N/A	8	N/A	Removed in SSI1
438	<i>E. globoidea</i>	369189	6374431	0.12	N/A	N/A	N/A	8	N/A	Removed in SSI1
439	<i>C. maculata</i>	369193	6374434	0.20	N/A	N/A	N/A	14	N/A	Removed in SSI1
440	<i>C. maculata</i>	369184	6374433	0.20	N/A	N/A	N/A	17	N/A	Removed in SSI1

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
441	<i>C. maculata</i>	369182	6374428	0.55	6.60	0.60	2.67	18	Mature	Retain
442	<i>E. globoidea</i>	369180	6374433	0.05	N/A	N/A	N/A	6	N/A	Removed in SSI1
443	<i>E. globoidea</i>	369179	6374438	0.06	N/A	N/A	N/A	6	N/A	Retain
444	<i>C. maculata</i>	369191	6374444	0.05	N/A	N/A	N/A	8	N/A	Removed in SSI1
445	<i>E. fibrosa</i>	369192	6374445	0.20	N/A	N/A	N/A	8	N/A	Removed in SSI1
446	<i>C. maculata</i>	369193	6374448	0.30	N/A	N/A	N/A	13	N/A	Removed in SSI1
447	<i>C. maculata</i>	369196	6374448	0.20	N/A	N/A	N/A	6	N/A	Removed in SSI1
448	<i>C. maculata</i>	369196	6374447	0.06	N/A	N/A	N/A	6	N/A	Removed in SSI1
449	<i>E. punctata</i>	369196	6374449	0.11	N/A	N/A	N/A	7	N/A	Removed in SSI1
450	<i>E. punctata</i>	369229	6374457	0.08	N/A	N/A	N/A	6	N/A	Removed in SSI1
451	<i>C. maculata</i>	369586	6374331	0.07	N/A	N/A	N/A	4	N/A	Retain
452	<i>E. punctata</i>	369588	6374339	0.11	N/A	N/A	N/A	6	N/A	Retain
453	Dead Stag	369590	6374341	0.20	N/A	N/A	N/A	7	N/A	Retain
454	<i>Melaleuca armillaris</i> (Bracelet Honey-myrtle)	369584	6374338	0.16	N/A	N/A	N/A	5	N/A	Retain
455	<i>Melaleuca linearis</i> (Narrow-leaved Bottlebrush)	369578	6374348	0.20	N/A	N/A	N/A	5	N/A	Retain
456	<i>E. tereticornis</i>	369571	6374343	0.16	2.00	0.18	1.61	9	Juvenile	Retain
457	<i>E. tereticornis</i>	369568	6374347	0.10	2.00	0.11	1.31	6	Juvenile	Retain
458	<i>E. tereticornis</i>	369562	6374386	0.20	2.40	0.22	1.75	8	Semi mature	Retain
459	<i>C. maculata</i>	369575	6374333	0.11	2.00	0.12	1.36	8	Juvenile	Retain
460	<i>C. maculata</i>	369571	6374334	0.14	2.00	0.16	1.53	10	Juvenile	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
461	<i>C. maculata</i>	369565	6374336	0.19	2.28	0.21	1.72	8	Juvenile	Retain
462	<i>C. maculata</i>	369565	6374337	0.12	2.00	0.30	2.00	7	Semi mature	Retain
463	<i>C. maculata</i>	369522	6374335	0.22	2.64	0.22	1.75	10	Semi mature	Retain
464	<i>E. globoidea</i>	369516	6374333	0.34	4.08	0.32	2.05	12	Mature	Retain
465	<i>C. maculata</i>	369541	6374310	0.17	2.04	0.19	1.65	12	Juvenile	Retain
466	<i>C. maculata</i>	369530	6374312	0.49	5.88	0.53	2.53	22	Mature	Retain
467	<i>C. maculata</i>	369530	6374312	0.45	5.40	0.49	2.45	22	Mature	Retain
468	<i>C. maculata</i>	369506	6374324	0.06	N/A	N/A	N/A	4	N/A	Retain
469	<i>C. maculata</i>	369491	6374333	0.05	N/A	N/A	N/A	6	N/A	Retain
470	<i>C. maculata</i>	369479	6374326	0.35	4.20	0.36	2.15	20	Mature	Retain
471	<i>C. maculata</i>	369460	6374346	0.06	N/A	N/A	N/A	3	N/A	Retain
472	<i>M. armillaris</i>	369457	6374346	0.09	N/A	N/A	N/A	3	N/A	Retain
473	<i>E. tereticornis</i>	369435	6374339	0.10	2.00	0.11	1.31	4	Juvenile	Retain
474	<i>E. tereticornis</i>	369429	6374337	0.12	2.00	0.15	1.49	4	Juvenile	Retain
475	<i>M. armillaris</i>	369427	6374325	0.07	N/A	N/A	N/A	5	N/A	Retain
476	<i>M. armillaris</i>	369416	6374335	0.06	N/A	N/A	N/A	5	N/A	Retain
477	<i>E. tereticornis</i>	369420	6374343	0.15	2.00	0.17	1.57	8	Juvenile	Retain
478	<i>E. tereticornis</i>	369411	6374356	0.08	2.00	0.10	1.23	3	Juvenile	Retain
479	<i>E. tereticornis</i>	369402	6374340	0.17	2.04	0.19	1.65	7	Juvenile	Retain
480	<i>E. tereticornis</i>	369398	6374336	0.05	2.00	0.09	1.20	5	Juvenile	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
481	<i>E. tereticornis</i>	369397	6374344	0.10	2.00	0.13	1.40	6	Juvenile	Retain
482	<i>E. tereticornis</i>	369394	6374343	0.11	2.00	0.13	1.40	6	Juvenile	Retain
483	<i>E. tereticornis</i>	369398	6374349	0.11	2.00	0.12	1.36	3	Juvenile	Retain
484	<i>E. tereticornis</i>	369398	6374349	0.11	2.00	0.16	1.53	6	Juvenile	Retain
485	<i>Angophora costata</i> (Smooth-barked Apple)	369387	6374340	0.22	N/A	N/A	N/A	10	N/A	Retain
486	<i>E. tereticornis</i>	369386	6374340	0.14	N/A	N/A	N/A	5	N/A	Retain
487	<i>E. tereticornis</i>	369385	6374339	0.20	N/A	N/A	N/A	8	N/A	Retain
488	<i>E. tereticornis</i>	369384	6374339	0.10	N/A	N/A	N/A	4	N/A	Retain
489	<i>E. tereticornis</i>	369376	6374345	0.37	4.44	0.36	2.15	10	Mature	Retain
490	<i>E. tereticornis</i>	369375	6374344	0.28	3.36	0.31	2.02	10	Semi mature	Retain
491	<i>E. tereticornis</i>	369373	6374345	0.10	2.00	0.13	1.40	4	Juvenile	Retain
492	<i>M. armillaris</i>	369369	6374340	0.10	N/A	N/A	N/A	5	N/A	Removed in SSI1
493	<i>C. glauca</i>	369369	6374348	0.10	2.00	0.10	1.26	6	Juvenile	Retain
494	<i>E. tereticornis</i>	369365	6374347	0.24	2.88	0.27	1.91	7	Semi mature	Retain
495	<i>E. tereticornis</i>	369356	6374353	0.24	2.88	0.27	1.91	7	Semi mature	Retain
496	<i>E. tereticornis</i>	369349	6374349	0.10	2.00	0.11	1.31	6	Juvenile	Retain
497	<i>E. tereticornis</i>	369350	6374349	0.13	2.00	0.14	1.45	6	Juvenile	Retain
498	<i>E. tereticornis</i>	369349	6374348	0.10	2.00	0.11	1.31	6	Juvenile	Retain
499	Dead Stag	369363	6374340	0.20	N/A	N/A	N/A	7	Dead	Retain
500	<i>E. tereticornis</i>	369371	6374337	0.13	2.00	0.14	1.45	8	Juvenile	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
501	<i>C. maculata</i>	369356	6374339	0.11	N/A	N/A	N/A	8	N/A	Retain
502	<i>C. maculata</i>	369343	6374338	0.48	5.76	0.54	2.55	15	Mature	Retain
503	<i>A. costata</i>	369340	6374341	0.11	2.00	0.12	1.36	7	Juvenile	Retain
504	<i>A. costata</i>	369338	6374340	0.13	2.00	0.15	1.49	7	Juvenile	Retain
505	<i>A. costata</i>	369339	6374345	0.35	4.20	0.40	2.25	8	Semi mature	Retain
506	<i>C. maculata</i>	369336	6374341	0.27	3.24	0.27	1.91	8	Semi mature	Retain
507	<i>Lophostemon confertus</i> (Brush Box)	369331	6374344	0.11	2.00	0.12	1.36	6	Juvenile	Retain
508	<i>L. confertus</i>	369331	6374341	0.16	2.00	0.18	1.61	8	Juvenile	Retain
509	<i>A. costata</i>	369331	6374340	0.27	3.24	0.31	2.02	10	Semi mature	Retain
510	<i>C. maculata</i>	369324	6374337	0.33	3.96	0.42	2.30	18	Mature	Retain
511	<i>C. maculata</i>	369322	6374336	0.36	4.32	0.39	2.65	18	Mature	Retain
512	<i>C. maculata</i>	369298	6374340	0.32	3.84	0.35	2.13	20	Mature	Retain
513	<i>C. maculata</i>	369307	6374342	0.24	2.88	0.25	1.85	15	Semi mature	Retain
514	<i>C. maculata</i>	369303	6374344	0.18	2.16	0.21	1.72	10	Juvenile	Retain
515	<i>C. maculata</i>	369305	6374347	0.63	7.56	0.60	2.67	20	Mature	Retain
516	<i>C. maculata</i>	369302	6374347	0.31	3.72	0.32	2.05	20	Mature	Retain
517	<i>C. maculata</i>	369303	6374352	0.30	N/A	N/A	N/A	15	N/A	Retain
518	<i>C. maculata</i>	369293	6374349	0.48	N/A	N/A	N/A	20	N/A	Retain
519	<i>C. maculata</i>	369285	6374349	0.37	4.44	0.42	2.30	20	Mature	Retain
520	<i>C. maculata</i>	369287	6374358	0.32	N/A	N/A	N/A	17	N/A	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
521	<i>C. maculata</i>	369286	6374357	0.20	N/A	N/A	N/A	10	N/A	Retain
522	<i>C. maculata</i>	369279	6374355	0.11	2.00	0.12	1.36	10	Juvenile	Retain
523	<i>C. maculata</i>	369279	6374349	0.17	2.04	0.21	1.72	12	Semi mature	Retain
524	<i>C. maculata</i>	369274	6374353	0.38	4.56	0.44	2.34	18	Mature	Retain
525	<i>C. maculata</i>	369249	6374366	0.20	N/A	N/A	N/A	10	N/A	Retain
526	<i>E. punctata</i>	369250	6374365	0.30	N/A	N/A	N/A	10	N/A	Retain
527	<i>C. maculata</i>	369245	6374371	0.1	N/A	N/A	N/A	8	N/A	Retain
528	<i>C. maculata</i>	369243	6374370	0.11	N/A	N/A	N/A	8	N/A	Retain
529	<i>C. maculata</i>	369235	6374374	0.34	N/A	N/A	N/A	18	N/A	Retain
530	<i>E. fibrosa</i>	369237	6374374	0.30	N/A	N/A	N/A	10	N/A	Retain
531	<i>C. maculata</i>	369231	6374381	0.43	N/A	N/A	N/A	16	N/A	Retain
532	<i>E. punctata</i>	369164	6374471	0.18	2.16	0.25	1.85	15	Semi mature	Remove
533	<i>E. punctata</i>	369150	6374467	0.22	2.64	0.26	1.88	9	Mature	Retain
534	<i>C. maculata</i>	369152	6374464	0.30	3.60	0.32	2.05	14	Mature	Retain
535	<i>E. punctata</i>	369152	6374472	0.16	2.00	0.19	1.65	8	Juvenile	Remove
536	<i>E. punctata</i>	369145	6374474	0.33	3.96	0.37	2.18	15	Mature	Remove
537	<i>E. punctata</i>	369141	6374472	0.31	3.72	0.33	2.08	15	Mature	Retain
538	<i>C. maculata</i>	369141	6374469	0.18	2.16	0.22	1.75	12	Semi mature	Retain
539	<i>E. punctata</i>	369143	6374471	0.10	2.00	0.12	1.30	7	Juvenile	Retain
540	<i>C. maculata</i>	369158	6374497	0.21	2.52	0.24	1.82	16	Semi mature	Remove

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
541	<i>C. maculata</i>	369167	6374488	0.25	3.00	0.32	2.05	16	Semi mature	Remove
542	<i>E. punctata</i>	369170	6374480	0.20	2.40	0.22	1.75	9	Semi mature	Remove
543	<i>E. fibrosa</i>	369159	6374482	0.32	3.84	0.42	2.30	16	Mature	Remove
544	<i>C. maculata</i>	369158	6374480	0.25	3.00	0.26	1.88	14	Semi mature	Remove
545	<i>E. punctata</i>	369155	6374479	0.16	2.00	0.18	1.61	8	Juvenile	Remove
546	<i>C. maculata</i>	369158	6374486	0.31	3.72	0.34	2.10	18	Mature	Remove
547	<i>E. punctata</i>	369153	6374486	0.44	5.28	1.10	3.44	17	Mature	Remove
548	<i>E. punctata</i>	369145	6374492	0.39	4.68	0.44	2.34	16	Mature	Remove
549	<i>E. punctata</i>	369154	6374492	0.27	3.24	0.36	2.15	10	Mature	Remove
550	<i>C. maculata</i>	369152	6374491	0.19	2.28	0.24	1.82	10	Semi mature	Remove
551	Stag	369142	6374487	0.22	N/A	N/A	N/A	8	Dead	Remove
552	<i>E. punctata</i>	369144	6374482	0.38	4.56	0.45	2.37	14	Mature	Remove
553	<i>E. punctata</i>	369128	6374492	0.19	2.28	0.23	1.79	10	Juvenile	Remove
554	<i>E. punctata</i>	369138	6374493	0.23	2.76	0.29	1.97	12	Semi mature	Remove
555	<i>E. punctata</i>	369137	6374493	0.30	N/A	N/A	N/A	13	N/A	Remove
556	<i>E. punctata</i>	369141	6374503	0.25	N/A	N/A	N/A	15	N/A	Remove
557	<i>E. punctata</i>	369145	6374504	0.30	N/A	N/A	N/A	17	N/A	Remove
558	<i>E. fibrosa</i>	369145	6374506	0.35	4.20	0.39	2.23	16	Mature	Remove
559	<i>E. punctata</i>	369142	6374506	0.24	2.88	0.27	1.91	16	Semi mature	Remove
560	<i>E. punctata</i>	369136	6374502	0.45	5.40	0.50	2.47	18	Mature	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
561	<i>E. punctata</i>	369132	6374496	0.16	2.00	0.20	1.68	8	Juvenile	Remove
562	<i>C. maculata</i>	369121	6374485	0.20	N/A	N/A	N/A	10	N/A	Remove
563	<i>E. globoidea</i>	369114	6374482	0.30	3.60	0.33	2.08	17	Semi mature	Retain
564	Dead	369117	6374483	0.11	N/A	N/A	N/A	3	Dead	Remove
565	<i>C. maculata</i>	369116	6374478	0.40	4.80	0.42	2.30	18	Mature	Retain
566	<i>E. punctata</i>	369118	6374485	0.14	2.00	0.17	1.57	8	Juvenile	Remove
567	<i>E. fibrosa</i>	369123	6374484	0.29	3.48	0.32	2.05	14	Mature	Remove
568	<i>E. fibrosa</i>	369124	6374482	0.27	3.24	0.29	1.97	10	Semi mature	Remove
569	<i>C. maculata</i>	369127	6374483	0.23	2.76	0.27	1.91	14	Semi mature	Remove
570	<i>C. maculata</i>	369128	6374479	0.23	2.76	0.23	1.79	13	Semi mature	Remove
571	<i>C. maculata</i>	369136	6374462	0.31	3.72	0.45	2.37	16	Mature	Retain
572	<i>C. maculata</i>	369139	6374464	0.18	2.16	0.20	1.68	14	Semi mature	Retain
573	<i>E. punctata</i>	369140	6374471	0.30	N/A	N/A	N/A	10	N/A	Retain
574	Dead Stag	369125	6374461	0.35	N/A	N/A	N/A	14	Dead	Retain
575	<i>Waterhousea floribunda</i> (Weeping Lilly Pilly)	369362	6374737	0.19	2.28	0.29	1.97	5	Semi mature	Retain
576	<i>W. floribunda</i>	369363	6374729	0.14	2.00	0.20	1.68	5	Semi mature	Retain
577	<i>W. floribunda</i>	369363	6374717	0.14	2.00	0.21	1.72	5	Semi mature	Retain
578	<i>W. floribunda</i>	369358	6374707	0.22	2.64	0.27	1.91	5	Semi mature	Remove
579	<i>W. floribunda</i>	369351	6374698	0.20	2.40	0.32	2.05	6	Semi mature	Remove
580	<i>W. floribunda</i>	369344	6374692	0.16	2.00	0.26	1.88	6	Semi mature	Remove

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
581	<i>E. globoidea</i>	369333	6374729	0.29	3.48	0.37	2.18	12	Mature	Retain
582	<i>W. floribunda</i>	369332	6374690	0.12	2.00	0.34	2.10	6	Semi mature	Remove
583	<i>C. maculata</i>	369299	6374674	0.19	2.28	0.22	1.75	10	Juvenile	Remove
584	<i>C. maculata</i>	369294	6374675	0.30	3.60	0.35	2.13	16	Mature	Remove
585	<i>Eucalyptus siderophloia</i> (Grey Ironbark)	369308	6374670	0.21	2.52	0.24	1.82	10	Semi mature	Remove
586	<i>C. maculata</i>	369300	6374668	0.25	3.00	0.27	1.91	9	Semi mature	Remove
587	<i>C. maculata</i>	369303	6374668	0.30	3.60	0.35	2.13	15	Mature	Remove
588	<i>C. maculata</i>	369312	6374665	0.28	3.36	0.32	2.05	12	Semi mature	Remove
589	<i>C. maculata</i>	369295	6374673	0.22	2.64	0.27	1.91	12	Semi mature	Remove
590	<i>C. viminalis</i>	369295	6374672	0.18	2.16	0.25	1.85	4	Mature	Remove
591	<i>C. maculata</i>	369298	6374648	0.32	3.84	0.38	2.20	16	Mature	Remove
592	<i>C. maculata</i>	369304	6374655	0.29	3.48	0.34	2.10	12	Semi mature	Remove
593	<i>C. maculata</i>	369308	6374647	0.38	3.56	0.41	2.28	17	Mature	Remove
594	<i>C. maculata</i>	369308	6374650	0.23	2.76	0.26	1.88	12	Semi mature	Remove
595	<i>C. maculata</i>	369313	6374648	0.13	2.00	0.16	1.53	8	Juvenile	Remove
596	<i>E. fibrosa</i>	369274	6374620	0.29	3.48	0.32	2.05	14	Semi mature	Remove
597	<i>E. fibrosa</i>	369271	6374620	0.11	2.00	0.16	1.53	6	Juvenile	Remove
598	<i>E. fibrosa</i>	369266	6374623	0.12	2.00	0.15	1.49	7	Juvenile	Remove
599	<i>C. maculata</i>	369264	6374624	0.14	2.00	0.17	1.57	8	Juvenile	Remove
600	<i>C. maculata</i>	369265	6374623	0.30	2.00	0.35	2.13	14	Semi mature	Remove

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
601	<i>C. maculata</i>	369265	6374622	0.15	3.60	0.18	1.61	8	Juvenile	Remove
602	<i>C. maculata</i>	369264	6374623	0.11	2.00	0.13	1.40	7	Juvenile	Remove
603	<i>C. maculata</i>	369263	6374622	0.12	2.00	0.13	1.40	10	Juvenile	Remove
604	<i>C. maculata</i>	369264	6374622	0.17	2.04	0.20	1.68	12	Juvenile	Remove
605	<i>C. maculata</i>	369263	6374620	0.18	2.16	0.22	1.75	11	Juvenile	Remove
606	<i>C. maculata</i>	369265	6374620	0.25	2.00	0.28	1.94	9	Semi mature	Remove
607	<i>C. maculata</i>	369266	6374618	0.15	2.00	0.19	1.65	8	Juvenile	Remove
608	<i>C. maculata</i>	369270	6374619	0.12	2.00	0.11	1.31	10	Juvenile	Remove
609	<i>E. fibrosa</i>	369270	6374616	0.14	2.00	0.16	1.53	7	Juvenile	Remove
610	<i>E. fibrosa</i>	369264	6374617	0.80	9.60	1.10	3.44	17	Sen	Remove
611	<i>C. maculata</i>	369262	6374618	0.19	2.28	0.23	1.79	10	Semi mature	Remove
612	<i>C. maculata</i>	369261	6374618	0.15	2.00	0.18	1.61	8	Juvenile	Retain
613	<i>C. maculata</i>	369259	6374616	0.13	2.00	0.16	1.53	9	Juvenile	Retain
614	<i>C. maculata</i>	369261	6374615	0.16	2.00	0.18	1.61	10	Juvenile	Retain
615	<i>E. fibrosa</i>	369259	6374614	0.28	3.36	0.54	2.55	13	Semi mature	Retain
616	<i>C. maculata</i>	369257	6374621	0.21	2.52	0.25	1.85	14	Semi mature	Remove
617	<i>E. fibrosa</i>	369255	6374614	0.25	3.00	0.28	1.94	12	Semi mature	Retain
618	<i>E. fibrosa</i>	369253	6374614	0.22	2.64	0.26	1.88	12	Semi mature	Retain
619	<i>E. fibrosa</i>	369250	6374616	0.09	2.00	0.14	1.45	6	Juvenile	Retain
620	<i>E. sideropholia</i>	369249	6374608	0.30	3.60	0.34	2.10	16	Mature	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
621	<i>C. maculata</i>	369256	6374608	0.26	3.12	0.34	2.10	15	Semi mature	Remove
622	<i>A. floribunda</i>	369257	6374607	0.25	3.00	0.40	2.25	8	Mature	Remove
623	<i>C. maculata</i>	369255	6374606	0.16	2.00	0.18	1.61	7	Juvenile	Retain
624	<i>A. floribunda</i>	369254	6374607	0.23	2.76	0.24	1.82	7	Juvenile	Remove
625	<i>A. floribunda</i>	369254	6374604	0.30	3.60	0.32	2.05	6	Mature	Remove
626	<i>C. maculata</i>	369258	6374603	0.36	4.32	0.40	2.25	15	Mature	Remove
627	<i>C. maculata</i>	369254	6374602	0.14	2.00	0.17	1.57	8	Juvenile	Remove
628	<i>A. floribunda</i>	369258	6374603	0.13	2.00	0.16	1.53	8	Juvenile	Retain
629	<i>C. maculata</i>	369253	6374602	0.30	3.60	0.33	2.08	18	Mature	Retain
630	<i>A. floribunda</i>	369248	6374603	0.23	2.76	0.25	1.85	8	Semi mature	Retain
631	<i>A. floribunda</i>	369249	6374606	0.26	3.12	0.29	1.97	15	Semi mature	Retain
632	<i>E. siderophloia</i>	369244	6374607	0.18	2.16	0.20	1.68	10	Semi mature	Retain
633	<i>C. maculata</i>	369244	6374603	0.16	2.00	0.18	1.61	10	Juvenile	Retain
634	<i>C. maculata</i>	369243	6374603	0.16	2.00	0.19	1.65	10	Juvenile	Remove
635	<i>A. floribunda</i>	369245	6374600	0.20	2.40	0.22	1.75	7	Semi mature	Remove
636	<i>C. maculata</i>	369249	6374597	0.46	5.52	0.47	2.41	15	Mature	Remove
637	<i>C. maculata</i>	369242	6374597	0.24	2.88	0.27	1.91	15	Semi mature	Retain
638	<i>C. maculata</i>	369242	6374599	0.18	2.16	0.26	1.88	15	Semi mature	Retain
639	<i>C. maculata</i>	369240	6374598	0.26	3.12	0.28	1.94	13	Semi mature	Retain
640	<i>C. maculata</i>	369239	6374599	0.27	3.24	0.31	2.02	16	Semi mature	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
641	<i>E. fibrosa</i>	369239	6374599	0.20	2.40	0.23	1.79	10	Juvenile	Retain
642	<i>C. maculata</i>	369239	6374598	0.13	2.00	0.15	1.49	8	Juvenile	Retain
643	<i>C. maculata</i>	369238	6374601	0.21	2.52	0.23	1.79	13	Semi mature	Retain
644	<i>C. maculata</i>	369239	6374599	0.41	4.92	0.46	2.39	20	Mature	Retain
645	<i>C. maculata</i>	369240	6374591	0.33	3.96	0.37	2.18	18	Mature	Retain
646	<i>C. maculata</i>	369236	6374590	0.31	3.72	0.34	2.10	17	Mature	Retain
647	<i>E. fibrosa</i>	369234	6374592	0.52	6.24	0.67	2.80	16	Mature	Retain
648	<i>E. fibrosa</i>	369230	6374591	0.25	3.00	0.26	1.88	10	Semi mature	Retain
649	<i>C. maculata</i>	369232	6374592	0.19	2.28	0.21	1.72	10	Juvenile	Retain
650	<i>C. maculata</i>	369231	6374596	0.19	2.28	0.21	1.72	10	Juvenile	Retain
651	<i>C. maculata</i>	369230	6374596	0.57	6.84	0.64	2.74	18	Mature	Retain
652	<i>E. fibrosa</i>	369232	6374605	0.30	3.60	0.33	2.08	16	Mature	Retain
653	<i>C. maculata</i>	369234	6374604	0.46	5.52	0.54	2.55	18	Mature	Retain
654	<i>E. fibrosa</i>	369228	6374602	0.44	5.28	0.54	2.55	17	Mature	Retain
655	<i>E. fibrosa</i>	369222	6374599	0.28	3.36	0.32	2.05	12	Mature	Retain
656	<i>C. maculata</i>	369225	6374595	0.10	2.00	0.12	1.36	6	Juvenile	Retain
657	<i>C. maculata</i>	369223	6374589	0.29	3.48	0.32	2.05	14	Semi mature	Retain
658	<i>C. maculata</i>	369216	6374590	0.43	5.16	0.48	2.43	17	Mature	Retain
659	<i>C. maculata</i>	369213	6374587	0.18	2.16	0.23	1.79	10	Juvenile	Retain
660	<i>E. punctata</i>	369217	6374582	0.28	3.36	0.31	2.02	10	Semi mature	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
661	<i>E. punctata</i>	369219	6374580	0.13	N/A	N/A	N/A	10	N/A	Retain
662	<i>E. punctata</i>	369219	6374577	0.15	2.00	0.17	1.57	8	Juvenile	Retain
663	<i>C. maculata</i>	369223	6374576	0.19	2.28	0.22	1.75	12	Juvenile	Retain
664	<i>C. maculata</i>	369217	6374578	0.24	2.88	0.28	1.94	15	Semi mature	Retain
665	<i>C. maculata</i>	369216	6374578	0.19	2.28	0.22	1.75	12	Juvenile	Retain
666	<i>C. maculata</i>	369213	6374581	0.29	3.48	0.30	2.00	15	Semi mature	Retain
667	<i>C. maculata</i>	369214	6374576	0.16	2.00	0.18	1.61	10	Juvenile	Retain
668	<i>C. maculata</i>	369213	6374578	0.17	2.04	0.19	1.65	15	Juvenile	Retain
669	<i>C. maculata</i>	369213	6374577	0.20	2.40	0.22	1.75	14	Juvenile	Retain
670	<i>E. punctata</i>	369209	6374577	0.34	4.08	0.39	2.23	17	Mature	Retain
671	<i>C. maculata</i>	369209	6374583	0.25	3.00	0.28	1.94	16	Semi mature	Retain
672	<i>C. maculata</i>	369208	6374575	0.27	3.24	0.32	2.05	16	Semi mature	Retain
673	<i>C. maculata</i>	369205	6374574	0.23	2.76	0.28	1.94	18	Semi mature	Retain
674	<i>E. tereticornis</i>	369204	6374576	0.17	2.04	0.20	1.68	8	Juvenile	Retain
675	<i>E. tereticornis</i>	369205	6374572	0.10	2.00	0.12	1.36	6	Juvenile	Retain
676	<i>E. tereticornis</i>	369205	6374571	0.16	2.00	0.19	1.65	14	Juvenile	Retain
677	<i>E. tereticornis</i>	369201	6374564	0.18	2.16	0.20	1.68	12	Juvenile	Retain
678	<i>E. tereticornis</i>	369200	6374564	0.13	2.00	0.16	1.53	10	Juvenile	Retain
679	<i>E. tereticornis</i>	369195	6374565	0.28	3.36	0.30	2.00	16	Semi mature	Retain
680	<i>E. tereticornis</i>	369188	6374561	0.18	2.16	0.20	1.68	10	Juvenile	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
681	<i>E. tereticornis</i>	369189	6374557	0.11	2.00	0.13	1.40	10	Juvenile	Retain
682	<i>C. maculata</i>	369189	6374554	0.13	2.00	0.15	1.49	10	Juvenile	Retain
683	<i>C. maculata</i>	369187	6374552	0.10	2.00	0.11	1.31	8	Juvenile	Retain
684	<i>C. maculata</i>	369186	6374552	0.10	2.00	0.11	1.31	10	Juvenile	Retain
685	<i>C. maculata</i>	369183	6374553	0.13	2.00	0.15	1.49	10	Juvenile	Retain
686	<i>C. maculata</i>	369181	6374551	0.15	2.00	0.17	1.57	11	Juvenile	Retain
687	<i>C. maculata</i>	369183	6374549	0.13	2.00	0.15	1.49	13	Juvenile	Retain
688	<i>E. fibrosa</i>	369179	6374549	0.17	2.04	0.21	1.72	10	Juvenile	Remove
689	<i>E. fibrosa</i>	369176	6374553	0.14	2.00	0.15	1.49	8	Juvenile	Remove
690	<i>C. maculata</i>	369175	6374555	0.24	2.88	0.29	1.97	12	Semi mature	Retain
691	<i>E. fibrosa</i>	369185	6374564	0.27	3.24	0.29	1.97	14	Semi mature	Remove
692	<i>C. maculata</i>	369175	6374555	0.42	5.04	0.47	2.41	16	Mature	Remove
693	<i>C. maculata</i>	369172	6374553	0.29	3.48	0.35	2.13	13	Mature	Remove
694	<i>C. maculata</i>	369170	6374551	0.29	3.48	0.32	2.05	15	Mature	Remove
695	<i>C. maculata</i>	369168	6374551	0.28	3.36	0.32	2.05	14	Mature	Remove
696	<i>E. fibrosa</i>	369174	6374545	0.19	2.28	0.23	1.79	8	Juvenile	Remove
697	<i>E. fibrosa</i>	369174	6374541	0.15	2.00	0.18	1.61	8	Juvenile	Remove
698	<i>C. maculata</i>	369136	6374517	0.12	2.00	0.15	1.49	9	Juvenile	Remove
699	<i>E. punctata</i>	369134	6374514	0.29	3.48	0.35	2.13	14	Semi mature	Remove
700	<i>E. punctata</i>	369136	6374514	0.18	2.10	0.23	1.79	10	Juvenile	Remove

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
701	<i>E. fibrosa</i>	369138	6374511	0.10	2.00	0.11	1.31	8	Juvenile	Retain
702	<i>E. punctata</i>	369135	6374509	0.24	2.88	0.25	1.85	8	Juvenile	Retain
703	<i>E. punctata</i>	369136	6374509	0.45	5.40	0.48	2.43	16	Mature	Remove
704	<i>E. punctata</i>	369123	6374500	0.24	2.88	0.25	1.85	8	Semi mature	Remove
705	Dead Stag	369123	6374500	0.5	N/A	N/A	N/A	3	Dead	Retain
706	<i>E. punctata</i>	369115	6374505	0.38	4.56	0.42	2.30	13	Semi mature	Retain
707	<i>C. maculata</i>	369113	6374505	0.30	3.60	0.32	2.05	15	Semi mature	Remove
708	<i>C. maculata</i>	369105	6374492	0.23	2.76	0.25	1.85	17	Semi mature	Remove
709	<i>E. punctata</i>	369101	6374495	0.87	10.44	0.84	3.08	20	Mature	Retain
710	<i>Glochidion ferdinandi</i> (Cheese Tree)	369101	6374487	0.13	3.00	0.13	1.40	7	Semi mature	Retain
711	<i>G. ferdinandi</i>	369098	6374482	0.20	2.40	0.21	1.72	7	Semi mature	Remove
712	<i>C.camphora</i>	369098	6374491	0.18	N/A	N/A	N/A	8	N/A	Retain
713	<i>G. ferdinandi</i>	369093	6374487	0.34	4.08	0.38	2.20	8	Mature	Retain
714	Dead Stag	369092	6374488	0.27	N/A	N/A	N/A	7	Dead	Remove
715	<i>E. globoidea</i>	369087	6374490	0.52	6.24	0.65	2.76	17	Mature	Remove
716	<i>E. globoidea</i>	369085	6374498	0.62	7.44	0.65	2.76	17	Mature	Remove
717	<i>C. maculata</i>	369077	6374490	0.75	9.00	0.75	2.93	22	Mature	Remove
718	<i>C. maculata</i>	369080	6374490	0.27	3.24	0.30	2.00	16	Semi mature	Remove
719	<i>E. punctata</i>	369085	6374492	0.32	3.84	0.36	2.15	14	Semi mature	Retain
720	<i>C. maculata</i>	369086	6374486	0.53	6.36	0.58	2.63	22	Mature	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
721	<i>E. sideropholia</i>	369081	6374481	0.63	7.56	0.70	2.85	20	Mature	Retain
722	<i>C. maculata</i>	369071	6374478	0.70	8.40	0.77	2.97	20	Mature	Retain
723	<i>E. punctata</i>	369060	6374471	1.15	13.8	1.26	3.65	23	Mature	Retain
724	<i>C. maculata</i>	369057	6374474	0.24	2.88	0.26	1.88	17	Semi mature	Retain
725	<i>C. maculata</i>	369063	6374460	0.54	6.48	0.59	2.65	20	Mature	Retain
726	<i>C. maculata</i>	369058	6374452	0.50	6.00	0.56	2.59	15	Mature	Retain
727	<i>C. maculata</i>	369050	6374459	0.23	2.76	0.28	1.94	15	Juvenile	Retain
728	<i>C. maculata</i>	369044	6374452	0.56	6.72	0.62	2.71	20	Mature	Retain
729	<i>E. sideropholia</i>	369043	6374453	0.30	3.60	0.34	2.10	16	Semi mature	Retain
730	<i>E. punctata</i>	369042	6374452	0.36	4.32	0.44	2.34	17	Mature	Retain
731	<i>C. maculata</i>	369045	6374454	0.22	2.64	0.38	2.20	8	Semi mature	Retain
732	<i>C. maculata</i>	369051	6374450	0.20	2.40	0.24	1.82	17	Semi mature	Retain
733	<i>C. maculata</i>	369045	6374440	0.44	5.28	0.51	2.49	18	Mature	Retain
734	<i>C. maculata</i>	369038	6374436	0.24	2.88	0.27	1.91	17	Semi mature	Retain
735	<i>C. maculata</i>	369042	6374437	0.11	N/A	N/A	N/A	7	N/A	Retain
736	<i>C. maculata</i>	369040	6374432	0.20	2.40	0.23	1.79	17	Semi mature	Retain
737	<i>C. maculata</i>	369027	6374432	0.32	3.84	0.48	2.43	15	Semi mature	Retain
738	<i>C. maculata</i>	369027	6374425	0.38	4.56	0.65	2.76	15	Mature	Retain
739	<i>E. fibrosa</i>	369025	6374427	0.42	5.04	0.46	2.39	15	Mature	Retain
740	<i>C. maculata</i>	369017	6374425	0.18	2.16	0.25	1.85	8	Semi mature	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
741	<i>E. punctata</i>	369013	6374422	0.33	3.96	0.40	2.25	17	Mature	Retain
742	<i>C. maculata</i>	369015	6374425	0.42	5.04	0.52	2.51	15	Semi mature	Retain
743	<i>C. maculata</i>	369003	6374405	0.72	8.64	0.81	3.03	18	Mature	Retain
744	<i>E. fibrosa</i>	368989	6374389	0.13	2.00	0.15	1.49	7	Juvenile	Retain
745	<i>E. sideropholia</i>	368981	6374377	0.37	4.44	0.44	2.34	17	Mature	Retain
746	<i>E. sideropholia</i>	368979	6374375	0.33	3.96	0.38	2.20	16	Mature	Retain
747	<i>C. maculata</i>	368976	6374373	0.28	3.36	0.31	2.02	14	Mature	Retain
748	<i>E. fibrosa</i>	368973	6374369	0.20	2.40	0.22	1.75	8	Semi mature	Retain
749	<i>E. fibrosa</i>	368967	6374363	0.93	11.16	1.05	3.38	25	Mature	Retain
750	<i>E. fibrosa</i>	368968	6374365	0.32	4.68	0.39	2.23	15	Mature	Retain
751	<i>A. floribunda</i>	368964	6374364	0.10	N/A	N/A	N/A	6	N/A	Remove
752	<i>G. ferdinandi</i>	369231	6374576	0.10	2.00	0.10	1.26	6	Juvenile	Remove
753	<i>C. maculata</i>	369228	6374571	0.28	N/A	N/A	N/A	16	N/A	Remove
754	<i>A. floribunda</i>	369225	6374568	0.20	N/A	N/A	N/A	8	N/A	Remove
755	<i>C. maculata</i>	369224	6374571	0.20	N/A	N/A	N/A	10	N/A	Remove
756	<i>A. floribunda</i>	369219	6374565	0.25	N/A	N/A	N/A	10	N/A	Remove
757	<i>A. floribunda</i>	369216	6374563	0.09	N/A	N/A	N/A	6	N/A	Remove
758	<i>E. tereticornis</i>	369216	6374562	0.40	N/A	N/A	N/A	18	N/A	Retain
759	<i>E. tereticornis</i>	369211	6374558	0.45	N/A	N/A	N/A	16	N/A	Removed in SSI1
760	<i>E. tereticornis</i>	369212	6374553	0.12	2.00	0.17	1.57	8	Juvenile	Retain

**NEW MAITLAND HOSPITAL
DEVELOPMENT NSW**

Tree No.	Species	Easting	Northing	DBH (m)	TPZ (m)	Diameter (m)	SRZ (m)	Height (m)	Age Class	Notes
761	<i>E. tereticornis</i>	369204	6374556	0.13	2.00	0.17	1.57	8	Juvenile	Retain
762	<i>E. tereticornis</i>	369206	6374555	0.09	2.00	0.10	1.26	8	Juvenile	Retain
763	<i>E. tereticornis</i>	369203	6374554	0.13	2.00	0.17	1.57	10	Juvenile	Retain
764	<i>E. tereticornis</i>	369203	6374552	0.17	2.04	0.20	1.68	13	Juvenile	Retain
765	<i>E. tereticornis</i>	369202	6374552	0.16	2.00	0.18	1.61	12	Juvenile	Retain
766	<i>E. tereticornis</i>	369199	6374548	0.22	2.64	0.26	1.88	15	Semi mature	Retain
767	<i>E. tereticornis</i>	369197	6374550	0.35	4.20	0.43	2.32	18	Mature	Retain
768	<i>E. punctata</i>	369198	6374549	0.35	N/A	N/A	N/A	15	N/A	Removed in SSI1
769	<i>C. maculata</i>	369205	6374545	0.18	N/A	N/A	N/A	10	N/A	Removed in SSI1
770	<i>E. punctata</i>	369204	6374547	0.18	N/A	N/A	N/A	12	N/A	Removed in SSI1
771	<i>E. punctata</i>	369202	6374544	0.14	N/A	N/A	N/A	8	N/A	Retain
772	<i>C. maculata</i>	369193	6374546	0.14	2.00	0.15	1.49	14	Juvenile	Retain
773	<i>E. punctata</i>	369193	6374544	0.15	2.00	0.17	1.57	12	Juvenile	Remove
774	<i>C. maculata</i>	369192	6374536	0.27	3.24	0.25	1.85	14	Semi mature	Retain
775	<i>C. maculata</i>	369191	6374539	0.26	3.12	0.27	1.91	16	Semi mature	Remove
776	<i>E. punctata</i>	369191	6374533	0.15	2.00	0.17	1.57	8	Juvenile	Retain

Appendix B:

Site Plan



STATUS	SCHEMATIC DESIGN	JOB NO.		
		1229		
SCALE AT A0	DRAWN	CO-ORDINATED	CHECKED	APPROVED
1:1000	GB	GB/K	I	GB/K
DWG NO.			ISSUE	
BB-LA-SK-09			06	