



## NSW RURAL FIRE SERVICE



The Secretary  
Department of Planning and Environment  
GPO Box 39  
Sydney NSW 2001

Your reference: SSD 9504  
Our reference: D18/7040  
DA19021117314 BB

**Attention:** Michael Themis

22 February 2019

Dear Sir/Madam,

### State Significant Development Application (SSD 9504) – West Wyalong Solar Farm

I refer to your letter dated 8 February 2019 seeking comments in relation to bush fire protection for the above proposal in accordance with Part 5 of the *Environmental Planning and Assessment Act 1979*.

The New South Wales Rural Fire Service (NSW RFS) has reviewed the information provided and the following conditions are recommended:

1. The proposed development shall comply with all the bush fire safeguards and mitigation measures set out in Section 5 of the Bush Fire and Fire Response Assessment report prepared by SLR Consulting Australia Pty Ltd (Ref: 610.18343-M01-v4.0 - WWSF Bushfire, dated 21 January 2019).
2. A Fire Management Plan (FMP) shall be prepared for the proposed facility in consultation with the local NSW RFS District Office. The FMP shall include:
  - 24 hour emergency contact details including alternative telephone contact;
  - Site infrastructure plan;
  - Fire fighting water supply plan;
  - Site access and internal road plan;
  - Construction of asset protection zones and their continued maintenance;
  - Location of hazards (physical, chemical and electrical) that will impact on the fire fighting operations and procedures to manage identified hazards during the fire fighting operations; and
  - Such additional matters as required by the NSW RFS District Office.
3. A minimum 20,000 litre water supply (tank) fitted with a 65mm Storz fitting shall be located adjoining the internal property access road within the required asset protection zone.

**Postal address**

NSW Rural Fire Service  
Planning and Environment Services  
Locked Bag 17  
GRANVILLE NSW 2141

T 1300 NSW RFS  
F (02) 8741 5433  
E [records@rfs.nsw.gov.au](mailto:records@rfs.nsw.gov.au)  
[www.rfs.nsw.gov.au](http://www.rfs.nsw.gov.au)

If you have any queries regarding this advice, please contact Bradley Bourke on 1300 NSW RFS.

Yours sincerely,



Martha Dotter  
**Acting Team Leader, Development Assessment and Planning  
Planning and Environment Services (South)**