



PCU067866

NO

## Proposed Kuri Kurri Hazardous Waste Incinerator

Public comments on the proposal to add a **medical, pathogenic, cytotoxic** and other **hazardous waste** incinerator to operate **24 hours per day, 7 days per week**, processing of up to **8,000 tonnes** of these wastes per annum at 129 Mitchell Avenue, Kurri Kurri close on **24<sup>th</sup> October 2016**.

Full details of the proposal can be obtained via the NSW Department of Planning website: [http://majorprojects.planning.nsw.gov.au/index.pl?action=view\\_job&job\\_id=7396](http://majorprojects.planning.nsw.gov.au/index.pl?action=view_job&job_id=7396)


Public submissions can be made via the above website. We have also attached a pre-addressed envelope for your use should you wish to make a submission via post. If you have experienced poor air quality in your neighbourhood in the past, we urge you to make the Department of Planning aware of this in a submission so they can take that into account when deciding any conditions to apply to the operation of the incinerator or whether to approve the application at all.

The development is being considered under the State Significant Development process, so if you are concerned about this proposal, in addition to making a submission to the Department of Planning, you may want to contact your local State member of parliament:

Member for Cessnock  
Clayton Barr  
118 Vincent Street, Cessnock  
(02) 4991 1466 or toll free 1300 550 114  
[cessnock@parliament.nsw.gov.au](mailto:cessnock@parliament.nsw.gov.au)

We have raised three matters of concern in the submission we have made:

1. The stated justification for the project, that *"NSW urgently needs treatment capacity to process these wastes locally"* is misleading and simply untrue. There is no pressing need to approve an additional clinical and related waste treatment facility in NSW and approval should be reserved for the most appropriate locations to site an incinerator. The proposed site at Mitchell Avenue may be commercially expedient for the applicant, however, being located 800m straight line distance from the nearest residences, there would be far better site location options from a public health perspective. The applicant's own documentation acknowledges there are alternative potential sites that could be considered.
2. The proposed waste and washed bin storage areas are manifestly inadequate. The stated maximum quantities of stored wastes provided in Table 2 "Materials at the Project" in Appendix J Preliminary Hazard Analysis are incompatible with the stated annual waste throughput volumes and the maintenance needs of a waste incinerator.
3. The proposed method of treating water from bin washing and the washing down of bunded areas not adequate.



Kind regard,

Redlam Waste Services  
Ph: 02 8006 8383

NO WAY



## Proposed Kuri Kurri Hazardous Waste Incinerator

Public comments on the proposal to add a **medical, pathogenic, cytotoxic** and other **hazardous waste** incinerator to operate **24 hours per day, 7 days per week**, processing of up to **8,000 tonnes** of these wastes per annum at 129 Mitchell Avenue, Kuri Kurri close on **24<sup>th</sup> October 2016** .

Full details of the proposal can be obtained via the NSW Department of Planning website:  
[http://majorprojects.planning.nsw.gov.au/index.pl?action=view\\_job&job\\_id=7396](http://majorprojects.planning.nsw.gov.au/index.pl?action=view_job&job_id=7396)

Public submissions can be made via the above website. We have also attached a pre-addressed envelope for your use should you wish to make a submission via post. If you have experienced poor air quality in your neighbourhood in the past, we urge you to make the Department of Planning aware of this in a submission so they can take that into account when deciding any conditions to apply to the operation of the incinerator or whether to approve the application at all.

The development is being considered under the State Significant Development process, so if you are concerned about this proposal, in addition to making a submission to the Department of Planning, you may want to contact your local State member of parliament:

Member for Cessnock  
Clayton Barr  
118 Vincent Street, Cessnock  
(02) 4991 1466 or toll free 1300 550 114  
[cessnock@parliament.nsw.gov.au](mailto:cessnock@parliament.nsw.gov.au)

We have raised three matters of concern in the submission we have made:


1. The stated justification for the project, that *"NSW urgently needs treatment capacity to process these wastes locally"* is misleading and simply untrue. There is no pressing need to approve an additional clinical and related waste treatment facility in NSW and approval should be reserved for the most appropriate locations to site an incinerator. The proposed site at Mitchell Avenue may be commercially expedient for the applicant, however, being located 800m straight line distance from the nearest residences, there would be far better site location options from a public health perspective. The applicant's own documentation acknowledges there are alternative potential sites that could be considered.
2. The proposed waste and washed bin storage areas are manifestly inadequate. The stated maximum quantities of stored wastes provided in Table 2 "Materials at the Project" in Appendix J Preliminary Hazard Analysis are incompatible with the stated annual waste throughput volumes and the maintenance needs of a waste incinerator.
3. The proposed method of treating water from bin washing and the washing down of bunded areas not adequate.

Kind regard,

Redlam Waste Services  
Ph: 02 8006 8383



I LIVE EAST OF PROPOSED  
FACILITY I HAVE NO PROBLEMS  
WITH AIR QUALITY THE ONLY PROBLEM  
IS GREENIES USING ANY EXCUSE  
TO STOP THESE FACILITIES LIKE  
THE ORIGINAL DROSS PLANT

A handwritten signature in black ink, appearing to be "J. D. Smith" or similar, written in a cursive style.