

ANNEXURE A ; DIAGRAM A.



DIAGRAM OF CONSERVATION AREA

LOTS 5 & 6 DP 705482 AND LOTS 5 & 19 DP252956

PARISH OF BROGHEDA COUNTY OF BRISBANE

CONSERVATION AREA SHOWN BY HATCHING - (abt 38.5ha)

EXCLUSION AREAS - (abt 1.3ha)



SHORT LINE TABLE		
LINE	BEARING	DISTANCE
1	90°32'40"	40.205
2	34°56'	18.550
3	90°29'30"	46.180
4	172°24'01"	15.510
5	172°24'01"	20.325
6	172°24'01"	2.200
7	175°58'40"	85.025
8	256°22'20"	88.365
9	348°22'10"	78.280
10	34°56'	39.880
11	90°32'40"	28.205
12	90°32'40"	59.555
13	90°32'40"	76.205
14	34°56'	24.380
15	185°29'30"	20.190
16	184°37'55"	76.085
17	94°34'	24.130
18	185°54'05"	82.515
19	289°08'25"	23.670
20	5°07'	57.765
21	220°56'05"	271.350
22	274°43'40"	23.120
23	343°22'50"	14.780
24	92°34'15"	27.420
25	180°30'35"	14.820

Notes

1. Plans used: DP705482 & DP252956.
2. Survey Method: RTK GNSS with expected accuracy better than 0.05m.
3. Surveyors Ref: 14-63.

Anthony Douglas Mehan, Surveyor Registered under
the Surveying and Spatial Information Act 2002
Surveyor ID No. 7557
Dated... 11/12/2014

AERIAL PHOTOGRAPH AND OTHER MAPPING



Kindilan Conservation Agreement

Copyright NSW Office of Environment and Heritage (OEH).
This map is not guaranteed to be free from error or omission.
OEH and its employees do not accept liability for any act done on the
information in the map and any consequences of such acts or omissions.

0 75 150 300 Meters



Species list for on or within 3km of 740 Ridglands Road

Common Name	Scientific Name	Recorded in 8km Radius / Suitable Habitat onsite	Recorded onsite—locality to 1km radius*	TSC ACT STATUS	EPBC ACT STATUS
Barking Owl	<i>Ninox connivens</i>	Y	Y	V	
Brown Treecreeper	<i>Climacteris picumnus</i>	Y	Y	V	
Brush-tailed Rock Wallaby	<i>Petrogale penicillata</i>	Y	Y	E	V
Diamond Firetail	<i>Stagonopleura guttata</i>	Y	Y	V	
Eastern Bent-wing Bat	<i>Miniopterus schreibersii oceanensis</i>	Y	Y	V	
Eastern Cave Bat	<i>Vespadelus trougtoni</i>	Y	Y	V	
Eastern False-Pipistrelle	<i>Falsistrellus tasmaniensis</i>	Y	Y	V	
Gang-gang Cockatoo	<i>Callocephalon fimbriatum</i>	Y	Y	V	
Glossy Black-Cockatoo	<i>Calyptorhynchus lathami</i>	Y	Y	V	
Grey-crowned Babbler	<i>Pomatostomus temporalis temporalis</i>	Y	Y	V	
Hooded Robin	<i>Melanodryas cucullata cucullata</i>	Y	Y	V	
Koala	<i>Phascolarctos cinereus</i>	Y		V	
Large-eared Pied Bat	<i>Chalinolobus dwyeri</i>	Y	Y	V	V
Little eagle	<i>Hieraaetus morphnoides</i>	Y	Y	V	
Little Lorikeet	<i>Glossopsitta pusilla</i>	Y	Y	V	
Masked Owl	<i>Tyto novaehollandiae</i>	Y	Y	V	
Southern Boobook	<i>Ninox novaeseelandiae</i>	Y	Y	P	
Painted Honeyeater	<i>Grantiella picta</i>	Y	Y	V	
Powerful Owl	<i>Ninox strenua</i>	Y	Y	V	
Speckled Warbler	<i>Chthonicola sagittatus</i>	Y	Y	V	
Spotted Harrier	<i>Circus assimilis</i>	Y	Y	V	
Squirrel Glider	<i>Petaurus norfolcensis</i>	Y		V	
Turquoise Parrot	<i>Neophema pulchella</i>	Y	Y	V	
Varied Sittella	<i>Daphoenositta chrysoptera</i>	Y	Y	V	
Rainbow Beeeater	<i>Merops ornatus</i>	Y	Y		MI/MA
White Ibis	<i>Threskiornis molucca</i>	Y	Y		
White-bellied SeaEagle	<i>Haliaeetus leucogaster</i>	Y	Y		MI/MA
Swift Parrot	<i>Lathamus discolor</i>	Y	Y	E	E/MA
Crane		Y	Y		
Australian Pelican	<i>Pelecanus conspicillatus</i>	Y	Y		MI
Australian Pied Cormorant	<i>Phalacrocorax varius</i> <i>Phalacrocoracidae</i>	Y	Y		Mi

Common Name	Scientific Name	Recorded in 8km Radius / Suitable Habitat onsite	Recorded onsite—locality to 1km radius*	TSC ACT STATUS	EPBC ACT STATUS
White throated Needletail	<i>Hirundapus caudacutus</i>	Y			MI/MA
Superb Fairy-wren	<i>Malurus cyaneus</i>	Y	Y		
Regent Honeyeater	<i>Anthochaera phrygia</i>	Y	Y	CE	CE/MI/MA
Yellow-bellied Sheath-tail bat	<i>Saccolaimus flaviventris</i>	Y	Y	V	
Southern Myotis	<i>Myotis macropus</i>	Y	Y	V	
Little Bent-wing bat	<i>Miniopterus australis</i>	Y	Y	V	
Greater Broad-nosed Bat	<i>Scoteanax rueppellii</i>	Y	Y	V	
Eastern Cave Bat	<i>Vespadelus troungtoni</i>	Y	Y	V	
Eastern Freetail bat	<i>Mormopterus norfolkensis</i>	Y	Y	V	
South-eastern Long-eared Bat	<i>Nyctophilus corbeni</i>	Y	Y	V	V
Spotted tailed Quoll	<i>Dasyurus maculatus</i>	Y	Y	V	E
New Holland Mouse	<i>Pseudomys novaehollandiae</i>	Y	Y		V
Scarlet Robin	<i>Petroica boodang</i>	Y	Y	V	
Australian Magpie	<i>Cracticus tibicen</i>	Y	Y		
Brown Quail	<i>Coturnix ypsilophora</i>	Y	Y		
Grey Fantail	<i>Rhipidura fuliginosa</i>	Y	Y		
Top Knot Pigeon	<i>Lopholaimus antarcticus</i>	Y	Y		
Silver Perch	<i>Bidyanus bidyanus</i>	Y			
Eastern Snake necked Turtle	<i>Chelodina longicollis</i>	Y	Y		
Green Tree Frog	<i>Litoria caerulea</i> ,	Y	Y		
Peron's Tree Frog	<i>Litoria peroni</i>	Y			
Keferstein's Tree Frog	<i>Litoria dentata</i>	Y			
Broadpalmed Frog	<i>Litoria latopalmata</i>	Y			
Freycinet's Tree Frog	<i>Litoria freycineti</i>	Y			
Verreaux's Tree Frog	<i>Litoria verreauxii</i>	Y			
Lesueur's Frog	<i>Litoria lesueurii</i>	Y			
Ornate Burrowing Frog	<i>Limnodynastes ornatus</i>	Y	Y		
Bullfrog	<i>Limnodynastes dumerilii</i>	Y	Y		
Painted Burrowing Frog	<i>Neobatrachus sudelli</i>	Y			
Smooth Toadlet	<i>Uperoleia laevigata</i>	Y			
Bibron's Toadlet	<i>Pseudophryne bibronii</i>	Y			
Spotted Marsh Frog	<i>Limnodynastes tasmaniensis</i>	Y			
Booroolong Frog	<i>Litoria booroolongensis</i>	Y	Y	E	E

Common Name	Scientific Name	Recorded in 8km Radius / Suitable Habitat onsite	Recorded onsite—locality to 1km radius*	TSC ACT STATUS	EPBC ACT STATUS
Frog sp ?	Yet to be classified Frog (OEH 2012)	Y	Y	?	?
Pink-tailed Wormlizard	<i>Aprasia parapulchella</i>	Y	Y	V	V
Blackchinned Honeyeater	<i>Melithreptus gularis gularis</i>	Y	Y	V	
Bush Stonecurlew	<i>Burhinus grallarius</i>	Y	Y	E	
Black Falcon	<i>Falco subniger</i>	Y	Y	V	
Zebra Finch	<i>Taeniopygia guttata</i>	Y	Y		
Blue Tongue Lizard	<i>Tiliqua scincoides scincoides</i>	Y	Y		
Frill Necked Lizard	<i>Chlamydosaurus kingii</i>	Y	Y		
Shortbeaked Echidna	<i>Tachyglossus aculeatus</i>	Y	Y		
Common Wombat	<i>Vombatus ursinus</i>	Y	Y		
Eastern Grey Kangaroo	<i>Macropus giganteus</i>	Y	Y		
Swamp Wallaby	<i>Wallabia bicolor</i>	Y	Y		
Yellow-footed Antechinus	<i>Antechinus flavipes</i>	Y	Y		
Brown Antechinus	<i>Antechinus stuartii</i>	Y	Y		
Common Wallaroo	<i>Macropus robustus</i>	Y	Y		
Rednecked Wallaby	<i>Macropus rufogriseus</i>	Y	Y		
Common Dunnart	<i>Sminthopsis murina</i>	Y			
Burton's Snakelizard	<i>Lialis burtonis</i>	Y			
Robust Velvet Gecko	<i>Oedura robusta</i>	Y			
Eastern Stone Gecko	<i>Diplodactylus vittatus</i>	Y			
Thick-tailed Gecko	<i>Underwoodisaurus milii</i>	Y			
Broad-tailed Gecko	<i>Phyllurus platurus</i>	Y			
Lesueur's Velvet Gecko	<i>Oedura lesueurii</i>	Y			
Brown-snouted Blind Snake	<i>Ramphotyphlops wiedii</i>	Y			
Yellow-bellied Threetoed Skink	<i>Saiphos equalis</i>	Y			
Dark-flecked Sunskink	<i>Lampropholis delicata</i>	Y			
Yellow-faced Whipsnake	<i>Demansia psammophis</i>	Y			
Leaden Delma	<i>Delma plebeia</i>	Y			
Eastern Bearded Dragon	<i>Pogona barbata</i>	Y	Y		
Nobbi Lashtail	<i>Amphibolurus nobbi</i>	Y			
Sand Monitor	<i>Varanus gouldii</i>	Y	Y		
Copper-tailed Ctenotus	<i>Ctenotus taeniolatus</i>	Y			

Common Name	Scientific Name	Recorded in 8km Radius / Suitable Habitat onsite	Recorded onsite—locality to 1km radius*	TSC ACT STATUS	EPBC ACT STATUS
White's Rockskink	Egernia whitii	Y	Y		
Cream-striped Shinningskink	Cryptoblepharus virgatus	Y			
Cunningham's Spinytailed Skink	Egernia cunninghamii	Y			
Barred-sided Skink	Eulamprus tenuis	Y	Y		
Punctate Wormskink	Anomalopus swansonii	Y			
South-eastern Slider	Lerista bougainvillii	Y			
Southern Rainbowskink	Carlia tetradactyla	Y			
South-eastern Morethia Skink	Morethia boulengeri	Y			
Treecrevise Skink	Egernia striolata	Y	Y		
Litterskink	Lygisaurus foliorum	Y	Y		
Eastern Ranges Rockskink	Egernia modesta	Y			
Two-clawed Wormskink	Anomalopus leuckartii	Y			
Eastern Waterskink	Eulamprus quoyii	Y			
Eastern Water Dragon	Bassiana platynota	Y	Y		
Weasel Shadeskink	Saproscincus mustelinus	Y			
Ringtail Possum	Pseudocheirus peregrinus	Y	Y		
Rednaped Snake	Furina diadema	Y			
Diamond/Carpet Python	Morelia spilota	Y			
Red Bellied Black Snake	Pseudechis porphyriacus	Y	Y		
Eastern Brown Snake	<i>Pseudonaja textilis</i>	Y	Y		
King Brown Snake	Pseudechis australis	Y	Y		
Lace Monitor	<i>Varanus varius</i>	Y	Y		
Dingo	Canis lupus dingo	Y	Y		
Blue Trumpet	Brunoniella australis	Y	Y		
Common Maidenhair	Adiantum aethiopicum	Y	Y	P	
Rough Maidenhair	Adiantum hispidulum var. hispidulum	Y	Y	P	
Rock Fern	Cheilanthes austrotenuifolia	Y	Y		
Bristly Cloak Fern	Cheilanthes distans	Y			
Rock Fern	Cheilanthes sieberi subsp. sieberi	Y	Y		
Pale Vanillalily	Arthropodium milleflorum	Y			
Slender Wire Lily	Laxmannia gracilis	Y			
Flannel Flower	Actinotus helianthi	Y		P	
	Astrotricha longifolia	Y			

Common Name	Scientific Name	Recorded in 8km Radius / Suitable Habitat onsite	Recorded onsite—locality to 1km radius*	TSC ACT STATUS	EPBC ACT STATUS
	<i>Astrotricha</i> spp.	Y			
Necklace Fern	<i>Asplenium flabellifolium</i>	Y			
Cutleaved Daisy	<i>Brachyscome multifida</i>	Y			
Yellow Burrdaisy	<i>Calotis lappulacea</i>	Y			
Common Everlasting	<i>Chrysocephalum apiculatum</i>	Y			
Star Cudweed	<i>Euchiton sphaericus</i>	Y			
	<i>Helichrysum adenophorum</i> var. <i>waddelliae</i>	Y			
	<i>Senecio vagus</i> subsp. <i>eglandulosus</i>	Y			
	<i>Sigesbeckia australiensis</i>	Y			
Indian Weed	<i>Sigesbeckia orientalis</i> subsp. <i>orientalis</i>	Y			
Fuzzweed	<i>Vittadinia</i> spp.	Y			
Golden Everlasting	<i>Xerochrysum bracteatum</i>	Y	Y		
	<i>Cynoglossum australe</i>	Y			
Bluebell	<i>Wahlenbergia</i> spp.	Y	Y		
Forest Oak	<i>Allocasuarina torulosa</i>	Y	Y		
Narrowleaved Orangebark	<i>Maytenus silvestris</i>	Y			
Black Cypress Pine	<i>Callitris endlicheri</i>	Y	Y		
Tall Sedge	<i>Carex appressa</i>	Y			
	<i>Cyperus laevis</i>	Y			
	<i>Cyperus</i> spp.	Y			
	<i>Eleocharis dietrichiana</i>	Y			
Rough Sawsedge	<i>Gahnia aspera</i>	Y			
	<i>Lepidosperma gunnii</i>	Y			
Variable Swordsedge	<i>Lepidosperma laterale</i>	Y			
	<i>Hibbertia acicularis</i>	Y			
Hoary guinea flower, Grey Guinea Flower	<i>Hibbertia obtusifolia</i>	Y			
Blunt Beardheath	<i>Leucopogon muticus</i>	Y			
Ruby Urn Heath	<i>Melichrus erubescens</i>	Y			
Urn Heath	<i>Melichrus urceolatus</i>	Y			
	<i>Monotoca scoparia</i>	Y			
Pink FiveCorners	<i>Styphelia triflora</i>	Y			
	<i>Daviesia acicularis</i>	Y			
Broom Bitter Pea	<i>Daviesia genistifolia</i>	Y			
Slender Ticktrefoil	<i>Desmodium varians</i>	Y			

Common Name	Scientific Name	Recorded in 8km Radius / Suitable Habitat onsite	Recorded onsite—locality to 1km radius*	TSC ACT STATUS	EPBC ACT STATUS
Twining glycine	Glycine clandestina	Y			
	Gompholobium aspalathoides	Y			
False Sarsaparilla	Hardenbergia violacea	Y			
	Hovea lanceolata	Y			
Australian Indigo	Indigofera australis	Y			
Wiry Shaggy Pea	Oxylobium pulteneae Pultenaea spinosa	Y			
	crassa	Y	Y		
Narrow-leaved Wattle	Acacia linearifolia	Y			
Mountain Hickory	Acacia penninervis	Y	Y		
Wattle	Acacia spp.	Y	Y		
Sunshine Wattle	Acacia terminalis	Y			
Spurwing Wattle	Acacia triptera	Y			
Prickly Moses	Acacia ulicifolia	Y			
Varnish Wattle	Acacia verniciflua	Y			
Purple Goodenia	Cooperookia barbata	Y			
	Goodenia decurrens	Y			
	Goodenia rotundifolia	Y			
A Raspwort	Gonocarpus elatus	Y			
	Gonocarpus longifolius	Y			
Austral Bugle	Ajuga australis	Y			
Hairy Clerodendrum	Clerodendrum tomentosum	Y			
	Plectranthus parviflorus	Y			
	Prostanthera prunelloides	Y			
	Prostanthera saxicola	Y			
Dwarf Skullcap	Scutellaria humilis	Y			
	Cassytha melantha	Y			
Showy Isotome	Isotoma axillaris	Y			
Matrush	Lomandra confertifolia	Y			
	Lomandra confertifoliasubsp. rubiginosa	Y			
Wattle Matrush	Lomandra filiformis subsp.coriaceae	Y			
Pale Matrush	Lomandra glauca	Y			
Spinyheaded Matrush	Lomandra longifolia	Y			
Manyflowered Matrush	Lomandra multiflora subsp.multiflora	Y			
Scrambling Lily	Geitonoplesium cymosum	Y			

Common Name	Scientific Name	Recorded in 8km Radius / Suitable Habitat onsite	Recorded onsite—locality to 1km radius*	TSC ACT STATUS	EPBC ACT STATUS
Straggly Lanternbush	<i>Abutilon oxycarpum</i>	Y	Y		
Port Jackson Fig	<i>Ficus rubiginosa</i>	Y	Y		
Amulla	<i>Eremophila debilis</i>	Y			
	<i>Myrsine variabilis</i>	Y			
Rough-barked Apple	<i>Angophora floribunda</i>	Y	Y		
Grey Myrtle	<i>Backhousia myrtifolia</i>	Y	Y		
Spotted Gum	<i>Corymbia maculata</i>	Y	Y		
White Bloodwood	<i>Corymbia trachyphloia</i>	Y	Y		
	<i>Corymbia trachyphloia</i> subsp. <i>amphistomatica</i>	Y			
	<i>Eucalyptus aenea</i>	Y			
White Box	<i>Eucalyptus albens</i>	Y	Y		
	<i>Eucalyptus beyeriana</i>	Y			
Blakely's Red Gum	<i>Eucalyptus blakelyi</i>	Y	Y		
Narrow leaved Ironbark	<i>Eucalyptus crebra</i>	Y	Y		
Dwyer's Red Gum	<i>Eucalyptus dwyeri</i>	Y			
Red Ironbark	<i>Eucalyptus fibrosa</i>	Y	Y		
Slaty Red Gum	<i>Eucalyptus glaucina</i>	Y	Y	v	v
Blue leaved Ironbark	<i>Eucalyptus nubila</i>	Y	Y		
Grey Gum	<i>Eucalyptus punctata</i>	Y	Y		
Inland Scribbly Gum	<i>Eucalyptus rossii</i>	Y	Y		
Narrow leaved Stringybark	<i>Eucalyptus sparsifolia</i>	Y	Y		
Red Stringybark	<i>Eucalyptus macrorhyncha</i>	Y			
	<i>Leptospermum arachnoides</i>	Y			
	<i>Leptospermum parvifolium</i>	Y			
	<i>Leptospermum sphaerocarpum</i>	Y			
Slender Teatree	<i>Leptospermum trinervium</i>	Y			
	<i>Melaleuca decora</i>	Y			
	<i>Micromyrtus sessilis</i>	Y			
	<i>Notelaea longifolia</i> f. <i>longifolia</i>	Y			
	<i>Notelaea microcarpa</i> var. <i>microcarpa</i>	Y			
	<i>Notelaea ovata</i>	Y	Y		
	<i>Notelaea</i> spp.	Y			
Blue Flaxlily	<i>Dianella caerulea</i>	Y			
	<i>Dianella caerulea</i> var. <i>caerulea</i>	Y			

Common Name	Scientific Name	Recorded in 8km Radius / Suitable Habitat onsite	Recorded onsite—locality to 1km radius*	TSC ACT STATUS	EPBC ACT STATUS
Blueberry Lily, Blue FlaxLily	<i>Dianella revoluta</i>	Y			
A Blue Flax Lily	<i>Dianella revoluta</i> var. <i>revoluta</i>	Y			
Nodding Blue Lily	<i>Stypandra glauca</i>	Y			
Coffee Bush	<i>Breynia oblongifolia</i>	Y			
Thyme Spurge	<i>Phyllanthus hirtellus</i>	Y			
	<i>Poranthera corymbosa</i>	Y			
Small Poranthera	<i>Poranthera microphylla</i>	Y			
Appleberry	<i>Billardiera scandens</i>	Y			
Native Blackthorn	<i>Bursaria spinosa</i>	Y			
Purple Wiregrass	<i>Aristida ramosa</i>	Y			
Threeawn Speargrass	<i>Aristida vagans</i>	Y			
Rough Speargrass	<i>Austrostipa scabra</i> subsp. <i>falcata</i>	Y			
Pitted Bluegrass	<i>Bothriochloa decipiens</i> var. <i>decipiens</i>	Y			
	<i>Cleistochloa rigida</i>	Y			
Kangaroo Grass	<i>Themeda triandra</i>	Y	Y		
Barbed Wire Grass	<i>Cymbopogon refractus</i>	Y	Y		
Wallaby Grass	<i>Danthonia</i> spp.	Y	Y		
Shorthair Plumegrass	<i>Dichelachne micrantha</i>	Y			
Finger Panic Grass	<i>Digitaria ramularis</i>	Y			
Forest Hedgehog Grass	<i>Echinopogon ovatus</i>	Y			
Wiry Panic	<i>Entolasia stricta</i>	Y			
Silvertop Wallaby Grass	<i>Joycea pallida</i>	Y			
Weeping Grass	<i>Microlaena stipoides</i> var. <i>stipoides</i>	Y			
Seven Dwarfs Grevillea	<i>Grevillea floribunda</i> subsp. <i>floribunda</i>	Y			
	<i>Grevillea sericea</i>	Y			
Narrow-leaved Geebung	<i>Isopogon dawsonii</i>	Y			
	<i>Clematis glycinoides</i> var. <i>glycinoides</i>	Y			
Red Ash	<i>Alphitonia excelsa</i>	Y			
	<i>Cryptandra spinescens</i>	Y			
Scant Pomaderris	<i>Pomaderris queenslandica</i>	Y			
Native Raspberry	<i>Rubus parvifolius</i>	Y			
Rough Bedstraw	<i>Galium gaudichaudii</i>	Y			
Coarse Stinkweed	<i>Opercularia aspera</i>	Y			
Stinkweed	<i>Opercularia diphylla</i>	Y			

Common Name	Scientific Name	Recorded in 8km Radius / Suitable Habitat onsite	Recorded onsite—locality to 1km radius*	TSC ACT STATUS	EPBC ACT STATUS
Pomax	Pomax umbellata	Y			
Sydney Boronia	Boronia ledifolia	Y			
	Boronia rubiginosa	Y			
Downy Zieria	Zieria cytisoides	Y			
Dwarf Cherry	Exocarpos strictus	Y			
Hopbush	Dodonaea triangularis	Y			
Broadleaf Hopbush	Dodonaea viscosa subsp. cuneata	Y			
Trailing Speedwell	Veronica plebeia	Y			
	Solanum campanulatum	Y			
Devil's Needles	Solanum stelligerum	Y			
Kurrajong	Brachychiton populneus	Y			
Forest Red Gum	Eucalyptus tereticornis	Y	Y		
Grey Box	Eucalyptus moluccana	Y	Y		
	Brachychiton populneus subsp. populneus	Y			
	Pimelea latifolia subsp. elliptifolia	Y			
Native Peach	Trema tomentosa var. viridis	Y			
Stinging Nettle	Urtica incisa	Y			
Slender Violetbush	Hybanthus monopetalus	Y			
Tree Violet	Melicytus dentatus	Y		P	
Grass Tree	Xanthorrhoea johnsonii	Y	Y	P	
White Box – Yellow Box – Blakely's Red Gum Grassy Woodland and Derived Native Grassland		Y		EEC	CE
Central Hunter Grey Box-Ironbark Woodland in the New South Wales North Coast and Sydney Basin Bioregions		Y	Y	EEC	CE
Central Hunter Ironbark Spotted Gum Grey Box Forest In The NSW North Coast And Sydney Basin Bioregion		Y	Y	EEC	CE
Hunter Valley Footslopes Slaty Gum Woodland in the Sydney Basin Bioregion		Y	Y	EEC	CE
Hunter Lowland Redgum Forest in the Sydney Basin and New South Wales North Coast Bioregions		Y	Y	EEC	
Diuris tricolor population in the Muswellbrook local government area		Y	Y	E	E
Cymbidium canaliculatum population in the Hunter Catchment		Y	Y	E	
Weeping Myall (Acacia pendula) population in the Hunter catchment		Y		E	CE
Rulingia procumbens		Y			
Prasophyllum sp. Wybong		Y	Y		CE
Pomaderris reperta		Y		CEEC	CE
Pomaderris queenslandica		Y		E	
Ozothamnus tessellatus		Y		V	V
Lasiopetalum longistamineum		Y		V	V

Sources: CA, EA Anvil Hill, Invertebrate Flora and Fauna of Manobalai NR, Salinisation in the Wybong Creek Catchment, Australian Museum Microrefugia Study, GER Initiative, Stepping Stones, NPWSNSW