

From: [Nicole Spear](#)
To: [Joanne Glass](#)
Subject: FW: Additional Crossing of the Clarence River at Grafton - EIS copy
Date: Friday, 26 September 2014 9:57:10 AM
Attachments: [image005.png](#)
[image006.png](#)
[image003.png](#)

Hi Joanne,

In relation to the viaduct replacement our Heritage Manager is currently out on site visits and has not been able to provide comment.

However, there are ongoing discussions and stakeholder reviews in relation to the replacement and all relevant approvals and works will be under ARTC procedures and protocols.

Our Heritage department will require archival records due to the Heritage significance of the bridge.

Regards,



Nicole Spear Property Officer

Australian Rail Track Corporation | 5/33 Newton Street, Broadmeadow NSW 2292
P +61 2 4941 9620 | M 0428 469 981 | E NSpear@artc.com.au | W www.artc.com.au

The information in this email and any attachments to it is confidential and unless you are the intended recipient, you are not authorised to disseminate, copy, retain or rely on the whole or any part of this communication. If you have received this communication in error please notify ARTC on +618 8 8217 4366. While we have taken various steps to alert us to the presence of computer viruses we do not guarantee that this communication is virus free and we recommend you perform the necessary tests before opening.

From: Nicole Spear
Sent: Friday, 26 September 2014 9:21 AM
To: 'Joanne Glass'
Subject: RE: Additional Crossing of the Clarence River at Grafton - EIS copy

Hi Joanne,

ARTC have reviewed the EIS and advise the following:

- Are RMS acquiring the Land on the southern bridge approach? If so, ARTC will need to be notified as soon as possible or be provided with Plans of such. The Detailed Site Investigation for the area will need to be sent to ARTC.
- ARTC will need opportunity to review any proposed remedial action plans and final validation reports.

Other than above the EIS has assessed the impacts on ARTC land/infrastructure.