



Australian Turf Club and Sydney's Light Rail project: Urban Impact Summary document- 18.12.2013





Precinct Map



Major Impact Map

Sydney's Lightrail: Impacts Summary Sheet

Australian Turf Club (ATC) has asked Woods Bagot to provide professional services in regards to the Sydney Light Rail Impact on the Randwick Racecourse. The review process exercise undertaken is the following:

1. **'Analysis of the Exhibited Documents'** - Environmental Impact Statement (EIS) for the Light Rail project and the Urban Activation Precinct Master plan to assist ATC in their response the these documents during the exhibition period
2. **A 'Risk and Opportunity Matrix'** reviewing the Rail intervention into the proposed ATC 'Randwick Master plan'.

We have defined the following objective for this study.

To analyse the impact of these two documents on the ATC Master plan, aiming to limit any risks to ATC due to the impact of these two documents, and maximising any opportunities arising for ATC due to these two documents. One of these opportunities may be the development opportunity above the Stabling Yard and the study will work to aid ATC in securing this opportunity.

All EIS documents have been review and aggregated into a series of maps reflecting the impact in a comprehensive way. The 'Risk and Opportunity Matrix' will cover the following aspects:

- Impact analysis
- Impact on Master plan
- Alternate development opportunities
- Operational Impacts
- Noise and Vibration Issues
- Alternate route Options Analysis
- Staging Studies

We have established a precinct map to facilitate the review of the the impact by precinct as shown .



1- Lightrail Stabling Review

General elements review

- Facilities – Train storage, maintenance, staff facilities and parking, operations, materials store, wash down/cleaning.
- Operating hours – start up and close down operations.

Implications to ATC:

- Compromise existing ATC operations -Initial demolition of existing facilities – alternatives must be organised prior to removal.
- Reduced access
- Potential noise – start up whistle.
- Visual impact
- Possible security risk increase – critical public infrastructure



2- Stop (station) Review

General elements review:

- Location and layout review – ATC land take impacts
- Gateway public entrance – master plan review/image review
- Other transport mode interactions – buses, taxis, VIP access
- Major event operations – limitations and capacity review
- Suggested improvements to ATC operation
- Suggested branding image improvements



3- Route Review

General elements review:

- Location and layout review – preferred route
- Equine impacts – particularly around horse DA approved stables area (noise and movement)



Zone 01
Stabling Yard

Zone 02
RRR Stop

Zone 03
Alison Rd Boundary

Zone 04
Wansey Rd Stop
Future Equine
Stabling Facility

Zone 05
Upper High St Equine
Existing Stabling


Zone 06
Lower High
Street

Legend

- TODMAN AVE
- Light Rail Station
- Light Rail Platform
- Construction Footprint
- ATC Boundary
- Massing on ATC Site
- Massing Off Site
- Trees
- Zone 01
- Zone 02
- Zone 03
- Zone 04
- Zone 05
- Zone 06

1:5000
@A3

01
Zones





Carpentry Workshop
Plumbing Workshop
Electrical Workshop
Metal workshop
Paint Store
Cleaners store and Amenities
Amenities
Store yard and parking area
Parking
Signage

Security Building
and gates

TAFE
SWAB building
Fencing gates

Fencing and Gates

Fencing and Gates

Existing Stables

Fencing and Gates

Existing Stables

Existing Water Tower

- Legend**
- TODMAN AVE** Light Rail Station
 - Light Rail Platform
 - Construction Footprint
 - ATC Boundary
 - Massing on ATC Site
 - Massing Off Site
 - Trees
 - Demolished Building
 - Additional buildings ATC believes will be impacted

1:5000
©A3
02
Buildings to be
Demolished

UNSW - ANZAC PDE STOP

UNSW

UNSW - HIGH ST STOP

WANSEY ROAD STOP

RRR STOP



Legend

- TODMAN AVE** Light Rail Station
-  Light Rail Platform
-  Construction Footprint
-  ATC Boundary
-  Massing on ATC Site
-  Massing Off Site
-  Trees
-  Existing Trees
-  Demolished
-  Trimmed

1:5000
©A3

03
Tree Removal



UNSW - ANZAC PDE STOP

UNSW

UNSW - HIGH ST STOP

WANSEY ROAD STOP

RRR STOP

CARLTON ST

TODMAN AVE

CENTENNIAL PARK

TAFE



LRV Stabling Yard
Above site development

Proposed Replacement Deck Car Park
in planning

Overflow Grandstand and Convention Centre
in planning

Proposed Replacement Facilities and Management Building

Lower High Street UAP

Centre of Excellence/Lifestyle facility
15 000 m²
in planning

SWAB Building
Refurbishments and additions.
DA Approved

Hotel
Conference and restaurant.
170 Rooms
Approval expected early 2014

Cowper St Crossing
revised Intersection and Track Crossover.
In planning

Equine Stable Complex
600 Horse
DA Approved

Upper High Street UAP

- Legend**
- TODMAN AVE** Light Rail Station
 - Light Rail Platform
 - Construction Footprint
 - ATC Boundary
 - Massing on ATC Site
 - Massing Off Site
 - Trees
 - Future Development

1:5000
©A3
04
Approved and Proposed Opportunities

UNSW - ANZAC PDE STOP

UNSW

UNSW - HIGH ST STOP

WANSEY ROAD STOP

RRR STOP

LRV Stabling Yard Impacts

- Demolished Buildings
- Noise
- Visual Impact
- Vibrations
- Staff Relocation
- Building Relocation
- Car Park Relocation
- Temporary Facilities
- Fencing
- Gates

Spectator Precint Impacts

- Demolish SWAB Building
- Reconfigure Existing Entrance
- Noise
- Visual Impact
- Vibrations
- Staff Relocation
- Fencing
- Gates
- EMF
- Construction sequencing
- Construction Staging

Alison Road Impacts

- Tree Removal
- Access Gates
- Noise
- Visual Impact
- Vibrations

Equine Stabling Impacts

- Noise
- Visual Impact
- Vibrations
- Possible Building Demolition
- Impact on Approved Equine stables

Upper High St Impacts

- Demolish Water Tower
- Demolish Stables
- Noise
- Visual Impact
- Vibrations
- Staff/Horse Stable Relocation
- Construction Issues
- Proximity to Stables
- UAP Future Proofing

Lower High St Impacts

- Removed Trees
- Visual Impact
- Construction
- Proximity to stables

Legend

- TODMAN AVE** Light Rail Station
- Light Rail Platform
- Construction Footprint
- ATC Boundary
- Massing on ATC Site
- Massing Off Site
- Trees

1:5000
©A3

05
Light Rail Impact





CENTENNIAL PARK

RRR STOP

TAFE

CARLTON ST

Carlton Street

Goodwood Street

Ascot Street

Bowral Street

TODMAN AVE

Todman Ave

Darling Street

Anzac Pde

High Street

UNSW

UNSW - ANZAC PDE STOP

UNSW - HIGH ST STOP

WANSEY ROAD STOP

Warsey Road

Alison Road

Frances Street

Prince Street

Church Street

Cowper Street

King Street

William Street

Darley Road

Alison Road

Abbotford Street

Anzac Pde

Boronja Street

Doncaster Ave

Legend

TODMAN AVE

Light Rail Station

Light Rail Platform

Construction Footprint

ATC Boundary

Massing on ATC Site


Massing Off Site

Trees

Building footprint
, UAP

1:5000
©A3

URBAN ACTIVATION PLAN



Impact:

Proximity of track alignment to existing administration building severely reduces amenity inside the building and concern about elements of the building will need to be removed (sun shades, air-conditioning)
EMF, Noise, Visual Amenity

Impact:

Buses required to stop in the traffic/bus lane – a lay-by for stopping buses required
Minimum pedestrian layover path on footpath
Combining bicycle path is dangerous

Impact:

East bound trains can only unload on the north side (single side loading), whereas the north-bound train can load/unload both side.

Impact:

No detailed traffic and transport management plan provided

Impact:

Heavy vehicle access to the in-field (currently through Gate 1 and Busway) would be severed by the current station layout/design.
No heavy vehicle access to spectator precinct considered.

Impact:

Level change issue between the platform level and the existing RRR entry concourse not resolved.
Necessitates demolition of SWAB building, replacement of which is not considered.
No Assessment provided on impact to ticket and transitive buildings.
No defined assessment on pedestrian safety during major events.
No landscape plan provided.

Impact:

Hotel application and intersection configuration has not been considered.

Impact:

Pedestrians are required to cross the tracks to connect with the footpath on the south of the station to a footpath on the north located between the tracks and the road. It is potentially a safety risk and forces passers-by to carry out conflicting pedestrian movements with event patrons. Safety with pedestrians being pushed onto Alison and back onto rail lines

Impact:

Island platform arrangement requires all passengers (east and west) to cross the lines. Side platforms would require only one direction to cross the lines.

Impact:

Removal of trees reduces the visual screening to the administration building and Alison rd frontage.
Destroys parkland environment unless replaced.
No security building replacement Identified
No revised entry gate layout design provided

- Legend
- TODMAN AVE
 - Light Rail Station
 - Light Rail Platform
 - Construction Footprint
 - ATC Boundary
 - Massing on ATC Site
 - Massing Off Site
 - Trees
 - Future Development

Impact:
Existing access point on Alison Road is removed.
All access points to be maintained unless agreed.

Impact:
Possible Building Demolition.

Impact:
No recognition of the approved stable facilities on the stop location.

Impact:
The retaining wall design will have a significant visual impact within the RRR precinct.

Impact:
Access to the RRR must be controlled at this location.

Impact:
Loss of trees will impact visual amenity and acoustic control from RRR.

Impact:
Loss of Fencing and gate replacement.
Detailed design provided to ensure safety, security and aesthetics.

Impact:
Existing access point on Wansey road (south of stop) is potentially compromised and limits access to the approved stable facilities.
Heavy vehicle access must be maintained .
Proposed equine stabling intersection should be controlled.

WANSEY ROAD STOP


Legend

TODMAN AVE	Light Rail Station
	Light Rail Platform
	Construction Footprint
	ATC Boundary
	Massing on ATC Site
	Massing Off Site
	Trees
	Future Development

1:5000
©A3

Impact Plan 02
Wansey Rd Stop





Impact:

Existing stables building north of the stop will be removed.

Impact:

Potential loss of established trees.

Impact:

Track grade is potentially excessive and could cause additional noise impacts.
Stable access lost
No equine management plan provided for construction phase.
Detailed noise mitigation measures not addressed.

Impact:

Existing water tank north of the stop will be demolished, no replacement considered

Impact:

Access to the RRR must be controlled at this location.
No design provided for access to existing stables, no future access to UAP discussed or contemplated.
No heavy vehicle access contemplated.

Impact:

No discussion on future traffic capacities for UAP

Impact:

Existing stables facilities adjacent to the stop will be partially demolished.
No temporary or permanent replacement identified.
No details on engineering solutions for structure or services to cater for future development.

Legend

- TODMAN AVE**
- Light Rail Station
- Light Rail Platform
- Construction Footprint
- ATC Boundary
- Massing on ATC Site
- Massing Off Site
- Trees
- Future Development


1:5000
©A3

Impact Plan 03
Upper High St Precinct

Impact:
Loss of Fencing and gate replacement.
Detailed design provided to ensure safety, security and aesthetics

Impact:
Tree Removal
Access Gates
Noise
Visual Impact
Vibrations
Proximity to Stables/Horses

Impact:
Loss of trees will impact visual amenity and acoustic control from RRR

- Legend**
- TODMAN AVE** Light Rail Station
 -  Light Rail Platform
 -  Construction Footprint
 -  ATC Boundary
 -  Massing on ATC Site
 -  Massing Off Site
 -  Trees
 -  Future Development

rd Street

et

Legend

TODMAN AVE	Light Rail Station
	Light Rail Platform
	Construction Footprint
	ATC Boundary
	Massing on ATC Site
	Massing Off Site
	Trees
	Future Development

1:5000
©A3

Impact Plan 05
Stabling Yard

Street

Impact:

E.M.F

Construction and Sequencing
Construction Staging

Noise

Visual Impact

Impact:

Demolition of Existing Buildings

RRR STOP

Impact:


Proximity of track alignment to existing administration building severely reduces amenity inside the building and concern about elements of the building will need to be removed (sun shades, air-conditioning)
EMF, Noise, Visual Amenity


Impact:

Pedestrians are required to cross the tracks to connect with the footpath on the south of the station to a footpath on the north located between the tracks and the road. It is potentially a safety risk and forces passers-by to carry out conflicting pedestrian movements with event patrons. Safety with pedestrians being pushed onto Alison and back onto rail lines

Impact:


Island platform arrangement requires all passengers (east and west) to cross the lines. Side platforms would require only one direction to cross the lines.





1 RL 32 Carpark
SCALE 1 : 1000





1 RL 36 Carpark
SCALE 1 : 1000



