

500m range	Llpk (MaxP)	Time of shot (approx)		measure	time approx.
1. prone - bottom of mound under temp cover - middle	miss	10.25.10	8. Standing./ top of mound under cover	75	11.07.10
	miss	25.30		64.2	11.07.30
	71	25.50		64	11.07.50
	70	26.10		77.4	11.08.10
	78.7	26.30		76	11.08.30
	76.7	26.50		73.7	11.08.50
	71	27.10		70.5	11.09.10
	80.2	27.30		68	11.09.30
	74	10.27.50		74.3	11.09.50
	69	10.28.10		68.6	11.10.10
2 Standing - Bottom of mound under temp cover - middle	68.6		9. Prone, top of mound, left side barrier, under cover	71	11.13.50
	67.5			72.1	11.14.10
	67.8			69	14.30
	66.1	10.31.50		66.5	14.50
	66.6	32.10		61	15.10
	70.4	32.30		63	15.30
	72.1	32.50		Wx	15.50
	69.3	33.10		68.9	16.10
	69.7	33.30		70.7	16.30
	74.8W	33.50		63.1	16.50
3. Prone bottom of mound left side barrier - under temp cover - middle	66	10.36.10	10. Prone top of mound, right side barrier, under cover ++	68.4	11.19.20
	62.8			71.9	11.19.40
	60.8			bikes	11.20.00
	73.2	10.37.10		68.3	20.20
	68.4	10.37.30		67.4	bikes 20.4
	68.5	10.37.50		67.9	21.00
	64.8	10.38.10		68.7	21.20
	65.6	38.50		63.3	bikes 21.4
	67.9	39.10		63.6	22.00
	69.9	39.30		62.9	22.20

4. Prone, bottom of mound, under temp cover, right side barrier - middle	77.7 (talk)		11. Prone top of mound. Left and right side barriers, under cover	62.3	24.30
	79.4	42.00		74.9 (w)	24.50
	68.8	42.10		75	25.10
	70.3	42.30		72 (w)	25.30
	69.3	42.50		72.6	25.50
	59.1	43.10		63.8	26.10
	76.8	43.30		78.6	26.30
	71	43.50		63	26.50
	68.9	44.10		68.9	27.10
	72.5	44.30		68.4	27.30
5. Prone bottom of mound, under temp cover, left and right side barriers middle	miss		12 - Repeat of 10. Prone. Top of mound, right side barrier under cover ++	76.2 (w)	11.29.35
	66			71	29.55
	63			60	30.15
	76.3			61	30.35
	74	10.47.50		60.4	30.55
	64.3	48.10		69.5	31.10
	72.9	48.30		74(w)	31.30
	69	48.50		65	31.50
	63.9	49.10		0	32.00
	67.8	49.30		64.7	32.30
6. Standing, bottom of mound in the open	68.6		13. Prone top of mound out in open	71.2	11.36.00
	64	bikes 10.51.30		70.9	37.20
	65.7	10.51.50		71.6 (w)	37.40
	71.5	52.35		67	38.00
	77.6			72	38.20
	70.6	53.11		70.5	38.40
	68.1	53.34		63.6	39.00
	74.6			73.8	39.20
	72.2			65.7	39.40
	72.6			69.1	11.40.00

7. Prone top of mound under cover	65.9 (w)	11.03.10
	69.6	.03.30
	72	.03.50
	73 (w)	.04.10
	61	.04.30
	75.2	11.05.50
	67	
	72.6 (w)	11.06.10
	64-78	11.06.30
	71	11.06.50