

**Ben Eveleigh - Ref - SSD 5356 Exhibition of Redevelopment Stage 1 - Hornsby/Ku-ring-gai Hospital - Burnett St and Derby Rd, Hornsby**

---

**From:** JEGATHESAN Janarthanan <Janarthanan.JEGATHESAN@rms.nsw.gov.au>  
**To:** "ben.eveleigh@planning.nsw.gov.au" <ben.eveleigh@planning.nsw.gov.au>  
**Date:** 2/5/2013 4:10 PM  
**Subject:** Ref - SSD 5356 Exhibition of Redevelopment Stage 1 - Hornsby/Ku-ring-gai Hospital - Burnett St and Derby Rd, Hornsby

---

Hi Ben,

RMS has done a preliminary investigation of the above subject DA proposal and provide the following comments:

- Balmoral Street should be included in the traffic modelling assessment as traffic signals are proposed at the intersection of Balmoral St/Edgeworth David Ave intersection under the blackspot programme.
- Burdett St and Sherbrook Rd intersection modelling and impact have not been included in the report.
- Sidra Modelling has modelled Edgeworth David Avenue and Palmerston Road as a T-Intersection, Edgeworth David Avenue/Palmerston Road/Myra Street are controlled by one signal and should be re-modelled to include movements from all these roads including Myra Street.
- Could further information be provided on the full project which includes all stages and works to be undertaken for the Hornsby/Ku-Ring-Gai Hospital. This would help RMS assess the impact of the redevelopment once it has been fully completed.

Thanks and much appreciated.

Regards,

**Jana Jegathesan**  
Assistant Planner  
Land Use Planning and Assessment  
T 02 8849 2313 F 02 8849 2918  
[www.rms.nsw.gov.au](http://www.rms.nsw.gov.au)

Roads and Maritime Services  
27-31 Argyle Street Parramatta NSW 2150

 Logo

Before printing, please consider the environment

IMPORTANT NOTICE: This e-mail and any attachment to it are intended only to be read or used by the named addressee. It is confidential and may contain legally privileged information. No confidentiality or privilege is waived or lost by any mistaken transmission to you. Roads and Maritime Services (RMS) is not responsible for any unauthorised alterations to this e-mail or attachment to it. Views expressed in this message are those of the individual sender, and are not necessarily the views of RMS. If you receive this e-mail in error, please immediately delete it from your system and notify the sender. You must not disclose, copy or use any part of this e-mail if you are not the intended recipient.