



Director – Infrastructure Projects  
Department of Planning and Environment  
Number: SSI 13-6136  
Major Projects Assessment  
GPO Box 39  
Sydney NSW 2001

8<sup>th</sup> September 2014

NorthConnex Application Number: SSI 13-6136

Please find below my submission in response to the exhibition of the EIS for NorthConnex.

Firstly I would like to state that I object to the proposal as described in the EIS.

I have a high level of concern regarding the following issues and request these be considered by NorthConnex and the Department of Planning. In regards to the NorthConnex tunnel I am concerned about:

1. Placement of the northern ventilation stack in the centre of a densely populated residential area in Wahroonga, where 9300 school children will be exposed, as well as multiple aged care facilities, hospitals, businesses and homes.
2. I am highly concerned about the multiple large scale research studies that suggest the impacts of air pollutants on health are serious. These include increased death from heart disease, increased risk of lung cancer, stroke, poor lung growth in children, increased asthma, and recent research suggesting low birth weight for pregnant women, increased autism, and congenital heart defects. These studies confirm air pollutants have prothrombotic and inflammatory effects on humans which cause the above health problems.

To address my concerns I request the following actions are undertaken;

1. Due to the significant health concerns of the current project design, I request the department of planning does not approve the project in its current form.
2. I also request that alternative transport options to ease congestion on Pennant Hills Rd be considered such as an orbital surface route.

Regards,

*Tony & Marilyn Kelly*  
Tony & Marilyn Kelly  
44/3-13 Bundarra Avenue.  
Wahroonga. NSW. 2076

