

10/09/2014

Director – Infrastructure Projects
Department of Planning and Environment
Number: SSI 13_6136
Major Projects Assessment
GPO Box 39
SYDNEY NSW 2001

NorthConnex Application Number: SSI 13_6136

Please find below our submission in response to the exhibition of the EIS for NorthConnex.

Firstly we would like to state **we object to the project** as described in the EIS.

We have a high level of concern regarding the following issues and request that these can be considered by NorthConnex and the Department of Planning. In regards to the NorthConnex tunnel, I am concerned about:

1. Placement of the northern ventilation stack in the centre of a densely populated residential area in Wahroonga, where 9,300 school children will be exposed, as well as multiple aged care facilities, hospitals, businesses and homes.
2. I am highly concerned about the multiple large scale research studies that suggest the impacts of air pollutants on health are serious. These include increased death from heart disease, increased risks of lung cancer, stroke, poor lung growth in children, increased asthma, and recent research suggesting low birth weight for pregnant women, increased autism, and congenital heart defects. These studies confirm air pollutants have prothrombotic and inflammatory effects on humans which cause the above health problems.

To address my concerns I request that the follow actions are undertaken:

1. Due to the significant health concerns of the current project design, I request the department of planning does not approve the project in it's current form.
2. I also request that alternative transport options to ease congestion on Pennant Hills Rd be considered such as an orbital surface route.



JAMES FULTON

60 Kentare Street
Wahroonga
NSW 2076