All communications to be addressed to:

Headquarters 15 Carter Street Lidcombe NSW 2141

Telephone: 1300 NSW RFS e-mail: records@rfs.nsw.gov.au Headquarters Locked Bag 17 Granville NSW 2142

Facsimile: 8741 5433



The Secretary Department of Planning and Environment (Sydney Offices) GPO Box 39 Sydney NSW 2001

Your Ref: SSD 9575 Our Ref: D18/7053 DA18083114867 AB

ATTENTION: Aditi Coomar

7 November 2018

Dear Ms Coomar

Part 3A/State Significant Development Application - New Tweed Valley Hospital - 771 Cudgen Road Cudgen

I refer to your correspondence dated 29 October 2018 seeking key issue and assessment requirements regarding bush fire protection for the above Part 3A/State Significant Development Application in accordance with section 75F (4) of the 'Environmental Planning and Assessment Act 1979'.

The New South Wales Rural Fire Service (NSW RFS) has considered the information submitted and provides the following advice:

- 1. The development proposal is to comply with the Masterplan Plan-Concept Plan, prepared by STH Bates Smart for TSA Management numbered AR-SKE-10-006 revision 4 dated 19 September 2018.
- 2. At commencement of physical site works associated with stage 1 Early/Enabling Works, the tree line as identified in the Masterplan-Concept plan shall be surveyed and physically delineated using Mesh Banner fencing or similar.
- At commencement of physical site works associated with stage 1 Early/Enabling Works, the proposed APZ and construction area as identified in the Masterplan-Concept plan shall be managed as an inner protection area (IPA) as outlined within section 4.1.3 and Appendix 5 of 'Planning for Bush Fire Protection 2006' and the NSW Rural Fire Service's document 'Standards for asset protection zones'.

This letter is in response to a further assessment of the application submitted and supersedes our previous key issue and assessment requirements regarding bush fire protection dated 13 September 2018.

Should you wish to discuss this matter please contact Alan Bawden on 1300 NSW RFS.

Yours sincerely

yball

John Ball Manager

For general information on bush fire protection please visit <u>www.rfs.nsw.gov.au</u>