




File no: MC-14-2285  
SSD\_6761

22 February 2019

Department of Planning and Environment  
GPO Box 39  
Sydney NSW 2001

**Attention: Kelly McNicol**



Dear Ms McNicol,

**Request for Council's comments regarding a State significant development application for increased processing capacity of the existing Clinical Waste Management Facility located at 9 Kenoma Place, Arndell Park**

Thank you for advising us of the above State Significant Development.

A review of the Environmental Impact Statement and supporting documentation has been undertaken and we raise no objection to the proposal subject to the following additional conditions:

1. The hours of operation are to be what was originally approved under JRPP-11-1642 being 7am to 7pm, Monday to Saturday.
2. On street parking is discouraged. If parking for any additional contract drivers is required, it must be made available on site in addition to the existing parking spaces provided on site.

It is expected that the Environmental Protection Authority will require the existing Environment Protection Licences to be modified to include this expanded operation for its continued monitoring.

We trust that any issues raised by any adjoining owner or occupier will be addressed prior to any determination of the application.

Should you require any further information regarding this matter, please contact our Senior Planner – Jared Spies, on 9839 6000.

**Connect - Create - Celebrate**

Council Chambers - 62 Flushcombe Road - Blacktown NSW 2148

Telephone: 02 9839 6000 - DX 8117 Blacktown

Email: [council@blacktown.nsw.gov.au](mailto:council@blacktown.nsw.gov.au) - Website: [www.blacktown.nsw.gov.au](http://www.blacktown.nsw.gov.au)

All correspondence to: The Chief Executive Officer - PO Box 63 - Blacktown NSW 2148

Yours sincerely,

A handwritten signature in black ink, appearing to read 'J. Portelli', with a stylized flourish at the end.

Judith Portelli  
MANAGER DEVELOPMENT SERVICES