



DOC16/567251  
MP05\_0147 MOD12

Ms Amy Robertson  
Planner - Modification Assessments  
NSW Department of Planning and Environment  
Level 29, 320 Pitt Street  
SYDNEY NSW 2001

Attention: Jane Flanagan (Via email: [jane.flanagan@planning.nsw.gov.au](mailto:jane.flanagan@planning.nsw.gov.au))

Dear Ms Robertson

**Re: Request for Environmental Assessment Modification Application - Enfield Intermodal Logistics Centre, Strathfield LGA**

I refer to your request dated 8 November 2016 to the NSW Environmental Protection Authority (EPA) to comment on and provide recommended conditions of approval for the Environmental Assessment Modification Application No.12 for the Enfield Intermodal Logistics Centre (EA).

The EPA understands the modification is limited to the following:

- An extension of two existing rail sidings to connect through to the main through rail lines; and
- An extension to an existing office building.

The EPA has reviewed the EA and is generally satisfied that the potential impacts associated with the construction and operation of the office building and rail sidings can be minimised through implementation of the control measures outlined in the EA.

The EPA's key recommendation is that all the works and operations associated with the modification proposal to be undertaken in accordance with the original Environmental Assessment, Project Approval and Approved Management Plans for the construction and operation of the Enfield Intermodal Logistic Centre.

If you wish to discuss any of the concerns raised in this letter, please contact Rashad Danoun on 9995 6370.

Yours sincerely

*Sarah Thomson* 2/12/16

**SARAH THOMSON**  
**Unit Head Metropolitan Infrastructure**