



NSW GOVERNMENT
Department of Planning

Contact: Paulina Hon
Phone: (02) 9228 6106
Fax: (02) 9228 6540
Email: paulina.hon@planning.nsw.gov.au

Ms Bree Tapscott
RW Surveying & Valuations
PO Box 639
EDEN NSW 2551

Our ref: 06_0032
Your ref:
File: 9041722-1

Dear Ms Tapscott,

Subject: Director General's Requirements for the Environmental Assessment of a Project application for a Proposed Rural Residential Subdivision at Lot 101 DP 1087389, 13 Millingandi Road, Millingandi

The Department has received your application for the proposed rural residential subdivision at Lot 101 DP 1087389, 13 Millingandi Road, Millingandi (Application Number: MP 06_0032).

The Director General's Environmental Assessment Requirements (DGEARs) for the environmental assessment of the project are attached to this correspondence at Attachment 1. These requirements have been prepared in consultation with the relevant government agencies, including Council. A list of some relevant technical and policy guidelines which may assist in the preparation of this Environmental Assessment are attached at Schedule 1 to this Attachment.

It should be noted that the DGEARs have been prepared based on the information provided to date. Under section 75F(3) of the Act, the Director-General may alter or supplement these requirements if necessary and in light of any additional information that may be provided prior to the proponent seeking approval for the project.

It would be appreciated if you would contact the Department at least two weeks before you propose to submit the Environmental Assessment for the project to determine:

- the fees applicable to the application;
- options available in publishing the Environmental Assessment via the Internet; and
- number and format (hard-copy or CD-ROM) of the Environmental Assessments that will be required.

Schedule 2 to the Attachment lists the relevant plans and documents which are likely to be required upon submission of your proposal, however, this should be confirmed with the Department prior to lodgement.

Prior to exhibiting the Environmental Assessment, the Department will review the document to determine if it adequately addresses the DGEARs. The Department may consult with other relevant government agencies in making this decision. If the Director-General considers that the Environmental Assessment does not adequately address the


DGEARs, the Director-General may require the proponent to revise the Environmental Assessment to address the matters notified to the proponent.

Following this review period the Environmental Assessment will be made publicly available for a minimum period of 30 days.

If your proposal includes any actions that could have a significant impact on matters of National Environmental Significance, it will require an additional approval under the Commonwealth Environment Protection Biodiversity Conservation Act 1999 (EPBC Act). This approval would be in addition to any approvals required under NSW legislation. If you have any questions about the application of the EPBC Act to your proposal, you should contact the Commonwealth Department of Environment and Heritage in Canberra (6274 1111 or <http://www.deh.gov.au>).

If you have any enquiries about these requirements, please contact Paulina Hon on (02) 92286106 or via email on paulina.hon@planning.nsw.gov.au.

Yours sincerely

A handwritten signature in black ink, appearing to be 'Chris Wilson', with a large circular flourish at the end.

6.7.08

Chris Wilson
Acting Executive Director
as delegate for the Director General

Attachment 1

Director-General's Environmental Assessment Requirements

Section 75F of the *Environmental Planning and Assessment Act 1979*

Application number	06_0032
Project	Project Application for an 11 Lot Rural Residential Subdivision.
Location	Lot 101 DP 1087389, 13 Millingandi Road, Millingandi NSW 2549
Proponent	RW Surveying and Valuations
Date issued	6 July 2006
Expiry date	6 July 2008
General requirements	<p>The Environmental Assessment (EA) must include:</p> <ul style="list-style-type: none"> • An executive summary; • A thorough site analysis and description of existing environment; • A detailed description of the project including:- <ul style="list-style-type: none"> (i) Any development options; (ii) Justification for the project taking into consideration any environmental impacts of the project, the suitability of the site and whether the project is in the public interest; (iii) Outline (if applicable) of the staged implementation of the project; • Consideration of any relevant statutory and non-statutory requirements, in particular relevant provisions of Environmental Planning Instruments, Draft Regional Strategies and Development Control Plans (including justifications for any non-compliances) as well as impacts, if any, on matters of national environmental significance under the Commonwealth <i>Environment Protection and Biodiversity Conservation Act 1999</i>; • An assessment of the potential impacts of the project and a draft Statement of Commitments, outlining environmental management, mitigation and monitoring measures to be implemented to minimise any potential impacts of the project; • The plans and documents outlined in Schedule 2; • A signed statement from the author of the Environmental Assessment certifying that the information contained in the report is neither false nor misleading; and • An assessment of the key issues specified below and a table outlining how these key issues have been addressed.
Key Issues	<p>The Environmental Assessment must address the following key issues:</p> <ol style="list-style-type: none"> 1. Water Cycle Management - Address potential impacts on the water quality of surface and groundwater including, but not limited to, Merimbula Lake and any State Environmental Planning Policy No 14 (SEPP 14) Wetlands, having regard to the relevant State Groundwater, Rivers, Wetlands and Estuary Policies. In particular, consideration of pollutant runoff loads from the site, additional demands on water supplies, treatment of waste and suitable land for effluent disposal, sediment and erosion control, cumulative effect of additional on-site sewage management systems within the Merimbula Lake catchment, potential impacts on the nearby oyster

leases, potential impacts of the system on the groundwater table and management during flood events must be considered. Provide details of suitable environmental management and mitigation measures to be utilised to avoid or mitigate any detrimental impacts on Merimbula Lake, which should include long term management arrangements for monitoring and identification of triggers that will enable prevention of irreversible impacts to the marine ecology and adjacent wetlands.

Demonstrate suitable protection of the adjacent SEPP 14 wetland, including appropriate riparian zone buffers to the wetland and creek. It is recommended that a riparian buffer zone be established at least 20 metres on either side of the creek.

Address the management of the drainage line within the development area to ensure the protection of water quality, the maintenance of soil stability and the enhancement of natural habitat. Address the requirements of the *NSW Floodplain Management Manual* and provide a stormwater plan for the subdivision layout (based upon best practice Water Sensitive Urban Design principles).

2. **Infrastructure and Utilities Provision** – Address existing capacity and requirements of the proposal for effluent disposal, water supply, electricity and telecommunications services in consultation with relevant agencies and identify staging, if any, of infrastructure works. Provide details on the proposed provision of a potable water supply for each proposed lot and provide details on the proposed method for effluent disposal, including an assessment of the suitability of this method for each proposed lot in accordance with Bega Valley DCP No.5 (On-site sewage management).
3. **Subdivision Layout, Amenity and Scale** - Demonstrate suitability of the proposal with the surrounding area in relation to bulk, scale, amenity and visual amenity having regard to the *Coastal Design Guidelines of NSW (2003)*. Address the requirements of the Bega Valley Shire Development Control Plan No. 9 (Subdivision Standards) and Development Control Plan No. 6 (Rural Residential Development).
4. **Traffic and Access** - Provide a Traffic Impact Study in accordance with the *RTA Guide to Traffic Generating Developments*, including identification of traffic volumes utilising the junction of the Princes Highway and Millingandi Road and the volume of traffic generated by the subdivision. Identify needs (if any) to upgrade roads/junctions and improvement works to ameliorate any traffic inefficiency and safety impacts associated with the development where relevant. Provide details of the proposed right-of-carriageway easements for access to the proposed lots.
5. **Bushfire** - Address the requirements of *Planning for Bush Fire Protection 2001 (RFS)*, in particular adequacy of water supply for bushfire suppression operations and future management of any areas of hazard remaining, including natural areas and buffers zones.
6. **Cultural Heritage** - Identify whether the site has Aboriginal cultural

	<p>heritage significance and identify appropriate measures to preserve any significance. Identify any other items of heritage significance and provide measures for conservation.</p> <p>7. Flora and Fauna – Outline measures for the conservation of flora and fauna and their habitats within the meaning of the <i>Threatened Species Conservation Act 1995</i> and the <i>Fisheries Management Act</i>, having regard to the <i>Draft Guidelines for Threatened Species Assessment (DEC & DPI July 2005)</i>. Measures may include, but not limited to, offset measures, buffers and other long-term protection methods for threatened fauna species.</p> <p>8. Soils and Contamination - Identify the presence and extent of acid sulfate soils on the site and appropriate mitigation measures. Identify any areas of contamination on the site and appropriate mitigation measures.</p>
Consultation	<p>You should undertake an appropriate and justified level of consultation with relevant following parties during the preparation of the Environmental Assessment:</p> <p>a) Agencies or other authorities:</p> <ul style="list-style-type: none"> • Eurobodalla Shire Council; • Department of Environment and Conservation • Department of Natural Resources; • Department of Planning Regional Office; • NSW Rural Fire Service; • NSW Roads and Traffic Authority; and • Southern Rivers Catchment Management Authority. <p>b) Public:</p> <p>Document all community consultation undertaken to date or discuss the proposed strategy for undertaking community consultation. This should include any contingencies for addressing any issues arising from the community consultation and an effective communications strategy.</p> <p>The consultation process and the issues raised are to be described in the Environmental Assessment.</p>
Deemed period	<p>refusal 60 days</p>

Schedule 1 Technical and Policy Guidelines

The majority of these documents can be found on the relevant Departmental Websites, on the NSW Government's on-line bookshop at <http://www.bookshop.nsw.gov.au> or on the Commonwealth Government's publications website at <http://www.publications.gov.au>.

Aspect	Policy /Methodology
Biodiversity	
Flora and Fauna	Draft Guidelines for Threatened Species Assessment (DEC, 2004)
	Threatened Biodiversity Survey and Assessment: Guidelines for Developments and Activities (DEC, Dec, 2004) <i>Draft</i>
	National Parks and Wildlife Service Atlas of NSW Wildlife Data, GIPSICAM
Bushfire	
	Planning for Bushfire Protection 2001 (NSW Rural Fire Service)
	Australian Standard 3959 – Building in Bushfire Prone Areas
Coastal Planning & Water bodies	
	NSW Coastal Policy 1997 - A sustainable Future for the New South Wales Coast (Department of Urban Affairs & Planning, 1997)
	Integrated Water cycle Management Guidelines for NSW Local Utilities, Oct 2004
	Water Sensitive Planning Guide - for Sydney Region, WSUD, 2003
	Coastal Design Guidelines for NSW, Coastal Council, March 2003
	Coastal Dune Management (DLWC, 2001)
	NSW Wetlands Management Policy (DLWC, March 1996)
	NSW State Rivers Policy
	NSW Estuary Management Manual (DLWC, 1992)
	Constructed Wetlands Manual (DLWC, 1998)
Heritage	
	Draft guidelines for Aboriginal Cultural Heritage Impact Assessment and Community Consultation (DEC, July 2005)
	NPWS Aboriginal Cultural Heritage Standards and Guidelines Kit – Working Draft (NPWS, September 1997)
	Aboriginal cultural heritage: standards and guidelines (DEC 2005)
	Protecting Aboriginal Objects and Places - Interim Guidelines for Community Consultation (DEC 2005)
Soils & Contamination	
	Acid Sulfate Soil Manual (Acid Sulfate Soils Management & Advisory Committee [ASSMAC], 1998; published by DUAP)
	Managing Land Contamination: Planning Guidelines SEPP 55 – Remediation of Land, Department of Urban Affairs & Planning and the Environment Protection Authority 1998.
	Contaminated Land: Planning Guidelines for Contaminated Land, Department of Urban Affairs and Planning and the NSW EPA, October 1995.

Aspect	Policy /Methodology
Traffic, Transport & Pedestrian & Cyclist Facilities	
	Guide to Traffic Generating Developments (RTA, 1993)
	RTA Road Design Guide (RTA, 1996)
	Planning Guidelines for Walking and Cycling (DIPNR & RTA, December 2004)
	Guide to Traffic Engineering and Guide to Geometric Design of Rural Roads (Ausroads, 2003)
Waste	
	Environmental Guidelines: Use of Effluent by irrigation (DEC, October 2004)
Water	
Water Quality	Australian & New Zealand Guidelines for Fresh & Marine Water Quality (Australian & New Zealand Environment & Conservation Council (ANZECC), October 2000)
	Coastal Lakes: Independent Inquiry into Coastal Lakes (Healthy Rivers Commission, April 2002)
	Various inquiries and Statements of Intent for Coastal Lakes (Healthy Rivers Commission, 200- 2002)
	Managing Urban Stormwater: Soils & Construction (NSW Landcom, March 2004) - "The Blue Book"
	Water Quality and River flow Objectives (DEC, 2000)
	Water Quality Guidelines for the protection of Aquatic Ecosystems for Upland Rivers (ANZECC, 2000)
Flooding & the Floodplain	NSW Government Floodplain Development Manual - the Management of Flood Liable Land (DIPNR, 2005)
Groundwater	NSW Groundwater Policy Framework Document – General (DLWC, 1997)
	NSW State Groundwater Quality Protection Policy (DLWC, 1998)
	NSW State Groundwater Dependent Ecosystems Policy (DLWC, 2002)
Stormwater	Managing Urban Stormwater: Construction Activities (EPA, 1988)
	Water Sensitive Planning Guide - for Sydney Region, WSUD, 2003
	Managing Urban Stormwater: Source Control (DEC, 1998)
	Managing Urban Stormwater: Treatment Techniques (DEC, 1998)
	Better Drainage: Guidelines for the Multiple Use of Drainage System (PlanningNSW, 1993)

Schedule 2

Plans and Documents to accompany the Application

Plans and Documents of the development	<p>The following plans, architectural drawings and diagrams of your proposal as well as the relevant documents will be required to be submitted for the Project Application :</p> <ol style="list-style-type: none"> 1. The existing site survey plan is to be drawn to 1:500 scale (or other appropriate scale) and show: <ul style="list-style-type: none"> • the location of the land, the measurements of the boundaries of the land, the size of the land and north point; • the existing levels of the land in relation to buildings and roads; • location and height of existing structures on the site; and • location and height of adjacent buildings and private open space. 2. A Site Analysis Plan must be provided which identifies existing natural elements of the site (including all hazards and constraints), existing vegetation, property dimensions, footpath crossing levels and alignments, existing pedestrian and vehicular access points and other facilities, slope and topography, natural features such as watercourses, rock outcrops, utility services, boundaries, orientation, view corridors and all structures on neighbouring properties where relevant to the application (including windows, driveways etc. 3. A locality/context plan drawn to 1:500 scale (or other appropriate scale) should be submitted indicating: <ul style="list-style-type: none"> • significant local features such as parks, community facilities and open space, water courses and heritage items; • the location and uses of existing buildings, shopping and employment areas; and • traffic and road patterns, pedestrian routes and public transport nodes. • The existing site plan and locality plan should be supported by a written explanation of the local and site constraints and opportunities revealed through the above documentation. 4. The Environmental Assessment in accordance with the Director-General's Environmental Assessment Requirements as outlined in Attachment 1. 5. Detailed Subdivision layout plans to illustrate the following:- <ul style="list-style-type: none"> • All measurements of proposed and existing allotments; • Location of all structures both proposed and retained on site; • North point; • Name of the road fronting the site and other surrounding major roads; • Title showing the description of the land with lot and DP numbers etc; • Vegetation retention; • Access points; • Any easements, covenants or other restrictions either existing or proposed on the site; • Type of subdivision proposed (Torrens, strata and/or community title). 6. Stormwater Plan - illustrating the plan for stormwater management of the site and must include details of any major overland flow paths through the site, stormwater treatment measures and any discharge points to existing drainage systems. Where an on-site detention system is required, the type and location must be shown and must be integrated with the proposed landscape design. Site discharge calculations should be provided. 7. Erosion and Sediment Control Plan – plan or drawing that shows the nature and location of all erosion and sedimentation control measures to be
---	---

	<p>utilised on the site;</p> <p>8. Landscape Plan – plan or drawing that shows the basic detail of planting design and plant species to be used, listing botanical and common names, mature height and spread, number of plants to be utilised and surface treatments (i.e. pavers, lawn etc);</p> <p>9. Construction Management Plan – a plan which outlines traffic and pedestrian management during construction</p>
Specialist advice	Specialist advice, where required to support your Environmental Assessment, must be prepared by suitably qualified and practising consultants.
Documents to be submitted	<ul style="list-style-type: none"> • 10 hard copies of the Environmental Assessment; • 10 sets of architectural and landscape plans to scale, including one (1) set at A3 size (to scale); and • 1 copy of the Environmental Assessment and all plans on CD-ROM (PDF format), not exceeding 5Mb in size (see below).
Electronic Documents	<p>Electronic documents presented to the NSW Department of Planning for publication via the Internet must satisfy the following criteria:-</p> <ul style="list-style-type: none"> • Adobe Acrobat PDF files and Microsoft Word documents must be no bigger than 1.5 Mb. Large files of more than 1.5 Mb will need to be broken down and supplied as different files. • File names will need to be logical so that the Department can publish them in the correct order. Avoid sending documents that are broken down in more than 10 files. • Image files should not be bigger than 2Mb. The file names will need to be clear and logical so the Department can publish them in the correct order. • Graphic images will need to be provided as [.gif] files. • Photographic images should be provided as [.jpg] files. • Large maps will need to be presented as individual files and will need to be calibrated to be no more than 2Mb each. • Images inserted into the document will need to be calibrated to produce files smaller than 1.5Mb. Large images will need to be presented as individual files and will need to be calibrated to be no more than 2Mb each. The file names will need to be clear and logical so the Department can publish them in the correct order. <p>Alternatively, these electronic documents may be placed on your own web site with a link to the Department of Planning's website.</p>