

# Kyoto energypark

## 22. Tables and Figures

## 22.0 TABLES AND FIGURES

### List of Figures

<b>Figure 1.0</b>	Locality Plan (Source: Google Maps)
<b>Figure 1.1</b>	Location Plan
<b>Figure 1.2</b>	Land Tenure and Legal Information (Mountain Station)
<b>Figure 1.3</b>	Land Tenure and Legal Information (Middlebrook Station)
<b>Figure 2.0</b>	Proposed facilities (Mountain Station)
<b>Figure 2.1</b>	Proposed facilities (Middlebrook Station)
<b>Figure 2.2</b>	Wind Turbine components
<b>Figure 2.3</b>	Mounting of the anemometer and wind vane on the Wind Mast 1 (45m)
<b>Figure 2.4</b>	Location of Mt Moobi Solar PV Farm
<b>Figure 2.5</b>	Mt Moobi Solar PV Farm Electrical Installation (Econnect 2008)
<b>Figure 2.6</b>	Solar PV Fixed Supporting Structure (Example)
<b>Figure 2.7</b>	Solar PV Single Axis Power Tracker Supporting Structure (Example)
<b>Figure 2.8</b>	Solar PV Typical 11kV Dual-axis Tracker (Courtesy of Meca Solar Pty Ltd)
<b>Figure 2.9</b>	Example of a Photovoltaic Concentrator Structure (PVC) (Courtesy of Solar Systems Australia)
<b>Figure 2.10</b>	PV Farm - Monitoring & Metering Cubicle (Econnect)
<b>Figure 2.11</b>	Example showing Wholesale electricity price versus demand (NEMMCO 2008)
<b>Figure 2.12</b>	Location of the Mini Hydro Plant- Closed-loop
<b>Figure 2.13</b>	Mini Hydro Plant (Closed-loop), Preliminary Design
<b>Figure 2.14</b>	Location of Site Substation and Maintenance Building (Mountain Station)
<b>Figure 2.15</b>	Site substation (Preliminary Design Layout)
<b>Figure 2.16</b>	Manager's residence (Conceptual Layout)
<b>Figure 2.17</b>	Visitor's and Education Centre "Boomerang Place"
<b>Figure 2.17(i)</b>	Visitor's and Education Centre – 3D Visualization
<b>Figure 2.18</b>	Maintenance Shed – Preliminary Design Layout
<b>Figure 3.0</b>	Site Offices and Laydown Area (Preliminary Design Layout)
<b>Figure 3.1</b>	Proposed location of Concrete Batching Plant/Site Offices and Depot/Laydown Area
<b>Figure 3.2</b>	Concrete Batching Plant (Preliminary Design Layout)
<b>Figure 3.3</b>	Typical Concrete Wind Turbine Foundation
<b>Figure 3.4</b>	Layout of Turbine Construction Site (Hardstand Area)
<b>Figure 3.5</b>	Crane Erection of Tower Tube.
<b>Figure 4.0</b>	Steps in the Part 3A Planning and Assessment
<b>Figure 4.1</b>	Scone LEP Zoning (Mountain Station)
<b>Figure 4.2</b>	Scone LEP Zoning (Middlebrook Station)
<b>Figure 4.3</b>	Planning Focus Meeting Mountain Station Scone
<b>Figure 5.0</b>	Examples of Newspaper Media
<b>Figure 5.1</b>	Examples of Community Information distributed to Local Community and Stakeholders
<b>Figure 5.2</b>	Pamada Scone Office off Kelly Street, Scone
<b>Figure 5.3</b>	Community Information Day held at Scone Equine Research Centre
<b>Figure 5.4</b>	Letter to the Editor The Scone Advocate June 2007
<b>Figure 5.5</b>	Examples of Resident Letters as seen in the Scone Advocate and published on the web.

<b>List of Figures</b>
------------------------

<b>Figure 6.0</b>	The potential for impacts from Climate Change is a global issue
<b>Figure 6.1</b>	Electricity generated in NSW by fuel source (DEUS 2006)
<b>Figure 6.2</b>	Predicted Energy consumption in NSW (ABARE 2005)
<b>Figure 6.3</b>	Demand forecast at the Muswellbrook STS
<b>Figure 6.4</b>	Demand forecast at the Scone STS
<b>Figure 6.5</b>	Contribution to GHG emissions in Australia by sector (AGO 2005)
<b>Figure 6.6</b>	Australian Electricity generation sources (AGO 2005)
<b>Figure 6.7</b>	Bayswater Coal-fired Power Station, Muswellbrook NSW
<b>Figure 6.8</b>	Kyoto Energy Park Existing Surrounding Land-uses (Department of Planning 2005)
<b>Figure 6.9</b>	Existing and potential rural residential land use zonings (Draft Upper Hunter Land Use Strategy 2007)
<b>Figure 7.0</b>	Surrounding Topography Mountain Station and Middlebrook Station sites
<b>Figure 7.1</b>	Long term wind rose at 45m (Mast 1 Mountain Station)
<b>Figure 7.2</b>	Existing Landuse (Mountain Station)
<b>Figure 7.3</b>	Existing Landuse (Middlebrook Station)
<b>Figure 8.0</b>	Mountain Station Vegetation Communities (Conacher Env Group 2008)
<b>Figure 8.1</b>	Middlebrook Station Vegetation Communities (Conacher Env Group 2008)
<b>Figure 10.0</b>	Nearest residencies (Mountain Station)
<b>Figure 10.1</b>	Nearest residencies (Middlebrook Station)
<b>Figure 10.2</b>	Variation of Average Wind Shear Exponent vs hub height wind speed
<b>Figure 11.0</b>	Landscape Units surrounding the Kyoto Energy Park
<b>Figure 11.1</b>	Kyoto Energy Park – Zones of Visual Influence (ZVI) Map (Integral 2008)
<b>Figure 11.2</b>	Photomontage Image (Example) - View from Clifton Hills Estate, Bunnan Road Owens Gap (Integral Visual Planning).
<b>Figure 11.3</b>	Photomontage Image - View from Halcombe Hill, New England Highway south of Scone (Integral Visual Planning).
<b>Figure 11.4</b>	Kyoto Energy Park Visual Impact Map (Not to Scale)
<b>Figure 11.5</b>	Modelled Shadow Flicker hours at Middlebrook Station (Garra Hassan 2008)
<b>Figure 11.6</b>	Modelled Shadow Flicker hours at Mountain Station (Garra Hassan 2008)
<b>Figure 12.0</b>	Map of Obstacle limitation surface (OLS) for Scone aerodrome.
<b>Figure 12.1</b>	Scone aerodrome 29RNAV sloping protection surface
<b>Figure 12.2</b>	Scone aerodrome NDB sloping protection surface
<b>Figure 12.3</b>	Scone aerodrome Circling protection surface
<b>Figure 12.4</b>	Scone Airport (Aviation Training Area)
<b>Figure 13.0</b>	Potential TV interference zones surrounding the Kyoto Energy Park
<b>Figure 14.0</b>	Mineral Resource Sterilisation
<b>Figure 15.0</b>	Hydrology (Mountain Station)
<b>Figure 15.1</b>	Hydrology (Middlebrook Station)
<b>Figure 17.0</b>	Transportation of a turbine nacelle with pilot vehicle at rear (Courtesy of Suzlon).
<b>Figure 17.1</b>	Proposed storage at Eastern Basin Port Newcastle
<b>Figure 17.2</b>	Existing and proposed Mountain Station Site Access Point
<b>Figure 17.3</b>	Existing Middlebrook Station Access Point
<b>Figure 19.0</b>	Existing Supply Network- Upper Hunter Area (Source: Energy Australia Oct 2007)
<b>Figure 19.1</b>	Energy Australia Upgrade to existing network (Energy Australia 2007)
<b>Figure 19.2</b>	Preferred Transmission Route Options 2 and 4 (Overall)

## List of Figures

<b>Figure 19.3</b>	Preferred Transmission Options 2 (Scone Detail)
<b>Figure 19.4</b>	Preferred Transmission Options 2 (Moobi Detail)
<b>Figure 19.5</b>	Preferred Transmission Options 4 (Muswellbrook Detail)
<b>Figure 19.6</b>	Photographs showing existing timber poles (left) and proposed replacement concrete poles (right) (Energy Australia 2007)
<b>Figure 19.7</b>	Petrified stump in cage, Moobi Road (Line Route Option 2)
<b>Figure 19.8</b>	Typical 66,000 & 132,000 Volt Line EMF Profile (Vemtec 2008)
<b>Figure 19.9</b>	Line Route Option 2 and 4 – Landuse Zoning (Scone LGA)
<b>Figure 19.10</b>	Line Route Option 2 and 4 – Landuse Zoning (Muswellbrook LGA)
<b>Figure 19.11</b>	Typical Concrete Pole Configuration (Energy Australia 2008)

<b>List of Tables</b>
-----------------------

<b>Table 1.0</b>	Description of report sections
<b>Table 1.1</b>	Director General's Environmental Assessment Requirements.
<b>Table 1.2</b>	Requirements from other authorities.
<b>Table 1.3</b>	Kyoto Scone Project Team
<b>Table 1.4</b>	Land Portions affected by the proposal
<b>Table 2.0</b>	Kyoto Energy Park Rated Capacity
<b>Table 2.1</b>	Wind Turbine Models under Consideration
<b>Table 2.2</b>	Solar Plant technologies investigated in Preliminary Assessment Report
<b>Table 2.3</b>	Estimated Solar PV Plant Size for Different Structures Types
<b>Table 2.4</b>	Length of Internal Access Tracks and Material Selection
<b>Table 3.0</b>	Estimated Construction Vehicle Movements
<b>Table 3.1</b>	Estimated Operational Vehicle Movements per annum
<b>Table 3.2</b>	Kyoto Energy Park - Development Phases
<b>Table 3.3</b>	Kyoto Energy Park - Construction Timeline
<b>Table 4.0</b>	Statutory legislation framework
<b>Table 4.1</b>	KEP components- Permissibility of use in local zonings
<b>Table 4.2</b>	Scone LEP Zoning Objectives and applicability.
<b>Table 4.3</b>	Draft Upper Hunter Land Use Strategy – Key objectives
<b>Table 4.4</b>	Kyoto Energy Park Planning Focus Meeting Attendance
<b>Table 4.5</b>	Kyoto Energy Park - Other Government Agencies consulted
<b>Table 6.0</b>	Kyoto Energy Park - Life Cycle Assessment (LCA)
<b>Table 6.1</b>	Total direct job-years created
<b>Table 6.2</b>	Water Consumption in Hunter Coal-fired Power Stations
<b>Table 7.0</b>	Wind Monitoring Mast details Mountain Station
<b>Table 9.0</b>	Kyoto Energy Park - Aboriginal Stakeholders
<b>Table 10.0</b>	Modulation Classes for determination of Atmospheric Stability (Van Den Burg)
<b>Table 11.0</b>	Compliance with Wind Farms and Landscape Values National Assessment Framework
<b>Table 14.0</b>	Existing Exploration Licenses over Middlebrook and Mountain Station
<b>Table 16.0</b>	Kyoto Energy Park Soil Landscapes
<b>Table 16.1</b>	Kyoto Energy Park Soils Limitation Analysis
<b>Table 16.2</b>	Kyoto Energy Park – Erosion and Sedimentation Risks and Measures
<b>Table 18.0</b>	Asset Protection Zone (APZ)- Manager's Residence
<b>Table 18.1</b>	Asset Protection Zone (APZ) – Visitor's and Education Centre
<b>Table 19.0</b>	Summary of Transmission Connection and Line Route Options
<b>Table 19.1</b>	EMF Compliance with NHMRC and ARPANSA standards
<b>Table 19.2</b>	Preferred Connection Option
<b>Table 20.0</b>	Quantitative Risk Assessment Matrix
<b>Table 20.1</b>	Environmental Consequence Table
<b>Table 20.2</b>	Kyoto Energy Park - Environmental Risk Analysis
<b>Table 20.3</b>	Kyoto Energy Park Draft Statement of Commitments

© COPYRIGHT 2008 – PAMADA PTY LTD

All rights reserved. Pamada Pty Ltd advises that this document and all information contained therein is protected by copyright under the Australian Copyright Act 1968. Reproduction of this document in part or whole and/or use without the written permission from Pamada Pty Ltd constitutes a breach of copyright. The document may only be used for the purposes for which it was commissioned and in accordance with the Terms of Engagement for the commission. Any reference to the document must include the document in its entirety and also include reference to Pamada Pty Ltd.



Kyoto Energy Park Scone is wholly an Australian Enterprise. The Management is 100% Australian.  
The funding of this proposal and report is 100% Australian.  
An Australian Project



This document has been produced on Options Recycled PC 100 paper.  
Options Recycled PC 100 paper is manufactured with non-polluting Green Power electricity generated from wind power & using 100% post consumer waste fibre.