

Notice of Modification

Section 75W of the *Environmental Planning and Assessment Act 1979*

As delegate of the Minister for Planning, under the instrument of delegation executed on 16 February 2015, I hereby approve the modification of the project approval referred to in Schedule 1, subject to the conditions in Schedule 2.



Chris Ritchie
Director
Industry Assessments

Sydney **3 NOVEMBER**

2016

SCHEDULE 1

Application No:	06_0230 granted by the Minister for Planning on 26 May 2008
Proponent:	Central Coast Council
Approval Authority:	Minister for Planning
Land:	The parts of Lot 110 DP 755251 within the red boundary marked on the figure in Appendix 1
Modification:	Woy Woy Alternative Waste Technology and Composting Facilities MOD 1 – extension of approval lapsing date by five years

SCHEDULE 2

The project approval is modified by:

General:

1. Replacing all references to 'Director-General' with 'Secretary'.
2. Replacing all references to 'Gosford City Council' with 'Central Coast Council'.
3. Replacing all references to 'Department of Planning' with 'Department of Planning and Environment.'
4. Replacing all references to 'DECC' with 'EPA,' with the expectation of the following:
 - (a) when referring to documents published by the DECC;
 - (b) Condition 18(c);
 - (c) Condition 28(a); and
 - (d) Condition 29(a).

In the Definitions:

5. Inserting the following definitions, in alphabetical order:

DPI Department of Primary Industries
EPA Environment Protection Authority
OEH Office of Environment and Heritage

In Schedule 2 – General Administrative Conditions:

6. Delete Condition 2 and replace with:
 - 2 The Proponent shall carry out the project generally in accordance with the:
 - (a) EA;
 - (b) modification proposal MP 06_0230 MOD 1; and
 - (c) conditions of this approval.
7. Inserting new Condition 6A after Condition 6 as follows:
 - 6A This approval shall lapse on 1 October 2021 unless works associated with the project have physically commenced.

In Schedule 3 – Special Environmental Conditions:

8. Delete Condition 18(c) and replace with the following:
 - (c) be prepared in consultation with the EPA and DPI Water; and
9. Delete Condition 28(a) and replace with the following:
 - (a) be prepared in consultation with OEHL, by a suitable qualified expert;
10. Delete Condition 29(a) and replace with the following:
 - (a) Prepare a Fire Response Plan for the site in consultation with the NSW Fire Brigade, which should include but not be limited to mitigation measures and the number of days material can be stored on site;