




PLAN  
SCALE 1:20



SEE SCHEDULE  
L DIMENSION IN DIRECTION OF DOWNSTREAM PIPE  
SECTION  
SCALE 1:20




PLAN  
SCALE 1:20



SECTION  
SCALE 1:20


## SEALED JUNCTION PIT - SJP




## TYPE HS2 SUPPORT TO CONCRETE PIPES UNDER PAVEMENT

SIDE ZONE MATERIAL GRADING	
SIEVE SIZE	WEIGHT PASSING(%)
75	100
95	100 TO 50
2.36	100 TO 30
0.60	50 TO 15
0.075	25 TO 0


SELECT FILL MATERIAL IN ACCORDANCE WITH  
TABLE 1 AS 3725



## SUPPORT TO uPVC PIPES



## TYPE H1 SUPPORT TO CONCRETE PIPES AT LANDSCAPED AREAS




## SUPPORT TO AG. DRAIN

BEDDING & HAUNCH MATERIAL GRADING	
SIEVE SIZE	WEIGHT PASSING(%)
19	100
2.36	100 TO 50
0.60	90 TO 20
0.30	60 TO 10
0.15	25 TO 0
0.075	10 TO 0

## NOTES:

- WHERE GULLY PIT IS LOCATED ON KERB RETURNS OR BULB OF CUL-DE-SACS PROVIDE CURVED PRECAST CONCRETE LINTELS.
- SAG PITS SHALL HAVE LINTEL PLACED CENTRALLY ABOUT THE GRATE.
- ALL REINFORCING TO HAVE 30 MIN. CLAER CONCRETE COVER.
- FOR PITS DEEPER THAN 1200mm CLIMB RAILS SHALL BE PROVIDED.



ARCHITECT	
ISSUED FOR REVIEW	16.12.15
ISSUED FOR REVIEW	15.12.15
AMENDMENTS	DATE

CLIENT	
LOGOS PROPERTY	SUITE 02 LEVEL 12
167 MACQUARIE STREET	SYDNEY NSW

PROJECT	
PROPOSED DEVELOPMENT	LOT 62/133-145 LENORE LANE, ERSKINE PARK NSW
DESIGNED	PMW
SD	DATE
CHECKED	AT
SIZE	SCALE
AS SHOWN	REF

CONSULTANT	
Costin Roe Consulting Pty Ltd	Level 1, 8 Windmill Street, Tel: (02) 850 7800 Fax: (02) 8541 3781 email: mail@costinroe.com.au ©

FOR DEVELOPMENT  
APPROVAL

CostinRoe  
Consulting

DRAWING TITLE	
CONCEPT STORMWATER	DETAILS-SHEET 1
DRAWING No	C011888.04-DA4.5

ISSUE  
B