

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Resi

Storey

Level 03

Application

other

Climate zone

5

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	60.8m ²	60.8m ²	65.3m ²	31m ²		35.2m ²	52.2m ²	61.6m ²	
Option B									n/a
Glazing area (A)	53.4m ²	53.4m ²	57.4m ²	4.43m ²		27.4m ²	45.9m ²	54.1m ²	

Number of rows preferred in table below

14 (as currently displayed)

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

if inputs are valid

Figure 10: NCC Glazing Calculator - The Star North Tower – Level 3 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Resi

Application

other

Climate zone

5

Storey

Level 05

Facade areas

N	NE	E	SE	S	SW	W	NW	internal
50m²	45.8m²	34.3m²				25.9m²	39.8m²	
								n/a
Glazing area (A)		42.6m²	38.9m²	29.1m²			22.1m²	33.9m²

Number of rows preferred in table below

10 (as currently displayed)

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11: NCC Glazing Calculator - The Star North Tower – Level 5 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Ribbon/Function & Business Centre

Application

other

Climate zone

5

Storey

Level 07

Facade areas

N	NE	E	SE	S	SW	W	NW	internal
114m²	684m²	532m²	129m²	164m²	552m²	365m²	168m²	
Option A								
Option B								n/a

Glazing area (A)

107m² 580m² | 479m² | 121m² | 154m² | 510m² | 342m² | 152m² |

Number of rows preferred in table below

46 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _h)	Cooling (S _c)	Area used (m²)	Element share of % of allowance used
1	Kitchen/BOH_SW	SW		6.75	2.47		2.8	0.20				0.00	1.00	1.00	16.67	4% of 93%
2																
3	Kitchen/BOH_W	W		6.75	20.71		2.8	0.20				0.00	1.00	1.00	#####	51% of 98%
4																
5	Kitchen/BOH_NW	NW		6.75	19.57		2.8	0.18				0.00	1.00	1.00	#####	92% of 96%
6																
7	Kitchen/BOH_N	N		6.75	2.59		2.8	0.20				0.00	1.00	1.00	17.48	20% of 97%
8																
9	Kitchen/BOH_S	S		6.75	16.46		2.9	0.25				0.00	1.00	1.00	#####	73% of 100%
10																
11	Kitchen/BOH_E	E		6.75	3.23		2.9	0.25				0.00	1.00	1.00	21.80	7% of 99%
12																
13	Kitchen/BOH_SE	SE		6.75	2.99		2.2	0.17				0.00	1.00	1.00	20.18	18% of 86%
14																
15	Pre Function_NE	NE		6.75	33.90		2.8	0.20				0.00	1.00	1.00	#####	60% of 84%
16	Pre Function_NE	NE		6.75	12.13		2.8	0.20	6.200	6.750	0.92	0.00	0.21	0.37	81.88	7% of 84%
17	Restaurant_NE	NE		6.75	37.83		2.8	0.20	4.360	6.750	0.65	0.00	0.59	0.51	#####	31% of 84%
18	Bar_NE	NE		6.75	2.04		2.8	0.20	3.340	6.750	0.49	0.00	0.74	0.61	13.77	2% of 84%
19																
20	Restaurant_SE	SE		6.75	2.72		2.2	0.17	3.070	6.750	0.45	0.00	0.76	0.69	18.36	14% of 86%
21	Bar_SE	SE		6.75	2.07		2.2	0.17	9.780	6.750	1.45	0.00	0.47	0.38	13.97	9% of 86%
22	Bar/Restaurant_SE	SE		6.75	10.08		2.2	0.17				0.00	1.00	1.00	68.04	59% of 86%
23																
24	Restaurant_S	S		6.75	3.61		2.9	0.25	3.070	6.750	0.45	0.00	0.85	0.79	24.37	16% of 100%
25	Bar_S	S		6.75	2.76		2.9	0.25	5.750	6.750	0.85	0.00	0.76	0.67	18.63	12% of 100%
26																
27	Pre Function_E	E		6.75	24.28		2.9	0.25				0.00	1.00	1.00	#####	51% of 99%
28	Restaurant_E	E		6.75	2.72		2.9	0.25	device		2.00	0.00	0.00	0.25	18.36	2% of 99%
29	Bar_E	E		6.75	40.68		2.9	0.25	6.230	6.750	0.92	0.00	0.30	0.45	#####	40% of 99%
30																
31	Bar_SW	SW		6.75	31.51		2.8	0.20	4.740	6.750	0.70	0.00	0.70	0.60	#####	39% of 93%
32	Bar/Restaurant_SW	SW		6.75	25.11		2.8	0.20				0.00	1.00	1.00	#####	36% of 93%
33	Restaurant_SW	SW		6.75	2.04		2.8	0.20	3.540	6.750	0.52	0.00	0.77	0.68	13.77	3% of 93%
34																
35	Pre Function_N	N		6.75	0.51		2.8	0.20	6.200	6.750	0.92	0.00	0.12	0.31	3.44	1% of 97%
36	Bar_N	N		6.75	2.72		2.8	0.20	device		2.00	0.00	0.00	0.19	18.36	
37	Bar/Restaurant_N	N		6.75	10.08		2.8	0.20				0.00	1.00	1.00	68.04	79% of 97%
38																
39	Bar_NW	NW		6.75	2.92		2.8	0.18	3.070	6.750	0.45	0.00	0.81	0.63	19.71	8% of 96%
40																
41	Bar_W	W		6.75	2.72		2.8	0.20	3.220	6.750	0.48	0.00	0.75	0.67	18.36	5% of 98%
42	Restaurant_W	W		6.75	27.24		2.8	0.20	4.540	6.750	0.67	0.00	0.60	0.57	#####	44% of 98%
43																
44	Prefunction/Restaurant	SW		6.75	8.91		2.8	0.20	3.900	6.750	0.58	0.00	0.75	0.65	60.14	11% of 93%
45	Prefunction/Restaurant	SW		6.75	5.50		2.8	0.20				0.00	1.00	1.00	37.13	8% of 93%
46																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

if inputs are valid

Figure 12: NCC Glazing Calculator - The Star North Tower – Level 7 Ribbon Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014) [HELP](#)

Building name/description: **The Star - North Tower - Hotel Gym/Hotel Spa** Application: **other** Climate zone: **5**

Storey: **Level 09**

Facade area	N	NE	E	SE	S	SW	W	NW	Internal
Option A	47m²	106m²	47m²		69m²	34m²	67m²	37m²	
Option B									
Glazing area (A)	40m²	90m²	40m²		59m²	29m²	57m²	31m²	

Number of rows preferred in table below: **28** (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS							SHADING		CALCULATED OUTCOMES OK (if inputs are valid)							
Glazing element		Facing sector		Size		Performance		P&H or device		Shading		Multipliers		Size	Outcomes	
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _u)	Cooling (S _c)	Area used (m²)	Element share of % of allowance used
1	Hotel Gym_W	W		3.85		38.86	2.8	0.20	0.820	####	0.21	0.00	0.91	0.86	38.86	67% of 93%
2											ROW SKIPPED (OK if intentional)					
3	Hotel Gym_NW	NW		3.85		4.70	2.8	0.20	1.480	####	0.38	0.00	0.86	0.68	4.70	11% of 92%
4											ROW SKIPPED (OK if intentional)					
5	Hotel Gym_N	N		3.85		11.01	2.8	0.20	1.480	####	0.38	0.00	0.87	0.63	11.01	18% of 85%
6											ROW SKIPPED (OK if intentional)					
7	Hotel Gym_NE	NE		3.85		70.19	2.8	0.20	1.480	####	0.38	0.00	0.84	0.69	70.19	71% of 91%
8											ROW SKIPPED (OK if intentional)					
9	Hotel Gym_E	E		3.85		12.44	2.8	0.20	device		###	0.00	0.00	0.25	12.44	13% of 81%
10											ROW SKIPPED (OK if intentional)					
11	Hotel Gym_S	S		3.85		42.38	2.9	0.43	2.270	####	0.59	0.00	0.81	0.74	42.38	71% of 85%
12											ROW SKIPPED (OK if intentional)					
13	Hotel Gym_SW	SW		3.85		18.19	2.9	0.25	2.270	####	0.59	0.00	0.74	0.65	18.19	59% of 91%
14											ROW SKIPPED (OK if intentional)					
15	Hotel Spa_W	W		3.85		18.19	2.8	0.20	0.400	####	0.10	0.00	0.96	0.93	18.19	33% of 93%
16											ROW SKIPPED (OK if intentional)					
17	Hotel Spa_NW	NW		3.85		26.66	2.8	0.20	0.400	####	0.10	0.00	0.97	0.92	26.66	89% of 92%
18											ROW SKIPPED (OK if intentional)					
19	Hotel Spa_N	N		3.85		29.17	2.8	0.20	0.400	####	0.10	0.00	0.98	0.90	29.17	82% of 85%
20											ROW SKIPPED (OK if intentional)					
21	Hotel Spa_NE	NE		3.85		20.28	2.8	0.20	0.400	####	0.10	0.00	0.97	0.92	20.28	29% of 91%
22											ROW SKIPPED (OK if intentional)					
23	Hotel Spa_E	E		3.85		27.15	2.8	0.20	0.400	####	0.10	0.00	0.96	0.93	27.15	87% of 81%
24											ROW SKIPPED (OK if intentional)					
25	Hotel Spa_SW	SW		3.85		10.63	2.9	0.25				0.00	1.00	1.00	10.63	41% of 91%
26											ROW SKIPPED (OK if intentional)					
27	Hotel Spa_S	S		3.85		16.66	2.9	0.43				0.00	1.00	1.00	16.66	29% of 85%
28																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR
 The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

Copyright © 2014 - Australian Government, State and Territory Governments of Australia. All Rights Reserved.

Figure 13: NCC Glazing Calculator - The Star North Tower – Level 9 Glazing – Hotel Gym/Spa

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Resi/Gym

Application

other

Climate zone

5

Storey

Level 09

Facade areas

Option A	Option B	N	NE	E	SE	S	SW	W	NW*	internal
					27.8m ²	26.7m ²	53.5m ²	11.9m ²		
Glazing area (A)					14.9m ²	25.1m ²	50.3m ²	10.7m ²		

Number of rows preferred in table below

8 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Resi Gym_W	W		3.85	2.79		2.8	0.20	0.300	0.700	0.43	-3.15	0.78	0.70	10.74	100% of 89%
2											ROW SKIPPED (OK if intentional)					
3	Resi Gym_SW	SW		3.85	13.06		2.8	0.20	0.300	0.700	0.43	-3.15	0.82	0.73	50.28	100% of 91%
4											ROW SKIPPED (OK if intentional)					
5	Resi Gym_S	S		3.85	6.52		2.8	0.20	0.300	0.700	0.43	-3.15	0.86	0.80	25.10	100% of 97%
6											ROW SKIPPED (OK if intentional)					
7	Resi Gym_SE	SE		3.85	3.86		4.4	0.43	0.300	0.700	0.43	-3.15	0.77	0.70	14.86	100% of 96%
8																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 14: NCC Glazing Calculator - The Star North Tower – Level 9 Glazing – Resi Gym/Spa

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Resi/Gym

Application

other

Climate zone

5

Storey

Level 10

Facade areas

ABC N	NE	ABC E	SE	S	SW	W	NW	internal
			21.4m ²	20.5m ²	41.1m ²	8.95m ²		
								n/a

Option A

Option B

Glazing area (A)

11.2m² 18.9m² 37.9m² 8.24m²

Number of rows preferred in table below

8 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS									SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Resi Gym_W	W		2.90	2.84		2.8	0.20	0.300	0.700	0.43	-2.20	0.78	0.70	8.24	100% of 91%
2											ROW SKIPPED (OK if intentional)					
3	Resi Gym_SW	SW		2.90	13.06		2.8	0.20	0.300	0.700	0.43	-2.20	0.82	0.73	37.87	100% of 90%
4											ROW SKIPPED (OK if intentional)					
5	Resi Gym_S	S		2.90	6.52		2.8	0.20	0.300	0.700	0.43	-2.20	0.86	0.80	18.91	100% of 96%
6											ROW SKIPPED (OK if intentional)					
7	Resi Gym_SE	SE		2.90	3.86		4.4	0.43	0.300	0.700	0.43	-2.20	0.77	0.70	11.19	100% of 94%
8																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 15: NCC Glazing Calculator - The Star North Tower – Level 10 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Hotel BOH

Application

other

Climate zone

5

Storey

Level 39

Facade areas

Option A	Option B	N	NE	E	SE	S	SW	W	NW*	internal
				35.8m ²	42.3m ²	45m ²	41.4m ²	77.1m ²		
										n/a

Glazing area (A) 30.4m² 36m² 38.3m² 35.2m² 65.5m²

Number of rows preferred in table below

10 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS									SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m²)	Element share of % of allowance used
1	Hotel BOH_SW	SW		4.45		35.21	2.8	0.20				0.00	1.00	1.00	35.21	100% of 93%
2											ROW SKIPPED (OK if intentional)					
3	Hotel BOH_W	W		4.45		65.52	2.2	0.17				0.00	1.00	1.00	65.52	100% of 92%
4											ROW SKIPPED (OK if intentional)					
5	Hotel BOH_E	E		4.45		30.44	2.8	0.18				0.00	1.00	1.00	30.44	100% of 100%
6											ROW SKIPPED (OK if intentional)					
7	Hotel BOH_SE	SE		4.45		35.99	2.8	0.18				0.00	1.00	1.00	35.99	100% of 98%
8											ROW SKIPPED (OK if intentional)					
9	Hotel BOH_S	S		4.45		38.27	2.9	0.25				0.00	1.00	1.00	38.27	100% of 92%
10																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid



Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 16: NCC Glazing Calculator - The Star North Tower – Level 39 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014) [HELP](#)

Building name/description: **The Star - North Tower - Sky Lobby(Hotel)**

Application: **other** Climate zone: **5**

Storey: **Level 40**

Facade areas:

	N	NE	E	SE	S	SW	W	NW	Internal
Option A	68m²	87.3m²	179m²	38.7m²	23.1m²	10.1m²	151m²	74.8m²	
Option B									n/a
Glazing area (A)	57.8m²	74.2m²	152m²	32.9m²	19.7m²	8.6m²	128m²	63.6m²	

Number of rows preferred in table below: **25** (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
ID	Glazing element Description (optional)	Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
		Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m²)	Element share of % of allowance used
1	Office/Servery_SW	SW		3.65		8.60	2.8	0.20				0.00	1.00	1.00	8.60	100% of 93%
2												ROW SKIPPED (OK if intentional)				
3												ROW SKIPPED (OK if intentional)				
4	Office/Servery/Lounge_W	W		3.65		58.72	2.2	0.17				0.00	1.00	1.00	58.72	46% of 92%
5	Office/Lounge_W	W		7.75		69.77	2.2	0.17				0.00	1.00	1.00	69.77	54% of 92%
6												ROW SKIPPED (OK if intentional)				
7	Lounge_NW	NW		7.75		63.58	2.8	0.18				0.00	1.00	1.00	63.58	100% of 95%
8												ROW SKIPPED (OK if intentional)				
9	Lounge_N	N		7.75		57.80	2.8	0.18				0.00	1.00	1.00	57.80	100% of 96%
10												ROW SKIPPED (OK if intentional)				
11	Lounge_NE	NE		3.65		10.64	1.4	0.15				0.00	1.00	1.00	10.64	14% of 100%
12	Lounge_NE	NE		7.75		63.58	1.4	0.15				0.00	1.00	1.00	63.58	86% of 100%
13												ROW SKIPPED (OK if intentional)				
14	Lounge/Bar_E	E		3.65		58.79	2.8	0.18				0.00	1.00	1.00	58.79	39% of 100%
15	Lounge/Bar_E	E		7.75		93.43	2.8	0.18				0.00	1.00	1.00	93.43	61% of 100%
16												ROW SKIPPED (OK if intentional)				
17	Bar_SE	SE		3.65		32.91	2.8	0.18				0.00	1.00	1.00	32.91	100% of 98%
18												ROW SKIPPED (OK if intentional)				
19	Bar_S	S		3.65		19.65	2.9	0.25				0.00	1.00	1.00	19.65	100% of 92%
20																
21																
22																
23																
24																
25																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

Copyright © 2014 - Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 17: NCC Glazing Calculator - The Star North Tower – Level 40 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Sky Lobby-Mezz (Hotel)

Application

other

Climate zone

6

Storey

Level 41

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A		11.9m ²	72.6m ²	32.3m ²	7.4m ²	75.2m ²	78.6m ²		
Option B									n/a
Glazing area (A)		10.1m ²	61.7m ²	27.4m ²	6.29m ²	64m ²	66.8m ²		

Number of rows preferred in table below

15 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size		Performance		P&H or device		Shading		Multipliers		Size	Outcomes	
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Office/Servery_SW	SW		3.65		63.95	1.0	0.10				0.00	1.00	1.00	63.95	100% of 78%
2											ROW SKIPPED (OK if intentional)					
3											ROW SKIPPED (OK if intentional)					
4	Office/Servery/Lounge_W	W		3.65		66.81	1.3	0.10				0.00	1.00	1.00	66.81	100% of 93%
5											ROW SKIPPED (OK if intentional)					
6	Lounge_NE	NE		3.65		10.10	5.0	0.10				0.00	1.00	1.00	10.10	100% of 58%
7											ROW SKIPPED (OK if intentional)					
8											ROW SKIPPED (OK if intentional)					
9	Lounge/Bar_E	E		3.65		61.71	1.7	0.10				0.00	1.00	1.00	61.71	100% of 96%
10											ROW SKIPPED (OK if intentional)					
11											ROW SKIPPED (OK if intentional)					
12	Bar_SE	SE		3.65		27.44	1.0	0.10				0.00	1.00	1.00	27.44	100% of 80%
13											ROW SKIPPED (OK if intentional)					
14	Bar_S	S		3.65		6.29	1.7	0.70				0.00	1.00	1.00	6.29	
15																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 18: NCC Glazing Calculator - The Star North Tower – Level 41 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Typical Hotel Plan

Application

other

Climate zone

5

Storey

Level 58

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	22.9m²	24.8m²	101m²	8.26m²	26.8m²	10.6m²	58m²	13.6m²	
Option B									n/a
Glazing area (A)	19.4m²	21.1m²	86.1m²	7.02m²	22.8m²	9.03m²	49.3m²	11.6m²	

Number of rows preferred in table below

16 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m²)	Element share of % of allowance used
1	Typical_SW	SW		2.95		9.03	2.8	0.20				0.00	1.00	1.00	9.03	100% of 93%
2																ROW SKIPPED (OK if intentional)
3	Typical_W	W		2.95		49.29	2.2	0.17				0.00	1.00	1.00	49.29	100% of 92%
4																ROW SKIPPED (OK if intentional)
5	Typical_NE	NE		2.95		21.05	1.4	0.15				0.00	1.00	1.00	21.05	100% of 100%
6																ROW SKIPPED (OK if intentional)
7	Typical_E	E		2.95		86.14	2.8	0.18				0.00	1.00	1.00	86.14	100% of 100%
8																ROW SKIPPED (OK if intentional)
9	Typical_SE	SE		2.95		7.02	2.8	0.18				0.00	1.00	1.00	7.02	100% of 98%
10																ROW SKIPPED (OK if intentional)
11	Typical_N	N		2.95		19.45	2.8	0.18				0.00	1.00	1.00	19.45	100% of 96%
12																ROW SKIPPED (OK if intentional)
13	Typical_NW	NW		2.95		11.56	2.8	0.18				0.00	1.00	1.00	11.56	100% of 95%
14																ROW SKIPPED (OK if intentional)
15	Typical_S	S		2.95		22.79	2.9	0.25				0.00	1.00	1.00	22.79	100% of 92%
16																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 19: NCC Glazing Calculator - The Star North Tower – Level 58 Glazing – Representative Hotel Floor

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Club Lounge

Application

other

Climate zone

5

Storey

Level 59

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	47.1m²	41.3m²	83.7m²	42.2m²	21.3m²	8.16m²	33.4m²	41.8m²	
Option B									n/a
Glazing area (A)	40.8m²	35.7m²	72.3m²	36.5m²	18.4m²	7.06m²	28.8m²	36.1m²	

Number of rows preferred in table below

16 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS									SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _w)	Cooling (S _c)	Area used (m²)	Element share of % of allowance used
1	Library_SW	SW		4.15	1.70		2.8	0.20				0.00	1.00	1.00	7.06	100% of 94%
2																
3	Library_W	W		4.15	6.95		2.2	0.17				0.00	1.00	1.00	28.84	100% of 94%
4																
5	Bar_NE	NE		4.15	8.61		1.2	0.13				0.00	1.00	1.00	35.73	100% of 88%
6																
7	Dining_E	E		4.15	17.43		2.2	0.17				0.00	1.00	1.00	72.33	100% of 96%
8																
9	Dining_SE	SE		4.15	8.80		2.8	0.18				0.00	1.00	1.00	36.52	100% of 100%
10																
11	Bar_N	N		4.15	9.82		2.8	0.18				0.00	1.00	1.00	40.75	100% of 97%
12																
13	Library/Bar_NW	NW		4.15	8.71		2.8	0.18				0.00	1.00	1.00	36.15	100% of 97%
14																
15	Dining_S	S		4.15	4.44		2.9	0.25				0.00	1.00	1.00	18.43	100% of 93%
16																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

if inputs are valid

Figure 20: NCC Glazing Calculator - The Star North Tower – Level 59 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Sky Villas

Application

other

Climate zone

5

Storey

Level 60

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	26.1m ²	29.6m ²	53.9m ²	28.2m ²	7.58m ²		28.3m ²	30.6m ²	
Option B									n/a
Glazing area (A)	22.2m ²	25.1m ²	45.8m ²	23.9m ²	6.44m ²		24m ²	26m ²	

Number of rows preferred in table below

14 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	PSuite_SW	S		2.95		6.44	2.9	0.25				0.00	1.00	1.00	6.44	100% of 92%
2																ROW SKIPPED (OK if intentional)
3	PSuite_W	W		2.95		24.04	2.2	0.17				0.00	1.00	1.00	24.04	100% of 92%
4																ROW SKIPPED (OK if intentional)
5	PSuite_W	NE		2.95		25.13	1.4	0.15				0.00	1.00	1.00	25.13	100% of 100%
6																ROW SKIPPED (OK if intentional)
7	Suite A_E	E		2.95		45.80	2.2	0.17				0.00	1.00	1.00	45.80	100% of 95%
8																ROW SKIPPED (OK if intentional)
9	Suite A_SE	SE		2.95		23.90	2.8	0.18				0.00	1.00	1.00	23.90	100% of 98%
10																ROW SKIPPED (OK if intentional)
11	PSuite_N	N		2.95		22.16	2.8	0.18				0.00	1.00	1.00	22.16	100% of 96%
12																ROW SKIPPED (OK if intentional)
13	PSuite_NW	NW		2.95		26.03	2.8	0.18				0.00	1.00	1.00	26.03	100% of 95%
14																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 21: NCC Glazing Calculator - The Star North Tower – Level 60 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Sky Villas

Application

other

Climate zone

5

Storey

Level 61

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	31.4m ²	32.3m ²	58.9m ²	31.6m ²	8.3m ²		37.1m ²	27.3m ²	
Option B									n/a
Glazing area (A)	26.7m ²	27.5m ²	50.1m ²	26.9m ²	7.05m ²		31.5m ²	23.2m ²	

Number of rows preferred in table below

14 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS									SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	PSuite_SW	S		3.20		7.05	2.9	0.25				0.00	1.00	1.00	7.05	100% of 92%
2																ROW SKIPPED (OK if intentional)
3	PSuite_W	W		3.20		31.54	2.2	0.17				0.00	1.00	1.00	31.54	100% of 92%
4																ROW SKIPPED (OK if intentional)
5	PSuite_W	NE		3.20		27.49	1.4	0.15				0.00	1.00	1.00	27.49	100% of 100%
6																ROW SKIPPED (OK if intentional)
7	Suite A_E	E		3.20		50.10	2.8	0.18				0.00	1.00	1.00	50.10	100% of 100%
8																ROW SKIPPED (OK if intentional)
9	Suite A_SE	SE		3.20		26.89	2.8	0.18				0.00	1.00	1.00	26.89	100% of 98%
10																ROW SKIPPED (OK if intentional)
11	PSuite_N	N		3.20		26.66	2.8	0.18				0.00	1.00	1.00	26.66	100% of 96%
12																ROW SKIPPED (OK if intentional)
13	PSuite_NW	NW		3.20		23.23	2.8	0.18				0.00	1.00	1.00	23.23	100% of 95%
14																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved



Figure 22: NCC Glazing Calculator - The Star North Tower – Level 61 Glazing

APPENDIX C NABERS FOR HOTEL ENERGY AND WATER

2305180U

THE STAR, SYDNEY RITZ CARLTON HOTEL

NABERS FOR HOTELS ENERGY AND WATER PREDICTIVE
MODELLING AND ASSESSMENT



JUNE 2017

THE STAR, SYDNEY RITZ CARLTON HOTEL

Prepared for The Star Entertainment Group Ltd

Project: 2305180U
Date: 09/06/2017

WSP Buildings Pty Ltd
Level 27, 680 George St
Sydney NSW 2000
Australia

QUALITY MANAGEMENT

ISSUE/REVISION	FOR ISSUE	UPDATED FOR ISSUE	
Remarks	For Information	For Information	For Information
Date	28/02/2017	24/03/2017	30/06/2017
Prepared by	MJT	MJT	NJA
Checked by	SNH	SNH	SNH
Authorised by	TRP	TRP	TRP
Project number	2305180U	2305180U	2305180U
Report number	00	01	02
File reference	J:\projects\2305180U\0 - General\2 - Project Reports	J:\projects\2305180U\0 - General\2 - Project Reports	J:\projects\2305180U\0 - General\2 - Project Reports

SIGNATURES

PREPARED BY



Martin Timperley,
Sustainability Consultant

AUTHORISED BY



Sean Holmes
Senior Sustainability Consultant

TABLE OF CONTENTS

EXECUTIVE SUMMARY 1

DISCLAIMER..... 1

1 INTRODUCTION AND METHODOLOGY 2

1.1 BACKGROUND 2

1.2 MODELLING SOFTWARE PACKAGE..... 2

1.3 CLIMATE DATA 2

1.4 REFERENCE DRAWINGS AND SCHEDULES 2

1.5 ON AXIS AND OFF AXIS SCENARIO MODELING..... 3

2 NABERS CALCULATOR INPUTS..... 4

2.1 NUMBER OF GUEST ROOMS 4

2.2 HOTEL STAR RATING..... 4

2.3 LAUNDRY SERVICED ROOMS 4

2.4 FUNCTION ROOM SEATS..... 4

2.5 AREA OF HEATED POOL 4

2.6 ENERGY COVERAGE..... 4

2.7 WATER COVERAGE..... 4

3 ENERGY MODELLING RESULTS 5

3.1 PREDICTED ANNUAL ENERGY DEMAND 5

3.2 PREDICTED ANNUAL ENERGY CONSUMPTION 5

3.3 NABERS FOR HOTELS ENERGY RATING..... 6

3.4 PREDICTED ANNUAL WATER CONSUMPTION 6

3.5 NABERS FOR HOTELS WATER RATING..... 6

3.6 METERING REQUIREMENTS..... 6

APPENDIX A NABERS CALCULATOR.....8

EXECUTIVE SUMMARY

This report outlines the results of a preliminary National Australian Built Environment Rating System (NABERS) assessment of the predicted annual energy and water consumption of the Ritz Carlton Hotel development at The Star, Sydney at 80 Pyrmont Street, Pyrmont, NSW.

The energy simulation modelling has been undertaken in accordance with the NABERS 'Energy Guide to Building Energy Estimation Version, June 2011' and where appropriate the Green Star Design & As Built 'Energy Consumption and Greenhouse Gas Emissions Calculation Guide, May 2016'. The simulation was carried out utilising the software package TAS version 9.4, by Environmental Design Solutions Limited.

Two energy models have been developed for the project and represent the following scenarios:

- "On Axis" this model represents the building with the construction, commissioning and system efficiencies all working as per the design
- "Off Axis" this model represents the building with inefficiencies and faults incorporated into the model

The initial results of the energy simulation indicate that the Ritz Carlton Hotel is capable of achieving a 5.5 Star NABERS Energy for Hotels rating under "On Axis" conditions and a 3 Star rating under the "Off Axis" condition.

Table 1: NABERS for Hotels energy modeling results

SCENARIO	Energy Consumption (MJ/annum)	Greenhouse Gas Emissions (kgCO ₂ -e/annum)	NABERS Star Rating	% Improvement on Current Star Rating
On Axis	75,866	1,070,368	5.5	16%
Off Axis	82,987	3,539,117	3.0	7%




Figure 1: "On Axis" and "Off Axis" greenhouse gas emission results

As evident in Figure 1 the "On Axis" scenario achieves a 16% improvement over the NABERS Energy for Hotels Rating of 5.5 Star emission budget. Similarly, the Off Axis scenario achieves a 7% improvement over the NABERS Energy for Hotels Rating of 3.0 Star emission budget.

The preliminary results of the water simulation indicate that the Ritz Carlton Hotel can achieve a 4 Star NABERS Water for Hotels rating under the "On Axis" condition and a 3.5 Star rating under the "Off Axis" condition, where the hotel's annual water consumption is increased by 10% for a conservative assessment.

Table 2: NABERS for Hotels water modeling results

Scenario	Annual Water Use (kL/annum)	NABERS Star Rating	% Improvement on Current Star Rating
On Axis	19,825	4.0	2%
Off Axis	21,947	3.5	13%




Figure 2: On axis and off axis water modelling results

As evident in Figure 2 the "On Axis" scenario achieves a 2% improvement over the NABERS Water for Hotels Rating of 4.0 Stars. Similarly, the "Off Axis" scenario achieves a 13% improvement over the NABERS Water for Hotels Rating of 3.5 Stars.

The above results are based on the current information available to the project team, and the predicted operation of the Ritz Carlton Hotel. It is a requirement that appropriate metering services will exist to separate the hotel's energy (electrical and thermal) and water consumption from the rest of the development in accordance with the NABERS rules. Without appropriate metering, the project will risk being ineligible to achieve a rating.

DISCLAIMER

Computer building simulation provides an estimate of building performance. This estimate is based on a necessarily simplified and idealised version of the building that does not and cannot fully represent all of the intricacies of the building once built. As a result, simulation results only represent an interpretation of the potential performance of the building. No guarantee or warranty of building performance in practice can be based on simulation results alone.

1 INTRODUCTION AND METHODOLOGY

1.1 BACKGROUND

WSP has been engaged by The Star Entertainment Group Ltd (SEGL) to provide NABERS advisory services with respect to the Ritz Carlton Hotel development within The Star, Sydney site at 80 Pyrmont Road, Pyrmont, NSW. This exercise has been undertaken to determine the potential ratings achievable through the NABERS Energy and Water Rating. The calculations have considered hotel rooms, lobbies, car parking facilities and function rooms within the Ritz Carlton Hotel development as highlighted in Figure 3 below.




Figure 3: Ritz Carlton Hotel elevation – Scope of NABERS assessment

This report outlines the methodology, inputs, assumptions and results of the NABERS Energy and Water for Hotels modelling exercise undertaken. This exercise has involved necessary simplifications of highly automated systems. Whilst all assumptions and inputs have been incorporated to produce an accurate result, it should be noted that due to the dynamic nature of energy consumption, the actual energy and water consumption of the site is likely to differ from the predicted result.

1.2 MODELLING SOFTWARE PACKAGE

The computer simulation package used for the thermal simulation was Tas version 9.4, by Environmental Design Solutions Limited. It is an EN ISO 13791 validated dynamic simulation modelling (DSM) software tool and is approved under the *ABCB Protocol for Building Energy Analysis Software, Version 2006.1*.

The tri-generation system has been modelled using a utility modelling software package energyPRO. Energy PRO is a sophisticated urban utility, techno-economic modelling software package from EMD International.

1.3 CLIMATE DATA

Climate data for the dynamic thermal simulation includes:

- Global radiation
- Diffuse radiation
- Cloud cover
- Dry bulb temperature
- Relative humidity

The Star, Sydney - Ritz Carlton Hotel NABERS Energy and Water for Hotels Assessment
24/03/2017
2305180U

- Wind speed
- Wind direction

The building is located on the current The Star, Sydney site at 80 Pyrmont Road, Pyrmont, NSW approximately 1.5km away from the Sydney CBD, hence the Sydney 1987 TRY weather file is used for the simulation. A 'TRY weather file' is a weather file for a year without unusual extremes in temperature, which is suitable for energy simulation modelling.

The weather file used in the simulation is listed in Table 3.

Table 3: Climate data used in the building simulations

WEATHER FILE	AUS_SYDNEY_TRY
Location	Sydney, NSW (Lat -33.87, Long 151.02)
Year	1987
Altitude	0.0m
Ground Temperature	22°C

1.4 REFERENCE DRAWINGS AND SCHEDULES

The NABERS energy and water modeling has been based on the best available information and drawings at the time of the analysis. The following sources of information have been used to form the basis of the energy and water modelling:

- Architectural plan, elevation and section drawings prepared by FJMT
- The Star – Ritz Carlton Hotel and Residential Tower Green Star Design & As Built Greenhouse Gas Emissions Report

The modelling is based on the design in the early development phase, as such, necessary simplifications and assumptions have been made in the energy modelling process. Where building components, operational and energy consumption attributes have yet to be specified, values and schedules have been based on the most appropriate source available, primarily the following sources:

- NABERS 'Energy Guide to Building Energy Estimation Version, June 2011'
- National Construction Code Series 2016, Volume 1, Building Code of Australia.
- Green Star Design & As Built 'Energy Consumption and Greenhouse Gas Emissions Calculation Guide, May 2016'

1.5 ON AXIS AND OFF AXIS SCENARIO MODELING

Two energy models have been developed for the project and represent the following scenarios:

- “On Axis” this model represents the building with the construction, commissioning and system efficiencies all working as per the design
- “Off Axis” this model represents the building with inefficiencies and faults incorporated into the model

Their purpose of the “Off Axis” model is to demonstrate the building energy and water performance if it were not properly maintained, commissioned, tuned or operated to ensure efficient operations. An “Off Axis” scenario has been included into the analysis for the energy and water models and are detailed in Table 4 below.

Table 4: “Off Axis” model inputs

MODEL	OFF AXIS SCENARIO DETAILS
Energy	Exclusion of the proposed low carbon tri-generation system. All electrical demands for the hotel are provided by grid electricity and thermal loads met by the existing central energy plant located in the existing Star Sydney site.
Water	A 10% increase in annual onsite water consumption.

2 NABERS CALCULATOR INPUTS

2.1 NUMBER OF GUEST ROOMS

Within the NABERS Energy and Water for hotel rating tool, the size of the hotel is measured through the number of guest rooms. This figure is used, along with other factors, to adjust the allowable energy and water budget for each development. This ensures a fair comparison can be made between hotels of different size and service level.

Based on the current drawing set, the hotel will have 220 guest rooms.

2.2 HOTEL STAR RATING

The overall range and quality of the hotel's services is measured through the hotel star rating. This is based on Australia's official accommodation accreditation program, the Star Rating Scheme, managed by Star Ratings Australia.

The rating provides an index of the overall level of service, with hotels generally rating between 2 stars (budget brands) and 5 stars (luxury brands). A wide range of energy consuming services, features and facilities within hotels correlate with this rating and is very important in determining the energy and water consumption of the hotel.

The Ritz Carlton hotel will target a 6 star rating. As NABERS only distinguished hotels with ratings between 2 and 5 stars, for the purpose of this modeling it has been assumed that the hotel will achieve 5 stars, the maximum available rating.

2.3 LAUNDRY SERVICED ROOMS

The potential impact of on-site laundry services is measured through the number of guest rooms that the on-site laundry services within the hotel. This figure is adjusted by the scale of service provided, being either full service (towel and bed linen) or half service (towels or bed linen).

For the purpose of this assessment it has been assumed that all laundry will be services through external laundry facilities.

2.4 FUNCTION ROOM SEATS

The potential impact of on-site function room facilities is measured through the function room seats. This figure is compiled from the maximum occupancy of the hotel's function room facilities.

There is currently no plan to include a hotel function room in the project.

2.5 AREA OF HEATED POOL

The potential impact of heated swimming pools and spas is accounted for through the area of the heated pool. This figure is calculated for all swimming pools (indoor and outdoor) that are heated for at least 6 months a year.

There is currently no onsite pool dedicated specifically for the exclusive use of hotel patrons. As such no heated pool allowances have been included.

2.6 ENERGY COVERAGE

The following end uses have been included within the scope of energy coverage for this assessment:

- Common area, guest room and back of house HVAC
- Common area, guest room, exterior and back of house lighting
- Vertical transportation servicing the hotel
- Car park lighting and ventilation, where provided for the exclusive use of hotel guests or hotel staff
- On-site hotel kitchens and restaurants servicing guests with charge-to-room facilities
- Small light and power for both front and back of house
- Lighting, power and HVAC services to any function rooms on site
- Gyms guest use
- Day spas with guest use

2.7 WATER COVERAGE

The following end uses have been included within the scope of water coverage for this assessment:

- Water for taps and sinks, both back and front of house
- Water used in air conditioning and other base building services
- All water used for services supplied to guests
- Water use in fire services
- Water used in restaurants that have charge-to-room facilities for guests
- Water used for toilets

3 ENERGY MODELLING RESULTS

3.1 PREDICTED ANNUAL ENERGY DEMAND

The total hotel annual energy demand for the Ritz Carlton Hotel development is as itemised in Table 5 and Figure 4.

Table 5: Predicted annual electricity consumption

ENERGY END-USE	ELECTRICITY DEMAND (kWh-E)	COOLING DEMAND (MJ)	HEATING DEMAND (MJ)
Internal Lighting	222,439	-	-
Exterior Lighting	6,951	-	-
Appliances	170,693	-	-
Vertical Transport	107,900	-	-
Domestic Hot Water	-	-	1,773,499
Space Heating	-	-	1,241,743
Space Cooling	-	3,729,825	-
Heat Rejection	73,361	-	-
HVAC Fans	716,081	-	-
HVAC Pumps	71,062	-	-
Diesel Generator	-	-	-
Total	1,368,488	3,729,825	3,015,242




Figure 4: NABERS Hotel Energy demand breakdown

The Star, Sydney - Ritz Carlton Hotel NABERS Energy and Water for Hotels Assessment
24/03/2017
2305180U

3.2 PREDICTED ANNUAL ENERGY CONSUMPTION

The total “On Axis” and “Off Axis” annual energy consumption for the Ritz Carlton Hotel is itemised by energy source in Table 6 and Figure 5 below.

Table 6: Predicted On Axis and Off Axis annual electricity consumption by energy type

ENERGY SOURCE	ON AXIS	OFF AXIS
Grid Electricity (kWh/annum)	-	2,979,500
Natural Gas (MJ/annum)	16,690,600	9,190,900




Figure 5: NABERS Hotel Energy “On Axis” and “Off Axis” energy consumption

3.3 NABERS FOR HOTELS ENERGY RATING

The energy modelling results of the Ritz Carlton Hotel indicate that the hotel can potentially achieve a 5.5 Star NABERS Energy for Hotels rating under the “On Axis” scenario, and a 3.0 Star rating under the “Off Axis” scenario. The results are summarised below in Table 7 and Figure 6.

Table 7: NABERS Energy for Hotels energy modelling results

SCENARIO	Energy Intensity (MJ/m ² annum)	Greenhouse Gas Emissions (kgCO ₂ -e/annum)	NABERS Star Rating	% Improvement on Current Star Rating
On Axis	75,866	1,070,368	5.5	16%
Off Axis	82,987	3,539,117	3.0	7%




Figure 6: “On Axis” and “Off Axis” greenhouse gas emission results

As evident in Figure 6 the “On Axis” scenario achieves a 16% improvement over the NABERS Energy for Hotels Rating of 5.5 Star emission budget. Similarly, the Off Axis scenario achieves a 7% improvement over the NABERS Energy for Hotels Rating of 3.0 Star emission budget.

NABERS calculator extracts are presented in Appendix A.

3.4 PREDICTED ANNUAL WATER CONSUMPTION

The total “On Axis” and “Off Axis” annual water consumption for the Ritz Carlton Hotel is outlined in Table 8 below.

Table 8: Predicted “On Axis” and “Off Axis” annual water consumption

	ON AXIS	OFF AXIS
Water Consumption (kL/annum)	19,825	21,947

3.5 NABERS FOR HOTELS WATER RATING

The preliminary results of the water simulation indicate that the Ritz Carlton Hotel can achieve a 4 Star NABERS Water for Hotels rating under the “On Axis” condition and a 3.5 Star rating under the “Off Axis” condition, where the hotel’s annual water consumption is increased by 10% for a conservative assessment. These results are presented below in Table 9 and Figure 7.

Table 9: NABERS Water for Hotels water modeling results

Scenario	Annual Water Use (kL/annum)	NABERS Star Rating	% Improvement on Current Star Rating
On Axis	19,825	4.0	2%
Off Axis	21,947	3.5	13%




Figure 7: “On Axis” and “Off Axis” water modelling results

As evident in Figure 7 the “On Axis” scenario achieves a 2% improvement over the NABERS Water for Hotels Rating of 4.0 Stars. Similarly, the “Off Axis” scenario achieves a 13% improvement over the NABERS Water for Hotels Rating of 3.5 Stars.

NABERS calculator extracts are presented in Appendix A.

3.6 METERING REQUIREMENTS

The above results are based on the current information available around the expected design and operation of the Ritz Carlton Hotel. In order to allow for the hotel to be eligible for a NABERS for Hotels Energy and Water rating, appropriate metering services will must be installed to separate the hotel’s energy (electrical and thermal) and water consumption from the rest of the development in accordance with the NABERS rules. The consultants below in Table 10 will be responsible for ensuring the new and existing plant is metered appropriately to apportion all greenhouse gas emissions to the hotel, separate from other areas on the site served by the central plant.

Table 10: NABERS metering responsibilities

METER TYPE	RESPONSIBILITY
Electrical metering	Electrical consultant
Thermal metering	Mechanical consultant
Water metering	Hydraulic consultant

The meters are to allow the separation and apportioning of energy and water consumption to the hotel only. This will require a mix of electrical, thermal and water meters and will be addressed during detailed design. As a minimum, the meters will provide the energy and water coverage through new and existing meters as follows:

- Harbour heat rejection pump set, condenser water loop pump set, chilled water loop pump set, domestic hot water pump set, hydraulic and fire system pump set, stormwater and subsoil pump set
- Fan coil units, outside air fans, relief air fans, exhaust air fans, kitchen exhaust fans, toilet exhaust fans, smoke exhaust fans, stair pressurisation fans, carpark supply and exhaust fans
- Electric chillers (thermal and electrical)
- Gas boilers and tri-generation system (thermal and gas)
- Lifts
- Car stacker system
- Internal lighting, external lighting, carpark lighting
- Miscellaneous plug loads

APPENDIX A NABERS CALCULATOR

Nabers rating calculator results



Premise type	Hotel	Guest rooms	220
Building details	The Star, Pirrama Road,	Guest rooms with full service laundering	0
State and postcode	PYRMONT 2009	Function room seats	240
Hotel star rating	5 stars	Surface area of heated pools	0 m ²

Energy Star rating (Calculator version number: 2.0)

Excellent performance

Your hotel demonstrates excellent greenhouse performance and reflecting excellent design and management practices, high efficiency systems and equipment and/or energy sources with low emissions.

Results for the 12 months rating period	Nabers energy rating		Nabers energy rating without GreenPower	
Star rating	5.5 stars		5.5 stars	
GreenPower included	0	%	0	%
Energy intensity	75866	MJ/m ²	75866	MJ/m ²
Total greenhouse gas emissions (Full fuel cycle - scope 1,2 & 3)	1070368	kg CO ₂ -e p.a.	1070368	kg CO ₂ -e p.a.
Actual greenhouse gas emissions per room	4865	kg CO ₂ -e/m ² p.a.	4865	kg CO ₂ -e/m ² p.a.
Predicted average greenhouse gas emissions for a comparable hotel performing at 5 stars	18463	kg CO ₂ -e/m ² p.a.	18463	kg CO ₂ -e/m ² p.a.

Your energy data source inputs

Fuel type	Quantity	Unit	Emissions (Full fuel cycled - Scope 1,2 & 3)	GreenPower
Electricity	-	kWh	-	0 %
Gas	16690600.0	MJ	1070368 kg CO ₂ e p.a.	Not applicable
Deisel	-	L	-	Not applicable
Coal	-	T	-	Not applicable

Figure 8 NABERS Energy for Hotels “On Axis” calculator extract

Nabers rating calculator results



Premise type	Hotel	Guest rooms	220
Building details	North Tower, Pirrama Road,	Guest rooms with full service laundering	0
State and postcode	PYRMONT 2009	Function room seats	240
Hotel star rating	5 stars	Surface area of heated pools	0 m ²

Energy Star rating (Calculator version number: 2.0)

Above average performance

Your hotel is performing better than the current market average in terms of greenhouse performance. There are still opportunities for reducing emissions and improving energy efficiency in your hotel.

Results for the 12 months rating period	Nabers energy rating		Nabers energy rating without GreenPower	
Star rating	3 stars		3 stars	
GreenPower included	0	%	0	%
Energy intensity	90532	MJ/m ²	90532	MJ/m ²
Total greenhouse gas emissions (Full fuel cycle - scope 1,2 & 3)	3539117	kg CO ₂ -e p.a.	3539117	kg CO ₂ -e p.a.
Actual greenhouse gas emissions per room	16087	kg CO ₂ -e/m ² p.a.	16087	kg CO ₂ -e/m ² p.a.
Predicted average greenhouse gas emissions for a comparable hotel performing at 5 stars	18463	kg CO ₂ -e/m ² p.a.	18463	kg CO ₂ -e/m ² p.a.

Your energy data source inputs

Fuel type	Quantity	Unit	Emissions (Full fuel cycled - Scope 1,2 & 3)	GreenPower
Electricity	2979500.0	kWh	2949705 kg CO ₂ -e p.a.	0 %
Gas	9190900.0	MJ	589412 kg CO ₂ e p.a.	Not applicable
Deisel	-	L	-	Not applicable
Coal	-	T	-	Not applicable

Figure 9 NABERS Energy for Hotels “Off Axis” calculator extract

Nabers rating calculator results



Premise type	Hotel	Guest rooms	220
Building details	The Star, Pirrama Road,	Guest rooms with full service laundering	0
State and postcode	PYRMONT 2009	Function room seats	240
Hotel star rating	5 stars	Surface area of heated pools	0 m ²

Water star rating (Calculator version number: 2.0)

Strong performance

Your hotel has good water performance, reflecting good equipment and management practices.

Results for the 12 months rating period	Nabers water rating (excluding externally supplied recycled water)		Nabers water rating if no externally supplied recycled water was used	
Star rating	4 stars		3.5 stars	
% of externally supplied water that is recycled water	6.4	%	0	%
Total water use, excluding externally supplied recycled water	19825.0	kL p.a.	21180.0	kL p.a.
Water use per room, excluding externally supplied recycled water	90.11	kL/room p.a.	96.28	kL/room p.a.
Predicted average water consumption for a hotel with the same facilities performing at 5 stars	146.69	kL/room p.a.	146.69	kL/room p.a.

Your water data source inputs

Externally supplied water (excluding recycled water)	19825.0	kL
Recycled water	1355.6	kL

Figure 10 NABERS Water for Hotels “On Axis” calculator extract

Nabers rating calculator results



Premise type	Hotel	Guest rooms	220
Building details	North Tower, Pirrama Road,	Guest rooms with full service laundering	0
State and postcode	PYRMONT 2009	Function room seats	240
Hotel star rating	5 stars	Surface area of heated pools	0 m ²

Water star rating (Calculator version number: 2.0)

Above average performance

Your hotel has above average water performance. Your building probably has some water efficient equipment and management practices and reflects an awareness of the importance of conserving water. Some improvements may still be possible.

Results for the 12 months rating period	Nabers water rating (excluding externally supplied recycled water)		Nabers water rating if no externally supplied recycled water was used	
Star rating	3.5 stars		3.5 stars	
% of externally supplied water that is recycled water	5.8	%	0	%
Total water use, excluding externally supplied recycled water	21947.0	kL p.a.	23299.0	kL p.a.
Water use per room, excluding externally supplied recycled water	99.76	kL/room p.a.	105.90	kL/room p.a.
Predicted average water consumption for a hotel with the same facilities performing at 5 stars	146.69	kL/room p.a.	146.69	kL/room p.a.

Your water data source inputs

Externally supplied water (excluding recycled water)	21947.2	kL
Recycled water	1351.3	kL

Figure 11 NABERS Water for Hotels “Off Axis” calculator extract

APPENDIX D GREEN STAR PATHWAY AND DOCUMENTATION

THE STAR ENTERTAINMENT GROUP PTY LTD

Greenhouse Gas Emission Report ENE-1

THE STAR, SYDNEY - RITZ CARLTON HOTEL
AND RESIDENTIAL TOWER

FEBRUARY 2017

Greenhouse Gas Emission Report ENE-1

THE STAR, SYDNEY - RITZ CARLTON HOTEL AND RESIDENTIAL TOWER

The Star Entertainment Group Pty Ltd

REV	DATE	DETAILS
00	28/02/2017	For Planning Submission
01	24/03/2017	Updated For Planning Submission
02	30/06/2017	Updated For Planning Submission

AUTHOR, REVIEWER AND APPROVER DETAILS

Prepared by:	Martin Timperley	Date: 30/06/2017	Signature:
Reviewed by:	Sean Holmes	Date: 30/06/2017	Signature:
Approved by:	Tim Parker	Date: 30/06/2017	Signature:

WSP

Level 27, Ernst & Young Centre
680 George Street
Sydney NSW 2000
GPO Box 5394
Sydney NSW 2001

Tel: +61 2 9272 5100
Fax: +61 2 9272 5101

www.wsp-pb.com



Filename: 2305180U-ESD-REP-03 Rev02 Greenhouse Gas Emissions ENE-1

This document may contain confidential and legally privileged information, neither of which are intended to be waived, and must be used only for its intended purpose. Any unauthorised copying, dissemination or use in any form or by any means other than by the addressee, is strictly prohibited. If you have received this document in error or by any means other than as authorised addressee, please notify us immediately and we will arrange for its return to us.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	3
1 INTRODUCTION	5
1.1 Sources of information	6
1.2 Limitations	6
2 ANALYSIS SOFTWARE	7
3 ENERGY MODELLING CRITERIA	9
3.1 Building Description	9
3.2 Building form	10
3.3 Shading	15
3.4 Overshadowing	16
3.5 Building Simulation Inputs	18
3.6 Building Fabric	20
3.7 Transparent Fabric Components	20
4 HVAC SERVICES DESCRIPTION	21
4.1 Air Conditioning System Parameters	21
4.2 Cooling and Heat Rejection Plant	29
4.3 Heating Plant	30
4.4 Tri-generation Systems Description	31
5 LIGHTING DESCRIPTION	32
5.1 Internal lighting	32
5.2 Internal lighting calculations	32
5.3 External lighting	33
6 DOMESTIC HOT WATER SERVICES DESCRIPTION.....	34
7 APPLIANCES DESCRIPTION	36
8 LIFT ENERGY CONSUMPTION	37
9 PEAK ELECTRICITY DEMAND REDUCTION – CREDIT 16	39
10 RESULTS.....	41
10.1 Annual Energy Usage	41
10.2 Peak Electricity Demand Reduction.....	43

11	SUMMARY AND CONCLUSION	44
----	------------------------------	----

List of Figures

Figure 3.1	Ritz Carlton Hotel and Residential Tower elevation – scope of Green Star rating.....	9
Figure 3.2	Site location and climate zone.....	10
Figure 3.3:	3D Model – North-east Facade of the Ritz Carlton Hotel and Residential Tower podium.....	11
Figure 3.4	3D Model – North-east facade of the Ritz Carlton Hotel and Residential Tower.....	11
Figure 3.5	Level B2 – Hotel Basement Lobby - HVAC Zoning.....	12
Figure 3.6	Ground Floor Residential Lobby HVAC Zoning	12
Figure 3.7	Level L2 – Community Centre - HVAC Zoning	13
Figure 3.8	Level 40 - Sky Lobby Mezzanine – HVAC Zoning	13
Figure 3.9	Typical Hotel Floor - HVAC Zoning	14
Figure 3.10	Level 60 - Club Lounge - HVAC Zoning	14
Figure 3.11	Level 62 – Sky Villa – HVAC Zoning.....	15
Figure 3.12	External shading on to the ground floor residential lobby from the exposed floor of the L01 community centre	16
Figure 3.13	Aerial photograph showing surrounding buildings	17
Figure 3.14	Street view of northern aspect of the Ritz Carlton Hotel and Residential Tower site, Pyrmont NSW	17
Figure 9.1	Hourly electrical and cooling load profile - Proposed Building	40
Figure 11.1	NCC Glazing Calculator – Retail Glazing.....	1
Figure 11.2	NCC Glazing Calculator – Hotel Lobby Glazing.....	2
Figure 11.3	NCC Glazing Calculator – Ribbon Lobby Glazing.....	3
Figure 11.4	NCC Glazing Calculator – Residential Lobby Glazing	4
Figure 11.5	NCC Glazing Calculator – Level 1 Glazing	5
Figure 11.6	NCC Glazing Calculator – Level 2 Glazing	6
Figure 11.7	NCC Glazing Calculator – Level 3 Glazing	7
Figure 11.8	NCC Glazing Calculator – Level 5 Glazing	8
Figure 11.9	NCC Glazing Calculator – Level 7 Ribbon Glazing.....	9
Figure 11.10	NCC Glazing Calculator – Level 9 Glazing – Hotel Gym/Spa.....	10
Figure 11.11	NCC Glazing Calculator – Level 9 Glazing – Resi Gym/Spa.....	11
Figure 11.12	NCC Glazing Calculator – Level 10 Glazing	12
Figure 11.13	NCC Glazing Calculator – Level 39 Glazing	13
Figure 11.14	NCC Glazing Calculator – Level 40 Glazing	14
Figure 11.15	NCC Glazing Calculator – Level 41 Glazing	15
Figure 11.16	NCC Glazing Calculator – Level 58 Glazing – Representative Hotel Floor	16
Figure 11.17	NCC Glazing Calculator – Level 59 Glazing	17
Figure 11.18	NCC Glazing Calculator – Level 60 Glazing	18
Figure 11.19	NCC Glazing Calculator – Level 61 Glazing	19

List of Tables

Table 1.1	Summary of energy results for the Ritz Carlton Hotel and Residential Tower.....	4
-----------	---------------------------------------------------------------------------------	---

Table 2.1	Energy Simulation analysis software reporting requirements	8
Table 3.1	General parameters reporting requirements	10
Table 3.3	Simulation input summary reporting requirements.....	19
Table 3.4	Building opaque fabric parameters reporting requirements	20
Table 3.5	Proposed Building visual glazing element thermal performance values (MID PANE).....	20
Table 4.1	Air conditioning system parameters	21
Table 4.2	Fan motor power to air ratio used for supply and relief air fans (W/L/S).....	21
Table 4.3	Supply Air Specific Fan power zone summary.....	26
Table 4.4	Cooling and heat rejection plant details	30
Table 4.5	Heating plant details	30
Table 4.6	Tri-generation plant details.....	31
Table 5.1	Internal lighting parameters per space type	32
Table 5.2	Summary of internal lighting energy consumption	33
Table 5.3	External lighting parameters reporting requirements	33
Table 5.4	Summary of External Lighting Energy Use	33
Table 6.1	Domestic hot water services parameters reporting requirements.....	34
Table 6.2	Circulation pump energy calculation parameters	35
Table 8.1	Lift energy calculation Inputs comparison	37
Table 8.2	Car stacker calculation inputs comparison.....	37
Table 8.3	Summary of lift energy use.....	38
Table 9.1	Peak Electricity Demand - Hourly consumption of proposed and reference building	39
Table 10.1	Green Star Design and As-Built Greenhouse Gas Emissions Calculator - HVAC.....	41
Table 10.2	Green Star Design and As-Built Greenhouse Gas Emissions Calculator - SERVICES	42
Table 10.3	Green Star Design and As-Built Greenhouse Gas Emissions Calculator - Greenhouse Gas Emissions.....	42
Table 10.4	Green Star Design and As-Built Greenhouse Gas Emissions Calculator - RESULTS	43

EXECUTIVE SUMMARY

This report details the preliminary energy and greenhouse gas emissions modelling process and results for the Ritz Carlton Hotel and Residential Tower development at the existing site of The Star, Sydney in Pyrmont, NSW. All procedures in this report have been based on the requirements in the GBCA's Energy Consumption and Greenhouse Gas Emissions Calculation Guide, May 2016.

The proposed development is a 61 story tower consisting of hotel rooms, serviced apartments as well as a community centre, restaurant and club lounge. The proposed design is the result of a design competition won by Francis-Jones Morehen Thorp (FJMT). The development is being documented for planning approval submission in July 2017.

The building fabric and glazing performance requirements comply with NCC Section J which has been demonstrated using a Performance Solution, Verification Method JV3.

The following building models are defined within the Green Star Guidelines.

- **Proposed building.** The proposed design of the development with parameters linked to the performance of the designed / installed building.
- **Reference building.** The performance criteria are generally in line with the Deemed-to-Satisfy criteria in the Building Code of Australia (BCA), unless variations specified in the Green Star Guidelines.
- **Intermediate building.** Proposed building fabric but all services modelled as per the reference building.

A **Benchmark Building** is subsequently established as a building representing a 10% reduction in greenhouse gas emissions compared to the reference building.

To be eligible for a Green Star rating, the predicted greenhouse gas emissions of the proposed building model must be lower than that of the Benchmark Building. Furthermore, Credit 15E '*Greenhouse Gas Emissions- Reference Building Pathway*' awards up to 20 points on a sliding scale as follows:

- 4 points available for reductions in predicted operational energy of the intermediate building vs. the reference building (1 point per 5%)
- 16 points available for reductions in predicted greenhouse gas emissions of the proposed building vs. the benchmark building (1.6 point per 10%)

Table 1.1 summarises the results of the predictive energy modelling for the proposed building design and the reference building.

The proposed building achieves an improved greenhouse gas emissions performance compared to the Benchmark Building. Therefore, it meets the conditional energy requirement to be eligible for a Green Star rating.

The results of the modelling show that the development achieves a 76% reduction in greenhouse gas emissions compared with the Benchmark Building. The project is therefore eligible to claim 12.14 points out of 16 for the Credit 15 *Greenhouse Gas Emissions*. An improvement in building fabric (Intermediate building energy consumption compared against the Reference Building energy) is also targeted for this project. The project achieves a 4% reduction in energy consumption under this pathway. The project is therefore eligible to claim 0.69 points out of 4 under this pathway of the credit. Combined, the project therefore claims 12.8 out of 20 points for Credit 15 *Greenhouse Gas Emissions*.

Table 1.1 Summary of energy results for the Ritz Carlton Hotel and Residential Tower

RESULTS - Energy Consumption Reduction		Units
Reference Building Energy	31077802	MJ/annum
Intermediate Building Energy	29729601	MJ/annum
Improvement	4%	Percentage
Energy Consumption Reduction Points	0.69	Points
Greenhouse Gas Emissions Reduction		
Benchmark Building GHG	6778535	kgCO2e/annum
Proposed Building GHG	3931379	kgCO2e/annum
Proposed Building GHG	1634542	kgCO2e/annum
Conditional Requirement	PASS	
Improvement	76%	Percentage
GHG Emissions Reduction Points	12.14	Points
Renewable GHG Reduction (excluding GreenPower)	0	
Innovation - Renewable Energy	0	
Total Points Achieved	12.8	
Total Points Available	20.0	

1 INTRODUCTION

This report details the preliminary energy and greenhouse gas emissions modelling process and results for the Ritz Carlton Hotel and Residential Tower development at the existing site of The Star, Sydney in Pyrmont, NSW. The content and structure of this report are as per the requirements of the Green Star Design & As-Built '*Energy Consumption and Greenhouse Gas Emissions Calculation Guide, May 2016*'. These guidelines set out the energy modelling methodology to benchmark the greenhouse gas emissions performance of a proposed design for Green Star purposes.

The proposed development is a 61 story tower consisting of hotel rooms, serviced apartments as well as a community centre, restaurant and club lounge. The proposed design is the result of a design competition won by Francis-Jones Morehen Thorp (FJMT). The development is being documented for planning approval submission in July 2017.

The building fabric and glazing performance requirements comply with NCC Section J which has been demonstrated using a Performance Solution, Verification Method JV3.

The modelling process involves the development of three distinct models:

- **Proposed building.** The proposed design of the development with parameters linked to the performance of the designed / installed building.
- **Reference building.** The performance criteria are generally in line with the Deemed-to-Satisfy criteria in the Building Code of Australia (BCA), unless variations specified in the Green Star Guidelines.
- **Intermediate Building.** Proposed building fabric but all services modelled as per the reference building.

A **Benchmark Building** is a building representing a 10% reduction in greenhouse gas emissions compared to the Reference Building.

To be eligible for a Green Star rating, the predicted greenhouse gas emissions of the Proposed Building model must be lower than that of the Benchmark Building.

Furthermore, Credit 15 '*Greenhouse Gas Emissions*' awards 20 points on a sliding scale as follows:

- 4 points available for reductions in predicted operational energy of the intermediate building vs. the reference building (1 point per 5%)
- 16 points available for reductions in predicted greenhouse gas emissions of the proposed building vs. the benchmark building (1.6 point per 10%)

Dynamic thermal modelling of the development has been undertaken in EDSL's Thermal Analysis Software v9.4 (TAS) package to predict the annual energy consumption of all primary HVAC systems, internal lighting and equipment. The energy consumption from systems such as external lighting, exhaust ventilation, domestic hot water, vertical transport and car stacker have been calculated through static calculation.

The proposed building will be serviced by the existing central energy plant as well as a proposed tri-generation system. To determine the annual greenhouse gas intensity of the thermal and electrical energy provided to the proposed building, the energyPRO software package has been used. energyPRO is an urban utility modelling software package from EMD International.

The annual electricity and gas consumption for the reference, intermediate and proposed building models has been entered in the Green Star Greenhouse Gas Emissions Calculator to determine the points achieved for Credit 15 *Greenhouse Gas Emissions*.

1.1 Sources of information

The following sources of information have been used in this report:

- Green Star Design & As Built v1.1 Submission Guidelines
- Green Star Design & As Built '*Energy Consumption and Greenhouse Gas Emissions Calculation Guide, May 2016*'
- National Construction Code Series 2016, Volume 1, Building Code of Australia.
- Architectural plan, elevation and section drawings prepared by FJMT 23/11/2016
- NCC Section J Glazing Calculators – Appendix A

1.2 Limitations

This report is intended to provide only an indication of this development's performance with respect to greenhouse gas emissions against the Green Star energy modelling criteria for greenhouse gas emission benchmarking. To this end, assumptions have been made about the development's energy consumption that may not reflect the true consumption of the building. Many factors relating to the tenancy of the building, such as process equipment loads, occupancy rates and schedules of operations, will affect the building's actual energy consumption. As a result, any information pertaining to the specific energy consumption and greenhouse gas emissions of this development is not likely to truly represent the building's performance.

Instead, this report can provide a guide to how well the development is likely to perform against a standard practice similar development with similar form and function, for benchmarking purposes in Green Star only.

2 ANALYSIS SOFTWARE

The Green Star Design & As Built '*Energy Consumption and Greenhouse Gas Emissions Calculation Guide, May 2016*' detail the methodology used for the predictive energy modelling. The requirements include the usage of appropriate software to simulate the dynamic performance of the building for certain energy categories (i.e. HVAC services). The software used for this report to perform the thermal modelling is EDSL TAS Building Designer v 9.4. TAS meets the criteria of the ABCB Protocol of Building Energy Analysis Software (v2006-1) and is therefore listed as compliant software in the GBCA's Energy Consumption and Greenhouse Gas Emissions Calculation Guide May 2016). The following four applications of the EDSL TAS Suite have been used in the modelling of HVAC loads and energy consumption of the development:

- TAS 3D Modeller
- TAS Building Designer
- TAS Results Viewer
- TAS Systems

The model requires the following input information:

- Geometry of building form and all associated exposure of surfaces,
- All material constructions,
- All internal diversified load profiles for people, lights and equipment,
- Shadowing and overshadowing of the building.

To accurately model the dynamic nature of buildings thermal response, hourly-recorded weather data is used in the thermal simulation. Such weather data contains records of radiation, temperature, humidity, sunshine duration and additionally wind speed and direction.

A Test Reference Year for Sydney has been used for this study. A Test Reference Year is hourly weather data for a year for use in simulation of the performance of active and passive solar energy systems, building energy consumption and indoor climate calculations.

The software models the solar gain through glazing accurately, calculating this value dynamically using material parameters, including solar transmittance, external solar reflectance, internal solar reflectance, external emissivity and internal emissivity, for each pane of glass in the glazing system and the internal and external conditions at each calculation time step. The software represents the U-values and shading coefficient of the glazing and the frame, calculating a total U-value and shading coefficient for the total window.

Air conditioning systems are modelled using TAS Systems, part of the EDSL TAS v 9.4 suite (Outlined in Table 2.1). TAS Systems is a component based simulation program, which allows systems to be developed from their component parts and control arcs from which parameters are set. The simulation procedure traces the thermal state of the system and that of the building as it is installed, enabling a detailed analysis for each hour throughout the year. The outputs from TAS System, allows plant sizing, prediction of energy consumption, energy targeting and assessment of energy conservation options.

Table 2.1 Energy Simulation analysis software reporting requirements

Software name and version	EDSL TAS v 9.4
Software Developer	EDSL
Software validation standard (evidence of developer's compliance to be provided)	TAS Building Designer v 9.4 TAS meets the criteria of the ABCB Protocol of Building Energy Analysis Software (v2006-1)
Simulator's name (include description of training and experience with software)	Martin Timperley

3 ENERGY MODELLING CRITERIA

This section outlines the parameters used in the energy modelling process for both the reference and the proposed building models.

3.1 Building Description

The Ritz Carlton Hotel and Residential Hotel development is a mixed use tower consisting of hotel rooms and serviced apartments as well as a community centre, restaurant and club lounge, as outlined in red in illustrated in Figure 3.1 below.




Figure 3.1 Ritz Carlton Hotel and Residential Tower elevation – scope of Green Star rating

The building is located within the current Star Sydney site on 80 Pyrmont Road, Pyrmont NSW.

Table 3.1 below provides some of the essential building parameters used in the energy modelling.

Table 3.1 General parameters reporting requirements

Parameter	Proposed	Reference
Climate zone	Sydney Urban, Climate Zone 5	Sydney Urban, Climate Zone 5
Weather data (location and data format)	Sydney, Test Reference Year (TRY)	Sydney, Test Reference Year (TRY)
Number of building storeys (below ground/above ground)	61	61
Heating fuel(s)	Natural Gas	Natural Gas
Cooling fuel(s)	Electricity	Electricity + Natural Gas




Figure 3.2 Site location and climate zone

3.2 Building form

The geometry of building has been accurately modelled using the in-built geometry creator in TAS and is shown in Figure 3.3 and Figure 3.4. The geometry of the model, including orientation, glazing extent and shading is as documented in the architectural drawings.




Figure 3.3: 3D Model – North-east Facade of the Ritz Carlton Hotel and Residential Tower podium




Figure 3.4 3D Model – North-east facade of the Ritz Carlton Hotel and Residential Tower

The HVAC zoning of the building has been modelled (as shown in Figures 5 to 11) to be consistent with the HVAC design. Note that different coloured areas represent distinct HVAC zones. Perimeter and internal zoning has been implemented where appropriate.




Figure 3.5 Level B2 – Hotel Basement Lobby - HVAC Zoning




Figure 3.6 **Ground Floor Residential Lobby HVAC Zoning**




Figure 3.7 Level L2 – Community Centre - HVAC Zoning




Figure 3.8 Level 40 - Sky Lobby Mezzanine – HVAC Zoning




Figure 3.9 Typical Hotel Floor - HVAC Zoning




Figure 3.10 Level 60 - Club Lounge - HVAC Zoning




Figure 3.11 Level 62 – Sky Villa – HVAC Zoning

3.3 Shading

The level 01 community centre exposed floor (as shown below in Figure 3.12) provide shading to the ground floor residential lobby. At this stage of the design development no other shading features have been included in the envelope construction, therefore no additional shading features have been included in the model. As such there is no requirement to include shading to achieve the results presented in this report.




Figure 3.12 External shading on to the ground floor residential lobby from the exposed floor of the L01 community centre

3.4 Overshadowing

There are no surrounding buildings or structures that would provide any significant overshadowing to the Star Ritz Carlton Hotel and Residential Tower development. Thus, no adjacent buildings or overshadowing features have been incorporated in the geometry of the model.




Figure 3.13 Aerial photograph showing surrounding buildings




Figure 3.14 Street view of northern aspect of the Ritz Carlton Hotel and Residential Tower site, Pyrmont NSW

3.5 Building Simulation Inputs

There are many inputs which contribute to a dynamic thermal simulation. They can broadly be categorised into internal and external inputs.

Building simulation internal inputs specific to define the building's internal loads and include:

- Temperature control range and operational schedule
- Occupancy density and profile
- Occupant sensible and latent loads
- Equipment sensible and latent loads and profile
- Lighting loads and profile

Each of these inputs apart from the internal lighting loads have remained constant across the Reference Building and Proposed Building. The project will be implementing a high efficiency LED lighting system.

The occupancy density, occupant sensible and latent loads and equipment sensible and latent loads within each space type has been determined in accordance with the recommended values from The National Construction Code Series 2016, Volume 1, Building Code of Australia and is outlined in Table 3.2.

Operating profiles have been modelled as per the tables outlined in Section 14.3 - Green Star Energy Consumption and Greenhouse Emissions Calculation Guide. If no appropriate GBCA profile could be sourced from the Data Green Star Energy Modelling Guidelines then operating profiles were sourced from Section 2 of Specification JV – Annual Energy Consumption Criteria of the 2016 National Construction Code (denoted by NCC).

Table 5.1 in Section 5 presents the lighting power densities modelled for the Proposed Building and the Reference Building, including the incorporation of the high efficiency LED lighting system.

The temperature bandwidth has been determined in accordance with the best practice for each space type and is outlined in Table 3.2.

External inputs include dynamic weather conditions for the site. The weather file used for the has been outlined in Section 3, Table 3.1.

Table 3.2 Simulation input summary reporting requirements

Space Type	Operating Profile Applied	Temperature Control Range (°C)	Occupancy Density (m ² /person)	Occupant Sensible Load (W/m ²)	Occupant Latent Load (W/m ²)	Equipment Load (W/m ²)
Hotel room	GS Table 57 (apartment living space) and GS Table 58 (apartment bedroom)	21-24	15	5	3.7	5
Conditioned Apartment	GS Table 57 (apartment living space) and GS Table 58 (apartment bedroom)	21-24	15	5	3.7	5
Circulation	GS Table 35	21-24	10	7.5	5.5	0
Club lounge	NCC Table 2d	21-24	1	80	80	5
Bar/Restaurant	NCC Table 2d	21-24	1	80	80	5
Kitchen	GS Table 34	21-24	10	8	8	5
Lobby	GS Table 49	21-24	15	5	3.7	0
Office	GS Table 27	21-24	10	7.5	5.5	15
Community Centre	GS Table 27	21-24	10	7.5	5.5	15
Gym/Spa	GS Table 44	21-24	3	26.9	44.6	35
Back of house (conditioned)	GS Table 37	21-24	30	2.5	1.8	0

3.6 Building Fabric

The opaque building fabric for the reference building and the proposed building has been modelled as per the "Deemed to Satisfy" provisions of The National Construction Code (NCC) 2016. Table 3.3 outlines the thermal performances used for the opaque building envelope elements.

Table 3.3 Building opaque fabric parameters reporting requirements

Parameter	Reference Model Thermal Performance (W/m ² K)	Proposed Model Thermal Performance (W/m ² K)
External above-grade envelope wall construction and R value	R 2.8	R 2.8
External below-grade envelope wall construction and R value	R 2.8	R 2.8
Internal envelope wall construction and R value	R 1.8	R 1.8
Roof construction, solar absorptance and R value	R 3.2 Solar Absorptance 0.7	R 3.2 Solar Absorptance 0.7
Floor construction and R value	Suspended floor to unconditioned space below: R 2.0 Slab on ground: Nil	Suspended floor to unconditioned space below: R 2.0 Slab on ground: Nil

3.7 Transparent Fabric Components

For both the reference building, the NCC DTS Glazing Calculations have been completed and are presented in Appendix A.

Table 3.4 outlines the thermal performance used for the visual glazing elements of the Proposed Building.

Table 3.4 Proposed Building visual glazing element thermal performance values (MID PANE)

Building Transparent fabric parameters	Proposed Building	Reference Building
All glazing	China southern 6SJ68S-1 on Clear +12A + 6C, Aluminium Frame U-Value: 1.67 SHGC: 0.32	See Appendix A for NCC DTS Glazing Calculators

4 HVAC SERVICES DESCRIPTION

The modelling parameters for the air-conditioning and ventilation systems for the Star Ritz Carlton Hotel and Residential Tower development Reference Building and Proposed Building designs are outlined in this section.

4.1 Air Conditioning System Parameters

Heating and cooling is provided to the entire development via a four pipe Fan Coil Unit (FCU) system.

The reference mechanical systems are as defined by the Green Star Design & As Built 'Energy Consumption and Greenhouse Gas Emissions Calculation Guide, May 2016'. As a non-residential building with less than 2,300m² of conditioned area, HVAC system type 1 is applicable.¹

However, a VAV system type is unsuitable as a benchmark for a development of this type, as such the Reference Building has been modelled with a DTS compliance four pipe FCU system.

System details are presented below in Table 4.1.

Table 4.1 Air conditioning system parameters

Parameter	Proposed	Reference
Primary air conditioning system type	Four Pipe Fan Coil Unit (FCU) System	Four Pipe Fan Coil Unit (FCU) System
Other air conditioning system type(s)	NA	NA
Space served	All conditioned areas	All conditioned areas
Design supply air temperature difference (C)	8°C	8°C
Supply air temperature control	Temperature sensors in zones	Temperature sensors in zones
Outdoor air design volume flow rate (L/s)	See Table 4.2	See Table 4.2
Fan design supply air volume flow rate (L/s)	See Table 4.2	See Table 4.2

Table 4.2 Fan motor power to air ratio used for supply and relief air fans (W/L/s)

Zone Reference	Nominal Flow Rate (L/s)		Fan Power to Air Ratio (W/L/s)			
			Reference Building		Proposed Building	
	Outside Air Fan	Relief Air Fan	Outside Air Fan	Relief Air Fan	Outside Air Fan	Relief Air Fan
Hotel - Representative Floor - 1	31	158	1.32	1.32	0.1	0.15
Hotel - Representative Floor - 2	25	102	1.54	1.54	0.1	0.15

¹ As per Table 61: Reference project HVAC system types by project type, Energy Consumption and Greenhouse Gas Emissions Calculation Guide, May 2016

Hotel - Representative Floor - 3	24	93	1.66	1.66	0.1	0.15
Hotel - Representative Floor - 4	24	278	1.14	1.14	0.1	0.15
Hotel - Representative Floor - 5	26	272	0.69	0.69	0.1	0.15
Hotel - Representative Floor - 6	26	271	0.69	0.69	0.1	0.15
Hotel - Representative Floor - 7	53	490	0.78	0.78	0.1	0.15
Hotel - Representative Floor - 8	27	167	1.09	1.09	0.1	0.15
Hotel - Representative Floor - 9	26	174	1.03	1.03	0.1	0.15
Hotel - Representative Floor - 10	25	191	0.93	0.93	0.1	0.15
Hotel - Representative Floor - 11	25	97	1.61	1.61	0.1	0.15
Hotel - Representative Floor - 12	25	112	1.43	1.43	0.1	0.15
Hotel - Representative Floor - 13	25	136	1.22	1.22	0.1	0.15
Hotel - Representative Floor - 14	26	122	1.39	1.39	0.1	0.15
Hotel - Representative Floor - Circ	92	234	1.50	1.50	0.1	0.15
Sky Villa 60 - 1	192	785	1.56	1.56	0.1	0.15
Sky Villa 60 - 2	101	974	0.75	0.75	0.1	0.15
Sky Villa 61 - 1	192	1,008	1.27	1.27	0.1	0.15
Sky Villa 61 - 2	101	852	0.84	0.84	0.1	0.15
Lvl01- Community Centre - Community Centre Perim 1	63	599	0.91	0.91	0.6	0.25
Lvl01- Community Centre - Community Centre Perim 2	80	1,050	0.98	0.98	0.6	0.25
Lvl01- Community Centre - Community Centre Perim 3	32	532	1.27	1.27	0.6	0.25
Lvl02- Community Centre - Community Centre Perim 1	63	654	0.84	0.84	0.6	0.25
Lvl02- Community Centre - Community Centre Perim 2	80	1,118	0.92	0.92	0.6	0.25
Lvl02- Community Centre - Community Centre Perim 3	32	593	1.15	1.15	0.6	0.25
Lvl03- Community Centre - Community Centre Perim 1	64	1,143	1.18	1.18	0.6	0.25
Lvl03- Community Centre - Community Centre Perim 2	87	1,705	1.08	1.08	0.6	0.25
Lvl03- Community Centre - Community Centre Perim 3	32	1,283	0.29	0.29	0.6	0.25

Lvl05- Community Centre - Community Centre Perim 1	57	633	0.78	0.78	0.6	0.25
Lvl05- Community Centre - Community Centre Perim 2	39	593	0.85	0.85	0.6	0.25
Lvl05- Community Centre - Community Centre Perim 3	61	565	0.92	0.92	0.6	0.25
Lvl01- Community Centre - Community Centre Int 1	52	184	1.17	1.17	0.6	0.25
Lvl01- Community Centre - Community Centre Int 2	62	172	1.40	1.40	0.6	0.25
Lvl01- Community Centre - Community Centre Int 3	45	136	1.32	1.32	0.6	0.25
Lvl02- Community Centre - Community Centre Int 1	52	198	1.10	1.10	0.6	0.25
Lvl02- Community Centre - Community Centre Int 2	62	180	1.36	1.36	0.6	0.25
Lvl02- Community Centre - Community Centre Int 3	45	149	1.23	1.23	0.6	0.25
Lvl03- Community Centre - Community Centre Int 1	52	297	0.79	0.79	0.6	0.25
Lvl03- Community Centre - Community Centre Int 2	55	215	1.08	1.08	0.6	0.25
Lvl03- Community Centre - Community Centre Int 3	44	198	0.97	0.97	0.6	0.25
Lvl05- Community Centre - Community Centre Int 1	26	124	0.93	0.93	0.6	0.25
Lvl00- Residential Lobby - Bar/Restaurant Perim 1	303	397	0.96	0.96	0.6	0.25
Lvl00- Residential Lobby - Bar/Restaurant Perim 2	433	582	0.95	0.95	0.6	0.25
Lvl00- Residential Lobby - Bar/Restaurant Perim 3	546	932	1.13	1.13	0.6	0.25
B2 Hotel Entry - Cafe	454	853	1.07	1.07	0.6	0.25
B2 Hotel Entry - Bar/Restaurant	1,658	3,128	1.06	1.06	0.6	0.25
Sky Lobby Restaurant - Pvt Room 1	262	342	0.96	0.96	0.6	0.25
Sky Lobby Restaurant - Pvt Room 2	376	443	1.02	1.02	0.6	0.25
Sky Lobby Restaurant - Restaurant Ext 1	436	655	1.23	1.23	0.6	0.25

Sky Lobby Restaurant - Restaurant Ext 2	648	974	1.23	1.23	0.6	0.25
Sky Lobby Restaurant - Restaurant Ext 4	262	414	1.19	1.19	0.6	0.25
Lvl00- Residential Lobby - Bar/Restaurant Int 1	3,138	3,174	1.10	1.10	0.6	0.25
Sky Lobby Restaurant - Restaurant Int	2,946	2,847	1.13	1.13	0.6	0.25
B2 Hotel Entry - Hotel BOH 1	20	71	3.43	3.43	0.1	0.15
B2 Hotel Entry - Hotel BOH 2	19	66	3.56	3.56	0.1	0.15
B2 Hotel Entry - Hotel BOH 3	26	128	2.72	2.72	0.1	0.15
Lvl02- Community Centre - Hotel BOH	89	384	3.00	3.00	0.1	0.15
Lvl01- Community Centre - Hotel BOH	53	179	3.64	3.64	0.1	0.15
B4 Hotel BOH - BOH	148	227	6.27	6.27	0.1	0.15
Hotel BOH - BOH Ext 1	23	999	0.92	0.92	0.1	0.15
Hotel BOH - BOH Ext 2	11	379	0.79	0.79	0.1	0.15
Hotel BOH - BOH Ext 3	12	176	0.99	0.99	0.1	0.15
Hotel BOH - BOH Ext 4	9	236	1.07	1.07	0.1	0.15
Hotel BOH - BOH Ext 5	18	395	0.69	0.69	0.1	0.15
Hotel BOH - BOH Ext 6	1	56	0.91	0.91	0.1	0.15
Hotel BOH - BOH Int	83	401	2.73	2.73	0.1	0.15
Lvl09- Resi Gym - Spa Perim 1	76	172	0.88	0.88	0.6	0.25
Lvl09- Resi Gym - Spa Perim 2	221	486	0.90	0.90	0.6	0.25
Lvl09- Resi Gym - Spa Perim 3	220	547	0.83	0.83	0.6	0.25
Lvl09- Resi Gym - Gym Perim 1	147	533	0.89	0.89	0.6	0.25
Lvl09- Resi Gym - Gym Perim 2	283	768	1.11	1.11	0.6	0.25
Lvl10-Resi Gym + Adj Resi - Gym Perim	201	678	0.95	0.95	0.6	0.25
Club Lounge - 1	602	713	1.02	1.02	0.6	0.25
Club Lounge - 2	337	475	0.92	0.92	0.6	0.25
Club Lounge - 3	573	717	0.99	0.99	0.6	0.25
Club Lounge - 4	1,287	1,423	1.05	1.05	0.6	0.25
Club Lounge - 5	686	816	1.01	1.01	0.6	0.25

Club Lounge - 6	367	361	1.12	1.12	0.6	0.25
Club Lounge - Kitchen	13	118	1.49	1.49	0.6	0.25
Sky Lobby Mezz - Servery Ext	13	327	1.06	1.06	0.6	0.25
Sky Lobby Restaurant - Kitchen Ext 1	8	235	0.89	0.89	0.6	0.25
Sky Lobby Restaurant - Kitchen Ext 2	20	489	1.07	1.07	0.6	0.25
Sky Lobby Mezz - Servery Int	22	181	1.64	1.64	0.6	0.25
Sky Lobby Restaurant - Kitchen Int	41	333	1.67	1.67	0.6	0.25
Sky Villa 60 - Circ	61	286	0.93	0.93	0.1	0.15
Sky Villa 61 - Circ	61	317	0.85	0.85	0.1	0.15
B2 Hotel Entry - Office	35	125	1.15	1.15	0.1	0.15
Sky Lobby Mezz - Office 1	37	295	1.05	1.05	0.1	0.15
Sky Lobby Mezz - Office 2	29	187	0.70	0.70	0.1	0.15
B2 Hotel Entry - Lobby 1	187	3,491	1.04	1.04	0.6	0.25
B2 Hotel Entry - Lobby 2	20	656	0.97	0.97	0.6	0.25
Lvl00- Residential Lobby - Lobby Int 4	48	242	1.30	1.30	0.6	0.25
Lvl00- Residential Lobby - Lobby Perim 1	38	180	1.37	1.37	0.6	0.25
Lvl00- Residential Lobby - Lobby Perim 2	49	781	0.84	0.84	0.6	0.25
Lvl00- Residential Lobby - Lobby Perim 3	35	382	0.67	0.67	0.6	0.25
Lvl00- Residential Lobby - Lobby Perim 4	48	470	0.74	0.74	0.6	0.25
Lvl00- Residential Lobby - Lobby Perim 5	38	552	0.92	0.92	0.6	0.25
Lvl00- Residential Lobby - Lobby Perim 6	31	262	0.85	0.85	0.6	0.25
Lvl00- Residential Lobby - Lobby Perim 7	42	437	0.70	0.70	0.6	0.25
Lvl00- Residential Lobby - Lobby Perim 8	51	386	0.92	0.92	0.6	0.25
Sky Lobby Mezz - Lobby Ext 1	15	284	1.04	1.04	0.6	0.25
Sky Lobby Mezz - Lobby Ext 2	17	243	0.92	0.92	0.6	0.25
Sky Lobby Mezz - Lobby Ext 3	26	441	0.78	0.78	0.6	0.25

Sky Lobby Mezz - Lobby Ext 4	65	2,118	0.98	0.98	0.6	0.25
Sky Lobby Mezz - Lobby Ext 5	43	1,106	1.25	1.25	0.6	0.25
Sky Lobby Mezz - Lobby Ext 6	20	463	0.84	0.84	0.6	0.25
Sky Lobby Mezz - Lobby Ext 7	11	143	1.01	1.01	0.6	0.25
Sky Lobby Mezz - Lobby Int	279	1,264	1.44	1.44	0.6	0.25

Table 4.3 Supply Air Specific Fan power zone summary

Zone Reference	Supply air specific fan pressure (W/L/s)	
	Reference Building	Proposed Building
Hotel - Representative Floor - 1	1.10	0.25
Hotel - Representative Floor - 2	1.24	0.25
Hotel - Representative Floor - 3	1.31	0.25
Hotel - Representative Floor - 4	1.05	0.25
Hotel - Representative Floor - 5	0.63	0.25
Hotel - Representative Floor - 6	0.63	0.25
Hotel - Representative Floor - 7	0.70	0.25
Hotel - Representative Floor - 8	0.94	0.25
Hotel - Representative Floor - 9	0.90	0.25
Hotel - Representative Floor - 10	0.82	0.25
Hotel - Representative Floor - 11	1.28	0.25
Hotel - Representative Floor - 12	1.17	0.25
Hotel - Representative Floor - 13	1.04	0.25
Hotel - Representative Floor - 14	1.14	0.25
Hotel - Representative Floor - Circ	1.08	0.25
Sky Villa 60 - 1	1.81	0.25
Sky Villa 60 - 2	1.75	0.25
Sky Villa 61 - 1	1.88	0.25
Sky Villa 61 - 2	1.69	0.25
Lvl01- Community Centre - Community Centre Perim 1	1.89	0.6
Lvl01- Community Centre - Community Centre Perim 2	1.89	0.6
Lvl01- Community Centre - Community Centre Perim 3	1.88	0.6

Lvl02- Community Centre - Community Centre Perim 1	1.89	0.6
Lvl02- Community Centre - Community Centre Perim 2	1.89	0.6
Lvl02- Community Centre - Community Centre Perim 3	1.89	0.6
Lvl03- Community Centre - Community Centre Perim 1	0.93	0.6
Lvl03- Community Centre - Community Centre Perim 2	1.24	0.6
Lvl03- Community Centre - Community Centre Perim 3	1.29	0.6
Lvl05- Community Centre - Community Centre Perim 1	0.82	0.6
Lvl05- Community Centre - Community Centre Perim 2	1.26	0.6
Lvl05- Community Centre - Community Centre Perim 3	0.68	0.6
Lvl01- Community Centre - Community Centre Int 1	1.07	0.6
Lvl01- Community Centre - Community Centre Int 2	0.75	0.6
Lvl01- Community Centre - Community Centre Int 3	0.82	0.6
Lvl02- Community Centre - Community Centre Int 1	0.91	0.6
Lvl02- Community Centre - Community Centre Int 2	1.20	0.6
Lvl02- Community Centre - Community Centre Int 3	0.76	0.6
Lvl03- Community Centre - Community Centre Int 1	0.86	0.6
Lvl03- Community Centre - Community Centre Int 2	1.09	0.6
Lvl03- Community Centre - Community Centre Int 3	1.12	0.6
Lvl05- Community Centre - Community Centre Int 1	1.03	0.6
Lvl00- Residential Lobby - Bar/Restaurant Perim 1	0.29	0.6
Lvl00- Residential Lobby - Bar/Restaurant Perim 2	0.72	0.6
Lvl00- Residential Lobby - Bar/Restaurant Perim 3	0.80	0.6
B2 Hotel Entry - Cafe	0.83	0.6
B2 Hotel Entry - Bar/Restaurant	0.91	0.6
Sky Lobby Restaurant - Pvt Room 1	1.03	0.6
Sky Lobby Restaurant - Pvt Room 2	0.99	0.6
Sky Lobby Restaurant - Restaurant Ext 1	0.87	0.6
Sky Lobby Restaurant - Restaurant Ext 2	1.01	0.6
Sky Lobby Restaurant - Restaurant Ext 4	0.95	0.6
Lvl00- Residential Lobby - Bar/Restaurant Int 1	0.67	0.6
Sky Lobby Restaurant - Restaurant Int	0.86	0.6
B2 Hotel Entry - Hotel BOH 1	0.79	0.25

B2 Hotel Entry - Hotel BOH 2	0.77	0.25
B2 Hotel Entry - Hotel BOH 3	0.55	0.25
Lvl02- Community Centre - Hotel BOH	0.54	0.25
Lvl01- Community Centre - Hotel BOH	0.72	0.25
B4 Hotel BOH - BOH	0.70	0.25
Hotel BOH - BOH Ext 1	0.70	0.25
Hotel BOH - BOH Ext 2	0.55	0.25
Hotel BOH - BOH Ext 3	0.55	0.25
Hotel BOH - BOH Ext 4	0.74	0.25
Hotel BOH - BOH Ext 5	0.74	0.25
Hotel BOH - BOH Ext 6	0.73	0.25
Hotel BOH - BOH Int	0.55	0.25
Lvl09- Resi Gym - Spa Perim 1	0.55	0.6
Lvl09- Resi Gym - Spa Perim 2	2.69	0.6
Lvl09- Resi Gym - Spa Perim 3	2.76	0.6
Lvl09- Resi Gym - Gym Perim 1	2.25	0.6
Lvl09- Resi Gym - Gym Perim 2	2.43	0.6
Lvl10-Resi Gym + Adj Resi - Gym Perim	2.81	0.6
Club Lounge - 1	3.80	0.6
Club Lounge - 2	0.90	0.6
Club Lounge - 3	0.77	0.6
Club Lounge - 4	0.93	0.6
Club Lounge - 5	1.03	0.6
Club Lounge - 6	0.66	0.6
Club Lounge - Kitchen	0.89	0.6
Sky Lobby Mezz - Servery Ext	2.26	0.6
Sky Lobby Restaurant - Kitchen Ext 1	0.61	0.6
Sky Lobby Restaurant - Kitchen Ext 2	0.62	0.6
Sky Lobby Mezz - Servery Int	0.59	0.6
Sky Lobby Restaurant - Kitchen Int	0.70	0.6
Sky Villa 60 - Circ	0.81	0.25
Sky Villa 61 - Circ	0.73	0.25

B2 Hotel Entry - Office	0.55	0.25
Sky Lobby Mezz - Office 1	0.54	0.25
Sky Lobby Mezz - Office 2	0.55	0.6
B2 Hotel Entry - Lobby 1	0.55	0.6
B2 Hotel Entry - Lobby 2	0.55	0.6
Lvl00- Residential Lobby - Lobby Int 4	0.55	0.6
Lvl00- Residential Lobby - Lobby Perim 1	1.34	0.6
Lvl00- Residential Lobby - Lobby Perim 2	1.01	0.6
Lvl00- Residential Lobby - Lobby Perim 3	0.86	0.6
Lvl00- Residential Lobby - Lobby Perim 4	1.03	0.6
Lvl00- Residential Lobby - Lobby Perim 5	1.47	0.6
Lvl00- Residential Lobby - Lobby Perim 6	1.49	0.6
Lvl00- Residential Lobby - Lobby Perim 7	0.76	0.6
Lvl00- Residential Lobby - Lobby Perim 8	0.71	0.6
Sky Lobby Mezz - Lobby Ext 1	0.90	0.6
Sky Lobby Mezz - Lobby Ext 2	0.93	0.6
Sky Lobby Mezz - Lobby Ext 3	0.61	0.6
Sky Lobby Mezz - Lobby Ext 4	0.99	0.6
Sky Lobby Mezz - Lobby Ext 5	0.94	0.6
Sky Lobby Mezz - Lobby Ext 6	1.09	0.6
Sky Lobby Mezz - Lobby Ext 7	1.14	0.6
Sky Lobby Mezz - Lobby Int	0.79	0.6

4.2 Cooling and Heat Rejection Plant

Presented below in Table 4.4 is the modelled cooling system and heat rejection plant for the project.

Table 4.4 Cooling and heat rejection plant details

Parameter	Proposed	Reference
Chiller type	Electric	Electric, Absorption
Chiller capacity (kW _r)	2MW	2MW _{th} , 0.3MW _{th}
Design CHW flow temperature (°C)	6	6
Design CHW temperature difference (K)	6	6
Design CCW entering temperature (°C)	29.5	29.5
Design CCW temperature difference (K)	5.5	5.5
Chiller full-load performance (EER)	4.2	6.4 / 0.7
Chiller part-load performance (NPLV)	5.2	6.4 / 0

4.3 Heating Plant

Presented below in Table 4.4 is the modelled heating system for the project.

Table 4.5 Heating plant details

Parameter	Proposed	Reference
Heat source type	Natural gas	Natural gas, Cogeneration
Heat source capacity (kW _r)	800kW	800kW / 1.5MW
Design HHW flow temperature (°C)	80	80
Design HHW temperature difference (K)	20	20
Heat source full-load performance (gross efficiency)	83	83 / heat recovered

4.4 Tri-generation Systems Description

Presented below in Table 4.6 is the modelled tri-generation system for the project.

Table 4.6 Tri-generation plant details

Parameter	Proposed Project
Cogeneration unit type	Capstone C1000 Series Microturbine System
Electrical output (kWe)	1,000
Useful thermal output (kWth)	1,500
Waste thermal output (kWth)	Unspecified
Total fuel input (gross) (kW)	3226
Minimum turndown (%)	1% (modular microturbine system)
Minimum import threshold (kWe)	Nil
Installation altitude (m)	0
Derating threshold temperature (°C)	Unspecified
Demand control method	Electrically Driven Operation
Absorption chiller minimum operating load (kW _r)	300
Absorption chiller hydraulic configuration	Unspecified
Heating or cooling priority control	Cooling
Preventative maintenance regime	Unspecified

5 LIGHTING DESCRIPTION

5.1 Internal lighting

Lighting forms a major component of the energy consumption in the Ritz Carlton Hotel and Residential Tower development. Hours of operation are as per the profiles specified in Table 3.2 for both the Reference Building and Proposed Building model. As defined in the Greenhouse Gas Emissions Calculation Guidelines v1.1, May 2016, the lighting power densities used in the Reference Building model are as per the DTS requirements of the BCA, with no adjustment factors.

The Proposed Building model uses lighting power densities that are typically achievable through the utilisation of LED lighting technologies. The Reference Building and Proposed Building lighting power densities have also been used as the internal gains for the HVAC modelling as prescribed in the Greenhouse Gas Emissions Calculation Guidelines v1.1, May 2016. Table 5.1 presents the lighting power densities modelled for the Proposed Building and the Reference Building.

Table 5.1 Internal lighting parameters per space type

Space type	Daylight controls	Occupant sensor controls	Adjustment factor applied	Modelled lighting power density (W/M ²)	
				Reference	Proposed
Hotel room	N/A	N/A	N/A	5	4
Conditioned Apartment	N/A	N/A	N/A	5	4
Circulation	N/A	N/A	N/A	8	5
Club lounge	N/A	N/A	N/A	18	6
Bar/Restaurant	N/A	N/A	N/A	18	6
Kitchen	N/A	N/A	N/A	8	5
Lobby	N/A	N/A	N/A	15	6
Office	N/A	N/A	N/A	9	7
Community Centre	N/A	N/A	N/A	10	7
Gym/Spa	N/A	N/A	N/A	8	6
Back of house (conditioned)	N/A	N/A	N/A	8	5

5.2 Internal lighting calculations

A summary of the energy consumption for internal lighting is summarised in Table 5.2.

Table 5.2 Summary of internal lighting energy consumption

Model	Energy consumption (per year)	Fuel Source
Reference Building	842,076 kWh	Electricity
Proposed Building	521,092 kWh	Electricity

5.3 External lighting

The proposed external lighting types will comply with AS1158.3.1 based on their relevant category. These category values have been used in the calculation of the Reference Building, as per the Green Star – Greenhouse Gas Emissions Calculator Guide and are presented below in Table 5.3. Table 5.4 summarises the annual external lighting energy consumption for both Reference Building and Proposed Building.

Table 5.3 External lighting parameters reporting requirements

Parameter	Reference	Proposed
Lighting type	Unspecified	LED
Lighting category	P6	P6
Design lighting power density (W/m ²)	4.0	1.0
Modelled lighting power density (W/m ²)	4.0	1.0
Controls	N/A	N/A

Table 5.4 Summary of External Lighting Energy Use

Model	Energy consumption (per year)	Fuel Source
Reference Building	68,836 kWh	Electricity
Proposed Building	17,209 kWh	Electricity

6 DOMESTIC HOT WATER SERVICES DESCRIPTION

The Domestic Hot Water demand (DHW) for the Reference Building and Proposed Building has been determined based on the Green Star Potable Water Calculator and used for the calculation as per Section 6.9 in the Green Star Design & As Built 'Energy Consumption and Greenhouse Gas Emissions Calculation Guide, May 2016' Table 6.1 lists the parameters used in the calculation of Domestic Hot Water heating energy consumption.

Table 6.1 Domestic hot water services parameters reporting requirements

Parameter	Reference	Proposed
System type	Unspecified	Unspecified
System heat source	Natural Gas	Natural Gas
Solar thermal collector (Y/N)	N	N
Hot water usage (L/annum)	24,737,242	28,631,842
System storage capacity (L)	0	0
Storage tank volume, each (L)	0	0
Heater thermal efficiency (%)	83	83
System supply water temperature (°C)	8	60
System make up water temperature (°C)	18	18
Recirculation pump (Y/N)	N	N
Operating days (days/annum)	365	365
No. of connected outlets	Unspecified	Unspecified
System standing loss factor ²	0.03	0.03
System distribution loss factor ³	0.13	0.13
Total Energy Demand (MJ/year)	6,079,427	7,036,564

Energy consumption of circulation pumps have been accounted for in this energy model using dynamic thermal modelling within the TAS systems applications based on the expected DHW demand. The following parameters have been used in this analysis and are presented below in Table 6.2.

² Standing loss factor for gas fired instantaneous and continuous flow water heaters, as per Table in Section 14.4.4, Energy Consumption and Greenhouse Gas Emissions Calculation Guide

³ Distribution loss factor for a system with Recirculation pumps, as per Table in Section 14.4.4, Energy Consumption and Greenhouse Gas Emissions Calculation Guide

Table 6.2 **Circulation pump energy calculation parameters**

Parameter	Proposed	Reference
Pump efficiency	0.75	0.75
Peak pressure (kPa)	100	100
Days/yr	365	365
Hours/day	24	24
Total circulation energy (kWh/yr)	289	289

7 APPLIANCES DESCRIPTION

The current design is not developed in enough detail to specify the energy performance of the appliances to be included as part of the fitout of the residential (BCA class 2) areas of the development. For the purposes of energy modelling, an appliance load of 5W/m² has been applied to the, kitchen, living, dining and bedroom areas of the residential apartments, based on Table 2h of Specification JV – Annual Energy Consumption Criteria of the 2016 National Construction Code (NCC).

8 LIFT ENERGY CONSUMPTION

The building has six lifts servicing all floors with an additional lift servicing the podium levels (B4 to L09). The total expected energy use has been calculated as per the methodology outlined in Section 14.4.6 of the Energy Consumption and Greenhouse Gas Emissions Calculation Guide. The results are detailed below in Table 8.1, Table 8.2 and Table 8.3.

Table 8.1 Lift energy calculation Inputs comparison

Lift	Trips per day	Trips per year	Ave trip time (s)	Motor size (kW)	Standby power (W)	Standby hours per day	Standby days per year
Reference Building	600	219,000	36.24	15.56	0.15	24	365
Proposed Building	600	219,000	36.24	15.56	0.15	24	365

Additionally, a car stacker is located in the basement to store vehicles for residents and hotel patrons. Based on preliminary details of the expected system, following parameters have been used to model the annual energy use of this system, based on information provided by the product supplier.

Table 8.2 Car stacker calculation inputs comparison

Parameter	Reference Building	Proposed Building
Cars stacked per day	500	500
Number of stacker lifts	2	2
Stacker lift rated power (kW)	2	30
Average stacker lift trip time (s)	12	12
Number of entry lifts	2	2
Entry lift rated power (kW)	30	30
Average entry lift trip time (s)	9	9
Number of shuttles	7	7
Shuttles rated power (kW)	2.2	2.2
Average shuttle trip time (s)	20	20
Number of car pickers	2	2
Car picker rated power (kW)	2.2	2.2
Average car picker operation time (s)	14	14
Number of turn tables	2	2
Turn table rated power (kW)	0.5	0.5
Average turn table operation time (s)	20	20

Table 8.3 Summary of lift energy use

Model	Lift Energy Consumption (kWh)	Car Stacker Energy Consumption (kwh)	Total Vertical Transport Energy Consumption (kwh)	Fuel
Reference Building	35,629	72,270	107,900	Electricity
Proposed Building	35,629	72,270	107,900	Electricity

9 PEAK ELECTRICITY DEMAND REDUCTION – CREDIT 16

The Peak Electricity Demand reduction is calculated based on an analysis of the building's peak hourly electrical demand, as per Section 10 and 12 of the Energy Consumption and Greenhouse Gas Emissions Calculator Guide, v1.1.

The utility modelling software package energyPRO has been utilised to determine the peak electrical demand of the Proposed Building, taking into account the utilisation of the tri-generation system. With the intent to dedicate 1MWe of the total 8MWe of the tri-generation system's electrical generation capacity to the Ritz Carlton Hotel and Residential Tower development it is expected that the site will not need to draw electricity from the grid at all throughout the year, even during peak events. Additionally, the peak electrical demand of the site is further reduced due to 300kW of chilled water demand to be provided by an absorption chiller fuelled by waste heat from the tri-generation system. These findings are outlined in Table 9.1 below.

Table 9.1 Peak Electricity Demand - Hourly consumption of proposed and reference building

Parameter	Reference	Proposed
Time	Day 16, Hour 19	N/A
HVAC (kWh)	492.20	363.12
Lighting (kWh)	147.10	91.59
Equipment (kWh)	156.84	156.85
Fan Energy (kWh)	508.33	157.22
DHW (kWh)	0	0
Hydraulic pumps (kWh)	21.15	16.40
Lift Energy (kWh)	56.94	56.95
TOTAL	1383.48	748.37
Tri-generation electrical production during day 16, hour 19	N/A	748.37
TOTAL including PV generation	1383.48	0
% Improvement	N/A	100%

The annual total electrical and cooling load profiles for the proposed project can be seen in Figure 9.1, identifying the peak hour of demand. The percentage improvement above the reference building is 100% due to the ability of the tri-generation unit to meet the entire peak electrical demand of the site. Therefore, the Ritz Carlton Hotel and Residential Tower development is eligible for 2 Green Star points for Credit 16, Peak Electricity Demand Reduction




Figure 9.1 Hourly electrical and cooling load profile - Proposed Building

10 RESULTS

The results of the Ritz Carlton Hotel and Residential Tower development energy modelling analysis are summarised in this section of the report. Overall, an improvement of 4% is predicted from the Intermediate Building to Reference Building in terms of energy. An improvement of 76% is expected for the Proposed Building when compared to the Benchmark Building in terms of greenhouse gas emissions. Ritz Carlton Hotel and Residential Tower development is therefore eligible to claim a total of 12.8 points for Credit 15 – Greenhouse Gas Emissions.

10.1 Annual Energy Usage

Table 10.1 to Table 10.4 has been taken from the Green Star Design and As-Built Greenhouse Gas Emissions Calculator – 15E Modelled Pathway. These tables present a summary of the inputs and results of the energy analysis for the Ritz Carlton Hotel and Residential Tower development.

Table 10.1 Green Star Design and As-Built Greenhouse Gas Emissions Calculator - HVAC

HVAC	Reference Building			Intermediate Building		Proposed Building		
	Source	Annual Energy Consumption	GHG Emissions	Annual Energy Consumption	GHG Emissions	Source	Annual Energy Consumption	GHG Emissions
Heating (MJ/yr)	Natural Gas	1,494,964	95,872	1,170,500	75,064	District DHW	3,097,115	252,540
Cooling (kWh/yr)	Grid Electricity	645,401	677,671	702,628	737,760	District Electricity	340,431	99,932
Heat Rejection (kWh/yr)	Grid Electricity	645,401	677,671	702,628	737,760	District Electricity	340,431	99,932
Air Conditioning Fans (kWh/yr)	Grid Electricity	4,323,989	4,540,189	3,994,134	4,193,841	District Electricity	1,325,795	389,182
Pumps (kWh/year)	Grid Electricity	185,053	194,306	179,285	188,249	District Electricity	143,344	42,078

Table 10.2 Green Star Design and As-Built Greenhouse Gas Emissions Calculator - SERVICES

Services	Reference Building			Intermediate Building		Proposed Building		
	Source	Annual Energy Consumption	GHG Emissions	Annual Energy Consumption	GHG Emissions	Source	Annual Energy Consumption	GHG Emissions
Domestic Hot Water (MJ/yr)	Natural Gas	5,240,886	336,098	5,240,886	336,098	District DHW	6,170,078	503,112
DHW Circulators and Controls (kWh/yr)	Grid Electricity	288	303	288	303	District Electricity	288	85
DCW Pumps and Controls (kWh/yr)	Grid Electricity	-	-	-	-	District Electricity	-	-
Lifts (kWh/yr)	Grid Electricity	107,900	113,295	107,900	113,295	District Electricity	107,900	31,673
Artificial Lighting – Internal (kWh/yr)	Grid Electricity	842,077	884,180	842,077	884,180	District Electricity	521,092	152,964
Artificial Lighting – External (kWh/yr)	Grid Electricity	68,836	72,278	68,836	72,278	District Electricity	17,209	5,052
Appliances (kWh/yr)	Grid Electricity	388,020	407,421	388,020	407,421	District Electricity	388,020	113,902
TOTALS (MJ/year)		31,077,802	7,531,706	29,729,601	7,212,308		20,045,751	1,634,542

Table 10.3 Green Star Design and As-Built Greenhouse Gas Emissions Calculator - Greenhouse Gas Emissions

Subtotal GHG Emissions	Reference Building		Intermediate Building		Proposed Building	
	Annual Energy Consumption	GHG Emissions	Annual Energy Consumption	GHG Emissions	Annual Energy Consumption	GHG Emissions
Grid Electricity (KWh/yr)	6,761,653	7,099,736	6,477,282	6,801,146	-	-
Natural Gas (MJ/yr)	6,735,850	431,970	6,411,386	411,162	-	-
District CHW (MJ/yr)	-	-	-	-	1,225,552	99,932
District HHW (MJ/yr)	-	-	-	-	3,097,115	252,540
District DHW (MJ/yr)	-	-	-	-	6,170,078	503,112
District Electricity (kWh/yr)	-	-	-	-	2,653,613	778,957
Total (kWh/yr)					13,146,358	1,634,542

Table 10.4 Green Star Design and As-Built Greenhouse Gas Emissions Calculator - RESULTS

RESULTS - Energy Consumption Reduction		Units
Reference Building Energy	31,077,802	MJ/annum
Intermediate Building Energy	29,729,601	MJ/annum
Improvement	4%	
Energy Consumption Reduction Points	69%	
Greenhouse Gas Emissions Reduction		
Benchmark Building GHG	6,778,535	kgCO ₂ e/annum
Proposed Building GHG (excluding off-site supply)	3,633,502	kgCO ₂ e/annum
Proposed Building GHG	1,634,542	kgCO ₂ e/annum
Conditional Requirement	PASS	
Improvement	76%	
Off-site supply max points	7.42	
GHG Emissions Reduction Points	12.14	
Renewable GHG Reduction (excluding GreenPower)	0	
Innovation - Renewable Energy	0	
Total Points Achieved	12.84	
Total Points Available	20.00	

10.2 Peak Electricity Demand Reduction

Table 9.1 in Section 9 provides a summary of the peak electricity demand reductions. A total reduction of 100% has been achieved for the Proposed Building compared with the Reference Building. This project hence is eligible for 2 out of 2 points for Credit 16 – Peak Electricity Demand Reduction.

11 SUMMARY AND CONCLUSION

Building energy modelling has been undertaken in accordance with the Green Star Design & As-Built '*Building Energy Consumption and Greenhouse Gas Emissions Calculations Guidelines v1.1, May 2016*'. Three building models were created of the development: the Proposed Building, an Intermediate Building and a Reference Building. A Benchmark Building is established as a 10% improvement in energy consumption compared to the reference building.

The modelling has been undertaken on the basis of post competition design documentation. Furthermore, the purpose of the energy modelling conducted in this report is for benchmarking purposes for the Green Star Design & As-Built v1.1 Credit 15 Greenhouse Gas Emissions. The energy modelling methodology stated in the Green Star guidelines and consequently the energy modelling results presented in this report may therefore not necessarily form an accurate prediction of the actual energy consumption for the development.

The predicted building greenhouse gas emissions consumption of the Intermediate Building is a 4% improvement on the Reference Building. Furthermore, the Proposed Building achieves a 76% reduction in greenhouse gas emissions compared to the Benchmark Building. The development therefore meets the conditional energy performance requirement necessary to be eligible for a Green Star Design & As-Built rating and claims 12.8 points out of an available 20 for Credit 15 *Greenhouse Gas Emissions*.

Appendix A

REFERENCE BUILDING NCC 2016 GLAZING CALCULATORS

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Hotel Entry

Application

shop display

Climate zone

5

Storey

Basement 2

Facade areas

Option A	Option B	N	NE	E	SE	S	SW	W	NW	internal
			195m ²	36.3m ²	36m ²					
Glazing area (A)		162m ²		30.9m ²		30.7m ²				

Number of rows preferred in table below

8 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS									SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Retail1_NE	NE		9.65	5.85		4.4	0.43	4.450	4.850	0.92	-4.80	0.22	0.37	56.45	22% of 99%
2											ROW SKIPPED (OK if intentional)					
3	Retail2_NE	NE		4.85	21.76		4.4	0.43	2.110	4.850	0.44	0.00	0.80	0.66	#####	78% of 99%
4											ROW SKIPPED (OK if intentional)					
5	Retail2_E	E		4.85	6.37		2.9	0.25				0.00	1.00	1.00	30.89	100% of 95%
6											ROW SKIPPED (OK if intentional)					
7	Retail2_SE	SE		4.85	6.32		3.0	0.43				0.00	1.00	1.00	30.65	100% of 98%
8																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.1 NCC Glazing Calculator – Retail Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Hotel Entry

Application

other

Climate zone

5

Storey

Basement 2

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A		65.1m ²	149m ²	10.4m ²	6.67m ²	10.4m ²			
Option B									n/a
Glazing area (A)		55.3m ²	82.4m ²	8.82m ²	5.67m ²	8.82m ²			

Number of rows preferred in table below

12 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS									SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Hotel_SW	SW		4.85		8.82	2.7	0.65	device		2.00	0.00	0.39	0.34	8.82	100% of 86%
2											ROW SKIPPED (OK if intentional)					
3	Hotel_S	S		4.85		5.67	2.9	0.25	device		2.00	0.00	0.64	0.54	5.67	100% of 89%
4											ROW SKIPPED (OK if intentional)					
5	Hotel_SE	SE		4.85		8.82	2.7	0.65	device		2.00	0.00	0.39	0.32	8.82	100% of 91%
6											ROW SKIPPED (OK if intentional)					
7	Hotel_E	E		4.85		64.92	4.4	0.53	7.660	4.850	1.58	0.00	0.02	0.30	64.92	56% of 93%
8	Hotel_E	E		4.85		17.44	4.4	0.53				0.00	1.00	1.00	17.44	44% of 93%
9											ROW SKIPPED (OK if intentional)					
10	Hotel_NE	NE		4.85		48.21	4.4	0.43	0.680	0.450	1.51	-4.40	0.00	0.24	48.21	58% of 87%
11	Hotel_NE	NE		4.85		7.12	4.4	0.43				0.00	1.00	1.00	7.12	42% of 87%
12																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.2 NCC Glazing Calculator – Hotel Lobby Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Hotel

Application

other

Climate zone

5

Storey

Basement 2

Facade areas

ABC N	NE	ABC E	SE	ABC S	SW	ABC W	NW	internal
	81.9m ²							
								n/a

Option A

Option B

Glazing area (A)

25.1m²

Number of rows preferred in table below

5 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Ribbon_NE	NE		9.65	2.60		6.2	0.79	7.110	4.850	1.47	-4.80	0.00	0.25	25.09	100% of 43%
2																
3																
4																
5																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.3 NCC Glazing Calculator – Ribbon Lobby Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Resi

Storey

Ground

Application

other

Climate zone

5

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	28.7m²	29.1m²	31m²	39m²	73.1m²		112m²	47.8m²	
Option B									n/a
Glazing area (A)	23.6m²	23.9m²	25.3m²	23.3m²	22.4m²		83.6m²	37.4m²	

Number of rows preferred in table below

26 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS										SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes	
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _u)	Cooling (S _c)	Area used (m²)	Element share of % of allowance used	
1	Apartment Lobby_S	S		3.95	2.54		6.2	0.79				0.00	1.00	1.00	10.03	45% of 68%	
2																	
3	Apartment Lobby_W	W		3.95	8.76		2.8	0.20				0.00	1.00	1.00	34.60	42% of 95%	
4																	
5	Apartment Lobby_NW	NW		3.95	0.52		2.8	0.20	0.750	3.950	0.19	0.00	0.95	0.85	2.05	5% of 93%	
6																	
7	Apartment Lobby_N	N		3.95	0.75		2.8	0.20	device		2.00	0.00	0.00	0.19	2.96		
8																	
9	Resi1_W	W		3.95	4.95		2.8	0.20	2.350	4.550	0.52	0.60	0.95	0.91	19.55	22% of 95%	
10																	
11	Resi1_NW	NW		3.95	5.32		2.8	0.20	1.840	4.550	0.40	0.60	0.99	0.93	21.01	55% of 93%	
12																	
13	Resi1_N	N		3.95	5.23		2.8	0.20	1.840	4.550	0.40	0.60	0.99	0.90	20.66	100% of 80%	
14																	
15	Resi1_NE	NE		3.95	6.06		2.9	0.25	4.840	4.550	1.06	0.60	0.87	0.65	23.94	100% of 97%	
16																	
17	Resi1_E	E		3.95	6.40		2.8	0.18	0.720	4.550	0.16	0.60	0.99	0.98	25.28	100% of 95%	
18																	
19	Resi1_S	S		3.95	3.14		6.2	0.79				0.00	1.00	1.00	12.40	55% of 68%	
20																	
21	Resi2_SE	SE		3.95	5.90		2.9	0.43				0.00	1.00	1.00	23.31	100% of 100%	
22																	
23	Resi2_W	W		3.95	7.46		2.8	0.20				0.00	1.00	1.00	29.47	36% of 95%	
24																	
25	Resi2_NW	NW		3.95	3.62		2.8	0.20				0.00	1.00	1.00	14.30	41% of 93%	
26																	

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk, and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.4 NCC Glazing Calculator – Residential Lobby Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Resi

Storey

Level 01

Application

other

Climate zone

5

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	39.1m ²	39.1m ²	42m ²	19.9m ²		20.1m ²	33.6m ²	39.6m ²	
Option B									n/a
Glazing area (A)	31.7m ²	31.4m ²	34.1m ²	2.63m ²		16.3m ²	27.2m ²	32.1m ²	

Number of rows preferred in table below

14 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS										SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes	
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used	
1	Resi_SW	SW		3.65	4.46		2.9	0.25				0.00	1.00	1.00	16.28	100% of 97%	
2																ROW SKIPPED (OK if intentional)	
3	Resi_W	W		3.65	7.46		2.8	0.18				0.00	1.00	1.00	27.23	100% of 97%	
4																ROW SKIPPED (OK if intentional)	
5	Resi_NW	NW		3.65	8.80		2.8	0.18				0.00	1.00	1.00	32.12	100% of 91%	
6																ROW SKIPPED (OK if intentional)	
7	Resi_N	N		3.65	8.69		2.8	0.18				0.00	1.00	1.00	31.72	100% of 91%	
8																ROW SKIPPED (OK if intentional)	
9	Resi_NE	NE		3.65	8.60		1.4	0.15				0.00	1.00	1.00	31.39	100% of 95%	
10																ROW SKIPPED (OK if intentional)	
11	Resi_E	E		3.65	9.33		2.8	0.18				0.00	1.00	1.00	34.05	100% of 96%	
12																ROW SKIPPED (OK if intentional)	
13	Resi_SE	SE		3.65	0.72		6.2	0.79				0.00	1.00	1.00	2.63	100% of 44%	
14																	

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.5 NCC Glazing Calculator – Level 1 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Resi

Application

other

Climate zone

5

Storey

Level 02

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	43.5m²	44.5m²	46.7m²	22.2m²		24.4m²	37.3m²	44m²	
Option B									n/a
Glazing area (A)	36.1m²	35.7m²	38.7m²	2.99m²		18.5m²	31m²	36.5m²	

Number of rows preferred in table below

14 (as currently displayed)

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.6 NCC Glazing Calculator – Level 2 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Resi

Storey

Level 03

Application

other

Climate zone

5

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	60.8m²	60.8m²	65.3m²	31m²		35.2m²	52.2m²	61.6m²	
Option B									n/a
Glazing area (A)	53.4m²	53.4m²	57.4m²	4.43m²		27.4m²	45.9m²	54.1m²	

Number of rows preferred in table below

14 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS										SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes	
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _u)	Cooling (S _c)	Area used (m²)	Element share of % of allowance used	
1	Resi_SW	SW		6.15	4.46		2.9	0.25				0.00	1.00	1.00	27.43	100% of 93%	
2																ROW SKIPPED (OK if intentional)	
3	Resi_W	W		6.15	7.46		1.4	0.15				0.00	1.00	1.00	45.88	100% of 79%	
4																ROW SKIPPED (OK if intentional)	
5	Resi_NW	NW		6.15	8.80		1.4	0.15				0.00	1.00	1.00	54.12	100% of 87%	
6																ROW SKIPPED (OK if intentional)	
7	Resi_N	N		6.15	8.69		1.4	0.15				0.00	1.00	1.00	53.44	100% of 92%	
8																ROW SKIPPED (OK if intentional)	
9	Resi_NE	NE		6.15	8.68		1.2	0.13				0.00	1.00	1.00	53.38	100% of 90%	
10																ROW SKIPPED (OK if intentional)	
11	Resi_E	E		6.15	9.33		1.4	0.15				0.00	1.00	1.00	57.38	100% of 86%	
12																ROW SKIPPED (OK if intentional)	
13	Resi_SE	SE		6.15	0.72		6.2	0.79				0.00	1.00	1.00	4.43	100% of 48%	
14																	

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.7 NCC Glazing Calculator – Level 3 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Resi

Application

other

Climate zone

5

Storey

Level 05

Facade areas

N	NE	E	SE	S	SW	W	NW	internal
50m ²	45.8m ²	34.3m ²				25.9m ²	39.8m ²	
								n/a

Option A

Option B

Glazing area (A)

42.6m² 38.9m² 29.1m² 22.1m² 33.9m²

Number of rows preferred in table below

10 (as currently displayed)

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.8 NCC Glazing Calculator – Level 5 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Ribbon/Function & Business Centre

Application

other

Climate zone

5

Storey

Level 07

Facade areas

N	NE	E	SE	S	SW	W	NW	internal
114m²	684m²	532m²	129m²	164m²	552m²	365m²	168m²	
Option A								
Option B								n/a

Glazing area (A)

107m² 580m² | 479m² | 121m² | 154m² | 510m² | 342m² | 152m² |

Number of rows preferred in table below

46

(as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _u)	Cooling (S _c)	Area used (m²)	Element share of % of allowance used
1	Kitchen/BOH_SW	SW		6.75	2.47		2.8	0.20				0.00	1.00	1.00	16.67	4% of 93%
2																
3	Kitchen/BOH_W	W		6.75	20.71		2.8	0.20				0.00	1.00	1.00	#####	51% of 98%
4																
5	Kitchen/BOH_NW	NW		6.75	19.57		2.8	0.18				0.00	1.00	1.00	#####	92% of 96%
6																
7	Kitchen/BOH_N	N		6.75	2.59		2.8	0.20				0.00	1.00	1.00	17.48	20% of 97%
8																
9	Kitchen/BOH_S	S		6.75	16.46		2.9	0.25				0.00	1.00	1.00	#####	73% of 100%
10																
11	Kitchen/BOH_E	E		6.75	3.23		2.9	0.25				0.00	1.00	1.00	21.80	7% of 99%
12																
13	Kitchen/BOH_SE	SE		6.75	2.99		2.2	0.17				0.00	1.00	1.00	20.18	18% of 86%
14																
15	Pre Function_NE	NE		6.75	33.90		2.8	0.20				0.00	1.00	1.00	#####	60% of 84%
16	Pre Function_NE	NE		6.75	12.13		2.8	0.20	6.200	6.750	0.92	0.00	0.21	0.37	81.88	7% of 84%
17	Restaurant_NE	NE		6.75	37.83		2.8	0.20	4.360	6.750	0.65	0.00	0.59	0.51	#####	31% of 84%
18	Bar_NE	NE		6.75	2.04		2.8	0.20	3.340	6.750	0.49	0.00	0.74	0.61	13.77	2% of 84%
19																
20	Restaurant_SE	SE		6.75	2.72		2.2	0.17	3.070	6.750	0.45	0.00	0.76	0.69	18.36	14% of 86%
21	Bar_SE	SE		6.75	2.07		2.2	0.17	9.780	6.750	1.45	0.00	0.47	0.38	13.97	9% of 86%
22	Bar/Restaurant_SE	SE		6.75	10.08		2.2	0.17				0.00	1.00	1.00	68.04	59% of 86%
23																
24	Restaurant_S	S		6.75	3.61		2.9	0.25	3.070	6.750	0.45	0.00	0.85	0.79	24.37	16% of 100%
25	Bar_S	S		6.75	2.76		2.9	0.25	5.750	6.750	0.85	0.00	0.76	0.67	18.63	12% of 100%
26																
27	Pre Function_E	E		6.75	24.28		2.9	0.25				0.00	1.00	1.00	#####	51% of 99%
28	Restaurant_E	E		6.75	2.72		2.9	0.25	device		2.00	0.00	0.00	0.25	18.36	2% of 99%
29	Bar_E	E		6.75	40.68		2.9	0.25	6.230	6.750	0.92	0.00	0.30	0.45	#####	40% of 99%
30																
31	Bar_SW	SW		6.75	31.51		2.8	0.20	4.740	6.750	0.70	0.00	0.70	0.60	#####	39% of 93%
32	Bar/Restaurant_SW	SW		6.75	25.11		2.8	0.20				0.00	1.00	1.00	#####	36% of 93%
33	Restaurant_SW	SW		6.75	2.04		2.8	0.20	3.540	6.750	0.52	0.00	0.77	0.68	13.77	3% of 93%
34																
35	Pre Function_N	N		6.75	0.51		2.8	0.20	6.200	6.750	0.92	0.00	0.12	0.31	3.44	1% of 97%
36	Bar_N	N		6.75	2.72		2.8	0.20	device		2.00	0.00	0.00	0.19	18.36	
37	Bar/Restaurant_N	N		6.75	10.08		2.8	0.20				0.00	1.00	1.00	68.04	79% of 97%
38																
39	Bar_NW	NW		6.75	2.92		2.8	0.18	3.070	6.750	0.45	0.00	0.81	0.63	19.71	8% of 96%
40																
41	Bar_W	W		6.75	2.72		2.8	0.20	3.220	6.750	0.48	0.00	0.75	0.67	18.36	5% of 98%
42	Restaurant_W	W		6.75	27.24		2.8	0.20	4.540	6.750	0.67	0.00	0.60	0.57	#####	44% of 98%
43																
44	Prefunction/Restaurant	SW		6.75	8.91		2.8	0.20	3.900	6.750	0.58	0.00	0.75	0.65	60.14	11% of 93%
45	Prefunction/Restaurant	SW		6.75	5.50		2.8	0.20				0.00	1.00	1.00	37.13	8% of 93%
46																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

if inputs are valid

Figure 11.9 NCC Glazing Calculator – Level 7 Ribbon Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower -Hotel Gym/Hotel Spa

Application

other

Climate zone

5

Storey

Level 09

Facade areas

N	NE	E	SE	S	SW	W	NW	Internal
47m²	106m²	47m²		69m²	34m²	67m²	37m²	
Option A								
Option B								

Glazing area (A)

40m²	90m²	40m²		53m²	23m²	57m²	31m²	
------	------	------	--	------	------	------	------	--

Number of rows preferred in table below

28 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size		Performance		P&H or device		Shading		Multipliers		Size	Outcomes	
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _u)	Cooling (S _c)	Area used (m²)	Element share of % of allowance used
1	Hotel Gym_W	W		3.85		38.86	2.8	0.20	0.820	####	0.21	0.00	0.91	0.86	38.86	67% of 93%
2											ROW SKIPPED (OK if intentional)					
3	Hotel Gym_NW	NW		3.85		4.70	2.8	0.20	1.480	####	0.38	0.00	0.86	0.68	4.70	11% of 92%
4											ROW SKIPPED (OK if intentional)					
5	Hotel Gym_N	N		3.85		11.01	2.8	0.20	1.480	####	0.38	0.00	0.87	0.63	11.01	18% of 85%
6											ROW SKIPPED (OK if intentional)					
7	Hotel Gym_NE	NE		3.85		70.19	2.8	0.20	1.480	####	0.38	0.00	0.84	0.69	70.19	71% of 91%
8											ROW SKIPPED (OK if intentional)					
9	Hotel Gym_E	E		3.85		12.44	2.8	0.20	device		###	0.00	0.00	0.25	12.44	13% of 81%
10											ROW SKIPPED (OK if intentional)					
11	Hotel Gym_S	S		3.85		42.38	2.9	0.43	2.270	####	0.59	0.00	0.81	0.74	42.38	71% of 85%
12											ROW SKIPPED (OK if intentional)					
13	Hotel Gym_SW	SW		3.85		18.19	2.9	0.25	2.270	####	0.59	0.00	0.74	0.65	18.19	59% of 91%
14											ROW SKIPPED (OK if intentional)					
15	Hotel Spa_W	W		3.85		18.19	2.8	0.20	0.400	####	0.10	0.00	0.96	0.93	18.19	33% of 93%
16											ROW SKIPPED (OK if intentional)					
17	Hotel Spa_NW	NW		3.85		26.66	2.8	0.20	0.400	####	0.10	0.00	0.97	0.92	26.66	89% of 92%
18											ROW SKIPPED (OK if intentional)					
19	Hotel Spa_N	N		3.85		29.17	2.8	0.20	0.400	####	0.10	0.00	0.98	0.90	29.17	82% of 85%
20											ROW SKIPPED (OK if intentional)					
21	Hotel Spa_NE	NE		3.85		20.28	2.8	0.20	0.400	####	0.10	0.00	0.97	0.92	20.28	29% of 91%
22											ROW SKIPPED (OK if intentional)					
23	Hotel Spa_E	E		3.85		27.15	2.8	0.20	0.400	####	0.10	0.00	0.96	0.93	27.15	87% of 81%
24											ROW SKIPPED (OK if intentional)					
25	Hotel Spa_SW	SW		3.85		10.63	2.9	0.25				0.00	1.00	1.00	10.63	41% of 91%
26											ROW SKIPPED (OK if intentional)					
27	Hotel Spa_S	S		3.85		16.66	2.9	0.43				0.00	1.00	1.00	16.66	29% of 85%
28																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

Copyright © 2014 - Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.10 NCC Glazing Calculator – Level 9 Glazing – Hotel Gym/Spa

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Resi/Gym

Application

other

Climate zone

5

Storey

Level 09

Facade areas

ABC N	NE	ABC E	SE	S	SW	W	NW*	internal
			27.8m ²	26.7m ²	53.5m ²	11.9m ²		
								n/a

Option A

Option B

Glazing area (A)

14.9m² 25.1m² 50.3m² 10.7m²

Number of rows preferred in table below

8 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Resi Gym_W	W		3.85	2.79		2.8	0.20	0.300	0.700	0.43	-3.15	0.78	0.70	10.74	100% of 89%
2											ROW SKIPPED (OK if intentional)					
3	Resi Gym_SW	SW		3.85	13.06		2.8	0.20	0.300	0.700	0.43	-3.15	0.82	0.73	50.28	100% of 91%
4											ROW SKIPPED (OK if intentional)					
5	Resi Gym_S	S		3.85	6.52		2.8	0.20	0.300	0.700	0.43	-3.15	0.86	0.80	25.10	100% of 97%
6											ROW SKIPPED (OK if intentional)					
7	Resi Gym_SE	SE		3.85	3.86		4.4	0.43	0.300	0.700	0.43	-3.15	0.77	0.70	14.86	100% of 96%
8																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.11 NCC Glazing Calculator – Level 9 Glazing – Resi Gym/Spa

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Resi/Gym

Application

other

Climate zone

5

Storey

Level 10

Facade areas

ABC N	NE	ABC E	SE	S	SW	W	NW	internal
			21.4m ²	20.5m ²	41.1m ²	8.95m ²		
								n/a

Option A

Option B

Glazing area (A)

11.2m² 18.9m² 37.9m² 8.24m²

Number of rows preferred in table below

8 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS									SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Resi Gym_W	W		2.90	2.84		2.8	0.20	0.300	0.700	0.43	-2.20	0.78	0.70	8.24	100% of 91%
2											ROW SKIPPED (OK if intentional)					
3	Resi Gym_SW	SW		2.90	13.06		2.8	0.20	0.300	0.700	0.43	-2.20	0.82	0.73	37.87	100% of 90%
4											ROW SKIPPED (OK if intentional)					
5	Resi Gym_S	S		2.90	6.52		2.8	0.20	0.300	0.700	0.43	-2.20	0.86	0.80	18.91	100% of 96%
6											ROW SKIPPED (OK if intentional)					
7	Resi Gym_SE	SE		2.90	3.86		4.4	0.43	0.300	0.700	0.43	-2.20	0.77	0.70	11.19	100% of 94%
8																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.12 NCC Glazing Calculator – Level 10 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Hotel BOH

Application

other

Climate zone

5

Storey

Level 39

Facade areas

Option A	Option B	N	NE	E	SE	S	SW	W	NW*	internal
				35.8m ²	42.3m ²	45m ²	41.4m ²	77.1m ²		
Glazing area (A)				30.4m ²	36m ²	38.3m ²	35.2m ²	65.5m ²		

Number of rows preferred in table below

10 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Hotel BOH_SW	SW		4.45		35.21	2.8	0.20				0.00	1.00	1.00	35.21	100% of 93%
2																ROW SKIPPED (OK if intentional)
3	Hotel BOH_W	W		4.45		65.52	2.2	0.17				0.00	1.00	1.00	65.52	100% of 92%
4																ROW SKIPPED (OK if intentional)
5	Hotel BOH_E	E		4.45		30.44	2.8	0.18				0.00	1.00	1.00	30.44	100% of 100%
6																ROW SKIPPED (OK if intentional)
7	Hotel BOH_SE	SE		4.45		35.99	2.8	0.18				0.00	1.00	1.00	35.99	100% of 98%
8																ROW SKIPPED (OK if intentional)
9	Hotel BOH_S	S		4.45		38.27	2.9	0.25				0.00	1.00	1.00	38.27	100% of 92%
10																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.13 NCC Glazing Calculator – Level 39 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Sky Lobby(Hotel)

Storey

Level 40

Application

other

Climate zone

5

Option A

Option B

Facade areas	N	NE	E	SE	S	SW	W	NW	internal
	68m²	87.3m²	179m²	38.7m²	23.1m²	10.1m²	151m²	74.8m²	n/a
Glazing area (A)	57.8m²	74.2m²	152m²	32.9m²	19.7m²	8.6m²	128m²	63.6m²	

Number of rows preferred in table below

25 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
ID	Glazing element Description (optional)	Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
		Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m²)	Element share of % of allowance used
1	Office/Servery_SW	SW		3.65		8.60	2.8	0.20				0.00	1.00	1.00	8.60	100% of 93%
2												ROW SKIPPED (OK if intentional)				
3												ROW SKIPPED (OK if intentional)				
4	Office/Servery/Lounge_W	W		3.65		58.72	2.2	0.17				0.00	1.00	1.00	58.72	46% of 92%
5	Office/Lounge_W	W		7.75		69.77	2.2	0.17				0.00	1.00	1.00	69.77	54% of 92%
6												ROW SKIPPED (OK if intentional)				
7	Lounge_NW	NW		7.75		63.58	2.8	0.18				0.00	1.00	1.00	63.58	100% of 95%
8												ROW SKIPPED (OK if intentional)				
9	Lounge_N	N		7.75		57.80	2.8	0.18				0.00	1.00	1.00	57.80	100% of 96%
10												ROW SKIPPED (OK if intentional)				
11	Lounge_NE	NE		3.65		10.64	1.4	0.15				0.00	1.00	1.00	10.64	14% of 100%
12	Lounge_NE	NE		7.75		63.58	1.4	0.15				0.00	1.00	1.00	63.58	86% of 100%
13												ROW SKIPPED (OK if intentional)				
14	Lounge/Bar_E	E		3.65		58.79	2.8	0.18				0.00	1.00	1.00	58.79	39% of 100%
15	Lounge/Bar_E	E		7.75		93.43	2.8	0.18				0.00	1.00	1.00	93.43	61% of 100%
16												ROW SKIPPED (OK if intentional)				
17	Bar_SE	SE		3.65		32.91	2.8	0.18				0.00	1.00	1.00	32.91	100% of 98%
18												ROW SKIPPED (OK if intentional)				
19	Bar_S	S		3.65		19.65	2.9	0.25				0.00	1.00	1.00	19.65	100% of 92%
20																
21																
22																
23																
24																
25																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.14 NCC Glazing Calculator – Level 40 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Sky Lobby-Mezz (Hotel)

Application

other

Climate zone

6

Storey

Level 41

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A		11.9m ²	72.6m ²	32.3m ²	7.4m ²	75.2m ²	78.6m ²		
Option B									n/a
Glazing area (A)		10.1m ²	61.7m ²	27.4m ²	6.29m ²	64m ²	66.8m ²		

Number of rows preferred in table below

15 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size		Performance		P&H or device		Shading		Multipliers		Size	Outcomes	
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m ²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m ²)	Element share of % of allowance used
1	Office/Servery_SW	SW		3.65		63.95	1.0	0.10				0.00	1.00	1.00	63.95	100% of 78%
2																ROW SKIPPED (OK if intentional)
3																ROW SKIPPED (OK if intentional)
4	Office/Servery/Lounge_W	W		3.65		66.81	1.3	0.10				0.00	1.00	1.00	66.81	100% of 93%
5																ROW SKIPPED (OK if intentional)
6	Lounge_NE	NE		3.65		10.10	5.0	0.10				0.00	1.00	1.00	10.10	100% of 58%
7																ROW SKIPPED (OK if intentional)
8																ROW SKIPPED (OK if intentional)
9	Lounge/Bar_E	E		3.65		61.71	1.7	0.10				0.00	1.00	1.00	61.71	100% of 96%
10																ROW SKIPPED (OK if intentional)
11																ROW SKIPPED (OK if intentional)
12	Bar_SE	SE		3.65		27.44	1.0	0.10				0.00	1.00	1.00	27.44	100% of 80%
13																ROW SKIPPED (OK if intentional)
14	Bar_S	S		3.65		6.29	1.7	0.70				0.00	1.00	1.00	6.29	
15																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.15 NCC Glazing Calculator – Level 41 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Typical Hotel Plan

Application

other

Climate zone

5

Storey

Level 58

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	22.9m²	24.8m²	101m²	8.26m²	26.8m²	10.6m²	58m²	13.6m²	
Option B									n/a
Glazing area (A)	19.4m²	21.1m²	86.1m²	7.02m²	22.8m²	9.03m²	49.3m²	11.6m²	

Number of rows preferred in table below

16 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m²)	Element share of % of allowance used
1	Typical_SW	SW		2.95		9.03	2.8	0.20				0.00	1.00	1.00	9.03	100% of 93%
2																ROW SKIPPED (OK if intentional)
3	Typical_W	W		2.95		49.29	2.2	0.17				0.00	1.00	1.00	49.29	100% of 92%
4																ROW SKIPPED (OK if intentional)
5	Typical_NE	NE		2.95		21.05	1.4	0.15				0.00	1.00	1.00	21.05	100% of 100%
6																ROW SKIPPED (OK if intentional)
7	Typical_E	E		2.95		86.14	2.8	0.18				0.00	1.00	1.00	86.14	100% of 100%
8																ROW SKIPPED (OK if intentional)
9	Typical_SE	SE		2.95		7.02	2.8	0.18				0.00	1.00	1.00	7.02	100% of 98%
10																ROW SKIPPED (OK if intentional)
11	Typical_N	N		2.95		19.45	2.8	0.18				0.00	1.00	1.00	19.45	100% of 96%
12																ROW SKIPPED (OK if intentional)
13	Typical_NW	NW		2.95		11.56	2.8	0.18				0.00	1.00	1.00	11.56	100% of 95%
14																ROW SKIPPED (OK if intentional)
15	Typical_S	S		2.95		22.79	2.9	0.25				0.00	1.00	1.00	22.79	100% of 92%
16																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.16 NCC Glazing Calculator – Level 58 Glazing – Representative Hotel Floor

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

Building name/description

The Star - North Tower - Club Lounge

Storey

Level 59

Application

other

Climate zone

5

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	47.1m²	41.3m²	83.7m²	42.2m²	21.3m²	8.16m²	33.4m²	41.8m²	
Option B									n/a
Glazing area (A)	40.8m²	35.7m²	72.3m²	36.5m²	18.4m²	7.06m²	28.8m²	36.1m²	

Number of rows preferred in table below

16 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS										SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes	
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _w)	Cooling (S _c)	Area used (m²)	Element share of % of allowance used	
1	Library_SW	SW		4.15	1.70		2.8	0.20				0.00	1.00	1.00	7.06	100% of 94%	
2																	
3	Library_W	W		4.15	6.95		2.2	0.17				0.00	1.00	1.00	28.84	100% of 94%	
4																	
5	Bar_NE	NE		4.15	8.61		1.2	0.13				0.00	1.00	1.00	35.73	100% of 88%	
6																	
7	Dining_E	E		4.15	17.43		2.2	0.17				0.00	1.00	1.00	72.33	100% of 96%	
8																	
9	Dining_SE	SE		4.15	8.80		2.8	0.18				0.00	1.00	1.00	36.52	100% of 100%	
10																	
11	Bar_N	N		4.15	9.82		2.8	0.18				0.00	1.00	1.00	40.75	100% of 97%	
12																	
13	Library/Bar_NW	NW		4.15	8.71		2.8	0.18				0.00	1.00	1.00	36.15	100% of 97%	
14																	
15	Dining_S	S		4.15	4.44		2.9	0.25				0.00	1.00	1.00	18.43	100% of 93%	
16																	

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters. While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all. Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

if inputs are valid

Figure 11.17 NCC Glazing Calculator – Level 59 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Sky Villas

Application

other

Climate zone

5

Storey

Level 60

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	26.1m²	29.6m²	53.9m²	28.2m²	7.58m²		28.3m²	30.6m²	
Option B									n/a
Glazing area (A)	22.2m²	25.1m²	45.8m²	23.9m²	6.44m²		24m²	26m²	

Number of rows preferred in table below

14 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS								SHADING		CALCULATED OUTCOMES OK (if inputs are valid)						
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m²)	Element share of % of allowance used
1	PSuite_SW	S		2.95		6.44	2.9	0.25				0.00	1.00	1.00	6.44	100% of 92%
2																ROW SKIPPED (OK if intentional)
3	PSuite_W	W		2.95		24.04	2.2	0.17				0.00	1.00	1.00	24.04	100% of 92%
4																ROW SKIPPED (OK if intentional)
5	PSuite_W	NE		2.95		25.13	1.4	0.15				0.00	1.00	1.00	25.13	100% of 100%
6																ROW SKIPPED (OK if intentional)
7	Suite A_E	E		2.95		45.80	2.2	0.17				0.00	1.00	1.00	45.80	100% of 95%
8																ROW SKIPPED (OK if intentional)
9	Suite A_SE	SE		2.95		23.90	2.8	0.18				0.00	1.00	1.00	23.90	100% of 98%
10																ROW SKIPPED (OK if intentional)
11	PSuite_N	N		2.95		22.16	2.8	0.18				0.00	1.00	1.00	22.16	100% of 96%
12																ROW SKIPPED (OK if intentional)
13	PSuite_NW	NW		2.95		26.03	2.8	0.18				0.00	1.00	1.00	26.03	100% of 95%
14																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.18 NCC Glazing Calculator – Level 60 Glazing

NCC VOLUME ONE GLAZING CALCULATOR (first issued with NCC 2014)

HELP

Building name/description

The Star - North Tower - Sky Villas

Application

other

Climate zone

5

Storey

Level 61

Facade areas

	N	NE	E	SE	S	SW	W	NW	internal
Option A	31.4m²	32.3m²	58.9m²	31.6m²	8.3m²		37.1m²	27.3m²	
Option B									n/a
Glazing area (A)	26.7m²	27.5m²	50.1m²	26.9m²	7.05m²		31.5m²	23.2m²	

Number of rows preferred in table below

14 (as currently displayed)

GLAZING ELEMENTS, ORIENTATION SECTOR, SIZE and PERFORMANCE CHARACTERISTICS									SHADING		CALCULATED OUTCOMES OK (if inputs are valid)					
Glazing element		Facing sector		Size			Performance		P&H or device		Shading		Multipliers		Size	Outcomes
ID	Description (optional)	Option A facades	Option B facades	Height (m)	Width (m)	Area (m²)	Total System U-Value (AFRC)	Total System SHGC (AFRC)	P (m)	H (m)	P/H	G (m)	Heating (S _H)	Cooling (S _C)	Area used (m²)	Element share of % of allowance used
1	PSuite_SW	S		3.20		7.05	2.9	0.25				0.00	1.00	1.00	7.05	100% of 92%
2											ROW SKIPPED (OK if intentional)					
3	PSuite_W	W		3.20		31.54	2.2	0.17				0.00	1.00	1.00	31.54	100% of 92%
4											ROW SKIPPED (OK if intentional)					
5	PSuite_W	NE		3.20		27.49	1.4	0.15				0.00	1.00	1.00	27.49	100% of 100%
6											ROW SKIPPED (OK if intentional)					
7	Suite A_E	E		3.20		50.10	2.8	0.18				0.00	1.00	1.00	50.10	100% of 100%
8											ROW SKIPPED (OK if intentional)					
9	Suite A_SE	SE		3.20		26.89	2.8	0.18				0.00	1.00	1.00	26.89	100% of 98%
10											ROW SKIPPED (OK if intentional)					
11	PSuite_N	N		3.20		26.66	2.8	0.18				0.00	1.00	1.00	26.66	100% of 96%
12											ROW SKIPPED (OK if intentional)					
13	PSuite_NW	NW		3.20		23.23	2.8	0.18				0.00	1.00	1.00	23.23	100% of 95%
14																

IMPORTANT NOTICE AND DISCLAIMER IN RESPECT OF THE GLAZING CALCULATOR

The Glazing Calculator has been developed by the ABCB to assist in developing a better understanding of glazing energy efficiency parameters.

While the ABCB believes that the Glazing Calculator, if used correctly, will produce accurate results, it is provided "as is" and without any representation or warranty of any kind, including that it is fit for any purpose or of merchantable quality, or functions as intended or at all.

Your use of the Glazing Calculator is entirely at your own risk and the ABCB accepts no liability of any kind.

if inputs are valid

✓

Copyright © 2014 – Australian Government, State and Territory Governments of Australia. All Rights Reserved

Figure 11.19 NCC Glazing Calculator – Level 61 Glazing

THE STAR ENTERTAINMENT GROUP LTD

Whole Building Life Cycle Assessment

THE STAR, SYDNEY - RITZ CARLTON HOTEL
AND RESIDENTIAL TOWER

Whole Building Life Cycle Assessment

THE STAR, SYDNEY - RITZ CARLTON HOTEL AND RESIDENTIAL TOWER

The Star Entertainment Group Ltd

REV	DATE	DETAILS
00	28/02/2017	For Planning Submission
01	24/03/2017	Updated For Planning Submission
02	30/06/2017	Updated For Planning Submission

AUTHOR, REVIEWER AND APPROVER DETAILS

Prepared by:	James Logie	Date: 30/06/2017	Signature: 
Reviewed by:	Ruben Christiaens	Date: 30/06/2017	Signature: 
Approved by:	Tim Parker	Date: 30/06/2017	Signature:

WSP Australia Pty Limited

Level 27, Ernst & Young Centre
680 George Street
Sydney NSW 2000
GPO Box 5394
Sydney NSW 2001

Tel: +61 2 9272 5100
Fax: +61 2 9272 5101

www.wsp.com

Filename: 2305180U-ESD-REP-05 Rev02_



This document may contain confidential and legally privileged information, neither of which are intended to be waived, and must be used only for its intended purpose. Any unauthorised copying, dissemination or use in any form or by any means other than by the addressee, is strictly prohibited. If you have received this document in error or by any means other than as authorised addressee, please notify us immediately and we will arrange for its return to us.

TABLE OF CONTENTS

GLOSSARY	IV
EXECUTIVE SUMMARY	V
1 PROJECT BACKGROUND	1
1.1 Project overview.....	1
1.1.1 Building location	1
1.1.2 Area schedule	2
1.2 Objective	2
2 METHODOLOGY	4
2.1 Definition of goal and scope.....	4
2.2 Definition of functional unit and system boundary	4
2.3 Life cycle inventory (LCI)	4
2.3.1 Data quality	4
2.3.2 Inventory of inputs and outputs.....	4
2.3.3 Allocation for co-products	4
2.3.4 Allocation procedures for reuse, recycling and recovery	5
2.3.5 Background data	5
2.3.6 Criteria for the exclusion of inputs and outputs.....	6
2.4 Definition of the reference building	6
2.5 Life cycle impact assessment	6
2.6 Independent peer review	8
3 GOAL AND SCOPE DEFINITION	9
3.1 Goal of the study.....	9
3.2 Scope	9
3.3 Functional unit	10
4 LIFE CYCLE INVENTORY	11
4.1 Product stage (Module A1-A3).....	11
4.1.1 Structure.....	11
4.1.2 External façade	11
4.1.3 Mechanical services.....	12
4.1.4 Electrical services	13
4.1.5 Vertical transport	14
4.1.6 Internal walls and floors	14
4.2 Construction process (Module A4-A5)	14
4.2.1 Material supply (A4)	14
4.2.2 Construction / installation (A5)	15
4.3 Building use (Module B1-B7)	16
4.3.1 Material Emissions (B1)	16
4.3.2 Maintenance (B2).....	16
4.3.3 Repairs (B3)	16
4.3.4 Replacement & Refurbishments (B4 & B5)	17

4.3.5	Operational Energy (B6)	17
4.3.6	Operational Water (B7)	18
4.4	End of life (Module C1-C4)	19
4.4.1	Demolition & Deconstruction (C1).....	19
4.4.2	Transport of waste (C2)	19
4.4.3	Waste processing (C3) and waste disposal (C4).....	19
4.5	Benefits and loads beyond the building lifetime (Module D)	20
5	LIFE CYCLE IMPACT ASSESSMENT RESULTS.....	21
5.1	Whole building results	22
5.2	Normalised results (per m² GFA)	22
5.3	Uncertainty and Sensitivity analysis.....	24
5.3.1	Proposed building central energy plant	24
6	OPPORTUNITIES	26
6.1.1	Portland cement substitution.....	26
6.1.2	Steel procurement.....	26
7	LIMITATIONS.....	27
8	REFERENCES	28

LIST OF TABLES

Table 1.1	The Star Ritz Carlton Hotel and Residential Tower Area Schedule.....	2
Table 2.1	Green Star mandatory impact categories	7
Table 2.2	Green Star additional impact categories	7
Table 3.1	EN 15804 whole of building LCA scope	9
Table 4.1	Structural materials estimates	11
Table 4.2	Material assumptions for external facade	12
Table 4.3	Inventory of steel ductwork (Including hangers, support, fixings etc) for hotel and residential floors	12
Table 4.4	Inventory of steel ductwork (Including hangers, support, fixings etc) for podium and basement areas.....	13
Table 4.5	Inventory of steel pipework (including hangers, supports, fixings etc.).....	13
Table 4.6	Inventory assumptions for electrical services.....	13
Table 4.7	Inventory of internal hob walls.....	14
Table 4.8	Transport distance and mode assumptions for materials	14
Table 4.9	Total material transport to site by mode (t.km).....	15
Table 4.10	Construction assumptions	15
Table 4.11	Cleaning inputs for internal floors and windows.....	16
Table 4.12	Design life for mechanical services.....	17
Table 4.13	Energy demand by end use for proposed and reference building	17
Table 4.14	Annual energy consumption proposed and reference building.....	18
Table 4.15	Potable water consumption for proposed and reference buildings	18
Table 4.16	Transport required to waste treatment at end of life (t.km)	19

Table 4.17	Recycling rates for construction and demolition waste in NSW 2011	20
Table 5.1	Reference building results (whole building)	22
Table 5.2	Proposed building results (whole building)	22
Table 5.3	Normalised Reference building results (per m ² GFA)	22
Table 5.4	Normalised Proposed building results (per m ² GFA)	23
Table 5.5	Green Star LCA results (sensitivity omitting tri-generation plant)	25

LIST OF FIGURES

Figure 1.1	The Star Sydney site	2
Figure 5.1	Relative impact reduction from reference to proposed building across 7 mandatory categories	21
Figure 5.2	Global Warming Potential contribution from materials to the Product Stage (A1-A3)	21
Figure 5.3	GWP contribution by life cycle stage (sensitivity omitting tri-generation plant)	24
Figure 6.1	Building material contribution to GWP and potential reduction with 30% SCM concrete	26

LIST OF APPENDICES

Appendix A	Detailed Life Cycle Inventory
Appendix B	Standard Practice Reference Building
Appendix C	Lifecycle Impact Assessment Factors

GLOSSARY

General

BCA	Building Code of Australia
NCC	National Construction Code
CoP	Coefficient of Performance
DTS	Deemed to Satisfy
kWp	Kilowatt Peak
kWh	Kilowatt Hour
MJ	Mega joule
HVAC	Heating, Ventilation and Air Conditioning
LCA	Life Cycle Assessment
LCI	Life Cycle Inventory
LCIA	Life Cycle Impact Assessment
GFA	Gross Floor Area
NLA	Net Lettable Area
t.km	Tonne x Kilometre

EXECUTIVE SUMMARY

The Star Entertainment Group Limited (SEGL) is a leading operator of integrated resorts catering to both local and international visitors and is the operator of The Star, Sydney (The Star). Consistent with The Star's licence obligation to operate the site to an international standard, SEGL is proposing to advance a revitalisation of the existing complex.

SEGL is embarking on a five year redevelopment journey to create a landmark, exemplar integrated resort within the City of Sydney. This proposed redevelopment will occur through the lodgement of two S75W applications with the Department of Planning and Environment, identified as Modification 13 and Modification 14. Modification 13 will involve the design of a new Ritz-Carlton Hotel Tower and associated podium treatment.

SEGL is proposing to attain the highest standard of built form outcomes for the site through the proposed redevelopment by encouraging innovation and best practice approaches in order to achieve an environmentally sustainable development that positively contributes to the overall architecture of both Pyrmont and the City of Sydney. This will be done through the implementation of advanced ESD initiatives, improved people and movement connections, upgrades to the external appearance and presentation of the facility and improved integration with the adjacent urban fabric.

The new Ritz Carlton Hotel and Residential Tower includes:

- Part demolition of existing podium building;
- New approx. 215 m tall hotel and residential tower; and
- Porte Cochere arrangement and coordination of car-park stackers and associated integration works.

The new Ritz Carlton Hotel and Residential Tower proposed at The Star is targeting a 5 Star Green Star Design and As Built Rating, demonstrating Australian excellence in sustainability within the built environment. As part of this ambitious sustainability target, the project is targeting points through a life cycle assessment (LCA) under credit 19A of the Design & As Built rating tool. A preliminary LCA study has been undertaken prior to submission for planning approval. This study has used best available material estimates and will be updated throughout design development as the project design progresses and becomes more detailed.

GREEN STAR RESULTS

The current analysis indicates that the project will achieve a 64% reduction on whole of life greenhouse gas (GHG) emissions and a 327% cumulative impact reduction across the 7 mandatory impact categories. This will achieve the full 7 credit points available under credit 19A. Cumulative impact reduction is rewarded with one point for 30% reduction a further point for each 20% reduction beyond 30%, up to 130% and a maximum of 6 points. One additional point is awarded for additional impact reporting. The predicted Green Star LCA results are shown in Table ES.1.

Table ES.1 Prediction of Green Star LCA results

Impact category	Unit	Reference	Proposed (CEP)	Reduction
Climate change	kg CO2 equivalents	449,496,695	160,542,272	64%
Stratospheric ozone depletion	kg CFC-11 equivalents	0.70	0.69	0%
Acidification potential of land and water	kg SO2 equivalents	1,832,021	288,412	84%
Eutrophication potential	kg PO43- equivalents	165,085	59,767	64%
Photochemical ozone creation potential	kg C2H4 equivalents	121,043	45,367	63%
Mineral depletion	kg Sb equivalents	8,014,392	8,014,425	0%
Fossil fuel depletion	MJ net calorific value	5,144,270,345	2,451,498,248	52%
Cumulative impact reduction				327%
Cumulative reduction points				6.00
Additional impact reporting				1.00
Points awarded				7.00

The greenhouse gas (GHG) emissions by life cycle stage are shown below in Figure ES.1. Over 60 years of building life time assumed for the life cycle model, operational energy dominates GHG emissions as well as the other mandatory impact categories. Due to energy efficiency and supply of low carbon energy through the tri-generation plant, the proposed building achieves a 69% reduction in operational GHG emissions and a 64% reduction in whole of life GHG emissions.




Figure ES.1 Greenhouse gas emissions by life cycle stage

INTERPRETATION

The significant life cycle impact reduction is achieved primarily through the supply of low emission energy from the central tri-generation energy plant. This results in 72% reduction in carbon emissions and global warming potential (GWP) per kWh electricity supplied, as well as significant reduction in emissions causing acidification, eutrophication, photochemical ozone creation potential and fossil fuel resource depletion.

SENSITIVITY ANALYSIS

The LCA model has been tested under the scenario of omitting tri-generation, and utilising a traditional central energy plant with energy supply assumptions used for the Green Star reference building. This assumes a central boiler for hot water and all cooling and electrical loads supplied by grid electricity. This results in a 50% reduction in operational GHG emissions and a 47% reduction in whole of life GHG emissions.

The total cumulative reduction across the 7 mandatory impact categories is 230%, which is well beyond the 130% threshold meaning that the full 7 credit points (6 + 1 additional impact reporting) are still achieved.

OPPORTUNITIES







To achieve further reductions on life cycle impacts it is recommended that the project:

- ➔ Procure concrete with a high portion of Supplementary Cementitious Material (SCM) e.g. 30%
- ➔ Procure structural and reinforcing steel with high recycled content and preferably an Environmental Product Declaration (EPD) which will also allow points to be claimed under credit 21 (Sustainable Products)

ENVIRONMENTAL INDICATORS

The Green Star mandatory environmental indicators used for Credit 19A are explained below in Table ES.2. Points are awarded based on a projects ability to demonstrate a percentage reduction on each environmental indicator when compared to a reference building.

Table ES.2 Description of mandatory indicators

Environmental Indicator	Unit	Description
 <p>Global Warming Potential ^a</p>	kg carbon dioxide equivalents	Increase in the Earth's average temperature, mostly through the release of greenhouse gases. A common outcome of this is an increase in natural disasters and sea level rise.
 <p>Ozone Depletion Potential ^b</p>	kg CFC-11 equivalents	The decline in ozone in the Earth's stratosphere. The depletion of the ozone layer increases the amount of UVB that reaches the Earth's surface. UVB is generally accepted to be a contributing factor to skin cancer, cataracts and decreased crop yields
 <p>Acidification Potential ^c</p>	kg sulphur dioxide equivalents	A process whereby pollutants are converted into acidic substances which degrade the natural environment. Common outcomes of this are acidified lakes and rivers, toxic metal leaching, forest damage and destruction of buildings
 <p>Eutrophication Potential ^c</p>	kg phosphate equivalents	An increase in the levels of nutrients released to the environment. A common outcome of this is high biological productivity that can lead to oxygen depletion, as well as significant impacts on water quality, affecting all forms of aquatic and plant life.
 <p>Photochemical Ozone Creation Potential ^c</p>	kg ethylene equivalents	Ozone in the troposphere is a constituent of smog that is caused by a reaction between sunlight, nitrogen oxide and volatile organic compounds (VOCs). This is a known cause for respiratory health problems and damage to vegetation.
 <p>Abiotic Depletion Potential – Elements /minerals ^c</p>	kg antimony equivalents	The extraction of non-living and non-renewable elements and minerals. These resources are essential in our everyday lives and many are currently being extracted at an unsustainable rate.
 <p>Abiotic Depletion Potential – Fossil Fuels ^c</p>	MJ net calorific value	The extraction of non-living and non-renewable fossil fuels. These resources are essential in our everyday lives and many are currently being extracted at an unsustainable rate.

1 PROJECT BACKGROUND

1.1 Project overview

The Star Entertainment Group Limited (SEGL) is a leading operator of integrated resorts catering to both local and international visitors and is the operator of The Star Sydney (The Star). Consistent with The Star's licence obligation to operate the site to an international standard, SEGL is proposing to advance a revitalisation of the existing complex.

SEGL is embarking on a five year redevelopment journey to create a landmark, exemplar integrated resort within the City of Sydney. This proposed redevelopment will occur through the lodgement of two S75W applications with the Department of Planning and Environment, identified as Modification 13 and Modification 14. Modification 13 will involve the design of a new Ritz-Carlton Hotel and associated podium treatment.

SEGL is proposing to attain the highest standard of built form outcomes for the site through the proposed redevelopment by encouraging innovation and best practice approaches in order to achieve an environmentally sustainable development that positively contributes to the overall architecture of both Pyrmont and the City of Sydney. This will be done through the implementation of advanced ESD initiatives, improved people and movement connections, upgrades to the external appearance and presentation of the facility and improved integration with the adjacent urban fabric.

The new Ritz Carlton Hotel and Residential Tower includes:

- Part demolition of existing podium building;
- New approx. 215 m tall hotel and residential tower; and
- Porte Cochere arrangement and coordination of car-park stackers and associated integration works.

The new Ritz Carlton and Residential Tower proposed at The Star is targeting a 5 Star Green Star Design and As Built Rating, demonstrating Australian excellence in sustainability within the built environment. As part of this ambitious sustainability target, the project is targeting points through a life cycle assessment (LCA) under credit 19A of the Design & As Built rating tool. A preliminary LCA study has been undertaken prior to submission for planning approval. This study will be updated throughout design development as the project design progresses and becomes more detailed.

1.1.1 Building location

The building is located on the existing site of The Star, Sydney (80, Pyrmont Road, Pyrmont, NSW) as shown in Figure 1.1.




Figure 1.1 The Star Sydney site

1.1.2 Area schedule

Presented below in Table 1.1 is the area schedule for the project.

Table 1.1 The Star Ritz Carlton Hotel and Residential Tower Area Schedule

Building use	Gross floor area (m2)
Community	1,294
Retail	42
Ritz-Carlton hotel	17,486
Apartments	22,051
Total	41,924

1.2 Objective

The project is targeting a 5 Star Green Star Design & As Built rating and has nominated to target credit 19A (Life Cycle Assessment). There are seven (7) points available under credit 19A (LCA). To claim this credit, the project will:

- Conduct a whole of building LCA for the proposed building which follows EN 15978 guidance and undergo an ISO 14040 compliant independent peer reviewed.
- Compare the whole of life impacts over seven (7) mandatory impact categories between the proposed building and a reference building. The points are awarded on a sliding scale for demonstrating cumulative reduction over the mandatory impact categories. Cumulative impact reduction is rewarded with one point for 30% reduction a further point for each 20% reduction beyond 30%, up to 130% and a maximum of 6 points (although points may also be available for exceeding this benchmark under innovation).
- Report on the optional additional six (6) impact categories. One additional point is awarded for reporting on the additional impact categories.

2 METHODOLOGY

The methodology for this study is governed by the Green Star Design & As Built requirements for credit 19A (Life Cycle Assessment). This requires that an EN 15804 and EN 15978 compliant methodology is followed, as described in sections 2.1 - 2.3. The Green Star Design and As Built Submission Guidelines also stipulate specific requirements for:

- the definition of reference building as described in section 2.4 and Appendix B.
- the life cycle impact assessment (LCIA) categories as described in section 2.5

2.1 Definition of goal and scope

The goal and scope defines the functional unit and has implications for the physical scope of the processes included as well as the timescale spanned by the study.

2.2 Definition of functional unit and system boundary

Based on the goal and scope definition, a diagram of the system is drawn. The system boundary identifies the aspects that lie inside or beyond the scope of the study and determines what to measure at the next step.

2.3 Life cycle inventory (LCI)

2.3.1 Data quality

ISO 14040 provides the following requirements for data quality in the LCI:

- **Relevance:** select sources, data and methods appropriate to assessing the chosen product's LCI;
- **Completeness:** include all LCI items that provide a material's contribution to a product's life cycle emissions;
- **Consistency:** enable meaningful comparisons in life cycle impact assessment (LCIA) information;
- **Accuracy:** reduce bias and uncertainty as far as is practical; and
- **Transparency:** when communicating, disclose enough information to allow third parties to make decisions.
- **Time coverage:** the data collected represents recent practice for the construction of the project.
- **Geographical coverage:** the data collected are representative of the sourcing of materials, whether from Australia or overseas, and are in line with the goal of the study

2.3.2 Inventory of inputs and outputs

The life cycle inventory (LCI) consists of the input or output flows that cross the system boundary. These measurements include the inputs of energy, water, raw materials consumed, manufactured materials or products consumed and the outputs of products/services, co-products, atmospheric emissions, waterborne emissions and solid wastes generated. Life cycle data has primarily been sourced from project specific information, complemented by relevant literature and engineering estimates to complete the whole building and whole of life assessment.

2.3.3 Allocation for co-products

EN 15978 refers to EN 15804 for specific calculations of impacts, which includes the allocation of impacts between co-products. According to EN 15804, allocation should be avoided as far as possible by dividing the unit process into different sub-processes that can be allocated to the co-products and by collecting input and

output data related to these sub-processes. If a process cannot be sub-divided, then the following hierarchy applies for allocation of inputs and outputs between co-products:

- Based on physical properties (e.g. mass, volume) when difference in revenue is low;
- Based on economic value;
- Material flows carrying specific inherent properties e.g. energy content, elementary composition, shall always be allocated reflecting the physical flows.

Where background data does not meet EN 15804 requirements ISO 14044 allocation rules shall be followed. The background data selected for this study has been chosen in a hierarchy that best meets EN 15804 requirements.

The site tri-generation system planned for The Star includes a combined heat and power plant (CHP) in combination with absorption and electric chillers. The CHP plant will generate electricity as a primary product, with heat and chilled water (from an absorption chiller) generated as co-products. The preliminary energy modelling indicates there will be a surplus of heat generated throughout the year when looking at the demand profile for the Ritz Carlton Hotel and Residential Tower.

It is assumed that all energy demand of the Ritz Carlton Hotel and Residential Tower will be met by the CHP plant. Taking a conservative approach, the impacts of gas combustion in the CHP plant are allocated 100% to the Ritz Carlton and Residential Tower, with no burden allocated to the excess heat that may or not be utilised elsewhere in The Star site. For inventory details and assumptions for operational energy, see section 4.3.5.

2.3.4 Allocation procedures for reuse, recycling and recovery

The potential impacts reuse, recycling and recovery under EN 15804/15978 are reported in Module D as potential loads and benefits outside the system boundary. Where a material flow exits the system boundary and has an economic value or has reached the end-of-waste criteria and substitutes another products, then the impacts (loads and benefits) may be calculated and shall be based on:

- Average existing technology;
- Current practice;
- Net impacts.

2.3.5 Background data

The background data used is taken from GaBi 6 LCA software from the GaBi Professional Database and the Construction Materials extension database. The Gabi databases contain mostly EN 15804 compliant processes suitable for whole building life cycle assessment.

GABI PROFESSIONAL DATABASE

The GaBi Professional Database contains a large amount data, the complete ELCD database as well as data from Plastics Europe. It includes 3,560 processes, predominantly cradle-to-gate, as well as parameterised unit processes, including:

- organic and inorganic chemicals
- metals
- plastics
- wood and wood products
- power generation
- transport

- production techniques
- end of life processes

GABI CONSTRUCTION MATERIALS DATABASE EXTENSION

The GaBi Building & Construction Materials Database contains 3,124 processes, including; additives, glue, concrete, mortar, plaster, paints, lightweight aggregate concrete, brick, foam mortar, lime sand brick, building slabs, wood, insulating material, heat insulating bonding systems, metals, plastics, windows, lighting and plumbing, heating and ventilation, elevators and many more.

2.3.6 Criteria for the exclusion of inputs and outputs

It should be noted that this LCA is based on an early concept design and is in the absence of detailed design, procurement and construction information. For this reason the study will exclude many building elements and inputs that will not be known until a later stage in the design process. It is the intent that this study will be updated during the detailed design and construction phase to include more detail in the model.

For significant building elements not included in the current design (e.g. external façade specification and hotel fitout materials) a reasonable estimate for materials has been used. See section 2.3 for detail for how the Life Cycle Inventory was compiled.

According to EN15978 (2011), the assessment shall represent accurately the quantification of the building and scenarios used at the time of the assessment. The criteria for the exclusion of inputs and outputs for the environmental indicators based on this description of the object of the assessment shall follow the rules according to EN 15804.

It is common practice in LCA/LCI protocols to propose exclusion limits for inputs and outputs that fall below a threshold % of the total, but with the exception that where the input/output has a “significant” impact it should be included.

It should be noted that the transport of construction equipment has been excluded from the LCA study as exact information was unknown at the time of the study and the environment impact of the construction equipment transport will be negligible.

Due to insufficient information being available on the use of refrigerants in chillers for the the Ritz Carlton Hotel and Residential Tower, these have been excluded from the current study. This is deemed not to effect the results since no reduction is being claimed, and the reference building would be assumed to have the same or worse refrigerant leakage due to a higher cooling demand.

2.4 Definition of the reference building

The Green Star Design & As Built credit 19A requires that the reference building is defined as either:

1. Standard Practice Reference Building – A hypothetical building that represents standard contemporary construction practices
2. Actual Reference Building – A building constructed in the last five years and is similar in use, construction and operation to the project.

The project applies option 1 – Standard Practice Reference Building. The detailed Standard Practice Reference Building definition is given in Appendix B.

2.5 Life cycle impact assessment

The life cycle impact assessment results were calculated in GaBi Professional LCA software. Green Star Design & As Built stipulates a set of mandatory and optional additional impact categories. The mandatory impact categories are presented in Table 2.1. A list of the optional additional impact categories are presented in Table 2.2.

Table 2.1 Green Star mandatory impact categories

Impact category	Unit	Method
Global Warming Potential (GWP)	kg CO ₂ equivalents	CML (v4.2) based on IPCC AR4
Ozone Depletion Potential (ODP)	kg CFC-11 equivalents	CML (v4.2) based on WMO 1999
Acidification Potential	kg SO ₂ equivalents	CML (v4.2)
Eutrophication Potential	kg PO ₄ ³⁻ equivalents	CML (v4.2)
Photochemical Ozone Creation Potential (POCP)	kg C ₂ H ₄ equivalents	CML (v4.2)
Abiotic Resource Depletion Potential (elements)	kg Sb equivalents	CML (v4.2)
Abiotic Resource Depletion Potential (fossil fuels)	MJ net calorific value	CML (v4.2)

Table 2.2 Green Star additional impact categories

Impact category	Unit	Method
Human Toxicity Cancer	CTUh	USE Tox (v1.00)
Human Toxicity Non-Cancer	CTUh	USE Tox (v1.00)
Land Use - Land Transformation	m ²	UNEP/SETAC Land Use Indicator Value Calculation in Life Cycle Assessment
Water Stress Indicator	m ³ water use related to local scarcity of water	Hoekstra et al (2012) – found in SimaPro Water Footprint methods database
Ionising Radiation	kg U ²³⁵ equivalent to air	CML (v4.2)
Particulate Matter	kg PM _{2.5} equivalent	ReCiPe (v1.10) based on RiskPoll

2.6 Independent peer review

For the Green Star As Built submission, the LCA must be peer reviewed by an independent agent as stated in ISO 14044 6.1 and 6.2; it must be clear that the LCA report submitted by the project is the same LCA report to which the peer reviewer has provided a favourable opinion. This should include a reference to the report name and date by the peer reviewer that corresponds with the LCA report submitted.

The LCA must be peer reviewed by an independent practitioner as stated in ISO 14044 Clauses 6.1 and 6.2. The ISO 14044 Standard requires critical LCA reviews to be performed and this provides an assurance of the credibility of the LCA and its results. In general, the peer review shall include investigation of whether:

- The methods used to carry out the LCA are consistent with ISO 14040 and 14044.
- The methods used to carry out the LCA are scientifically and technically valid.
- The data used are appropriate and reasonable in relation to the goal of the LCA.
- The interpretations reflect the limitations identified and the goal of the LCA.
- The LCA report is transparent and consistent.

The peer review statement must also confirm that the LCA report that has been reviewed is the same LCA report (including any revisions) that has been provided for assessment.

3 GOAL AND SCOPE DEFINITION

3.1 Goal of the study

The immediate objectives for the LCA are to measure and benchmark the Project's whole of life environmental impact and to determine the credit points to be achieved under credit 19A for the Green Star rating. Due to the design being in the early stages, the study is not aimed at being an exact representation of the Ritz Carlton Hotel and Residential Tower for which the design is to be developed over the coming months. The study instead aims to inform the design team of life cycle impacts and opportunities for improvement throughout the design process.

The intended audience of the LCA study results are SEGL and the GBCA. The comparative LCA results are not intended to be disclosed publicly.

3.2 Scope

The scope of the LCA is that defined by EN 15804 and particular calculation rules are set out in EN 15978. These are summarised below in Table 3.1.

Table 3.1 EN 15804 whole of building LCA scope

Life Cycle Stage	Module	Description
Product Stage	A1	Raw material supply
	A2	Transport
	A3	Manufacturing
Construction Stage	A4	Transport
	A5	Construction and installation processes
Use Stage	B1	Material emissions from usage
	B2	Maintenance
	B3	Repair
	B4	Replacement
	B5	Refurbishment
	B6	Operational energy
	B7	Operational water use
End of Life Stage	C1	Deconstruction and demolition
	C2	Transport
	C3	Waste processing
	C4	Disposal
Benefits and loads beyond the building lifetime	D	Reuse, recycling and recovery

3.3 Functional unit

The functional unit used to compare the proposed and reference building is one m² of Gross Floor Area (GFA) from cradle to grave over 60 years. This is the unit to which impact assessment results must be reported under the Green Star Design & As Built rating tool.

4 LIFE CYCLE INVENTORY

4.1 Product stage (Module A1-A3)

Prior to planning approval, the following sources of information have been used:

- Structural estimates from structural engineers
- Schedule from building service engineers
- Concept design drawings

During the detailed design stage, the life cycle inventory will be amended to include a detailed bill of quantities (BOQ). At this early stage, all materials apart from central energy plant are assumed to be identical for the reference and proposed buildings.

A detailed life cycle inventory is given in Appendix A.

4.1.1 Structure

The summary of structural material estimates is shown below in Table 4.1. The assumptions were based on a similar design for a residential building.

Table 4.1 Structural materials estimates

Floor Type	Concrete Strength Grade (MPa)	Est Concrete Per GFA (m ³ /m ²)	Est Total Concrete (m ³)	Est Total Reinforcing Steel (kg)
Foundations	80	0.24	230	82,558
Basement	80	1.40	5,259	548,854
G - L9	80	0.72	1,689	188,003
L10-40	65	0.53	11,623	1,320,927
L41-60	40	0.53	9,310	1,058,073
Total		0.61	28,110	3,198,416

4.1.2 External façade

A total external façade area of 21,798 m² was taken from the 3D energy model developed in EDSL TAS v9.4. The façade design is not yet fully developed, as such a typical normalised mass of material per m² from a high rise tower was used as a benchmark.

Table 4.2 Material assumptions for external facade

Material	Mass (kg/m ²)
Glazing (Heat strengthened laminated low-E coated DGU)	23.0
Structural silicone	2.21
Tremco sealant – Dymonic FS-DS	0.537
Aluminium framing	11.1
Aluminium flashings & cappings	4.44
Aluminium louvres	0.22
Insulation (glass wool)	2.22
Steel structural elements (e.g. secondary support and ancillaries)	2.22
Stainless steel elements	1.11

4.1.3 Mechanical services

The material and equipment required for mechanical services were taken from a schematic design developed for typical hotel and residential floors, and used to estimate the total material and equipment required for total hotel and residential floor area in the building. Since mechanical detail for community and other areas in the building have not yet been developed, these have not been included.

Table 4.3 Inventory of steel ductwork (including hangers, support, fixings etc) for hotel and residential floors

Area	Description	Dimension	Length (m)	Mass per unit length (kg/m)	Mass (kg)
Hotel	Guestroom Vent	200x200	4,800	5	24,000
	Guestroom AC Duct	1000x300	1,600	14	22,400
	Common Area Ducts	300x300	600	7	4,200
	Vent Risers	1300x1300	770	60	46,200
	Smoke Risers	1000x1000	140	47	6,580
	Kitchen Riser	1200x1200	70	55	3,850
Residential	Resi Vent	200x200	9450	5	47,250
	Resi AC Ducts	1000x300	1050	14	14,700
	Common Area Ducts	300x300	900	7	6,300
	Vent Risers	1300x300	105	20	2,100
	Smoke Risers	1000x1000	210	47	9,870

Area	Description	Dimension	Length (m)	Mass per unit length (kg/m)	Mass (kg)
	Kitchen Riser	1200x1200	105	55	5,775

Table 4.4 Inventory of steel ductwork (Including hangers, support, fixings etc) for podium and basement areas

Area	Area (GBA)	Rate (m/m2)	Length (m)	Mass per unit length (kg/m)	Total Weight (kg)
Podium	5040	0.642	3235.68	7.3	23,620
Basement	850	0.214	181.9	7.3	1,328

Table 4.5 Inventory of steel pipework (including hangers, supports, fixings etc.)

Area	Average Size of pipework	Length (m)	Mass per unit length (kg/m)	Total Weight (kg)
Hotel	50dia	6000	5.1	30,600
Residential	50dia	9000	5.1	45,900
Risers	100dia	880	12.1	10,648

The following mechanical services were also included in the inventory (see Appendix A for full detail):

- Chilled/Heating Fan Coil Units (inc cooling coil, heating coil, filtration)
- Air Handling Units (inc cooling coil, heating coil, filtration)
- Water-Water Plate Heat Exchangers
- Pumps
- Ventilation Fans

4.1.4 Electrical services

Typical electrical services drawings were unavailable at this stage and past project benchmark data was used to assume rates of material required for electrical services per unit area. The rates and total quantities assumed are shown below in Table 4.6.

Table 4.6 Inventory assumptions for electrical services

Description	Material rate	Unit	Total quantity assumed	Unit
Cable Trays - Communication	0.12	m/m2	4,972	m
Cable Trays - Power	0.18	m/m2	7,450	m
Cables - Communication	1.07	m/m2	44,749	m
Cables - Power	1.60	m/m2	67,054	m
Lights - Flourescent	0.09	#/m2	3,951	#

Description	Material rate	Unit	Total quantity assumed	Unit
Lights - downlights	0.05	#/m2	1,983	#

4.1.5 Vertical transport

There are 6 lift cores included in the Ritz Carlton Hotel and Residential Tower which service each floor apart from level 60 which is serviced by only 4 elevators. Lifts were modelled using GaBi background data based on total equipment required per floor per lift (including lift, counterweight, all structure and framing). For more detail see Appendix A.

4.1.6 Internal walls and floors

Internal walls were assumed to be two sided plasterboard with standard timber framed hob wall construction. All timber was assumed to be 190 x 35 mm softwood and nails galvanised steel. Stud spacing was assumed to be at 450mm and noggins at 1200mm. The total mass of material per square meter of internal wall is shown in Table 4.7. The internal wall area for a typical residential floor was measured to be approximately 377 m² and multiplying by 60 floors the total for the whole building assumed to be 22,626 m².

Table 4.7 Inventory of internal hob walls

Mass per m2 wall area	
Timber	13.38
Timber nails	0.051
Plasterboard	36

Internal floors were assumed to be 50% carpet, 25% ceramic tiled and 25% parquet timber material.

4.2 Construction process (Module A4-A5)

4.2.1 Material supply (A4)

Specific suppliers and sources are not known during the early design stage, as such typical transport distance assumptions for projects in Sydney shown in Table 4.8 will be used for transport distance to site. These align with what is used in the Transport for NSW Carbon Estimation and Reporting Tool (CERT) (Transport for NSW, 2015). For all material not included in the CERT, a conservative estimate of 150km articulated truck and 8,250 km shipping has been assumed. The total assumed mass and distance transported by each mode is shown in Table 4.9.

Table 4.8 Transport distance and mode assumptions for materials

Material	Reference Building mass (tonnes)	Proposed Building mass (tonnes)	Articulated truck (km)	Rigid Truck (km)	Ship (km)
Sand and aggregate			60		
Concrete, in-situ	67,464	67,464		40	
Concrete, precast				150	

Material	Reference Building mass (tonnes)	Proposed Building mass (tonnes)	Articulated truck (km)	Rigid Truck (km)	Ship (km)
Pavement			50		
Steel	3,240	3,240	150		
Aluminium /Glazing / Facade	1,242	1,242		150	8250
Plant and building services equipment	801	801		500	2500
Other	2,579	2,579	150		8250

Table 4.9 Total material transport to site by mode (t.km)

Transport mode	Reference Building	Proposed Building
Rigid truck (t.km)	4,187,292	4,187,292
Articulated truck (t.km)	889,118	889,118
Train (t.km)	-	-
Ship (t.km)	16,750,723	16,750,723

4.2.2 Construction / installation (A5)

Monitoring will ensure that construction energy is sub-metered and measured during the construction phase. For the early design calculations the following assumptions estimations (Table 4.10) have been used as an approximation. The total amount of concrete pumping and excavation have been modelled using process data available in GaBi (see Appendix A for details).

Table 4.10 Construction assumptions

Construction input	Rate	Source
Construction energy - concrete pumping	28,110 m3	WSP estimate of total concrete volume
Construction energy - excavation	40,000 m3	WSP estimate
Construction energy - other	215 MJ/m2 GFA Assumed 70% diesel and 30% electricity	<i>Energy and greenhouse gas emissions association with the construction of alternative structural systems</i> (Cole, 1998)
Construction water	0.000257 m3/week/m2 GFA	Report on <i>Auditing of water use on construction sites</i> (WRAP, 2011)

Building material waste was assumed to be 5% of all materials supplied to site with NSW average recycling rates as given in section 4.4.

4.3 Building use (Module B1-B7)

4.3.1 Material Emissions (B1)

Material emissions are considered to be negligible for a building and are not included in this study.

4.3.2 Maintenance (B2)

The maintenance considerations for the building included are:

- cleaning of internal floors and external windows
- painting of internal walls

The cleaning assumptions for internal floors and windows are have been taken from literature estimates. Where a range has been given the high end of the range has been taken as a conservative estimate. The cleaning inputs are shown below in Table 4.11. Both hard surface floors (e.g. tiles and vinyl flooring) and carpeted areas are assumed to be 50% of the total GFA. The total glazed area was assumed to be the complete external façade area of 21,798 m² as a conservative estimate.

Table 4.11 Cleaning inputs for internal floors and windows

	Hard surface flooring	Carpets	Windows
Area (m2)	20,962	20,962	21,978
Water for wet cleaning (m3/m2/clean)	0.002 ^a		0.002 ^a
Cleaning agent, e.g. soap (kg/m2)	0.04 ^a		0.04 ^a
Electricity for vacuuming (kWh/m2)	0.0053	0.0053 ^b	
Maintenance frequency	Weekly	Weekly	Monthly

Notes: a – Sourced from Dal-Tile Ceramic Tile EPD (assumed windows use same water and cleaning agent as hard floors) (Dal-tile Corporation, 2014), b – Sourced from Interface Carpet Tile EPD (Interface, 2016).

4.3.3 Repairs (B3)

It is assumed that 5% repair over 60 years for all materials in A1-A3 will be required.

4.3.4 Replacement & Refurbishments (B4 & B5)

Replacement of key materials and equipment was considered using advice from the Mechanical Engineer and conservative assumptions. The design life assumptions for plant and mechanical equipment is given below in Table 4.12.

Table 4.12 Design life for mechanical services

Element	Design Life (years)
Tri-gen plant	15
Boilers	25
Electric chillers	25
Absorption chillers	25
Ductwork	20
Steel pipework	20
Fan Coil Units	20
Air Handling Units	20
Heat exchangers	20
Pumps	20
Ventilation Fans	15

4.3.5 Operational Energy (B6)

A 3D energy model has been developed in EDSL TAS v9.4 to give the demand profile for the reference and proposed buildings (given below in Table 4.13). For key assumptions behind the energy modelling see the Green Star Energy Modelling Report (2305180U-ESD-REP-03-Rev0).

Table 4.13 Energy demand by end use for proposed and reference building

	Reference building	Proposed building	Proposed reduction (%)
HVAC			
Heating (MJ/year)	1,494,964	3,097,115	-107%
Cooling (kWh/year)	645,401	340,431	47%
Heat rejection (kWh/year)	200,089	149,965	25%
Air Conditioning Fans (kWh/year)	4,323,989	1,325,795	69%
Mechanical Ventilation Fans (kWh/year)	-	-	
Pumps (kWh/year)	185,053	143,344	23%
Services			
Domestic Hot Water (MJ/year)	5,240,886	6,170,078	-18%

	Reference building	Proposed building	Proposed reduction (%)
DHW Circulators and Controls (kWh/year)	-	-	
DCW Pumps and Controls (kWh/year)	-	-	
Lifts (kWh/year)	107,900	107,900	0%
Artificial Lighting – Internal (kWh/year)	842,077	521,092	38%
Artificial Lighting – External (kWh/year)	68,836	17,209	75%
Appliances (kWh/year)	388,020	388,020	0%

SEGL is installing a tri-generation plant to service The Star site. This consists of a total 8MWe capacity in a modular system of 1MWe units. The peak demand for the Ritz Carlton Hotel and Residential Tower is expected to be 2MWe. The total energy consumption and generation assumptions (given in Table 4.14) for the proposed and reference buildings were developed using a dynamic system model.

The proposed building energy demand is assumed to be met entirely from gas supply to the CHP, and any surplus heat not used in the Ritz Carlton Hotel and Residential Tower is assumed to be wasted (see section 2.3.3 for treatment of allocation). See section 5.3.1 for a sensitivity analysis to test the omission of a tri-generation system for the proposed building.

Table 4.14 Annual energy consumption proposed and reference building

Use	Reference Building	Proposed Building
Grid electricity (kWh/year)	6,761,365	0
Natural Gas (MJ/year)	6,735,850	33,417,000

4.3.6 Operational Water (B7)

The total potable water consumption has been estimated using the Green Star Potable Water Calculator. The total demand profile is given in Table 4.15.

Table 4.15 Potable water consumption for proposed and reference buildings

Use	Reference Building water demand (kL/year)	Proposed Building water demand (kL/year)
Toilets	4,431.6	5,064.6
Urinals	0.0	1,947.9
Indoor taps	2,739.3	2,739.3
Showers – Occupants	54,524.4	46,735.2
Showers – Sports facilities	0.0	0.0
Washing machines	3,004.7	4,292.4
Dishwashers	84.0	0.0
Heat rejection	0.0	7,255.6
TOTAL	64,783.9	68,035.0

4.4 End of life (Module C1-C4)

4.4.1 Demolition & Deconstruction (C1)

For demolition and deconstruction diesel consumption from operation of machinery was considered. An assumption was made from the Road Greenhouse Gas Assessment Handbook 2011 assuming that 4.8L of diesel was required per m² GFA (TAGG, 2013), making a total of over 201,235 L for complete deconstruction and demolition.

4.4.2 Transport of waste (C2)

It is assumed that all demolition waste will require 50km of transport by rigid truck to waste processing or disposal and landfill. The total waste transport required at end of life is shown in Table 4.16.

Table 4.16 Transport required to waste treatment at end of life (t.km)

	Reference Building	Actual Building
Waste transport (t.km)	3,785,402	3,785,402

4.4.3 Waste processing (C3) and waste disposal (C4)

For the eventual construction and demolition waste generated from demolition of the building the recycling rates in Table 4.17 are assumed (DSEWPC, 2012).

Table 4.17 Recycling rates for construction and demolition waste in NSW 2011

Material	Recycling rate
Masonry	60%
Metals	89%
Organics	34%
Paper & Cardboard	61%
Plastics	23%
Glass	67%
Average of all waste	59%

4.5 Benefits and loads beyond the building lifetime (Module D)

The potential benefits and loads beyond the building life time have not been included in this study.

5 LIFE CYCLE IMPACT ASSESSMENT RESULTS

Figure 5.1 below shows the global warming potential (GWP) contribution across the life cycle stages. The overwhelming majority of GWP is caused by operational energy consumption during the Use Stage over the 60 year building life time. The Product Stage contributes a significant amount with 14% contribution in the proposed building and 5% contribution for the reference building.




Figure 5.1 Relative impact reduction from reference to proposed building across 7 mandatory categories

The GWP contribution by materials for the Product Stage is shown below in Figure 5.2.




Figure 5.2 Global Warming Potential contribution from materials to the Product Stage (A1-A3)

5.1 Whole building results

Table 5.1 and Table 5.2 give the whole building life cycle impact assessment results for reference and proposed buildings respectively.

Table 5.1 Reference building results (whole building)

Impact category	Product (A1-A3)	Construction (A4-A5)	Use (B1-B7)	End of life (C1-C4)	Beyond the building lifetime (D)	Total
GWP (kg CO ₂ eq)	22,326,191	573,741	425,210,576	1,386,187	MND	449,496,695
ODP (kg CFC-11 eq)	0.400	3.04E-06	0.296	3.49E-05	MND	0.696
AP (kg SO ₂ eq)	58,028	9,356	1,759,308	5,330	MND	1,832,021
EP (kg PO ₄ ³⁻ eq)	6,241	1,280	155,438	2,126	MND	165,085
POCP (kg C ₂ H ₂ eq.)	24,541	-269	96,940	-169	MND	121,043
AD-e (kg Sb eq.)	7,630,328	0.022	381,657	2,407	MND	8,014,392
AD-f (MJ)	126,325,655	4,587,575	5,003,046,759	10,310,356	MND	5,144,270,345

MND = Module Not Declared, GWP = Global Warming Potential, ODP = Ozone Depletion Potential, AP = Acidification Potential, EP = Eutrophication Potential, POCP = Photochemical Ozone Creation Potential, AD-e = Abiotic Depletion – elements, AD-f = Abiotic Depletion – fossil fuels

Table 5.2 Proposed building results (whole building)

Impact category	Product (A1-A3)	Construction (A4-A5)	Use (B1-B7)	End of life (C1-C4)	Beyond the building lifetime (D)	Total
GWP (kg CO ₂ eq)	22,416,641	573,741	136,165,591	1,386,299	MND	160,542,272
ODP (kg CFC-11 eq)	0.40	3.04E-06	0.30	3.49E-05	MND	0.695
AP (kg SO ₂ eq)	58,371	9,356	215,355	5,331	MND	288,412
EP (kg PO ₄ ³⁻ eq)	6,274	1,280	50,087	2,126	MND	59,767
POCP (kg C ₂ H ₂ eq.)	24,573	-269	21,233	-169	MND	45,367
AD-e (kg Sb eq.)	7,630,343	0	381,675	2,407	MND	8,014,425
AD-f (MJ)	127,473,419	4,587,575	2,309,125,375	10,311,879	MND	2,451,498,248

MND = Module Not Declared, GWP = Global Warming Potential, ODP = Ozone Depletion Potential, AP = Acidification Potential, EP = Eutrophication Potential, POCP = Photochemical Ozone Creation Potential, AD-e = Abiotic Depletion – elements, AD-f = Abiotic Depletion – fossil fuels

5.2 Normalised results (per m² GFA)

Table 5.3 and Table 5.4 give the normalised (per m² GFA) life cycle impact assessment results for reference and proposed buildings respectively.

Table 5.3 Normalised Reference building results (per m² GFA)

Impact category	Product (A1-A3)	Construction (A4-A5)	Use (B1-B7)	End of life (C1-C4)	Beyond the building lifetime (D)	Total
GWP (kg CO ₂ eq)	533	14	10,142	33	MND	10,722

ODP (kg CFC-11 eq)	9.54E-06	7.26E-11	7.05E-06	8.33E-10	MND	1.66E-05
AP (kg SO ₂ eq)	1.4	0.22	42	0.13	MND	44
EP (kg PO ₄ ³⁻ eq)	0.15	0.031	3.7	0.051	MND	3.9
POCP (kg C ₂ H ₂ eq.)	0.6	-6.42E-03	2.3	-4.03E-03	MND	2.9
AD-e (kg Sb eq.)	182	5.29E-07	9.1	0.057	MND	191
AD-f (MJ)	3,013	109	119,336	246	MND	122,705

MND = Module Not Declared, GWP = Global Warming Potential, ODP = Ozone Depletion Potential, AP = Acidification Potential, EP = Eutrophication Potential, POCP = Photochemical Ozone Creation Potential, AD-e = Abiotic Depletion – elements, AD-f = Abiotic Depletion – fossil fuels

Table 5.4 Normalised Proposed building results (per m² GFA)

Impact category	Product (A1-A3)	Construction (A4-A5)	Use (B1-B7)	End of life (C1-C4)	Beyond the building lifetime (D)	Total
GWP (kg CO ₂ eq)	534.70	14	3,248	33	MND	3,829
ODP (kg CFC-11 eq)	9.53E-06	7.26E-11	7.04E-06	8.33E-10	MND	1.66E-05
AP (kg SO ₂ eq)	1.4	0.22	5	0.13	MND	7
EP (kg PO ₄ ³⁻ eq)	0.15	0.031	1.2	0.051	MND	1.4
POCP (kg C ₂ H ₂ eq.)	0.6	-6.42E-03	0.5	-4.04E-03	MND	1.1
AD-e (kg Sb eq.)	182	5.29E-07	9.1	0.057	MND	191
AD-f (MJ)	3,041	109	55,079	246	MND	58,475

MND = Module Not Declared, GWP = Global Warming Potential, ODP = Ozone Depletion Potential, AP = Acidification Potential, EP = Eutrophication Potential, POCP = Photochemical Ozone Creation Potential, AD-e = Abiotic Depletion – elements, AD-f = Abiotic Depletion – fossil fuels

5.3 Uncertainty and Sensitivity analysis

5.3.1 Proposed building central energy plant

The LCA model has been tested under the scenario of omission of the tri-generation central energy plant with energy supply assumptions used for the Green Star reference building. This assumes a central boiler for hot water and all cooling and electrical loads supplied by grid electricity as per the current traditional central energy plant. This results in a 50% reduction in operational GHG emissions and a 47% reduction in whole of life GHG emissions. The total cumulative reduction across the 7 mandatory impact categories is 230%

The GWP contribution by life cycle stage is shown below in Figure 5.3 and the over Green Star LCA results are shown in Table 5.5.




Figure 5.3 GWP contribution by life cycle stage (sensitivity omitting tri-generation plant)

Table 5.5 Green Star LCA results (sensitivity omitting tri-generation plant)

Impact category	Unit	Reference	Proposed (CEP)	Reduction
Climate change	kg CO2 equivalents	448,878,576	239,731,836	47%
Stratospheric ozone depletion	kg CFC-11 equivalents	0.70	0.69	0%
Acidification potential of land and water	kg SO2 equivalents	1,829,489	897,160	51%
Eutrophication potential	kg PO43- equivalents	164,854	88,438	46%
Photochemical ozone creation potential	kg C2H4 equivalents	120,833	72,006	40%
Mineral depletion	kg Sb equivalents	8,014,392	8,014,427	0%
Fossil fuel depletion	MJ net calorific value	5,135,020,236	2,812,979,222	45%
Cumulative impact reduction				230%
Cumulative reduction points				6.0
Additional impact reporting				1.0
Points awarded				7.0

6 OPPORTUNITIES

6.1.1 Portland cement substitution

Concrete and steel reinforcement used for the structure dominate the product stage (module A1-A3) impacts and also offer the greatest opportunity for impact reduction. If the proposed building targets an average 30% supplementary cementitious materials (SCM) in all concrete mixes across the project, an 8% reduction (1,966 tonnes of CO₂ –eq) can be made against the reference building product stage. The building material contribution to GWP and the reduction for concrete with 30% SCMS in the proposed building is shown in Figure 6.1.




Figure 6.1 Building material contribution to GWP and potential reduction with 30% SCM concrete

6.1.2 Steel procurement

Procurement of steel with a high recycled content will help reduce life cycle impacts across all mandatory categories. There are reinforcing and structural steel products available in Australia with Environmental Product Declarations (EPD) that document a higher recycled content than business as usual. Procurement of products with EPDs also helps to claim points in credit 21 'Sustainable Products'.

7 LIMITATIONS

This preliminary LCA model is based on post design competition drawings as developed by FJMT. Since a detailed bill of quantities (BOQ) has not yet been developed, benchmark data from typical high rise projects and preliminary material estimates have been used for the building model. The basis for material estimations include:

- major structure (concrete and steel) estimates from WSP Structures
- mechanical services from WSP Mechanical Engineer
- plant equipment specifications and reference energy modelling assumptions
- lift cores, external façade, internal floors ceilings and walls estimated from the FJMT Plan Set provided following the design competition

8 REFERENCES

- CEN. (2011). *EN 15978:2011 Sustainability of construction works. Assessment of environmental performance of buildings. Calculation method*. European Committee for Standardization.
- CEN. (2013). *EN 15804:2012 + A1:2013 - Sustainability of construction works. Environmental product declarations. Core rules for the product category of construction products*. European Committee for Standardization.
- Cole, R. J. (1998). Energy and greenhouse gas emissions associated with the construction of alternative structural systems. *Building and Environment*, 34(3), 335-348.
- Dal-tile Corporation. (2014). El Paso Wall Ceramic Tile EPD. UL Environment. Retrieved from http://productguide.ulenvironment.com/productDocuments/1196/15/121.1_Daltile%20EPD%20-%2011_Wall%20-%20EI%20Paso%20-%20AO%20Brand_Final_Feb2014.pdf
- DSEWPC. (2012). *Waste and Recycling in Australia 2011*. Department of Sustainability, Environment, Water, Population and Communities (DSEWPC). Retrieved from <http://www.environment.gov.au/system/files/resources/b4841c02-229b-4ff4-8b3b-ef9dd7601d34/files/waste-recycling2011.pdf>
- Interface. (2016). GLASBAC®, TYPE 6 NYLON ENVIRONMENTAL PRODUCT DECLARATION. UL Environment. Retrieved from http://interfaceinc.scene7.com/is/content/InterfaceInc/Interface/Americas/WebsiteContentAssets/Documents/Technical/EPDBriefs/GlasBacNylon6/wc_am-epdglasbacnylon6oct2016.pdf
- ISO. (2006). *ISO 14040:2006 Environmental management -- Life cycle assessment -- Principles and framework*. International Organization of Standardization.
- ISO. (2006). *ISO 14044:2006 Environmental management -- Life cycle assessment -- Requirements and guidelines*. International Organization of Standardization.
- TAGG. (2013). *Greenhouse Gas Assessment Workbook for Road Projects*. Transport Authorities Greenhouse Group (TAGG). Retrieved from <http://www.rms.nsw.gov.au/documents/about/environment/greenhouse-gas-assessment-workbook-road-projects.pdf>
- Transport for NSW. (2015). Carbon Estimation and Reporting Tool. Retrieved from <http://www.transport.nsw.gov.au/industry/doing-business/sustainability-guidelines>
- WRAP. (2011). *Auditing of water use on construction sites - Phase 1*. Working together for a world without waste (WRAP).

Appendix A

DETAILED LIFE CYCLE INVENTORY

A.1 DETAILED LIFE CYCLE INVENTORY

Table A.1 shows the detailed life cycle inventory for the product stage of the proposed building.

Table A.1 Detailed inventory for Product Stage (A1-A3)

Process	Quantity	Unit	Source
DE: Concrete C45/55 (A1-A3) VDZ-EPD	9,310	m3	GaBi
DE: Concrete C50/60 (A1-A3) VDZ-EPD	18,571	m3	GaBi
GLO: Steel rebar worldsteel	3,240,340	kg	GaBi
DE: Steel sheet HDG (EN 15804 A1-A3) ts <p-agg>	8,280	kg	GaBi
DE: Aluminium extrusion profile mix ts	99,380	kg	GaBi
EU-27: Air ventilation duct (zinc coated steel plate) (EN15804 A1-A3) ts <p-agg>	229,993	kg	GaBi
EU-27: Circulating pump 250-1000W (EN15804 A1-A3) ts <p-agg>	9	#	GaBi
EU-27: Circulating pump 50-250W (EN15804 A1-A3) ts <p-agg>	9	#	GaBi
EU-27: Electric heat pump (Water-Water) 70 kW (EN15804 A1-A3) ts <p-agg>	160	#	GaBi
EU-27: Steel pipe (EN15804 A1-A3) ts <p-agg>	102,183	kg	GaBi
EU-27: Ventilation system central 10.000 m3/h (EN15804 A1-A3) ts <p-agg>	10	#	GaBi
EU-27: Ventilation system central with heat recovery 1.000 m3/h (EN15804 A1-A3) ts <p-agg>	320	#	GaBi
EU-27: Cable 1 wire (EN15804 A1-A3) ts	45	km	GaBi
EU-27: Cable 3 wire (EN15804 A1-A3) ts	67	km	GaBi
EU-27: Fluorescent lamp T8 18W (EN15804 A1-A3) ts	3950.53	#	GaBi
EU-27: Fluorescent lamp T8 18W (EN15804 A1-A3) ts	1983.33	#	GaBi
Daiken Magnitude magnetic bearing centrifugal chiller	1023.64	Ton cooling capacity	Daiken EPD
EU-27: Gas low temperature boiler 120-400 kW (upright unit) (EN15804 A1-A3) ts <p-agg>	63.63	#	GaBi
EU-27: Elevator component (dependent on floor) (EN15804 A1-A3) ts <p-agg>	358	floors	GaBi
Nylon 6 Modular Carpet	41,924	m2	Interface EPD
Timber stud wall, 2 sided plasterboard (no insulation)	22,626	m2	GaBi custom assembly model

Table A.2 Detailed Life Cycle Inventory for the Construction Phase (A4-A5)

Process	Quantity	Unit	Source
EU-27: Articulated lorry transport ts	889,118	t.km	GaBi

EU-27: Lorry transport ts	4,187,292	t.km	GaBi
GLO: Container ship ts <u-so>	16,750,723	t.km	GaBi
EU-27: Excavated soil with digger (EN15804 A5) ts	40,000	m3	GaBi
DE: Pumping of concrete (EN 15804 A5) ts <p-agg>	28,110	m3	GaBi

Table A.3 Detailed Life Cycle Inventory for the Operational Phase (B6 & B7)

Process	Quantity	Unit	Source
AU: Thermal energy from natural gas ts	2,005,020	GJ	GaBi
EU-27: Tap water ts	64,784	m3	GaBi

Appendix B

STANDARD PRACTICE REFERENCE BUILDING

B.1 STANDARD PRACTICE REFERENCE BUILDING

The Green Star Design & As Built credit 19A requires that the reference building is defined as either:

1. Standard Practice Reference Building – A hypothetical building that represents standard contemporary construction practices
2. Actual Reference Building – A building constructed in the last five years and is similar in use, construction and operation to the project.

This study uses a standard practice reference building, for which the key comparison to the proposed building is shown in Table B.1. All other building characteristics are assumed to be the same for the proposed and reference buildings.

The reference building is to be defined using conventional materials predominant for the building and deemed to satisfy current National Construction Codes (NCC), as detailed in the NCC Volume 1 Building Code of Australia. Building fabric must be compliant with NCC V1 Section J Deemed-to-Satisfy (DTS) requirements.

Modelled energy consumption must be based on BCA Section J deemed to satisfy (DTS) compliance. Maximum permissible lighting levels in line with BCA must be used. Heating and cooling appliances must comply with efficiencies which meet the latest Minimum Energy Performance Standards (MEPS) and where relevant BCA Section J DTS requirements. Building fabric must also be compliant with BCA Section J DTS requirements.

Both the reference building and project must have the same structural requirements, scale, function and location, tenant requirements, aesthetics, site conditions including underlying geology, planning constraints, orientation and assumed to be constructed at the same season. The reference case is to be agreed through consultation with structural, mechanical, electrical and architectural professionals.

To ensure the reference building is appropriate, projects are required to submit signed declarations from the principal architect or principal engineer or design manager for the project, confirming the reference building was constructed in accordance with the specific guidance above. Also confirming the reference building design, technologies and construction are true representation of contemporary practice for the type and function of the project.

Table B.1 Standard Practice Reference Building Definition

Category	Module	Proposed Building	Reference Building
Description		60 story Hotel and Residential Tower	As per proposed building
Structure type		Concrete framed. No Portland cement substitution assumed at this stage	As per proposed building
Concrete	A1-A3	Assumed no Portland cement substitution	As per proposed building
Steel	A1-A3	Assumed standard structural and reinforcing steel with no sustainability credentials	As per proposed building
Façade system	A1-A3	As per JV3 report. Aluminium framed double glazed unit.	As per JV3 report. Aluminium framed double glazed unit.

Category	Module	Proposed Building	Reference Building
Central energy plant	A1-A3	Gas turbine combined heat and power plant (CHP) in combination with absorption and electric chillers to supply cooling.	Heating met through central boiler plant and all other loads met from grid electricity
Glazing	A1-A3	Double glazed	Double glazed
Other Materials	A1-A3	TBC during detailed design	TBC during detailed design
Construction waste	A5	Assumed 5% waste of material supplied to site and NSW average recycling rates for construction waste	As per proposed building
Operational Energy	B6	As per preliminary Green Star energy modelling results. All energy supply by CHP	As per preliminary Green Star energy modelling results. Heating supplied by gas and electrical loads by grid electricity
Operational Water	B7	As per potable water calculator Reduced heat rejection water from harbour heat rejection system	As per potable water calculator reference assumptions
End of life waste	C1-C4	Assumed NSW recycling rates for key materials	As per proposed building.

Appendix C

LIFECYCLE IMPACT ASSESSMENT FACTORS

C.1 LIFECYCLE IMPACT ASSESSMENT FACTORS


GaBi Process / Source	Unit	CML2001 - Apr. 2013, Global Warming Potential (GWP 100 years), excl biogenic carbon [kg CO2-Equiv.]	CML2001 - Apr. 2013, Ozone Layer Depletion Potential (ODP, steady state) [kg R11-Equiv.]	CML2001 - Apr. 2013, Acidification Potential (AP) [kg SO2-Equiv.]	CML2001 - Apr. 2013, Eutrophication Potential (EP) [kg Phosphate-Equiv.]	CML2001 - Apr. 2013, Photochem. Ozone Creation Potential (POCP) [kg Ethene-Equiv.]	CML2001 - Apr. 2013, Abiotic Depletion (ADP elements) [kg Sb-Equiv.]	CML2001 - Apr. 2013, Abiotic Depletion (ADP fossil) [MJ]	USEtox 2.01, Human toxicity, cancer (recommended and interim) [CTUh]	USEtox 2.01, Human toxicity, non-cancer (recommended and interim) [CTUh]	Land Transformation Indicator [sqm]	ReCiPe 1.08 Midpoint (H) - Water depletion [m3]	ionizing radiation midpoint, human health (v1.06) [kBq U235 eq]	TRACI 2.1, Human Health Particulate Air [kg PM2.5-Equiv.]
EU-27: Excavated soil with digger [EN15804 A5] ts	m3	1.09E+00	4.89E-12	1.07E-02	2.32E-03	2.30E-03	7.09E-08	1.47E+01	6.67E-09	9.17E-08	9.21E-02	2.17E-02	3.07E-03	2.57E-03
DE: Pumping of concrete [EN15804 A5] ts <p>agg>	m3	8.95E-01	5.38E-11	1.28E-03	2.04E-04	9.47E-05	0.00E+00	0.00E+00	6.62E-10	2.45E-08	8.35E-02	2.17E-02	1.05E-01	1.03E-04
DE: Crushed stone 16/32 ts	kg	1.27E-02	6.48E-13	2.03E-05	3.72E-06	1.41E-06	0.00E+00	0.00E+00	2.20E-11	6.72E-10	1.22E-03	1.63E-02	1.25E-03	1.16E-03
EU-27: Sand 0/2 ts	kg	2.32E-03	6.29E-13	1.34E-05	2.25E-06	1.48E-06	0.00E+00	0.00E+00	1.71E-11	1.09E-09	3.38E-04	0.00E+00	3.83E-04	1.15E-05
EU-27: Asphalt pavement [EN15804 A1-A3] ts	kg	6.41E-02	4.98E-12	2.25E-04	2.55E-05	1.84E-05	0.00E+00	0.00E+00	1.45E-09	6.65E-09	1.84E-03	2.64E-02	3.01E-03	5.27E-04
EU-27: Asphalt supporting layer [EN15804 A1-A3] ts	kg	5.63E-02	4.78E-12	1.82E-04	2.26E-05	1.02E-05	0.00E+00	0.00E+00	1.03E-09	5.09E-09	1.61E-03	2.27E-02	2.88E-03	5.30E-04
DE: Cement screed - l/vM (A1-A3) ts-EPD <p>agg>	kg	1.51E-01	1.30E-11	2.17E-04	4.00E-05	1.26E-05	1.72E-07	9.82E-01	1.13E-10	1.26E-08	1.16E-04	1.63E-02	2.94E-03	5.92E-03
DE: Normal masonry mortar - l/vM (A1-A3) ts-EPD <p>agg>	kg	9.53E-02	1.34E-11	1.73E-04	2.73E-05	1.04E-05	1.51E-07	5.81E-01	8.40E-11	9.11E-09	3.24E-06	3.01E-02	2.75E-03	3.09E-05
DE: Concrete C20/25 (A1-A3) VDZ-EPD	m3	1.91E+02	6.67E-07	2.73E-01	4.35E-02	3.30E-02	3.39E-04	5.01E+02	1.68E-07	1.30E-05	1.86E-03	1.11E-01	3.66E+00	4.55E-01
DE: Concrete C25/30 (A1-A3) VDZ-EPD	m3	2.11E+02	6.92E-07	2.97E-01	4.72E-02	3.61E-02	3.78E-04	5.35E+02	1.73E-07	1.41E-05	2.00E-03	6.05E-02	3.92E+00	4.42E-01
DE: Concrete C45/55 (A1-A3) VDZ-EPD	m3	3.14E+02	8.16E-07	4.20E-01	6.46E-02	5.06E-02	5.17E-04	8.07E+02	2.97E-07	1.95E-05	2.95E-03	2.30E-02	5.73E+00	4.46E-01
DE: Concrete C50/60 (A1-A3) VDZ-EPD	m3	3.35E+02	9.41E-07	4.52E-01	6.90E-02	5.40E-02	5.47E-04	8.21E+02	3.68E-07	2.06E-05	3.05E-03	6.18E-02	5.93E+00	4.56E-01
DE: Reinforcement (synthetic resin trowel) [EN15804 A1-A3] ts	kg	4.14E-01	2.30E-11	9.27E-04	1.44E-04	2.08E-03	1.22E-06	9.57E+00	4.67E-09	2.48E-07	2.46E-02	2.64E-02	1.83E-02	2.08E-03
GB: Stainless Steel Rebar - Outokumpu (A1-A3) ts-EPD	t	4.34E-03	-3.96E-06	2.46E-01	1.51E-00	1.66E+00	2.54E-01	4.10E+04	5.15E-05	1.97E-03	4.46E+00	0.00E+00	3.67E+02	2.84E+00
GLD: Steel rebar worldsteel	kg	1.27E+00	1.11E-08	3.54E-03	2.80E-04	5.49E-04	-6.81E-08	0.00E+00	2.42E-09	2.08E-07	0.00E+00	0.00E+00	2.19E-03	3.16E-04
DE: EAF Steel billet / Slab / Bloom ts <p>agg>	kg	4.14E-01	1.83E-11	1.07E-03	9.96E-05	1.15E-04	1.34E-07	4.72E+00	3.84E-10	1.93E-08	2.97E-02	2.10E-02	3.49E-02	1.35E-04
BlueScope EPD - Steel welded beams and columns	kg	2.85E+00	1.18E-10	1.13E-02	1.18E-04	1.75E-03	2.21E-07	3.14E+01						
DE: Stainless Steel slab (X6CrNi17) ts <p>agg>	kg	3.60E+00	9.59E-11	2.74E-02	1.48E-03	1.61E-03	1.59E-03	3.94E+01	3.11E-08	3.68E-07	1.02E-01	1.55E-02	8.36E-02	4.59E-03
DE: Steel billet (20MoCr4) ts <p>agg>	kg	6.72E-01	2.99E-11	2.59E-03	2.25E-04	2.27E-04	4.13E-04	7.46E+00	1.93E-09	4.58E-08	4.28E-02	1.30E-02	4.09E-02	5.84E-04
DE: Steel hot rolled coil [EN15804 A1-A3] ts <p>agg>	kg	1.95E+00	1.21E-11	7.10E-03	5.98E-04	1.02E-03	1.24E-08	2.21E+01	1.12E-08	8.84E-07	2.22E-02	0.00E+00	1.10E-02	1.62E-03
DE: Steel sheet EG ts <p>agg>	kg	2.19E+00	1.57E-11	7.28E-03	6.44E-04	1.05E-03	1.14E-05	2.50E+01	1.14E-08	8.91E-07	2.61E-02	0.00E+00	1.56E-02	1.64E-03
DE: Steel sheet HDG [EN15804 A1-A3] ts <p>agg>	kg	2.28E+00	4.38E-11	7.81E-03	6.70E-04	1.09E-03	1.82E-04	2.59E+01	1.20E-08	9.16E-07	3.62E-02	0.00E+00	3.66E-02	1.70E-03
DE: Aluminium extrusion profile mix ts	kg	9.83E+00	4.08E-09	3.53E-02	2.39E-03	2.27E-03	4.33E-06	1.07E-02	2.11E-08	6.11E-07	1.72E-01	2.17E-02	2.20E+00	5.63E-03
RE: Stainless steel - Hot rolled coil ts-EPD	t	2.93E+03	2.08E-04	3.45E+01	1.06E+00	2.38E+00	9.79E-02	0.00E+00	3.43E-05	2.63E-03	0.00E+00	0.00E+00	4.09E+01	1.68E+00
DE: Concrete bricks [EN15804 A1-A3] ts	kg	1.13E-01	1.15E-12	2.02E-04	3.24E-05	8.20E-06	1.63E-07	5.12E-01	1.54E-10	7.41E-09	3.59E-03	1.12E-01	2.20E-03	3.58E-05
EU-27: Aerated concrete block ts	kg	5.35E-01	4.52E-11	8.87E-04	1.03E-04	1.11E-04	6.56E-07	3.79E+00	1.22E-09	8.44E-08	7.71E-03	0.00E+00	2.73E-02	1.67E-04
EU-27: Lightweight concrete block ts	kg	2.91E-01	2.84E-12	1.33E-03	8.79E-05	6.24E-05	3.94E-07	2.40E+00	2.15E-09	1.96E-07	2.04E-02	0.00E+00	5.44E-03	1.51E-04
BE: Dry construction panel HYDROPANEL 12mm - Eternit (A1-A3) ts	m2	7.70E+00	5.26E-09	2.17E-02	3.15E-03	1.84E-03	8.37E-06	8.01E+01	8.95E-09	6.22E-07	1.56E-04	2.17E-02	6.35E-01	7.10E-03
BE: Dry construction panel HYDROPANEL 9mm - Eternit (A1-A3) ts	m2	5.77E+00	3.94E-09	1.63E-02	2.36E-03	1.38E-03	6.28E-06	6.01E+01	6.71E-09	4.67E-07	1.17E-04	1.63E-02	4.78E-01	5.33E-03
BE: Facade panel CEDRAL - Eternit (A1-A3) ts-EPD	m2	7.39E+00	4.95E-09	1.74E-02	2.65E-03	5.86E-03	1.24E-03	7.78E+01	1.71E-08	1.59E-06	6.17E-04	1.74E-02	5.18E-01	3.70E-03
DE: Acoustic panel, StoSilent Panel Aluminium 15mm - StoVerotec GmbH	m2	9.84E+00	1.92E-08	2.11E-02	3.23E-03	3.37E-03	6.95E-05	1.38E+02	1.86E-08	1.37E-06	3.62E-04	2.11E-02	4.97E-01	1.49E-02
DE: Acoustic panel, StoSilent Panel Aluminium 25mm - StoVerotec GmbH	m2	1.22E+01	2.09E-08	2.64E-02	4.32E-03	3.70E-03	7.48E-05	1.68E+02	2.00E-08	1.45E-06	4.64E-04	2.64E-02	6.09E-01	2.21E-02
DE: Ceramic cladding elements incl. substructure TONALITY® - CRE	m2	4.40E+01	6.32E-09	1.12E-01	8.82E-03	9.04E-03	3.46E-04	6.08E+02	3.98E-08	2.09E-06	1.18E-03	1.12E-01	1.45E+00	1.78E-02
DE: Ceramic facade panels Argeton - Wienerberger GmbH (Module A)	m2	4.35E+01	6.27E-09	1.11E-01	1.03E-02	6.68E-03	2.47E-04	5.99E+02	9.20E-08	3.19E-06	2.01E-02	1.11E-01	1.81E+01	1.88E-02
DE: Construction panel Eterplan - Eternit (A1-A3) ts-EPD	m2	3.23E+01	1.10E-08	6.05E-02	7.68E-03	2.83E-02	3.21E-05	3.67E+02	2.00E-07	2.23E-05	1.01E-02	6.05E-02	1.17E+00	9.43E-03
US: Insulated metal panel (IMP), CF architectural wall panel - Mett-Span	m2	4.75E+01	1.01E-05	1.55E-02	1.11E-03	2.21E-03	3.67E-06	1.95E+01	4.77E-09	2.83E-07	2.76E-05	1.30E-02	6.05E-02	2.15E-03
US: Insulated metal panel (IMP), CF roof panel - Mett-Span ts-EPD	m2	3.83E+01	8.05E-06	1.30E-02	9.32E-04	1.85E-03	3.03E-06	1.59E+01	3.93E-09	2.37E-07	2.11E-05	1.18E-02	4.92E-02	1.78E-03
BE: Plaster baseboard BLUCLAD - Eternit (A1-A3) ts-EPD	m2	6.51E+00	4.93E-09	1.84E-02	2.65E-03	5.17E-03	1.05E-05	6.84E+01	7.65E-09	5.28E-07	1.68E-04	1.84E-02	5.34E-01	5.96E-03
DE: Particle board, StoVentec 12mm - StoVerotec GmbH (A1-A3) ts-EPD	m2	1.01E+01	9.44E-08	2.10E-02	3.16E-03	2.30E-03	5.20E-05	1.29E+02	1.94E-08	1.55E-06	3.12E-04	3.01E-02	4.49E-01	1.32E-02
DE: Particle board, StoVentec 20mm - StoVerotec GmbH (A1-A3) ts-EPD	m2	1.47E+01	1.02E-07	3.01E-02	4.73E-03	3.21E-03	6.74E-05	2.03E+02	3.02E-08	2.48E-06	4.75E-04	2.64E-02	6.36E-01	2.14E-02
DE: Polypropylene pipe (PP) [EN15804 A1-A3] ts	kg	2.87E+00	8.96E-11	4.42E-03	5.44E-04	7.53E-04	1.08E-06	7.78E+01	1.91E-08	1.11E-07	1.62E-01	2.17E-02	1.73E-01	3.55E-04
DE: Door fittings from Aluminium - FVSB (A1-A3) ts-EPD	kg	1.14E+01	6.06E-10	8.08E-02	7.36E-03	5.78E-03	9.29E-06	1.22E+02	5.49E-08	1.74E-06	4.98E-04	2.17E-02	1.08E-01	1.73E-02
DE: Door fittings from stainless steel, HHF FS 255/288/283 - HAFI	kg	3.25E+00	1.86E-10	2.22E-02	1.34E-03	1.40E-03	7.57E-05	3.97E+01	4.18E-08	5.52E-07	7.25E-04	1.63E-02	6.88E-02	3.06E-03
DE: Elastomer joint tape, polysulphide [EN15804 A1-A3] ts	kg	7.12E+00	1.75E-10	1.77E-02	1.71E-03	2.09E-03	2.70E-05	1.43E+02	8.12E-08	6.04E-06	9.50E-01	1.74E-02	3.29E-01	1.30E-03
DE: Elastomer joint tape, polyurethane [EN15804 A1-A3] ts	kg	4.90E+00	2.60E-10	8.84E-03	1.87E-03	1.71E-03	3.90E-05	8.87E+01	2.24E-08	3.46E-07	2.80E-01	1.84E-02	3.11E-01	8.23E-04
DE: Elastomer joint tape, silicone rubber [EN15804 A1-A3] ts	kg	6.18E+00	5.37E-10	1.40E-02	1.61E-03	1.35E-03	2.77E-04	8.31E+01	1.90E-08	5.55E-07	2.22E+00	2.11E-02	5.26E-01	6.43E-03
DE: Fitting brass - FSB ts-EPD	kg	7.23E+00	7.03E-07	2.65E-02	2.16E-03	2.40E-03	1.99E-06	0.00E+00	6.87E-08	1.66E-05	0.00E+00	2.64E-02	1.36E-01	1.73E-03

GaBi Process / Source	Unit	CML2001 - Apr. 2013, Global Warming Potential (GWP 100 years), excl biogenic carbon [kg CO2-Equiv.]	CML2001 - Apr. 2013, Ozone Layer Depletion Potential (ODP, steady state) [kg R11-Equiv.]	CML2001 - Apr. 2013, Acidification Potential (AP) [kg SO2-Equiv.]	CML2001 - Apr. 2013, Eutrophication Potential (EP) [kg Phosphate-Equiv.]	CML2001 - Apr. 2013, Photochem. Ozone Creation Potential (POCP) [kg Ethene-Equiv.]	CML2001 - Apr. 2013, Abiotic Depletion (ADP elements) [kg Sb-Equiv.]	CML2001 - Apr. 2013, Abiotic Depletion (ADP fossil) [MJ]	USEtox 2.01, Human toxicity, cancer (recommended and interim) [CTUh]	USEtox 2.01, Human toxicity, non-cancer (recommended and interim) [CTUh]	Land Transformation Indicator [sqm]	ReCiPe 1.08, Water depletion [m3]	Ionizing radiation midpoint, human health (v1.06) [kBq U235 eq]	TRACI 2.1, Human Health Particulate Air [kg PM2.5-Equiv.]
DE: Lock-SSF ts-EPD	#	1.92E+00	1.05E-07	3.95E-03	3.86E-04	5.10E-04	3.40E-07	0.00E+00	1.04E-09	6.64E-08	0.00E+00	2.27E-02	2.07E-02	2.07E-04
DE: Window frame PVC-U (EN15804 A1-A3) ts <p>agg>	m	7.37E+00	1.01E-09	2.02E-02	2.32E-03	3.67E-03	1.79E-04	1.22E+02	7.50E-08	6.69E-06	4.18E-01	1.12E-01	5.43E-01	3.31E-03
EU-27: Aluminium casement frame section, powder coated (205) 1m (EN15804 A1-A3) ts	m	1.12E+01	3.26E-09	5.40E-02	3.61E-03	3.26E-03	8.78E-05	1.30E+02	3.68E-08	1.24E-06	2.14E-01	1.11E-01	1.80E+00	8.88E-03
EU-27: Aluminium frame profile, powder coated (EN15804 A1-A3) ts	m	1.16E+01	3.38E-09	5.60E-02	3.73E-03	3.38E-03	9.09E-05	1.34E+02	3.80E-08	1.27E-06	2.21E-01	6.05E-02	1.87E+00	9.23E-03
EU-27: Aluminium frame profile, thermally isolated, powder coated (EN15804 A1-A3) ts	m	1.47E+01	4.17E-09	6.31E-02	4.60E-03	4.23E-03	7.54E-05	1.76E+02	6.82E-08	3.86E-06	2.97E-01	2.30E-02	2.06E+00	1.05E-02
EU-27: Aluminium window fitting combination (turn-tilt) (EN15804 A1-A3) ts	#	8.00E+00	7.82E-10	2.66E-02	2.25E-03	3.18E-03	9.91E-04	8.98E+01	3.49E-08	2.46E-06	2.07E-01	6.18E-02	5.12E-01	5.37E-03
EU-27: Aluminium wing frame profile, thermally isolated, powder coated (EN15804 A1-A3) ts	m	1.57E+01	4.52E-09	6.93E-02	4.95E-03	4.54E-03	7.87E-05	1.87E+02	6.83E-08	3.63E-06	3.13E-01	2.10E-02	2.29E+00	1.14E-02
EU-27: Double glazing unit (EN15804 A1-A3) ts	m2	3.07E+01	2.12E-09	1.32E-01	2.48E-02	1.13E-02	3.61E-02	3.65E-08	4.72E-07	4.61E-01	3.01E-02	1.31E-02	1.31E+00	1.28E-01
EU-27: Fixing material screws galvanized (EN15804 A1-A3) ts	kg	3.17E+00	7.76E-11	9.56E-03	8.65E-04	1.26E-03	1.87E-04	3.35E+01	1.42E-08	1.05E-06	8.84E-02	2.64E-02	1.00E-01	1.96E-03
EU-27: Fixing material screws stainless steel (EN15804 A1-A3) ts	kg	3.82E+00	1.92E-10	2.47E-02	1.32E-03	1.44E-03	7.69E-04	4.30E+01	2.86E-08	3.49E-07	1.14E-01	1.55E-02	1.71E-01	3.54E-03
EU-27: Metal fitting for double casement windows (EN15804 A1-A3) ts	#	8.02E+00	1.98E-09	3.34E-02	2.95E-03	2.48E-03	1.27E-03	9.98E+01	3.21E-08	5.72E-07	2.26E-01	1.30E-02	1.15E+00	4.84E-03
EU-27: Metal fitting for horizontal sliding window (EN15804 A1-A3) ts	#	5.34E+00	1.12E-09	2.10E-02	1.80E-03	1.74E-03	1.08E-03	7.04E+01	2.65E-08	3.52E-07	1.69E-01	1.18E-02	6.75E-01	2.81E-03
EU-27: Metal fitting for vertical sliding window (EN15804 A1-A3) ts	#	1.02E+01	2.10E-09	6.06E-02	3.18E-03	3.87E-03	1.41E-03	1.19E+02	7.95E-08	7.32E-07	3.64E-01	0.00E+00	1.27E+00	8.60E-03
EU-27: Window fitting (tilt-turn aluminium-window) - FV S+B (A1-A3) ts	#	1.13E+01	2.76E-09	5.85E-02	3.47E-03	3.82E-03	3.27E-03	1.34E+02	6.45E-08	1.06E-06	4.75E-01	0.00E+00	1.70E+00	8.14E-03
EU-27: Window glass single (EN15804 A1-A3) ts	m2	8.47E+00	6.98E-10	6.85E-02	6.98E-03	-7.66E-03	2.21E-05	9.95E+01	1.02E-08	1.69E-07	1.12E-01	0.00E+00	4.22E-01	4.26E-02
EU-27: Solid construction timber (softwood) (EN15804 A1-A3) ts	m3	1.62E+02	5.43E-08	8.47E-01	1.57E-01	1.14E-01	3.14E-05	1.93E+03	6.15E-07	9.40E-06	3.41E+03	1.18E-02	3.27E+01	8.36E-01
EU-27: Timber larch (12% moisture; 10.7% H2O content) (EN15804 A1-A3) ts	m3	1.70E+02	5.46E-08	8.19E-01	1.65E-01	4.24E-02	3.21E-05	2.03E+03	6.26E-07	1.00E-05	3.60E+03	0.00E+00	3.29E+01	8.85E-01
EU-27: Timber oak (12% moisture; 10.7% H2O content) (EN15804 A1-A3) ts	m3	1.19E+02	3.83E-08	3.85E-01	6.55E-02	6.48E-01	2.26E-05	1.41E+03	4.10E-07	5.97E-06	3.61E+03	0.00E+00	2.31E+01	9.11E-01
EU-27: Timber pine (12% moisture; 10.7% H2O content) (EN15804 A1-A3) ts	m3	1.03E+02	2.93E-08	4.79E-01	9.89E-02	1.52E-02	1.88E-05	1.24E+03	4.09E-07	7.02E-06	2.99E+03	0.00E+00	1.78E+01	7.20E-01
EU-27: Timber spruce (12% moisture; 10.7% H2O content) (EN15804 A1-A3) ts	m3	9.03E+01	2.58E-08	4.20E-01	8.68E-02	1.33E-02	1.65E-05	1.09E+03	3.59E-07	6.16E-06	2.62E+03	0.00E+00	1.56E+01	6.32E-01
BR: Timber pine ts	m3	4.78E+01	2.42E-09	2.90E-01	4.84E-02	2.58E-02	1.23E-05	4.52E+02	3.26E-07	3.33E-06	1.21E+03	2.11E-02	9.01E-01	7.03E-01
CN: Timber teak ts	m3	1.36E+02	6.11E-11	6.99E-01	1.01E-01	7.43E-02	7.63E-06	1.52E+03	1.46E-06	1.43E-05	4.52E+00	2.64E-02	5.91E-01	1.07E+00
AT: KLH A1-A3 - 320 mm ts-EPD	m2	7.37E+01	2.19E-06	1.26E-01	2.39E-02	1.43E-02	1.26E-05	0.00E+00	5.16E-08	8.15E-07	0.00E+00	2.17E-02	4.30E-01	8.49E-03
AT: KLH A1-A3 - 57mm ts-EPD	m2	1.37E+01	4.17E-07	2.35E-02	4.43E-03	2.72E-03	3.56E-06	0.00E+00	9.71E-09	1.54E-07	0.00E+00	1.63E-02	8.19E-02	1.66E-03
DE: Laminate Flex - Egger ts-EPD	m2	3.23E+00	1.14E-07	5.17E-03	1.32E-03	1.04E-03	1.94E-06	0.00E+00	7.84E-09	3.32E-08	0.00E+00	2.27E-02	2.24E-02	2.37E-04
DE: Laminate flooring DPL (Mix) - Egger (A1-A3) ts-EPD <p>agg>	m2	6.07E+00	9.23E-10	1.55E-02	5.32E-03	8.13E-03	2.43E-06	1.00E+02	5.95E-08	1.77E-06	1.24E-04	1.12E-01	2.49E+00	1.01E-03
DE: Laminate MED - Egger ts-EPD	m2	4.16E+00	1.49E-07	6.64E-03	1.58E-03	1.33E-03	2.25E-06	0.00E+00	1.15E-08	4.49E-08	0.00E+00	1.11E-01	2.92E-02	3.07E-04
DE: Laminate Micro - Egger ts-EPD	m2	1.57E+00	5.72E-08	2.56E-03	7.50E-04	5.82E-04	1.37E-06	0.00E+00	4.17E-09	1.46E-08	0.00E+00	6.05E-02	1.12E-02	1.14E-04
EU-27: Five-Layer laminated wood board, pine (EN15804 A1-A3) ts	m3	6.26E+01	-7.71E-09	1.03E+00	2.24E-01	1.03E-01	9.51E-05	9.38E+02	8.73E-07	3.24E-05	3.75E+03	2.30E-02	-3.67E+00	8.71E-01
EU-27: Three-Layers laminated wood panel pine (EN15804 A1-A3) ts	m3	8.68E+01	-5.86E-09	1.21E+00	2.45E-01	1.62E-01	1.48E-04	1.43E+03	1.01E-06	3.82E-05	3.74E+03	0.00E+00	-2.30E+00	8.69E-01
EU-27: Glued laminated timber (EN15804 A1-A3) ts	m3	1.89E+02	5.99E-08	8.95E-01	1.64E-01	1.15E-01	8.09E-05	2.48E+03	7.36E-07	1.07E-05	3.34E+03	6.18E-02	3.64E+01	8.24E-01
EU-27: Laminated veneer lumber (EN15804 A1-A3) ts	m3	3.04E+02	4.48E-08	1.49E+00	2.77E-01	6.68E-02	1.24E-04	5.86E+03	1.71E-06	3.91E-05	4.34E+03	2.10E-02	2.36E+01	1.06E+00
EU-27: Laminated woodboard softwood (EN15804 A1-A3) ts	m3	1.86E+02	6.01E-08	8.92E-01	1.64E-01	1.14E-01	7.08E-05	2.39E+03	7.14E-07	1.05E-05	3.36E+03	3.01E-02	3.64E+01	8.27E-01
EU-27: Particle board ts	m3	1.54E+02	3.83E-08	9.60E-01	2.34E-01	2.64E-01	5.87E-05	2.67E+03	4.63E-06	3.25E-05	7.79E+02	1.55E-02	2.17E+01	2.68E-01
EU-27: Plywood board (EN15804 A1-A3) ts	m3	1.27E+02	4.02E-09	1.00E+00	1.83E-01	1.16E-01	6.17E-05	2.20E+03	7.64E-07	3.91E-05	4.97E+03	1.30E-02	2.60E+01	8.49E-02
EU-27: Multi layer parquet (EN15804 A1-A3) ts	m2	4.96E+00	1.28E-09	2.45E-02	4.86E-03	8.95E-03	2.70E-06	6.84E+01	2.05E-08	3.11E-07	9.80E-01	2.64E-02	7.87E-01	2.46E-02
EU-27: Strip parquet (EN15804 A1-A3) ts	m2	5.03E+00	6.77E-10	3.24E-02	6.91E-03	3.16E-02	8.47E-07	6.31E+01	2.45E-08	3.72E-07	1.79E+02	0.00E+00	4.21E-01	4.55E-02
EU-27: Air ventilation duct (zinc coated steel plate) (EN15804 A1-A3) ts	kg	2.40E+00	4.91E-11	7.94E-03	7.02E-04	1.12E-03	9.54E-05	2.74E+01	1.22E-08	9.44E-07	3.50E-02	1.63E-02	3.86E-02	1.75E-03
EU-27: Brine-Water (geothermal collector) 20 kW (EN15804 A1-A3) ts	#	9.36E+03	2.47E-04	2.48E+01	2.23E+00	5.51E+00	4.13E-02	3.24E+05	1.02E-04	5.62E-04	2.52E+02	1.74E-02	1.06E+03	2.16E+00
EU-27: Circulating pump < 50W (EN15804 A1-A3) ts <p>agg>	#	1.12E+01	1.74E-09	6.75E-02	3.78E-03	4.54E-03	1.82E-03	1.47E+02	1.46E-07	2.60E-06	7.94E-01	1.84E-02	9.44E-01	1.38E-02
EU-27: Circulating pump 250-1000W (EN15804 A1-A3) ts <p>agg>	#	1.12E+02	1.74E-08	6.75E-01	3.78E-02	4.54E-02	1.82E-02	1.47E+03	1.46E-06	2.60E-05	7.94E+00	2.11E-02	9.44E+00	1.38E-01
EU-27: Circulating pump 50-250W (EN15804 A1-A3) ts <p>agg>	#	2.24E+01	3.48E-09	1.35E-01	7.57E-03	9.08E-03	3.65E-03	2.93E+02	2.91E-07	5.20E-06	1.59E+00	2.64E-02	1.89E+00	2.76E-02
EU-27: Copper pipe mix, bare (A1-A3) ts	kg	4.20E+00	3.70E-10	4.11E-02	6.90E-03	2.18E-03	5.63E-03	4.96E+01	5.21E-08	2.75E-06	2.51E-01	2.27E-02	1.75E-01	6.23E-03
EU-27: Direct expansion air conditioner (per 1 kW) (EN15804 A1-A3) ts	kW	4.05E+01	5.38E-05	2.48E-01	3.53E-02	1.80E-02	2.40E-02	5.23E+02	4.35E-07	1.67E-05	1.75E+00	3.13E-02	3.09E+00	5.39E-02
EU-27: Electric heat pump (Brine-Water, geothermal collector) 10 kW (EN15804 A1-A3) ts	#	4.72E+03	2.46E-04	1.28E+01	1.13E+00	2.77E+00	3.98E-02	1.61E+05	5.08E-05	3.25E-04	1.27E+02	1.12E-01	5.25E+02	1.19E+00
EU-27: Electric heat pump (Brine-Water, geothermal collector) 70 kW (EN15804 A1-A3) ts	#	3.28E+04	8.64E-04	8.64E+01	7.78E+00	1.93E+01	1.15E-01	1.14E+06	3.59E-04	1.82E-03	8.89E+02	1.11E-01	3.76E+03	7.40E+00
EU-27: Electric heat pump (Brine-Water, geothermal probe) 10 kW (EN15804 A1-A3) ts	#	1.31E+03	2.45E-04	4.52E+00	3.72E-01	6.67E-01	3.89E-02	3.20E+04	1.15E-05	2.84E-04	3.84E+01	6.05E-02	1.33E+02	6.37E-01
EU-27: Electric heat pump (Brine-Water, geothermal probe) 20 kW (EN15804 A1-A3) ts	#	3.39E+03	2.46E-04	1.10E+01	9.62E-01	1.75E+00	4.00E-02	8.82E+04	3.08E-05	6.59E-04	1.02E+02	2.30E-02	3.81E+02	1.59E+00
EU-27: Electric heat pump (Brine-Water, geothermal probe) 70 kW (EN15804 A1-A3) ts	#	1.15E+04	8.60E-04	3.66E+01	3.22E+00	5.93E+00	1.10E-01	3.07E+05	1.07E-04	2.07E-03	3.50E+02	6.18E-02	1.33E+03	5.18E+00
EU-27: Electric heat pump (Water-Water) 10 kW (EN15804 A1-A3) ts <p>agg>	#	5.21E+02	2.45E-04	2.10E+00	1.42E-01	2.71E-01	4.59E-02	1.10E+04	4.22E-06	1.36E-04	1.34E-01	2.10E-02	3.53E+01	3.47E-01

GaBi Process / Source	Unit	CML2001 - Apr. 2013, Global Warming Potential (GWP 100 years), excl biogenic carbon [kg CO2-Equiv.]	CML2001 - Apr. 2013, Ozone Layer Depletion Potential (ODP, steady state) [kg R11-Equiv.]	CML2001 - Apr. 2013, Acidification Potential (AP) [kg SO2-Equiv.]	CML2001 - Apr. 2013, Eutrophication Potential (EP) [kg Phosphate-Equiv.]	CML2001 - Apr. 2013, Photochem. Ozone Creation Potential (POCP) [kg Ethene-Equiv.]	CML2001 - Apr. 2013, Abiotic Depletion (ADP elements) [kg Sb-Equiv.]	CML2001 - Apr. 2013, Abiotic Depletion (ADP fossil) [MJ]	USEtox 2.01, Human toxicity, cancer (recommended and interim) [CTUh]	USEtox 2.01, Human toxicity, non-cancer (recommended and interim) [CTUh]	Land Transformation Indicator [sqm]	ReCiPe 1.08 Midpoint (H) - Water depletion [m3]	Ionizing radiation midpoint, human health (v1.06) [kBq U235 eq]	TRACI 2.1, Human Health Particulate Air [kg PM2.5-Equiv.]
EU-27: Electric heat pump (Water-Water) 20 kW (EN15804 A1-A3) ts < p	#	8.82E+02	2.45E-04	3.03E+00	2.27E-01	4.85E-01	4.60E-02	2.37E+04	8.17E-06	1.55E-04	2.30E+01	3.01E-02	7.70E+01	4.23E-01
EU-27: Electric heat pump (Water-Water) 70 kW (EN15804 A1-A3) ts < p	#	2.97E+03	8.58E-04	9.49E+00	7.33E-01	1.67E+00	1.24E-01	9.05E+04	3.07E-05	3.42E-04	8.38E+01	2.64E-02	3.01E+02	1.20E+00
EU-27: Electric instantaneous water heater (21kW) (EN15804 A1-A3) ts	#	1.29E+01	1.48E-09	1.05E-01	4.43E-03	6.54E-03	5.16E-03	2.08E+02	1.05E-07	5.33E-06	3.73E-01	1.55E-02	8.88E-01	1.15E-02
EU-27: Flat solar collector (EN15804 A1-A3) ts < p-agg	m2	8.48E+01	1.84E-08	7.94E-01	2.93E-02	3.96E-02	6.42E-03	9.13E+02	2.46E-07	1.14E-05	2.81E+00	1.18E-02	1.15E+01	1.48E-01
EU-27: Gas condensing boiler < 20 kW (upright unit) (EN15804 A1-A3) ts	#	6.41E+02	7.21E-08	3.66E+00	2.52E-01	2.79E-01	8.68E-02	8.31E+03	6.99E-06	1.43E-04	5.48E+01	0.00E+00	2.98E+01	6.60E-01
EU-27: Gas condensing boiler < 20 kW (wall unit) (EN15804 A1-A3) ts < p	#	2.07E+02	2.33E-08	1.18E+00	8.14E-02	9.01E-02	2.81E-02	2.69E+03	2.26E-06	4.62E-05	1.77E+01	0.00E+00	9.63E+00	2.13E-01
EU-27: Gas condensing boiler 120-400 kW (upright unit) (EN15804 A1-A3) ts	#	2.88E+03	2.72E-07	1.43E+01	1.02E+00	1.22E+00	3.97E-01	3.57E+04	2.16E-05	7.41E-04	2.10E+02	0.00E+00	1.22E+02	2.69E+00
EU-27: Gas condensing boiler 20-120 kW (upright unit) (EN15804 A1-A3) ts	#	1.07E+03	1.13E-07	5.78E+00	4.04E-01	4.62E-01	1.47E-01	1.37E+04	1.01E-05	2.55E-04	8.61E+01	0.00E+00	4.80E+01	1.06E+00
EU-27: Gas heat pump (air) 20-70 kW (EN15804 A1-A3) ts < p-agg	#	2.93E+02	7.93E-04	1.00E+00	8.23E-02	1.12E-01	1.84E-02	3.64E+03	1.94E-06	7.52E-05	1.02E+01	0.00E+00	1.01E+01	3.84E-01
EU-27: Gas low temperature boiler < 20 kW (upright unit) (EN15804 A1-A3) ts	#	3.57E+02	9.06E-08	1.51E+00	1.17E-01	1.26E-01	2.16E-02	4.49E+03	5.83E-06	6.42E-05	2.29E+01	0.00E+00	4.79E+01	4.78E-01
EU-27: Gas low temperature boiler 120-400 kW (upright unit) (EN15804 A1-A3) ts	#	2.22E+03	6.35E-07	7.83E+00	6.51E-01	7.24E-01	9.10E-02	2.72E+04	3.65E-05	4.07E-04	1.18E+02	0.00E+00	3.49E+02	3.08E+00
EU-27: Gas low temperature boiler 20-120 kW (upright unit) (EN15804 A1-A3) ts	#	8.82E+02	2.24E-07	3.75E+00	2.89E-01	3.12E-01	5.35E-02	1.11E+04	1.44E-05	1.59E-04	5.67E+01	0.00E+00	1.19E+02	1.18E+00
EU-27: Radiators (EN15804 A1-A3) ts < p-agg	kg	3.48E+00	3.10E-11	1.07E-02	9.62E-04	1.93E-03	3.16E-08	4.47E+01	1.14E-08	8.95E-07	2.59E-02	0.00E+00	2.28E-02	1.79E-03
EU-27: Steel pipe (EN15804 A1-A3) ts < p-agg	kg	2.03E+00	6.05E-11	7.32E-03	6.23E-04	1.03E-03	3.67E-08	2.30E+01	1.14E-08	8.87E-07	2.85E-02	0.00E+00	4.00E-02	1.65E-03
EU-27: Ventilation system central 10.000 m3/h (EN15804 A1-A3) ts < p-agg	#	2.74E+02	3.91E-08	1.32E+00	8.02E-02	1.10E-01	2.00E-02	3.16E+03	1.29E-06	7.18E-05	5.09E+00	0.00E+00	2.18E+01	2.18E-01
EU-27: Ventilation system central 30.000 m3/h (EN15804 A1-A3) ts < p-agg	#	6.76E+02	9.66E-08	3.25E+00	1.98E-01	2.71E-01	4.93E-02	7.79E+03	3.15E-06	1.77E-04	1.26E+01	0.00E+00	5.38E+01	5.38E-01
EU-27: Ventilation system central 5.000 m3/h (EN15804 A1-A3) ts < p-agg	#	1.73E+02	2.48E-08	8.34E-01	5.08E-02	6.96E-02	1.26E-02	2.00E+03	8.08E-07	4.54E-05	3.22E+00	0.00E+00	1.38E+01	1.38E-01
EU-27: Ventilation system central with heat recovery 1.000 m3/h (EN15804 A1-A3) ts	#	2.87E+02	3.11E-08	1.21E+00	9.03E-02	1.26E-01	2.76E-03	3.27E+03	1.53E-06	9.71E-05	5.55E+00	0.00E+00	1.71E+01	2.38E-01
EU-27: Ventilation system central with heat recovery 10.000 m3/h (EN15804 A1-A3) ts	#	2.17E+03	2.89E-07	9.11E+00	6.65E-01	9.09E-01	9.94E-03	2.44E+04	1.00E-05	6.69E-04	3.50E+01	0.00E+00	1.60E+02	1.77E+00
EU-27: Ventilation system central with heat recovery 5.000 m3/h (EN15804 A1-A3) ts	#	1.13E+03	1.46E-07	4.73E+00	3.46E-01	4.75E-01	6.13E-03	1.27E+04	5.34E-06	3.52E-04	1.89E+01	0.00E+00	8.07E+01	9.21E-01
EU-27: Ventilation system decentralized (wall & ceiling) 60 m3/h (EN15804 A1-A3) ts	#	3.64E+00	3.35E-10	1.74E-02	1.06E-03	1.51E-03	5.15E-04	6.17E+01	2.23E-08	9.29E-07	1.38E-01	0.00E+00	2.01E+01	2.35E-03
EU-27: Ventilation system decentralized with heat recovery (wall & ceiling) (EN15804 A1-A3) ts	#	2.13E+01	3.65E-09	1.11E-01	6.64E-03	2.30E-02	1.87E-03	3.16E+02	1.53E-07	2.64E-06	7.25E-01	0.00E+00	1.89E+00	1.73E-02
Daiken EPD - http://www.havtech.com/blog/wp-content/uploads/2016/04/EPD-EN15804-A1-A3.pdf	ton occ	4.30E+01	4.89E-07	4.46E-01	1.27E-02	3.18E-02	1.26E-03	4.75E+02						
EU-27: Cable 1 wire (EN15804 A1-A3) ts	km	7.93E+01	5.95E-09	1.09E+00	2.75E-02	5.59E-02	5.00E-02	9.39E+02	7.70E-07	5.24E-05	2.31E+00	1.84E-02	3.42E+00	1.05E-01
EU-27: Cable 3 wire (EN15804 A1-A3) ts	km	3.64E+02	4.90E-08	3.51E+00	1.10E-01	2.49E-01	1.50E-01	5.68E+03	2.91E-06	1.61E-04	1.08E+01	2.11E-02	2.67E+01	3.32E-01
EU-27: Cable 5 wire (EN15804 A1-A3) ts	km	5.38E+02	6.45E-08	5.73E+00	1.68E-01	3.70E-01	2.50E-01	7.88E+03	4.52E-06	2.67E-04	1.59E+01	2.64E-02	3.54E+01	5.43E-01
EU-27: Cable CAT 7 (EN15804 A1-A3) ts	km	2.65E+02	2.61E-08	3.08E+00	9.24E-02	1.63E-01	1.35E-01	3.27E+03	2.26E-06	1.45E-04	8.64E+00	2.27E-02	1.58E+01	3.01E-01
EU-27: Compact fluorescent lamp 18W (external control gear) (EN15804 A1-A3) ts	#	2.39E+01	2.22E-11	9.32E-04	9.27E-05	7.94E-05	1.35E-05	3.42E+00	1.22E-09	1.77E-08	9.51E-03	3.13E-02	1.85E-02	3.31E-04
EU-27: Diffuser (Damp room) T8 36W (LFL) (EN15804 A1-A3) ts	#	1.20E+01	2.35E-09	3.57E-02	5.43E-03	4.32E-03	4.37E-05	2.96E+02	1.07E-07	5.45E-07	3.28E-01	1.12E-01	1.50E+00	4.76E-03
EU-27: Dip-Switch (Light switch) (EN15804 A1-A3) ts	#	4.25E+01	5.69E-11	9.90E-04	1.28E-04	1.43E-04	2.59E-05	6.76E+00	1.85E-09	4.04E-08	1.13E-02	1.11E-01	3.66E-02	1.61E-04
EU-27: Downlight cabinet 18W (CFL, G24D) (EN15804 A1-A3) ts < p-agg	#	3.08E+00	4.67E-10	1.40E-02	9.19E-04	1.16E-03	2.51E-05	3.46E+01	1.10E-08	6.30E-07	4.63E-02	6.05E-02	2.60E-01	2.58E-03
EU-27: Electronic ballast EB (EN15804 A1-A3) ts < p-agg	#	5.10E+00	6.17E-10	2.84E-02	2.22E-03	2.20E-03	2.91E-04	7.24E+01	7.75E-08	1.61E-06	1.75E-01	2.30E-02	3.35E-01	5.64E-03
EU-27: Fluorescent lamp socket T8-18W (LFL) (EN15804 A1-A3) ts < p-agg	#	9.29E+01	4.29E-11	3.83E-03	2.71E-04	4.61E-04	5.53E-05	1.20E+01	5.17E-09	3.49E-07	1.74E-02	6.18E-02	2.68E-02	6.51E-04
EU-27: Fluorescent lamp socket T8-36W (LFL) (EN15804 A1-A3) ts < p-agg	#	3.88E+00	6.12E-11	1.29E-02	1.14E-03	1.83E-03	3.97E-05	4.43E+01	2.00E-08	1.56E-06	5.07E-02	2.10E-02	4.80E-02	2.88E-03
EU-27: Fluorescent lamp T5 28W (EN15804 A1-A3) ts	#	3.94E+01	4.33E-11	2.04E-03	1.94E-04	1.43E-04	1.43E-05	4.86E+00	2.10E-09	2.91E-08	1.54E-02	3.01E-02	2.93E-02	8.37E-04
EU-27: Fluorescent lamp T8 18W (EN15804 A1-A3) ts	#	2.86E+01	3.31E-11	1.46E-03	1.32E-04	1.01E-04	1.37E-05	3.55E+00	1.40E-09	2.17E-08	1.02E-02	2.64E-02	2.17E-02	5.59E-04
EU-27: Fluorescent lamp T8 36W (EN15804 A1-A3) ts	#	5.12E+01	5.78E-11	2.68E-03	2.58E-04	1.87E-04	1.49E-05	6.27E+00	2.77E-09	3.72E-08	2.04E-02	1.55E-02	3.91E-02	1.12E-03
EU-27: Louvre light 2x T8 36W (EN15804 A1-A3) ts < p-agg	#	2.84E+01	3.51E-09	9.77E-02	8.57E-03	9.21E-03	1.23E-04	3.29E+02	9.08E-08	5.35E-06	7.81E-01	1.30E-02	2.32E+00	1.73E-02
EU-27: Louvre light integrated into ceiling 2x T5 28W (EN15804 A1-A3) ts	#	2.53E+01	3.12E-09	8.70E-02	7.63E-03	8.20E-03	1.10E-04	2.93E+02	8.08E-08	4.76E-06	6.95E-01	1.18E-02	2.07E+00	1.54E-02
EU-27: Louvre light integrated into ceiling 3x T5 14W (EN15804 A1-A3) ts	#	2.53E+01	3.42E-09	8.74E-02	7.65E-03	7.81E-03	9.41E-05	2.94E+02	7.56E-08	4.19E-06	7.35E-01	0.00E+00	2.26E+00	1.51E-02
EU-27: Louvre light integrated into ceiling 3x T8 18W (EN15804 A1-A3) ts	#	2.72E+01	3.67E-09	9.40E-02	8.24E-03	8.42E-03	1.02E-04	3.16E+02	8.16E-08	4.53E-06	7.89E-01	0.00E+00	2.42E+00	1.62E-02
EU-27: Low-loss ballast LLB (EN15804 A1-A3) ts	#	3.29E+00	1.24E-10	1.41E-02	9.85E-04	1.43E-03	2.37E-04	4.62E+01	1.53E-08	1.12E-06	1.15E-01	0.00E+00	1.43E+01	2.30E-03
EU-27: Power outlet (EN15804 A1-A3) ts	#	3.37E+01	4.41E-11	9.50E-04	1.01E-04	1.16E-04	1.01E-04	5.33E+00	1.78E-09	4.92E-08	1.18E-02	0.00E+00	2.86E-02	1.95E-04
EU-27: Elevator component (dependent on floor) (EN15804 A1-A3) ts	floor	7.36E+02	8.56E-09	3.30E+00	2.30E-01	3.41E-01	4.64E-02	7.88E+03	4.58E-06	2.45E-04	1.25E+01	0.00E+00	9.86E+00	6.27E-01
EU-27: Escalator component dependent on lifting height (EN15804 A1-A3) ts	m lift	1.95E+03	7.42E-08	8.34E+00	6.42E-01	8.18E-01	1.63E-01	2.15E+04	1.16E-05	5.47E-04	1.41E+02	0.00E+00	5.57E+01	2.22E+00
AU: Electricity from natural gas ts	kWh	6.50E-01	2.31E-14	9.77E-04	2.39E-04	9.01E-05	0.00E+00	0.00E+00	1.37E-07	1.28E-09	2.55E-04	1.74E-02	2.50E-05	2.86E-05
AU: Electricity from photovoltaic ts	kWh	2.52E-02	6.52E-12	9.23E-05	7.51E-06	1.36E-05	0.00E+00	0.00E+00	2.37E-10	8.08E-09	5.37E-03	1.84E-02	3.18E-03	2.72E-05
AU: Electricity from wind power ts	kWh	5.67E-03	9.81E-14	1.71E-05	1.80E-06	9.21E-07	0.00E+00	0.00E+00	3.95E-11	8.71E-10	1.87E-03	2.11E-02	1.82E-04	4.10E-06
AU: Electricity grid mix ts	kWh	9.68E-01	1.77E-13	4.19E-03	3.53E-04	2.22E-04	4.48E-08	1.10E+01	3.01E-08	2.65E-08	1.37E-02	2.64E-02	1.51E-04	5.38E-04
AU: Thermal energy from light fuel oil (LFO) ts	MJ	8.43E-02	5.14E-15	1.12E-04	1.65E-05	1.28E-05	1.21E-09	1.13E+00	3.73E-10	8.38E-10	6.80E-05	6.05E-02	5.87E-06	6.71E-06

		CML2001 - Apr. 2013, Global Warming Potential (GWP 100 years), excl biogenic carbon [kg CO2-Equiv.]	CML2001 - Apr. 2013, Ozone Layer Depletion Potential (ODP, steady state) [kg R11- Equiv.]	CML2001 - Apr. 2013, Acidification Potential (AP) [kg SO2- Equiv.]	CML2001 - Apr. 2013, Eutrophication Potential (EP) [kg Phosphate Equiv.]	CML2001 - Apr. 2013, Photochem. Ozone Creation Potential (POCP) [kg Ethene-Equiv.]	CML2001 - Apr. 2013, Abiotic Depletion (ADP elements) [kg Sb-Equiv.]	CML2001 - Apr. 2013, Abiotic Depletion (ADP fossil) [MJ]	USEtox 2.01, Human toxicity, cancer (recommended d and interim) [CTUh]	USEtox 2.01, Human toxicity, non- canc. (recommended d and interim) [CTUh]	Land Transformatio n Indicator [sqm]	ReCiPe 1.08 Midpoint (H) - Water depletion [m3]	Ionizing radiation midpoint, human health (v1.06) [kBq U235 eq]	TRACI 2.1, Human Health Particulate Air [kg PM2.5- Equiv.]	
GaBi Process / Source		Unit													
AU: Thermal energy from natural gas ts		MJ	6.49E-02	2.96E-15	9.76E-05	2.38E-05	8.99E-06	3.90E-09	1.11E+00	1.36E-08	1.31E-10	3.72E-05	6.18E-02	3.75E-06	2.89E-06
EU-27: Thermal energy from LPG ts		m3	8.47E-02	3.98E-13	1.24E-04	1.50E-05	1.96E-05	2.60E-09	1.18E+00	5.21E-10	2.11E-09	4.10E-04	2.64E-02	2.52E-04	1.05E-05
EU-27: Process water ts		m3	3.74E+00	7.57E-10	8.54E-03	1.88E-03	7.95E-04	3.94E-05	4.96E+01	1.38E-08	2.20E-07	2.67E-01	2.10E-02	5.95E-01	7.72E-04
EU-27: Tap water ts		m3	3.51E-01	2.35E-11	8.58E-04	2.48E-04	8.52E-05	2.45E-07	5.39E+00	3.03E-09	5.59E-08	1.16E-02	3.01E-02	1.92E-02	2.25E-03
EU-27: Articulated lorry transport ts		tkm	4.74E-02	2.16E-13	2.99E-04	7.49E-05	1.26E-04	3.12E-09	6.46E-01	2.94E-10	4.04E-09	4.06E-03	2.17E-02	1.35E-04	9.96E-06
EU-27: Lorry transport ts		tkm	6.01E-02	2.73E-13	3.72E-04	9.34E-05	1.56E-04	3.96E-09	8.18E-01	3.72E-10	5.12E-09	5.14E-03	1.63E-02	1.71E-04	1.30E-05
GLO: Car diesel ts <u-so>		km	8.99E-02	0.00E+00	5.31E-04	1.40E-04	2.04E-04	0.00E+00	0.00E+00	7.99E-14	2.02E-14	0.00E+00	1.84E-02	0.00E+00	3.94E-05
GLO: Car petrol ts <u-so>		km	1.36E-01	0.00E+00	1.11E-04	2.61E-05	1.65E-07	0.00E+00	0.00E+00	2.95E-13	7.48E-14	0.00E+00	2.11E-02	0.00E+00	5.12E-06
GLO: Cargo plane ts <u-so>		tkm	2.09E+00	0.00E+00	4.25E-01	1.01E-01	3.92E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.64E-02	0.00E+00	8.63E-03
GLO: Container ship ts <u-so>		tkm	1.26E-02	0.00E+00	4.22E-04	4.32E-05	2.40E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.27E-02	0.00E+00	2.33E-05
EU-27: Municipal waste water treatment (mix) ts		m3	7.55E-01	1.20E-10	4.90E-03	7.25E-03	2.75E-04	3.41E-07	1.82E+00	7.22E-08	5.59E-07	2.27E-02	2.10E-02	7.77E-02	3.67E-04
<assumed these materials have no recycling process required>															
BlueScope EPD - Steel welded beams and columns		kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
DE: Crushed stone 16/32 ts		kg	1.27E-02	0.60E-00	7.75E-05	6.01E-06	3.69E-09	3.23E-01	3.23E-01						
BlueScope EPD - Steel welded beams and columns		kg	1.12E-03	3.29E-14	5.17E-06	8.94E-07	6.26E-07	1.73E-10	1.60E-02						
BlueScope EPD - Steel welded beams and columns		kg	-1.22E+00	0.00E+00	-2.91E-03	-8.03E-05	-6.50E-04	-1.67E-07	-1.28E-01						
DE: Inert matter (Construction waste) on landfill ts		kg	1.59E-02	1.58E-13	9.62E-05	1.31E-05	9.24E-06	5.55E-09	2.09E-01	2.23E-10	1.76E-08	1.13E-03	2.17E-02	2.93E-04	2.51E-04
EU-27: Commercial waste (AT, DE, IT, LU, NL, SE, CH) on landfill ts <p>		kg	1.23E-01	2.01E-12	2.45E-04	9.14E-04	7.25E-05	1.06E-08	7.58E-01	7.09E-10	2.92E-08	1.72E-03	1.63E-02	1.59E-03	2.96E-04
EU-27: Ferro metals on landfill ts		kg	4.87E-02	1.79E-12	1.39E-04	1.70E-05	1.55E-05	9.36E-09	6.97E-01	3.01E-10	2.20E-08	1.54E-03	1.74E-02	1.41E-03	2.54E-04
EU-27: Glass/inert waste on landfill ts		kg	1.59E-02	1.77E-13	9.63E-05	1.31E-05	9.25E-06	5.54E-09	2.09E-01	2.23E-10	1.76E-08	1.05E-03	1.84E-02	3.00E-04	2.51E-04
EU-27: Plastic waste on landfill ts		kg	7.15E-02	2.68E-12	1.98E-04	1.96E-04	2.57E-05	1.39E-08	1.02E+00	8.72E-10	3.90E-08	2.17E-03	2.11E-02	2.12E-03	3.79E-04
EU-27: Untreated wood on landfill ts <p>agg>		kg	7.25E-02	2.68E-12	3.57E-04	1.77E-04	1.20E-04	1.39E-08	1.02E+00	4.54E-10	3.31E-08	2.17E-03	2.64E-02	2.12E-03	3.90E-04
EU-27: Wood products (OSB, particle board) on landfill ts <p>agg>		kg	7.25E-02	2.68E-12	3.60E-04	1.35E-03	1.21E-04	1.39E-08	1.02E+00	4.54E-10	3.31E-08	2.17E-03	2.27E-02	2.12E-03	3.90E-04
Timber stud wall (no insulation)		m2	8.53E+00	3.27E-07	3.19E-02	5.61E-03	3.82E-03	0.00E+00	0.00E+00	1.93E-08	4.72E-07	8.62E+01	0.00E+00	8.77E-01	2.18E-02
Barangaroo R7 facade		m2	1.73E+02	3.86E-08	7.41E-01	7.25E-02	5.34E-02	2.94E-03	2.09E+03	7.42E-07	3.92E-05	6.41E+00	7.26E-01	2.00E+01	2.45E-01
DE: Mullion-transom system aluminium ts <p>agg>		m2	5.12E+01	1.69E-08	1.79E-01	1.41E-02	1.23E-02	0.00E+00	0.00E+00	1.52E-07	4.74E-06	5.90E+00	0.00E+00	9.54E+00	2.48E-02
DE: Mullion-transom system aluminium with three pane insulation glass		m2	1.12E+02	2.25E-08	4.22E-01	5.47E-02	3.18E-02	0.00E+00	0.00E+00	2.63E-07	7.52E-06	1.34E+01	0.00E+00	1.37E+01	1.21E-01
DE: Mullion-transom system steel and glass facade (3 panes insulation)		m2	8.79E+01	1.55E-09	3.38E-01	5.19E-02	3.19E-02	0.00E+00	0.00E+00	3.15E-07	1.54E-05	1.19E+01	0.00E+00	2.80E+00	2.00E-01
DE: Mullion-transom system steel ts <p>agg>		m2	3.26E+01	8.03E-10	1.15E-01	1.20E-02	1.25E-02	0.00E+00	0.00E+00	1.92E-07	1.08E-05	4.75E+00	0.00E+00	1.16E+00	1.55E-02
LCA of OSRAM halogen lamp - http://www.osram-group.com/en/sustainability		#	3.29E-01		7.55E-04	6.51E-05	4.81E-04		5.50E+00						
LCA of OSRAM CFL - http://www.osram-group.com/en/sustainability		#	8.80E-01		4.80E-03	2.40E-04	2.80E-04	5.20E-03	1.47E-01						
LCA of OSRAM LED - http://www.osram-group.com/en/sustainability		#	2.40E+00		1.70E-02	8.00E-04	1.30E-03	1.30E-02	3.56E-01						
DE: Sun protection (metal blinds) ts		m2	2.20E+01	7.78E-09	9.68E-02	6.76E-03	6.06E-03	2.87E-04	2.49E+02	6.73E-08	2.66E-06	3.36E+00	0.00E+00	1.83E+00	1.31E-02
DE: Sun protection (textile) ts		m2	4.81E+00	2.05E-10	6.60E-03	1.31E-03	1.49E-03	5.33E-06	8.26E-01	3.61E-08	2.52E-06	3.52E+00	0.00E+00	2.62E-01	6.11E-04
Interface Nylon 6 Modular Carpet		m2	7.31E+00	4.29E-06	3.63E-02	4.72E-03	3.33E-03	1.82E+02	1.12E+02						
Armstrong OPTIMA EPD		m2	1.96E+00	1.14E-07	1.50E-02	4.27E-04	4.42E-01		3.12E+00						
EU-27: Application coating silicate emulsion (building, exterior, white) (m2)		m2	1.24E+00	1.80E-10	6.34E-03	4.28E-04	5.32E-04	6.42E-06	2.27E-01	6.67E-08	6.99E-06	7.97E-02	0.00E+00	1.21E-01	1.46E-03
EU-27: Application coating silicone (building, exterior, white) (A1-A3) ts		m2	1.19E+00	1.16E-10	1.68E-02	3.96E-04	7.66E-04	2.15E-05	1.91E-01	8.15E-09	1.37E-07	1.78E-01	0.00E+00	8.24E-02	3.07E-03
EU-27: Application paint emulsion (building, interior, white, wear resistant) (m2)		m2	2.41E+00	4.02E-10	1.10E-02	7.53E-04	1.46E-03	2.66E-06	5.27E-01	1.35E-07	1.37E-05	9.32E-02	0.00E+00	2.57E-01	1.13E-03
EU-27: Application primer emulsion (building, exterior, white) (A1-A3) ts		m2	8.07E-01	9.36E-11	2.90E-03	2.46E-04	4.14E-04	1.46E-06	1.73E-01	2.76E-08	2.68E-06	3.19E-02	0.00E+00	6.64E-02	2.30E-03
EU-27: Paint emulsion (building, exterior, white) (EN15804 A1-A3) ts		m2	1.90E+00	3.29E-10	9.91E-03	6.49E-04	1.04E-03	2.84E-06	3.88E+01	1.22E-07	1.27E-05	7.56E-02	0.00E+00	2.01E-01	2.44E-03
Apartment fitout (Parkville) <u-so>		m2	4.77E+01	1.96E-07	1.14E-01	1.91E-02	5.83E-03	5.74E-05	3.16E+02	1.94E-07	6.58E-06	4.58E+01	0.00E+00	2.26E+00	9.98E-02
EU-27: Cement (CEM I 32.5) (EN15804 A1-A3) ts		kg		3.84E-11	1.29E-03	1.81E-04	1.47E-04	0.00E+00	0.00E+00	1.38E-09	8.10E-08	6.69E-03	0.00E+00	2.29E-02	1.91E-04
EU-27: Cement (CEM I 42.5) (EN15804 A1-A3) ts		kg	8.42E-01	4.46E-11	1.31E-03	1.83E-04	1.48E-04	0.00E+00	0.00E+00	1.39E-09	8.12E-08	7.36E-03	0.00E+00	2.66E-02	1.93E-04
EU-27: Cement (CEM I 52.5) (EN15804 A1-A3) ts		kg	8.57E-01	5.50E-11	1.35E-03	1.87E-04	1.51E-04	0.00E+00	0.00E+00	1.40E-09	8.17E-08	8.48E-03	0.00E+00	3.28E-02	1.96E-04
EU-27: Cement (CEM II 32.5) (EN15804 A1-A3) ts		kg	6.72E-01	3.50E-11	1.06E-03	1.48E-04	1.18E-04	0.00E+00	0.00E+00	1.10E-09	6.40E-08	6.10E-03	0.00E+00	2.09E-02	1.80E-04
EU-27: Cement (CEM II 42.5) (EN15804 A1-A3) ts		kg	6.81E-01	4.14E-11	1.08E-03	1.50E-04	1.20E-04	0.00E+00	0.00E+00	1.11E-09	6.43E-08	6.79E-03	0.00E+00	2.47E-02	1.82E-04
EU-27: Cement (CEM II 52.5) (EN15804 A1-A3) ts		kg	6.92E-01	4.97E-11	1.12E-03	1.53E-04	1.22E-04	1.36E-06	2.70E+00	1.12E-09	6.47E-08	7.68E-03	0.00E+00	2.96E-02	1.84E-04
EU-27: Cement (CEM III/A) (EN15804 A1-A3) ts		kg	7.47E-01	4.43E-11	1.18E-03	1.64E-04	1.32E-04	1.61E-06	2.78E+00	1.22E-09	7.10E-08	7.19E-03	0.00E+00	2.64E-02	1.87E-04
EU-27: Cement (CEM III/B) (EN15804 A1-A3) ts		kg	6.18E-01	3.98E-11	9.92E-04	1.37E-04	1.08E-04	1.14E-06	2.39E+00	1.00E-09	5.80E-08	6.54E-03	0.00E+00	2.38E-02	1.77E-04

Project Name: The Star - North Tower
Project Number: SYD1533500
Created by: SNH
Checked & Approved by:
Revision (Date issued) Rev 04 (27/02/2017)
Reference Files: SYD1533500 GS D&AB v1.1 The North Tower Scorecard Rev04.xls



Green Star - Design & As Built Scorecard

Points Targeted
Total base points58.0
Total score (base points + innovation)66.0

CATEGORY / CREDIT	AIM OF THE CREDIT / SELECTION	CODE	CREDIT CRITERIA	POINTS AVAILABLE	5 STAR POINTS TARGETED
Management					
Green Star Accredited Professional	To recognise the appointment and active involvement of a Green Star Accredited Professional in order to ensure that the rating tool is applied effectively and as intended.	1.0	Accredited Professional 1 point is available where a Green Star Accredited Professional (GSAP) has been contractually engaged to provide advice, support and information related to Green Star principles, structure, timing and processes, at all stages of the project, leading to certification.	1	1
Commissioning and Tuning	To encourage and recognise commissioning, handover and tuning initiatives that ensure all building services operate to their full potential.	2.0	Environmental Performance Targets For the project to be awarded points for this credit, documented targets for the environmental performance of the project must be set.	-	Complies
		2.1	Services and Maintainability Review 1 point is available where a comprehensive services and maintainability review of the project is performed.	1	1
		2.2	Building Commissioning 1 point is available where a comprehensive services and maintainability review of the project is performed.	1	1
		2.3	Building Systems Tuning 1 point is available where a tuning process is in place that addresses all nominated building systems.	1	1
		2.4	Independent Commissioning Agent 1 additional point is available for utilisation of an Independent Commissioning Agent (ICA) to advise, monitor and verify the commissioning and tuning of the nominated building systems throughout the design, tender, construction, commissioning and tuning phases.	1	1

Comments
WSP to fulfill this role through our engagement on the project
Achievable
Requires review of design and implementation of recommendations by the owners representative for: Comisionability; Controllability; Maintainability; Operability, including 'Fit for Purpose'; and Safety.
Achievable
Achievable. Requires comitment to tuning process prior to occupation and during the first 12 months after occupation
Requires the appointment of an independent comissioning agent from Schematic design stage onwards.

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

Category / Credit	Aim of the Credit / Selection	Code	Credit Criteria	Points Available	5 Star Points Targeted
Adaptation and Resilience	To encourage and recognise projects that are resilient to the impacts of a changing climate and natural disasters.	3.1	Implementation of a Climate Adaptation Plan 2 points are available where: • A project specific climate adaptation plan has been developed in accordance with a recognized standard • Solutions have been included into the building design and construction that specifically address the risk assessment component of the adaptation plan	2	2
Building Information	To recognise the development and provision of building information that facilitates understanding of a building's systems, operation and maintenance requirements, and environmental targets to enable the optimised performance.	4.1	Building Operations and Maintenance Information 1 point is available where it is demonstrated that comprehensive Operations and Maintenance information is developed and made available to the facilities management team	1	1
		4.2	Building User Information 1 point is available where relevant and current building user information is developed and made available to all relevant stakeholders	1	1
Commitment to Performance	To recognise practices that encourage building owners, building occupants and facilities management teams to set targets and monitor environmental performance in a collaborative way.	5.1	Environmental Building Performance 1 point is available where strata management commit to set targets and measure results for environmental performance - energy, water , operational waste and indoor environment quality. Results must be reported quarterly.	1	1
		5.2	End of Life Waste Performance 1 point is available where strata management commit to set targets and measure results that minimise construction waste from end of life of interior fitouts or other building attributes.	1	1
Metering and Monitoring	To recognise the implementation of effective energy and water metering and monitoring systems.	6.0	Metering Strategy To qualify for points under this credit it is a conditional requirement that accessible metering be provided to monitor building energy and water consumption, including all energy and water common and major uses, and sources	-	Complies
		6.1	Monitoring Systems 1 point is available where a monitoring strategy is addressed through a monitoring system, capable of capturing and processing the data produced by the installed energy and water meters, and accurately and clearly presenting data consumption trends	1	1
Construction Environmental Management	To reward projects that use best practice formal environmental management procedures during construction.	7.0	Environmental Management Plan The conditional requirement is met where a comprehensive project-specific Environmental Management Plan (EMP) is in place for construction	-	Complies
		7.1	Formalised Environmental Management System 1 point is available where a formalized systematic and methodical approach to planning, implementing and auditing, is in place during construction, to ensure conformance with the EMP	1	1

Comments
Climate Action Plan has been developed in accordance with the credit criteria.
Requires development of this documentation and transmittal to building owner.
Requires commitment to set targets and measure results for the environmental performance of the building
Requires commitment to set targets and measure results for the end of life waste construction waste from building interiors
Requires comprehensive energy and water metering and monitoring system, addressing all major uses, systems and floors
Head contractor to have comprehensive Environmental Management Plan
Requires a formalised, systematic and methodical approach to planning, implementing and auditing is in place during construction

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

CATEGORY / CREDIT	AIM OF THE CREDIT / SELECTION	CODE	CREDIT CRITERIA	POINTS AVAILABLE	5 STAR POINTS TARGETED
Operational Waste	Prescriptive Pathway	8A	Performance Pathway - Specialist Plan 1 point is available where a waste professional specialist, prepares and implements an Operational Waste Management Plan (OWMP) for the project in accordance with best practice approaches and this is reflected in the building's design.	1	1
		8B	Prescriptive Pathway - Facilities 1 point is available where facilities are in place to collect and separate distinct waste streams, and where these facilities meet best practice access requirements for collection by the relevant waste contractor.	-	
Total				14	14

Comments
WSP to produce Operational Waste Management Plan (OWMP).

Indoor Environment Quality				
Indoor Air Quality	To recognise projects that provide high air quality to occupants.	9.1	Ventilation System Attributes 1 point is available where: The entry of outdoor pollutants is mitigated; the system is designed for ease of maintenance and cleaning; and the system has been cleaned prior to occupation and use	1
		9.2	Provision of Outdoor Air 2 points are available where the nominated area is provided with sufficient outdoor air to ensure levels of indoor pollutant are maintained at acceptable levels. Options are available for mechanically and naturally ventilated buildings and for outdoor air provision or contaminant monitoring. For mechanically ventilated, or mixed-mode spaces: <ul style="list-style-type: none"> • 1 point is awarded where outdoor air is provided at a rate 50% greater than the minimum required by AS 1668.2:2012, or CO2 concentrations are maintained below 800ppm; or • 2 points are available where outdoor air is provided at a rate 100% greater than the minimum required by AS 1668.2:2012, or CO2 concentrations are maintained below 700ppm. For naturally ventilated spaces, two (2) points are awarded where the requirements of AS 1668.42012 are met. The nominated area must be provided with a quantity of outdoor air appropriate for the activities and conditions in the space.	2
		9.3	Exhaust or Elimination of Pollutants 1 point is available where nominated pollutants, such as those arising from printing equipment, cooking processes and equipment, and vehicle exhaust, are limited by either removing the source of pollutants from the nominated area, or exhausting the pollutants directly to the outside while limiting their entry into other areas of the project	1

- Entry of outdoor pollutants is mitigated - System designed for ease of maintenance and cleaning - System is cleaned prior to occupation
Requires increase in size of outside air ductwork, increased cooling capacity, energy penalty. One point may be achieved already through mechanical operational strategy. To be determined as design develops.
Requires the elimination or exhaust of pollutants from printing, cooking and vehicle exhausts

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

Category / Credit	Aim of the Credit / Selection	Code	Credit Criteria	Points Available	5 Star Points Targeted
Acoustic Comfort	To reward projects that provide appropriate and comfortable acoustic conditions for occupants.	10.1	Internal Noise Levels 1 point is available where internal ambient noise levels in the nominated area are suitable and relevant to the activity type in the room. This includes all sound generated by the building systems and any external noise ingress.	1	1
		10.2	Reverberation 1 point is available where the nominated area has been built to reduce the persistence of sound to a level suitable to the activities in the space.	1	1
		10.3	Acoustic Separation 1 point is available where the nominated enclosed spaces have been built to minimise crosstalk between rooms and between rooms and open areas following 10.3A or 10.3B	1	1
Lighting Comfort	To encourage and recognise well-lit spaces that provide a high degree of comfort to users.	11.0	Minimum Lighting Comfort Lights must be flicker free and accurately address the perception of colour in the space.	-	Complies
		11.1	General Illuminance and Glare Reduction 1 point is available where: - Lighting design includes or permits general fixed lighting that provides good maintained illuminance values for the entire room; AND - The installed fittings all have fittings with rated colour variation not exceeding 3 MacAdam Ellipses, AND - Glare is eliminated	1	1
		11.2	Surface Illuminance 1 point if available where, in the nominated area, a combination of lighting and surfaces improve uniformity of lighting to give visual interest	1	
		11.3	Localised Lighting Control 1 point is available where, in the nominated area, occupants have the ability to control the lighting in their immediate environment	1	1
Visual Comfort	To recognise the delivery of well-lit spaces that provide high levels of visual comfort to building occupants.	12.0	Glare Reduction The conditional requirement is met where the glare in the nominated area from sunlight through all viewing facades is reduced through a combination of blinds, screens, fixed devices, or other means	-	Complies
		12.1	Daylight Up to 2 points are available where a percentage of the nominated area receives high levels of daylight during 80% of the nominated areas 40% Nominated Area – 1 point 60% Nominated Area – 2 points	2	2
		12.2	Views 1 point is available where 60% of the nominated area has a clear line of sight to a high quality internal or external view	1	1
Indoor Pollutants	To recognise projects that safeguard occupant health through the reduction in internal air pollutant levels.	13.1	Paints, Adhesives, Sealants and Carpets 1 point is available where at least 95% of all internally applied paints, adhesives, sealants and carpets meet stipulated Total VOC Limits or where no paints, adhesives, sealants, or carpets are used in the building	1	1
		13.2	Engineered Wood Products 1 point is available where at least 95% of all engineered wood products meet stipulated formaldehyde limits or no new engineered wood products are used in the building	1	1

Comments
Requires internal noise levels to comply with AS2107. Ritz-Carlton requirements TBC
Requires reverberation times to comply with AS2107. Ritz-Carlton requirements TBC
Acoustics advise this can be targeted without major design changes BCA requirements
Lighting to be flicker free and have a CRI of 80 or above
Lighting to be appropriate level for the task/area and designed to be free from glare
Multiplex advise that this point can be costly on a prject of this scale
Design to allow for occupants to control lighting levels within their immediate environment.
Blinds, screens, fixed devices or other means incorporated to provide glare control measures
Building glazing and floor plate orientation to provide at least 60% of the floor area with daylighting
Building glazing and floor plate orientation to provide at least 60% of the floor area with high quality external views
95% of all paints, adhesives, sealants, carpets meet the TVOC requirements of the GBCA
95% of all engineered wood products meet the formaldehye emission limits of the GBCA

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

CATEGORY / CREDIT	AIM OF THE CREDIT / SELECTION	CODE	CREDIT CRITERIA	POINTS AVAILABLE	5 STAR POINTS TARGETED
Thermal Comfort	To encourage and recognise projects that achieve high levels of thermal comfort.	14.1	Thermal Comfort 1 point is available where a high degree of thermal comfort is provided to occupants in the space, equivalent to 80% of all occupants being satisfied in the space.	1	1
		14.2	Advanced Thermal Comfort 1 additional point is available where a high degree of thermal comfort is provided to occupants in the space, equivalent to 90% of all occupants being satisfied in the space.	1	0
Total				17	13

Comments
A high degree of themal comfort is provided where 80% of occupants are are satisfied in the space
A higher degree of themal comfort is provided where 90% of occupants are are satisfied in the space. May not be achieved due to radiant heat through glass

Energy					
Greenhouse Gas Emissions	E. Modelled Performance Pathway	15E.0	Conditional Requirement: Reference Building Pathway	-	Complies
		15E.1	Comparison to a Reference Building Pathway Up to 20 out of 20 points are available where it is demonstrated that there is a specified reduction in the predicted energy consumption and GHG emissions of the proposed building. Points are awarded based both on improvements to the building's façade, and on the project's predicted ability to reduce its energy consumption and emissions towards net zero	20	9
Peak Electricity Demand Reduction	Performance Pathway	16A	Prescriptive Pathway - On-site Energy Generation 1 out of 2 points are available where it is demonstrated that the use of on-site electricity generation systems reduces the total peak electricity demand by at least 15%	-	
		16B	Performance Pathway - Reference Building Up to 2 points are available where it is demonstrated that the project's predicted peak electricity demand has been reduced below that of a 'Reference Building': • 0-10%: 0 point • 20%: 1 point • 30%: 2 points	2	2
Total				22	11

Will require efficient building fabric, high performance glazing, mechanical services and lighting design system To be achieved through highly efficient façade and services design trigeneration will have major impact Preliminary modelling suggests that more points may be achievable, however conservatively only targeting 9 points at this stage
Achievable through trigeneration system

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

CATEGORY / CREDIT	AIM OF THE CREDIT / SELECTION	CODE	CREDIT CRITERIA	POINTS AVAILABLE	5 STAR POINTS TARGETED
Transport					
Sustainable Transport	Prescriptive Pathway	17A.1	Performance Pathway Up to 10 points are available where the proposed transport solutions on site decreases emissions from transport, decreases mental and social impacts of commuting, and encourages healthier uptake of active transport options.	10	
		17B.1	Access by Public Transport Up to 3 points are available based on the accessibility of the site by public transport.	3	2
		17B.2	Reduced Car Parking Provision 1 point is available where there is reduction of car parking spaces in the proposed building.	1	1
		17B.3	Low Emission Vehicle Infrastructure 1 point is available where parking spaces and/or dedicated infrastructure is provided to support the uptake of low emission vehicles.	1	1
		17B.4	Active Transport Facilities 1 point is available where bicycle parking and associated facilities are provided to regular occupants and visitors.	1	0
		17B.5	Walkable Neighbourhoods 1 point is available where the project is located conveniently to amenities or the project achieves a specified walk score	1	1
Total				10	5

Comments
Requires development of sustainable transportation plan which demonstrates a decrease in greenhouse gas emissions from transport, decreases mental and social impacts of commuting and encourages the use of healthier transportation options.
Project location achieves 2 points in the public transportation calculator
Demonstrate a reduced carparking provision compared with a reference building
TBC - Difficult to provide preferential treatment in car stacker - recommend submitting CIR to GBCA to confirm approach. Requires 15% of parking dedicated for fuel efficient vehicles and 5% of parking for electric vehicles and charging infrastructure provided. Assuming 150 spaces, this would mean either: - 23 spaces dedicated for fuel efficient vehicles, of which a maximum of 8 are motorcycles - 8 spaces dedicated for electric vehicles and charging infrastructure is provided GS requirements as follows - Bicycle parking (DCP requires approximately 20 spaces for staff and 40 for visitors) - 10 parking spaces for regular occupants (staff) - 150 for visitors (hotel, serviced apartments and restaurant guests) End of trip (DCP requires 2 showers nad 20 lockers) - 4 showers - 8 lockers - showers (13-49 staff = 2 showers, 50-149 staff = 4 showers, 150-299 staff = 6 showers, 300-500 staff = 8 showers)
Requires a walk score of > 80%. Location achieves requirements for this credit.

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

CATEGORY / CREDIT	AIM OF THE CREDIT / SELECTION	CODE	CREDIT CRITERIA	POINTS AVAILABLE	5 STAR POINTS TARGETED
Water					
Potable Water	Performance Pathway	18A.1	Potable Water - Performance Pathway Up to 12 points are available based on the magnitude of the predicted reduction in potable water consumption, when the project is compared against a reference building.	12	
		18B.1	Sanitary Fixture Efficiency 1 point is awarded where all fixtures are within one star of the WELS rating	1	
		18B.2	Rainwater Reuse 1 point is awarded when a rainwater tank is installed to collect and reuse rainwater, within the project's site boundary, and the rainwater tank is sized accordingly.	1	
		18B.3	Heat Rejection 2 points are awarded where no water is used for heat rejection. To comply the project must be either naturally ventilated (allowing for the use of ceilin fans or similar) or the HVAC system must not use water for heat rejection. To claim the project is naturally ventilated, it must be demonstrated that the building is naturally ventilated in accordance with AS1668.4-2012. To claim that no water based heat rejection system is used, it must be demonstrated that the air conditioning needs of the project are met by means other than water based heat rejection.	2	2
		18B.4	Landscape Irrigation 1 point is awarded where either drip irrigation with moisture sensor override is installed or where no potable water is used for irrigation. The landscaping and associated systems must be designed to reduce the consumption of potable water required for irrigation through the installation of subsoil drip irrigation and moisture sensor controls. In the case of a xeriscape garden, the provision of irrigation systems must be able to be removed within three months of landscaping installation and the landscaping must not require watering after this time	1	1
		18B.5	Fire System Test Water 1 point is awarded when one of the following conditions is met: - The fire system does not expel water for testing; or - The fire system includes temporary storage for 80% of the routine fire protection system test water and maintenance drain-downs for reuse on-site. If sprinkler systems are installed, each floor must be fitted with isolation valves or shut-off points for floor by floor testing.	1	
Total				12	3

Comments
Project team to determine final pathway during detail design phase, currently, the prescriptive pathway is the preferred pathway.
N/A performance pathway targeted
N/A performance pathway targeted
achievable through the upgraded harbour heat rejection system
Xeriscape landscaping to be provided
N/A performance pathway targeted

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

Category / Credit	Aim of the Credit / Selection	Code	Credit Criteria	Points Available	5 Star Points Targeted
Materials					
Life Cycle Impacts	Performance Pathway - Life Cycle Assessment	19A.1	Comparative Life Cycle Assessment Up to 6 points are available where a whole-of-building whole-of-life (cradle-to-grave) life cycle assessment (LCA) is conducted for the project and a reference building. Points are awarded based on the extent of environmental impacts reduction achieved against six environmental impacts categories, when compared to a reference building.	6	6
		19A.2	Additional Life Cycle Impact Reporting 1 additional point is available where the LCA conducted by project includes reporting of five impact categories in addition to those required under the Comparative Life Cycle Assessment credit element.	1	1
Responsible Building Materials	To reward projects that include materials that are responsibly sourced or have a sustainable supply chain.	20.1	Structural and Reinforcing Steel 1 point is available where 95% of the building's steel is sourced from a Responsible Steel Maker; and • For steel framed buildings, at least 60% of the fabricated structural steelwork is supplied by a steel fabricator/steel contractor accredited to the Environmental Sustainability Charter of the Australian Steel Institute (ASI); or • For concrete framed buildings, at least 60% (by mass) of all reinforcing bar and mesh is produced using energy-reducing processed in its manufacture (measured by average mass by steel maker annually.	1	1
		20.2	Timber Products 1 point is available where at least 95% (by cost) of all timber used in the building and construction works is either: • Certified by a forest certification scheme that meets the GBCA's Essential' criteria for forest certification; or • Is from a reused source.	1	
		20.3	Permanent Formwork, Pipes, Flooring, Blinds and Cables 1 point is available where 90% (by cost) of all cables, pipes, flooring and blinds in a project either: • Do not contain PVC and have an Environmental Product Declaration (EPD); or • Meet Best Practice Guidelines for PVC.	1	1
Sustainable Products	To encourage sustainability and transparency in product specification.	21.1	Product Transparency and Sustainability Up to 3 points are available when product meet transparency and sustainability requirements under on of the following initiatives: A. Resued Products; B. Recycled Content Products; C. Environmental Product Declarations; D. Third-Party Certification; or E. Stewardship Programs. Points are calculated based on specified benchmarks for the percentage of compliant products used in the project.	3	0

Comments
A preliminary cradle to grave life cycle assessment (LCA) has been completed on the project demonstrating reduced impact of 6 environmental targets compared with a reference building.the full 6 points has been confirmed at this stage.
A preliminary cradle to grave life cycle assessment (LCA) has included reporting of 5 additional impact catagories in addition to those required in the above credit
Requires steel to be sourced from responsible manufacturers and using energy reducing technologies during manufacture.
95% by cost of timber on the project is to be sustainably sourced through either environmental certification or reused. Multiplex advises that this can be costly to achieve during construction phase
90 % by cost of all permanent formwork, pipes, flooring
<p>Opportunity to target 3 points by procuring Australian Steel - both One Steel and BlueScope have published Environmental Product Declarations (EPDs) covering structural and reinforcing steel which will score well in PSV calculations due to high portion steel in contract value.</p> <p>Point are achieved where:</p> <p>- 1 point where 3% of the value of product compared against the project contract value are achieved</p> <p>- 2 point where 6% of the value of product compared against the project contract value are achieved</p> <p>- 3 point where 9% of the value of product compared against the project contract value are achieved</p> <p>Some steel manufacturers will provide EPD's in 2017, sourcing from these providers would likely result in up to 3 points for this credit</p>

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

CATEGORY / CREDIT	AIM OF THE CREDIT / SELECTION	CODE	CREDIT CRITERIA	POINTS AVAILABLE	5 STAR POINTS TARGETED
Construction and Demolition Waste	Percentage Benchmark	22A	Fixed Benchmark 1 point is available where the construction waste going to landfill is reduced by not exceed 10kg/m² GFA	-	
		22B	Percentage Benchmark 1 point is available where the construction waste going to landfill is reduced by 90% of waste generated being diverted from landfill	1	1
Total				14	10

Comments
N/A
Achieve 90% recycling rate during construction

Land Use & Ecology				
Ecological Value	To reward projects that improve the ecological value of their site.	23.0	Endangered, Threatened or Vulnerable Species To be awarded points in this credit, the project must demonstrate that no critically endangered, endangered, or vulnerable species or ecological communities were present on the site at time of purchase. It is a minimum requirement of this credit that a check is carried out to ensure that the site does not contain 'critically endangered, endangered, or vulnerable species or ecological communities as defined in the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act).	- Complies
		23.1	Ecological Value Up to 3 points are awarded where the ecological value of the site is improved by the project. The number of points awarded is determined by the Green Star – Change of Ecological Value Calculator based on a comparison of the condition of the site before and after design/construction.	3 0
Sustainable Sites	To reward projects that choose to develop sites that have limited ecological value, re-use previously developed land and remediate contaminate land.	24.0	Conditional Requirement The Conditional Requirement is met where, at the date of site purchase or date of option contract, the project site did not include old growth forest or wetland of 'High National Importance', or did not impact on 'Matters of National Significance'.	- Complies
		24.1	Reuse of Land 1 point is available where 75% of the site was Previously Developed Land at the date of site purchase or (for previously owned land) at the project's Green Star registration date.	1 1
		24.2	Contamination and Hazardous Materials 1 point is available where the site, or an existing building, was previously contaminated and the site has been remediated in accordance with a best practice remediation strategy.	1 0

Achieved
Site has zero ecological value currently, landscaping will improve ecological value. If native vegetation is planted on club lounge terrace then 1.7 points may be achieved
Achieved
Achieved
Requires survey and existing building remediation where the project site is located

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

Category / Credit	Aim of the Credit / Selection	Code	Credit Criteria	Points Available	5 Star Points Targeted
Heat Island Effect	To encourage and recognise projects that reduce the contribution of the project site to the heat island effect.	25.0	Heat Island Effect Reduction 1 point is available if at least 75% of the total project site area comprises: * Landscaping * Roofing materials with 3 year SRI >64 or initial SRI>82 (for roofs with pitch <15°) * Unshaded hardscape with 3 year SRI of >34 or initial SRI>39 * Shaded hardscaping * Water bodies * Areas to the south of the building which are shaded at the summer solstice	1	0

Comments
Will require careful selection of external finishes. Assessment of roofplan indicates that the pitched roof would require and SRI > 34. Landscaped area on the roof plan contributes approximately 25% - if greater than 25% a portion will need an SRI > 64

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

CATEGORY / CREDIT	AIM OF THE CREDIT / SELECTION	CODE	CREDIT CRITERIA	POINTS AVAILABLE	5 STAR POINTS TARGETED
Total				6	1

Comments

Emissions					
Stormwater	To reward projects that minimise peak stormwater flows and reduce pollutants entering public sewer infrastructure.	26.1	Reduced Peak Discharge 1 point is available where the post-development peak event discharge from the site does not exceed the pre-development peak event discharge.	1	0
		26.2	Reduced Pollution Targets 1 additional point is available, where the first point has been achieved and all stormwater discharged from site meets specified Pollution Reduction Targets.	1	0
Light Pollution	To reward projects that minimise light pollution.	27.0	Light Pollution to Neighbouring Bodies For the project to be awarded a point for this credit, the project must comply with AS 4282 'Control of the Obtrusive Effects of Outdoor Lighting'.	-	Complies
		27.1	Light Pollution to Night Sky 1 point is available where it can be demonstrated that a specified reduction in light pollution has been achieved by the project. Two options are available for demonstrating a reduction in light pollution.	1	0
Microbial Control	To recognise projects that implement systems to minimise the impacts associated with harmful microbes in building systems.	28.0	Legionella Impacts from Cooling Systems 1 point is available where the building: <ul style="list-style-type: none"> • Is naturally ventilated; or • Has waterless heat-rejection systems; or • Has water-based heat rejection systems that included measure for Legionella control and Risk Management. 	1	1
Refrigerant Impacts	To encourage operational practices that minimise the environmental impacts of refrigeration equipment.	29.0	Refrigerants Impacts 1 point is awarded where: The combined Total System Direct Environmental Impact of the refrigerant systems in the building is less than 15; OR The combined Total System Direct Environment Impact (TSDEI) of the refrigerant systems is between 15 and 35, AND a leak detection system is in place; OR All refrigerants in the project have ozone depletion potential of zero, and a global warming potential of 10 or less; OR Where there are no refrigerants employed by nominated building systems, this point is awarded.	1	0
Total				5	1

Will require on site stormwater detention. Typically a council requirement and may be achieved with existing infrastructure
Will require Gross pollutant traps and filtration prior to discharge. Typically a council requirement and may be achieved with existing infrastructure
requires compliance with standards
Limits amount of upward lighting which does not strike a surface on the building
Achieved provided evaporative heat rejection system is not utilised.
Limits amount of refrigerant used on the project and is difficult to achieve.

Green Star - Design & As Built Scorecard		Points Targeted
Total base points		58.0
Total score (base points + innovation)		66.0

Category / Credit	Aim of the Credit / Selection	Code	Credit Criteria	Points Available	5 Star Points Targeted
Innovation					
Innovative Technology or Process	The project meets the aims of an existing credit using a technology or process that is considered innovative in Australia or the world.	30A	Innovative Technology or Process	10	8
Market Transformation	The project has undertaken a sustainability initiative that substantially contributes to the broader market transformation towards sustainable development in	30B	Market Transformation		
Improving on Green Star Benchmarks	The project has achieved full points in a Green Star credit and demonstrates a substantial improvement on the benchmark required to achieve full points.	30C	Improving on Green Star Benchmarks		
Innovation Challenge	Where the project addresses an sustainability issue not included within any of the Credits in the existing Green Star rating tools.	30D	Innovation Challenge		
Global Sustainability	Project teams may adopt an approved credit from a Global Green Building Rating tool that addresses a sustainability issue that is currently outside the scope of this Green Star	30E	Global Sustainability		
Total				10	8

Comments
<p>Recommended innovations:</p> <ul style="list-style-type: none"> - Contractor Education - Financial Transparency - Community Benefits (potentially worth multiple points, target 2) - Energy Metering Integrity - High Performance Site Office (Multiplex to comment) - Local Procurement - Exceeding Green Star Benchmarks - LCA <p>Potential innovation challenges:</p> <ul style="list-style-type: none"> - Building air tightness - Contributing to industry benchmarking - Occupant engagement

APPENDIX E CLIMATE RISKS AND MITIGATIONS

CLIMATE RISK ASSESSMENT - INITIAL

Climate Variable	Climate Risk	Potential Climate Change Impact	Key Criteria	Consequence	Likelihood	Overall Risk
Precipitation	Changes to rainfall (droughts and intense rainfall)	Inundation of drainage infrastructure with resulting flood damage and safety risk	Financial Infrastructure	Major	Moderate	High
	Changes to rainfall (droughts and intense rainfall)	Water damage to substations and electrical circuitry may result in disruption to electricity supply	Financial Infrastructure	Major	Moderate	High
	Changes to rainfall (droughts and intense rainfall)	Increase in extreme rainfall and hailstorm events may overload roof drainage for buildings and result in water damaged structures and damaged facades (breaking glass)	Financial	Minor	Likely	Medium
	Changes to rainfall (droughts and intense rainfall)	Droughts and changes in rainfall may result in water restrictions	Financial	Minor	Moderate	Low
	Increase in frequency and severity of storms	Increase in intense rainfall could result in damage to properties, causing displacement and disruption of tenant/business activity during clean up	Financial	Minor	Moderate	Low
	Increase in frequency and severity of storms	Increase in intense rainfall and runoff could result in flooding causing damage to structures which may lead to increased insurance premiums for assets	Financial	Minor	Very Unlikely	Low
	Increase in frequency and severity of storms	Increased in intense rainfall events leading to reduced comfort and increased complaints from building occupants and general public passing by or entering the building	Social Reputation	Minor	Moderate	Low
	Changes to rainfall (droughts and intense rainfall)	Increase in intense rainfall and runoff may increase the potential for erosion causing potential infrastructure instability and disruption or safety risk in the event of collapse.	Social Infrastructure	Moderate	Very Unlikely	Low
Sea level rise	Increase in sea level	Potential for inundation infrastructure during storms due to sea level rise resulting flood damage and safety risk	Financial Infrastructure	Major	Moderate	High
Temperature	Increase in mean maximum temperature	Ability to cool critical infrastructure may be effected by extreme heat, leading to system failure or service interruptions	Financial Infrastructure	Major	Unlikely	Medium
	Increased number of hot days over 35°C	HVAC system may experience overload, affecting thermal comfort for building occupants, and increasing HVAC maintenance and operating costs	Financial Infrastructure	Major	Unlikely	Medium
	Increase in mean maximum temperature	Increased mean maximum temperature and solar exposure may lead to greater material degradation and need for building maintenance	Financial	Minor	Moderate	Low
	Increased number of hot days over 35°C	Increased in extreme temperatures may lead to urban heat islands	Social Financial	Moderate	Moderate	Medium
	Increase in mean maximum temperature	Structural building materials may be affected by extreme heat, leading to structural fatigue	Financial Infrastructure	Major	Very Unlikely	Medium
	Increased number of hot days over 35°C	Increase in extreme heat days may result in heat related illness and/or heat stress for workers, visitors and residents	Social	Minor	Likely	Medium
	Increase in risk of bushfires	Increase in number of severe fire weather risk days leading to exposure to smoke and particulate pollution for workers, visitors and residents that may cause respiratory distress	Social	Minor	Unlikely	Low
Wind speed	Increased wind speeds	Structural integrity of building materials may be affected by extreme wind speeds	Infrastructure	Minor	Very Unlikely	Low
	Increased wind speeds	Wind damage to electrical and ITC circuitry (overhead wiring) may result in disruption to services and increase maintenance costs	Infrastructure	Minor	Very Unlikely	Low

CLIMATE RISK ASSESSMENT - REASSESSED

Climate Variable	Climate Risk	Potential Climate Change Impact	Key Criteria	Consequence	Likelihood	Overall Risk	Proposed adaptation measure	Consequence	Likelihood	Reassessed Risk
Precipitation	Changes to rainfall (droughts and intense rainfall)	Inundation of drainage infrastructure with resulting flood damage and safety risk	Financial Infrastructure	Major	Moderate	High	Specify vent levels and basement/portal drainage to address predicted increases in rainfall intensity, future food conditions and sea levels As defined by City of Sydney Council the following Habitable floor levels shall be set to a minimum 1% AEP flood level +0.5m Non habitable, retail and business floor levels shall be set to a minimum 1% AEP flood level Critical Facilities and below Ground Parking including all possible ingress points to the car park such as vehicle entrances and exits, ventilation ducts, windows, light wells, lift shaft openings, risers and stairwells shall be set to a minimum PMF level. Should critical threshold be breached resilience measures include: - flood gates/barriers to entrance way - basement pump system and - emergency response plan	Major	Very Unlikely	Medium
	Changes to rainfall (droughts and intense rainfall)	Water damage to substations and electrical circuitry may result in disruption to electricity supply	Financial Infrastructure	Major	Moderate	High	Specify vent levels and basement/portal drainage to address predicted increases in rainfall intensity, future food conditions and sea levels As defined by City of Sydney Council the following Habitable floor levels shall be set to a minimum 1% AEP flood level +0.5m Non habitable, retail and business floor levels shall be set to a minimum 1% AEP flood level Critical Facilities and below Ground Parking including all possible ingress points to the car park such as vehicle entrances and exits, ventilation ducts, windows, light wells, lift shaft openings, risers and stairwells shall be set to a minimum PMF level. Should critical threshold be breached resilience measures include: - flood gates/barriers to entrance way - basement pump system and - emergency response plan	Major	Very Unlikely	Medium
	Changes to rainfall (droughts and intense rainfall)	Increase in extreme rainfall and hailstorm events may overload roof drainage for buildings and result in water damaged structures and damaged facades (breaking glass)	Financial	Minor	Likely	Medium	Stormwater drainage design will be in accordance with BCA, which references AS3500.3. This indicates that building drainage elements are designed for 100 year ARI rainfall events. If a rain event surpasses the capacity of the roof drainage system, there would be overflow to ground level and stormwater would follow overland flow paths Pipework Design is based on pipe flowing 2/3 full at Q100 event, which equates to possible increase of flow capacity (redundancy) of approximately 20% when the hydraulic gradient is calculated into pipework flow. The facade glazing will be designed in accordance with AS1288 to determine loading. Considering the building's exposure, anticipated wind pressures and facade unit sizes, the external pane will be minimum 6mm and likely heat treated or toughened with a laminate which will deal comfortably with hail. Aluminium envisioned for the ribbon cladding, tower sun shades and spandrel panels, however, which is typically 3-4mm thick, will require further analysis to ensure mitigation of hail/storm damage.	Minor	Very Unlikely	Low

Climate Variable	Climate Risk	Potential Climate Change Impact	Key Criteria	Consequence	Likelihood	Overall Risk	Proposed adaptation measure	Consequence	Likelihood	Reassessed Risk
	Changes to rainfall (droughts and intense rainfall)	Droughts and changes in rainfall may result in water restrictions	Financial	Minor	Moderate	Low	<p>Drought tolerant plant species where appropriate have been selected</p> <p>Rainwater harvesting - Existing design currently harvests rainwater collected from site building roofs for reuse in toilet flushing and swimming pool top-up</p> <p>Water sensitive urban design elements have been incorporated to help offset water demand and the potential for scouring at drainage outlets</p>	Minor	Very Unlikely	Low
	Increase in frequency and severity of storms	Increase in intense rainfall could result in damage to properties, causing displacement and disruption of tenant/business activity during clean up	Financial	Minor	Moderate	Low	Evacuation planning - prior to the occupation of any habitable building on the project site, an emergency evacuation and response plan will be developed that addresses preparation, during- and post-disaster communication, safety and response.	Minor	Unlikely	Low
	Increase in frequency and severity of storms	Increase in intense rainfall and runoff could result in flooding causing damage to structures which may lead to increased insurance premiums for assets	Financial	Minor	Very Unlikely	Low	No triggers exist to require any additional insurance company consultation in planning and operation from that which occurs normally	Minor	Very Unlikely	Low
	Increase in frequency and severity of storms	Increased in intense rainfall events leading to reduced comfort and increased complaints from building occupants and general public passing by or entering the building	Social Reputation	Minor	Moderate	Low	<p>Adequate shelter for wind driven rain is provided by building entrance canopy design and primary street frontage awnings</p> <p>There are three primary pedestrian entries serving the tower proposal; The Ritz Carlton lobby off Pirrama Rd, the Resident lobby off Jones Bay Rd, and the Community Facility with entry also off Jones Bay Rd. All entries are situated within a sheltered and recessed zone. Local wind condition analyses will inform amelioration strategies such as low level screening or planting to manage wind tunnelling, and building canopies / awnings to account for downdraft.</p> <p>From a vehicular perspective, resident vehicle access is via the existing internal and subterranean Service Road on Basement level 2. Access from resident parking to apartments is entirely internal. For the Ritz Carlton, vehicular drop off is immediately adjacent to the sheltered lobby entry noted above, utilising the same cover and wind amelioration methods.</p>	Minor	Very Unlikely	Low

Climate Variable	Climate Risk	Potential Climate Change Impact	Key Criteria	Consequence	Likelihood	Overall Risk	Proposed adaptation measure	Consequence	Likelihood	Reassessed Risk
	Changes to rainfall (droughts and intense rainfall)	Increase in intense rainfall and runoff may increase the potential for erosion causing potential infrastructure instability and disruption or safety risk in the event of collapse.	Social Infrastructure	Moderate	Very Unlikely	Low	Structures, embankments and slopes have been designed to be stable in extreme weather events, including factors of safety, in accordance with industry best practice Soil stability assessed as part of the geotechnical analysis. All designs are carried out in accordance with procedures set out in Australian Standards. Load factors and material factors are used to mitigate irregularities in materials and variability and uncertainty of load conditions.	Moderate	Very Unlikely	Low
Sea level rise	Increase in sea level	Potential for inundation infrastructure during storms due to sea level rise resulting flood damage and safety risk	Financial Infrastructure	Major	Moderate	High	Possible increases in sea level rise of up to 0.9m by 2100 as a result of climate change will have no effect on flood levels or flood risk to the development.	Major	Very Unlikely	Medium
Temperature	Increase in mean maximum temperature	Ability to cool critical infrastructure may be effected by extreme heat, leading to system failure or service interruptions	Financial Infrastructure	Major	Unlikely	Medium	The thermal Central Energy Plant is a water cooled chilled water plant with a harbour heat rejection system, providing cooling to critical infrastructure within the development. During periods of increased ambient temperatures the water cooled plant may not provide 100% of the design output, however this risk is very unlikely to eventuate as the peak cooling demand for the development occurs in the evening driven by occupancy levels. At this point in time the water cooled plant is required to run at 100%. Based on Sydney's weather history, the increase in temperature and/or frequency of heat waves is likely to occur in the middle of the day. At this point in time it is unlikely the plant is required to run at 100%. In the rare instance that the peak cooling plant demand occurs during this event it may require non-critical areas to be shut down. This can be captured as an operational procedure in the Central Energy Plant Operations and Maintenance Manual.	Major	Very Unlikely	Medium

Climate Variable	Climate Risk	Potential Climate Change Impact	Key Criteria	Consequence	Likelihood	Overall Risk	Proposed adaptation measure	Consequence	Likelihood	Reassessed Risk
	Increased number of hot days over 35°C	HVAC system may experience overload, affecting thermal comfort for building occupants, and increasing HVAC maintenance and operating costs	Financial Infrastructure	Major	Unlikely	Medium	<p>The thermal Central Energy Plant is a water cooled chilled water plant with a harbour heat rejection system, providing cooling to critical infrastructure within the development.</p> <p>During periods of increased ambient temperatures the water cooled plant may not provide 100% of the design output, however this risk is very unlikely to eventuate as the peak cooling demand for the development occurs in the evening driven by occupancy levels. At this point in time the water cooled plant is required to run at 100%. Based on Sydney's weather history, the increase in temperature and/or frequency of heat waves is likely to occur in the middle of the day. At this point in time it is unlikely the plant is required to run at 100%.</p> <p>In the rare instance that the peak cooling plant demand occurs during this event it may require non-critical areas to be shut down. This can be captured as an operational procedure in the Central Energy Plant Operations and Maintenance Manual.</p>	Major	Very Unlikely	Medium
	Increase in mean maximum temperature	Increased mean maximum temperature and solar exposure may lead to greater material degradation and need for building maintenance	Financial	Minor	Moderate	Low	<p>Ensure building materials are durable under solar radiation loads.</p> <p>Maintenance inspection cycle would identify equipment which is not performing efficiently or is becoming degraded.</p>	Minor	Very Unlikely	Low
	Increased number of hot days over 35°C	Increased in extreme temperatures may lead to urban heat islands	Social Financial	Moderate	Moderate	Medium	<p>In order to decrease heat islanding</p> <ul style="list-style-type: none"> - Extensive use of cross flow ventilation will utilise available natural ventilation, particularly the increased wind gradient at higher levels of the tower building - Use light coloured materials on roofs and pavements to both shade from and reflect sunlight (SRI 0.4); - Use natural vegetation and building shading to provide relief from direct sunlight. - Shadowing effect of buildings within precinct provide relief 	Moderate	Unlikely	Medium
	Increase in mean maximum temperature	Structural building materials may be affected by extreme heat, leading to structural fatigue	Financial Infrastructure	Major	Very Unlikely	Medium	<p>Concrete structure - The design for thermal effects are based on AS5100.2</p> <p>Generally for concrete structures - thermal design parameters - Average minimum and maximum temperatures are -3°C and 49°C; Total change in temperature = 52°C</p> <p>Steel Structure - The design for thermal effects are based on AS5100.2</p> <p>Generally for steel structures - thermal design parameters - Average minimum and maximum temperatures are -7°C and 69°C; Total change in temperature = 76°C;</p>	Major	Very Unlikely	Medium

Climate Variable	Climate Risk	Potential Climate Change Impact	Key Criteria	Consequence	Likelihood	Overall Risk	Proposed adaptation measure	Consequence	Likelihood	Reassessed Risk
	Increased number of hot days over 35°C	Increase in extreme heat days may result in heat related illness and/or heat stress for workers, visitors and residents	Social	Minor	Likely	Medium	In the event of extreme heat The Star management will, when possible and in line with Government health warnings, remind people most at risk, in particular older people, young children, pregnant or breastfeeding women, and people with heart disease, high blood pressure or lung disease to drink plenty of water, stay cool spaces or in the shade, and restrict activity.	Minor	Unlikely	Low
	Increase in risk of bushfires	Increase in number of severe fire weather risk days leading to exposure to smoke and particulate pollution for workers, visitors and residents that may cause respiratory distress	Social	Minor	Unlikely	Low	In the event of potential smoke exposure The Star management will, when possible and in line with Government issued health warnings, remind people most susceptible to the effects of air pollution, such as, children, older adults and people with heart and lung conditions to remain inside with the windows and doors closed, preferably in an air-conditioned building.	Minor	Very Unlikely	Low
Wind speed	Increased wind speeds	Structural integrity of building materials may be affected by extreme wind speeds	Infrastructure	Minor	Very Unlikely	Low	<p>The general consensus on wind speeds is that the extreme events would happen more regularly, but the magnitude would not increase. This is particularly true for synoptic winds.</p> <p>Structures comply with Australian Standards and reliant wind loadings.</p> <p>Adopted design wind speeds and wind load calculations are in accordance with AS1170 for structures design.</p> <p>Extreme wind events are accounted for in the ultimate limit state (ULS) design values.</p> <p>Maintenance inspection cycle would identify equipment which is not performing efficiently or is becoming degraded.</p>	Minor	Very Unlikely	Low
	Increased wind speeds	Wind damage to electrical and ITC circuitry (overhead wiring) may result in disruption to services and increase maintenance costs	Infrastructure	Minor	Very Unlikely	Low	<p>Undergrounding of electrical and ITC services within the precinct avoids this wind related damage to overhead wiring risk</p> <p>Cables in buried conduits are designed to resist the influx of water. Conduit joints are sealed to resist water seepage into conduits.</p>	Minor	Very Unlikely	Low