



# CENTENNIAL COAL CHARBON COLLIERY ANNUAL REVIEW

around controlly

March 2021

#### Table 1: Annual Review Title Block

Name of Operation Charbon Colliery	
Name of Operator	Charbon Coal Pty Ltd
Development Consent/ Project Approval #	PA 08_0211 Mod 1
Mining Lease #	CCL732, ML1318, ML1384, ML1501, ML1524, ML1545, ML1647, ML1663, MPL270, MPL499, MPL505, MPL526, MPL670, MPL964
Name of Holder of Mining Lease	Charbon Coal Pty Limited and SK Networks Resources Australia Pty Ltd
Water License #	WAL 27890, WAL 35022, WAL 35023
Name of Holder of Water License  Charbon Coal Pty Limited, SK Aust Limited	
MOP Start Date	23 October 2017
MOP End Date	31 December 2025
Annual Review Start Date	1 January 2020
Annual Review End Date 31 December 2020	

I certify that this audit report is a true and accurate record of the compliance status of Charbon Colliery for the period 1 January 2020 to 31 December 2020 and that I am authorized to make this statement on behalf of Charbon Colliery.

#### Note:

- a) The Annual Review is an 'environmental audit' for the purposes of s122B(2) of the Environmental Planning and Assessment Act 1979. Section 122E provides that a person must not include false or misleading information (or provide information for inclusion) in an audit report produced to the Minister in connection with an environmental audit if the person knows that the information is false or misleading in a material respect. The maximum penalty is, in the case of a corporation, \$1 million and for an individual, \$250,000.
- b) The Crimes Act 1900 contains other offences relating to false and misleading information: section 192G (intention to defraud by false or misleading statement maximum penalty 5 years imprisonment); sections 307A, 307B and 307C (False or misleading applications/information/documents –maximum penalty 2 years imprisonment or \$22,000, or both).

Name of Authorised Reporting Officer	MICHAEL CLANK
Title of Authorised Reporting Officer	Director
Signature of Authorised Reporting Officer	A Chil
Date	23/3/21

# **Contents**

1.	STATEMENT OF COMPLIANCE	4
2.	INTRODUCTION	5
3.	APPROVALS	9
4.	OPERATIONS SUMMARY	14
4.1.	Other Operations	15
4.2.	Next Reporting Period	15
5.	ACTIONS REQUIRED FROM PREVIOUS ANNUAL REVIEW	16
5.1.	Annual Review	16
6.	ENVIRONMENTAL PERFORMANCE	16
6.1.	Noise	18
6.2.	Blasting	26
6.3.	Air Quality	27
7.	WATER MANAGEMENT	38
7.1.	Surface Water	38
7.2.	Groundwater	46
8.	REHABILITATION	50
8.1.	Rehabilitation Monitoring	50
8.2.	Next Reporting Period	53
9.	AQUATIC ECOLOGY	55
9.1.	Aquatic Ecology Monitoring	55
10.	TERRESTRIAL ECOLOGY	57
10.1	Terrestrial Ecology Monitoring	57
10.2	Weed Management	57
11.	COMMUNITY	57
12.	INDEPENDENT AUDIT	60
13.	WASTE MANAGEMENT AND MINIMISATION	64
13.1	Sewage Treatment and Disposal	64
13.2	Oil and Grease Containment and Disposal	64
13.3	General Waste Disposal	64
14.	INCIDENTS AND NON-COMPLIANCES DURING THE REPORTING PERIOD	62
15.	ACTIVITES TO BE COMPLETED IN THE NEXT REPORTING PERIOD	66

## 1. STATEMENT OF COMPLIANCE

**Table 2: Statement of Compliance** 

Were all conditions of the relevant approval(s) complied with?		
MP 08_0211	YES	
EPBC 2010/5498	YES	
CCL726	YES	
CCL732	YES	
ML1318	YES	
ML1384	YES	
ML1501	YES	
ML1524	YES	
ML1545	YES	
ML1647	YES	
ML1663	YES	
EPL 528	NO	

**Table 3: Non-Compliances** 

Relevant Approval	Condition #	Condition summary	Compliance Status	Comment	Section # addressed in Annual Review
EPL528	M2.2	Required to monitor concentration of pollutants discharged.		Water samples collected were lost in transit to the laboratory.	14
EPL528	M2.2	Required to monitor concentration of pollutants discharged.		Water was discharged but no sample collected.	14
EPL528	P1.2	The setting of monitoring and setting of limits for discharges.		Discharge not from a licensed discharge point.	14

Note: Compliance Status Key for Table 3

Risk Level	Colour Code	Description
High		Non-compliance with potential for significant environmental consequences, regardless of the likelihood of occurrence
Medium		Non-compliance with:
		<ul> <li>Potential for serious environmental consequences, but is unlikely to occur; or</li> <li>Potential for moderate environmental consequences, but is likely to occur</li> </ul>
Low		Non-compliance with:
		<ul> <li>Potential for moderate environmental consequences, but is unlikely to occur; or</li> <li>Potential for low environmental consequences, but is likely to occur</li> </ul>
Administrative		Only to be applied where the non-compliance does not result in any risk of environmental harm (e.g. submitting a report to government later than required under approval conditions)

#### 2. INTRODUCTION

Charbon Colliery is a joint venture between Charbon Coal Pty Ltd (Centennial) and SK Networks Resources Australia Pty Ltd (5 percent). The Charbon Colliery is located in the Western Coalfields of NSW, approximately 87 kilometers north-west of Lithgow, 4 kilometers south of Kandos and 3km East of Clandulla (refer to Figure 1). The Colliery has been in operation since the 1920's and initially supplied coal for the former Charbon Cement Works.

The mine site in its current state covers an area of approximately 1452.08ha and consists of; six open cut mining areas; two historic underground mining areas; rail loop & loading facilities and a coal handling and processing plant (refer to Figure 2). After over 90 years of mining, Charbon has depleted its coal reserves and has ceased mining coal. Mining lease boundaries for Charbon are presented in Figure 3. Underground coal production at Charbon Colliery ceased in April 2014 and open cut coal mining operations ceased during August 2015. Charbon Colliery is currently undertaking rehabilitation activities to address the requirements of mine closure.

Charbon Colliery's existing Project Approval was granted on 7 September 2010 pursuant to the former Part 3A of the Environmental Planning and Assessment Act 1979 (EP&A Act). The current project approval has since been declared a State Significant Development (SSD) under Clause 6 of Schedule 2 to the Environmental Planning and Assessment (Savings, Transitional and Other Provisions) Regulation 2017, for the purposes of the EP&A Act. Accordingly, Charbon Colliery now operates as an SSD approval (MP 08 0211). In addition to the Charbon Colliery's MP 08 0211 consent, Centennial undertakes rehabilitation activities at the Charbon Colliery in accordance with the requirements of a Development Control Order issued under Schedule 5, Part 1, Item 14 of the EP&A Act to remedy a breach of the consent namely the failure to comply with Condition 5 of Schedule 4, in relation to the failure to undertake progressive rehabilitation as soon as practicable following disturbance and with Condition 2 of Schedule 2, in relation to the stockpiling of overburden out-of-pit contrary to the Environmental Assessment. The Development Control Order was originally issued on 16 October 2017 with an amended Development Control Order issued on 12 June 2019. As required by the Development Control Order, compliance against the Development Control Order is reported against within this Annual Review.

**Table 4: Key Contacts** 

Position	Key Contact	Contact Details
Mine Manager	David Craft	(02) 6354 8721 Email: david.craft@centennialcoal.com.au
Environment and Community Coordinator	Diana Barnes	(02) 6354 8723 Email: diana.barnes@centennialcoal.com.au






Figure 1 Charbon Colliery Project Locality



0:\0ATA\Charbon\2021\Chcrbon 2020 Annual Review 2020 Rehabilitation.dwg PDF Plan No. CH01268

Figure 2 Rehabilitation and Site Overview



**Figure 3 Charbon Colliery Mining Lease Boundary** 

#### 3. APPROVALS

**Table 5 Charbon Mine Leases, Licenses and Consent** 

Mineral Authority	Approval Date	Expiry Date
CCL732	13 December 1989	02 December 2025
ML1318	29 June 1993	29 June 2026
ML1384	19 January 1996	18 January 2038
ML1501	21 December 2001	21 December 2022
ML1524	28 October 2002	28 October 2023
ML1545	9 January 2004	9 January 2025
ML1647	17 December 2010	17 December 2031
ML1663	9 January 2012	9 January 2033
MPL270	29 April 1991	29 April 2026
MPL499	28 May 1925	28 May 2026
MPL505	11 August 1925	11 August 2026
MPL526	14 December 1925	14 December 2024
MPL670	26 March 1930	26 March 2024
MPL964	20 November 1939	20 November 2023

#### **Table 6 Consent – Department of Planning, Industry and Environment**

Consent	Summary	Grant Date	Expiry Date
MP 08_0211 MOD 1	Open cut and underground coal mine, tailings dam, progressive rehabilitation of site, use of infrastructure on site for duration of project. Includes the transfer of water by rail to Airly Mine.	30 July 2019	31 August 2025

#### **Table 7 EPBC Approval – Department of Environment**

Reference	Summary	Grant Date	Expiry Date
2010/5498	Details offset requirements	19 November 2010	2025

#### **Table 8 Mining Operations Plan (Resources Regulator)**

MOP Period	Summary	Grant Date	Expiry Date
2017-2025	Covers mining activities and progressive rehabilitation	23 October 2017	31 December 2025
2015-2022	Covers rehabilitation activities on privately owned lands only	7 December 2015	16 October 2022

# **Table 9 Environment Protection Licence (NSW Environment Protection Authority)**

EPL	Summary	Grant Date	Expiry Date
EPL 528	Sets pollution limits for noise, air quality, blasting and water quality	26 June 2001	Renewed Annually

# **Table 10 Groundwater Extraction Licenses (Crown Lands and Water Division)**

Reference	Reference/Summary	Grant Date	Expiry Date
WAL 27890	Extraction of up to 30ML per year.	21 November 2012	Perpetuity
80BL243771	Extraction of up to 5ML per year from the Charbon Underground	22 March 2007	Perpetuity
80BL236248	Extraction of 10 ML per year for domestic and stock use	22 February 1995	Perpetuity

#### **Table 11 Surface Water Licenses (Crown Lands and Water Division)**

Reference	Reference/Summary	Grant Date	Expiry Date
WAL 35022	Extraction of 105 ML per year	13 November 2013	Perpetuity
WAL 35023	Extraction of 231 ML per year	28 October 2013	Perpetuity

# **Table 12 EPBC Approval Conditions (Department of Environment)**

Condition	Condition Requirement	Comment
1	The person taking the action must carry out the action in accordance with the conditions of this approval and as described in the referral documentation dated 18 May 2010 and Preliminary Documentation dated 20 October 2010. Where the referral, the Preliminary Documentation and these conditions are contradictory, these conditions shall prevail to the extent of the contradiction.	Addressed by the Compensatory Habitat Management Plan
2	The person taking the action must not clear more than approximately 90ha in the project area (Annexure 1), consisting of no more than;  a. Approximately 42ha of native vegetation including:  i. 13.3ha of the listed White Box – Yellow Box – Blakely's Red Gum Grassy Woodlands and Derived native Grasslands ecological community;  b. Approximately 47ha of cleared land; and  c. The removal of no more than 40 individual Eucalyptus macrorhyncha subsp. Cannonii (Cannon's Stringybark or Capertee Stringybark).	The person taking the action did not clear more than approximately 90ha in the project area.  A total of 41.47 ha native vegetation has been mapped as cleared. The EPBC Approval allowed for clearing of 42 ha total of vegetation. The project cleared a total of 12.6 ha of White Box – Yellow Box – Blakely's Red Gum Grassy Woodlands and Derived native Grasslands ecological community. The condition allowed for 13 ha to be cleared.
3	To mitigate impacts on the listed White Box – Yellow Box – Blakely's Red Gum Grassy Woodlands and Derived native Grasslands ecological community, the listed Swift Parrot, Regent Honeyeater, Large-eared Pied Bat, Spotted-tail Quoll and Greater Long Eared Bat, the person taking the action must place a legally binding conservation covenant in perpetuity over no less than 253ha of land identified as 'Proposed Additional Compensatory Habitat' on the map dated 29/03/2012 at Annexure 2.  a. The covenant must be approved in writing by the Minister and placed on the title of the land identified on the map at Annexure 2 as "Proposed Additional Compensatory Habitat" by 19 November 2013.  b. Covenant conditions must not allow any development or native vegetation clearing within these areas.	Charbon Coal has identified approximately 265ha of land for conservation. As of 19 February 2014 a covenant has been placed over this land.
4	Within 12 months of the commencement of Stage One Works, the person taking the action must prepare and submit a Compensatory Habitat Management Plan, for the area identified in Condition 3, for the Minister's approval to provide protection for:  i. White Box – Yellow Box – Blakely's Red Gum Grassy Woodland and Derived Native Grasslands; and  ii. Habitat for the Spotted-tail Quoll, Swift Parrot, Regent Honeyeater, Large-eared Pied Bat, Greater Long Eared Bat and Capertee Stringybark;  The Compensatory Habitat Management Plan must include, but not limited to:  a. Desired outcomes/objective of the plan;  b. Management actions including, but not limited to, land rehabilitation and restoration measures, pest management, fencing, weed control, fire management, erosion and sediment control, exclusion of livestock, and restrictions on access that are proposed to protect and enhance areas of:  i. White Box – Yellow Box – Blakely's Red Gum Grassy Woodland and Derived Native Grasslands; and	Charbon Colliery, Compensatory Habitat Management Plan approved by SEWPaC on 5 October 2012.

Condition	Condition Requirement	Comment
	<ul> <li>ii. Habitat for the Spotted-tail Quoll, Swift Parrot, Regent Honeyeater, Large-eared Pied Bat, Greater Long Eared Bat and Capertee Stringybark;</li> <li>c. Measures to monitor subsidence and thresholds of detected subsidence rates that will trigger remedial action and the remedial works in relation to subsidence;</li> <li>d. Measures for the protection of these areas in perpetuity;</li> <li>e. The development and implementation of a monitoring program, including, but not limited to, performance criteria and thresholds for review and amendment of management actions;</li> <li>f. A description of the potential risks to management and rehabilitation in the compensatory habitat areas, and a description of the contingency measures that would be implemented to mitigate these risks;</li> <li>g. The timing of and person(s) responsible for undertaking the actions identified in condition 4; and</li> <li>h. The approved Compensatory Habitat Management Plan must be implemented.</li> </ul>	
5	For the first five years after the approval of the Compensatory Habitat Management Plan by the Minister, the person taking the action must submit to the Department a report detailing the implementation of the approved Compensatory Habitat Management Plan, as component of Condition 10.	This condition has been addressed by this Annual Review.
6	For the period following the first five years after the approval of the Compensatory Habitat Management Plan by the Minister, the person taking the action must submit to the Department a report detailing the implementation of the approved Compensatory Habitat Management Plan. Reports must be submitted every three years as a component of Condition 10, until the Minister notifies the person taking the action that he or she is satisfied that the Compensatory Habitat Management Plan has been fully implemented and reporting is no longer required.	Not yet triggered.
7	To offset impacts to the listed White Box – Yellow Box – Blakely's Red Gum Grassy Woodland and Derived Native Grasslands ecological community, the listed Swift Parrot, Regent Honeyeater, Large-eared Pied Bat and Greater Long Eared Bat, the person taking the action must provide protection for no less than 120ha of land, including at least 80ha of White Box – Yellow Box – Blakely's Red Gum Grassy Woodland and Derived Native Grasslands ecological community, located at Nullo Mountain, County of Phillip, NSW and described as Lot 3 DP1172889 and provided at Annexure 3 (Nullo Mountain offset area). The Nullo Mountain offset area must be transferred to the NSW Minister for the Environment on condition that it is reserved as a state conservation area under the <i>National Parks and Wildlife Act 1974 (NSW)</i> , within 12 months of the date of this variation notice and provide evidence to the Department within 10 days of the transfer. The person taking the action must use all reasonable endeavours to ensure that the Nullo Mountain offset area is reserved as a State Conservation Area under the <i>National Parks and Wildlife Act 1974 (NSW)</i> within 12 months of the date of this variation notice and provide evidence to the department within 10 days of registering the Nullo Mountain offset area as a State Conservation Area.	Offset land has been gifted to NPWS for management.
8	To offset impacts to the Regent Honeyeater, the person taking the action must donate \$5000 to the Hawkesbury – Nepean Catchment Management Authority for Regent Honeyeater habitat restoration.	Charbon Coal presented a cheque for \$5000 to the Hawkesbury – Nepean Catchment Management Authority in September 2011.

#### CHARBON COLLIERY ANNUAL REVIEW FOR 2020

Condition	Condition Requirement	Comment
9	Within 10 business days of substantial commencement, the person taking the action must advise the Department in writing the actual date of commencement.	Substantial commencement of works was 24 November 2011. The Department was advised of commencement in writing within 10 business days.
10	By 31 March of each calendar year, the person taking the action must submit to the Department a report addressing compliance with the conditions of the approval, for the previous calendar year. Annual reports must be provided until the Minister is satisfied that the person taking the action has complied with all conditions of approval.	This condition has been addressed by this Annual Report.
11	Upon the direction of the Minister, the person taking the action must ensure that an independent audit of compliance with the conditions of this approval is conducted and a report submitted to the Minister. The independent auditor must be approved by the Minister prior to the commencement of the audit. Audit criteria must be agreed to by the Minister and the audit report must address the criteria to the satisfaction of the Minister.	Not yet triggered.
12	If the person taking the action wishes to carry out any activity otherwise than in accordance with the plans, reports or strategies referred to in the above conditions the person taking the action must submit for the Minister's approval a revised version of any such plan, report or strategy. The varied activity shall not commence until the Minister has approved the varied plan, report or strategy in writing. If the Minister approves such a revised plan, report or strategy, that plan, report or strategy must be implemented in place of the plan, report or strategy originally approved.	Not yet triggered.
13	If the Minister believes that it is necessary or desirable for the better protection of listed threatened species and ecological communities and listed migratory species to do so, the Minister may request that the person taking the action make specified revisions to the plans, reports or strategies approved pursuant to the above conditions and submit the revised plan, report or strategy for the Minister's approval. The person taking the action must comply with any such request. The revised approved plan, report or strategy must be implemented. Unless the Minister has approved the revised plan, report or strategy, then the person taking the action must continue to implement the plan, report or strategy originally approved, referred to in the above conditions.	Not yet triggered
14	If, at any time after 3 years from the date of this approval, the Minister notifies the person taking the action in writing that the Minister is not satisfied that there has been substantial commencement of the action, the action must not thereafter be commenced without the written agreement of the Minister.	Not yet triggered
15	The person taking the action must maintain accurate records substantiating all activities associated with or relevant to the above conditions of approval, including measures taken to implement the management plans required by this approval, and make them available upon request to the Department. Such records may be subject to audit by the Department or an independent auditor in accordance with section 458 of the EPBC Act, or used to verify compliance with the conditions of approval. Summaries of audits will be posted on the Departments website. The results of audits may also be publicised through the general media.	In accordance with the requirement of this Condition, accurate records are maintained to substantiate activities relevant to this Approval by the Environment and Community Department.

#### 4. OPERATIONS SUMMARY

## **Table 13 Production Summary**

Material	Approved Limit (and source)	Previous Reporting Period (Actual) (t)	This Reporting Period (Actual) (t)	Next Reporting Period (Forecast) (t)
Waste Rock/ Overburden	N/A	Nil	Nil	Nil
ROM Coal	1,500,000	Nil	Nil	Nil
Coarse reject	N/A	Nil	Nil	Nil
Fine reject (Tailings)	N/A	Nil	Nil	Nil
Saleable product	1,500,000	Nil	Nil	Nil

# 4.1. Other Operations

**Table 14 Operations Summary** 

	Approved Limit (and source)	Previous Reporting Period (Actual)	This Reporting Period (Actual)	Comment (if applicable)
Hours of operation	Open cut mining (see Table 6).	As per and within the approved hours of operation.	N/A	No open cut mining was undertaken during the reporting period.
	Underground mining, coal processing, run- of-mine coal management and maintenance (see Table 15).	As per and within the approved hours of operation.	N/A	No underground mining, coal processing, run-of-mine coal management or maintenance was undertaken during the reporting period.
	Blasting (see Table 15).	N/A – No blasting was conducted.	N/A	No blasting was conducted during the reporting period.
	Vegetation clearing and soil handling (see Table 15).	As per and within the approved hours of operation.	7am -5pm	Conducted earthworks on existing water management structures within previously disturbed areas. Rehabilitation earthworks undertaken in the areas of the Southern Open Cut, 8 Trunk and Strip 8 South.

	Truck dispatch (see Table 15).	As per and within the approved hours of operation.	N/A	N/A
	Train loading and dispatch (see Table 15).	As per and within the approved hours of operation.	N/A	Train loading and dispatch was undertaken during the reporting period for the transfer of water to Airly Mine.
Transport (road)	250,000 tonnes product coal	Nil	Nil	No coal was transported on public roads during the reporting period.

#### 4.2. Next Reporting Round

Charbon Colliery has ceased coal mining and is currently undertaking rehabilitation activities to facilitate closure of the mine site. Charbon will continue working in the area of the Southern Open Cut, 8 Trunk and Strip 8 South during the next reporting period.

Further details of the proposed actions for the next reporting period are provided in Section 15.

#### 5. ACTIONS REQUIRED FROM PREVIOUS ANNUAL REVIEW

#### 5.1. Annual Review

The 2019 Annual Review Report satisfied all the requirements of the Project Approval according to correspondence issued by the Department of Planning and Environment on 27<sup>th</sup> April 2020.

Table 15 Actions from 2019 Annual Review Letter

Actions Required	Charbon Response	Section Reference
Nil	Nil	Nil

#### 6. ENVIRONMENTAL PERFORMANCE

**Table 16** Environmental Performance

Aspect	Approval criteria/ EIS prediction	Performance during the reporting period (actual)	Trend/ key management implications	Implemented / proposed management action
Noise	As per Schedule 3, Condition 1 of MP 08_0211 Mod 1 and Condition L4 of EPL528.	Compliant with approval criteria. See section 6.1	Results trending down. Mining and processing operations have ceased.	Continue to maintain compliance with all relevant approvals.
Blasting	As per Schedule 3, Condition 10-18 of MP 08_0211 Mod 1 and Condition L5 of EPL528.	Charbon Colliery did not conduct any blasts within the reporting period.	Charbon Colliery has ceased blasting.	Charbon Colliery has ceased blasting.
Air Quality	As per Schedule 3, Condition 19-22 of MP 08_0211 Mod 1.	Compliant with approval criteria. See section 6.3	Mining and processing operations have ceased.	Continue to maintain compliance with all relevant approvals.
Biodiversity	As per Schedule 4, Condition 1-3 of MP 08_0211 Mod 1 and Charbon EPBC Approval 2010/5498.	Review of monitoring activity undertaken during 2012, 2014, 2016, 2017 and 2018 within the Compensatory Habitat	Continue with management actions including control of weeds and pest fauna.	Charbon will continue with weed spraying campaigns and management of pest fauna during 2021.

Aspect	Approval criteria/ EIS prediction	Performance during the reporting period (actual)	Trend/ key management implications	Implemented / proposed management action
		Management Areas.		
Heritage	As per Schedule 3, Condition 34 of MP 08_0211 Mod 1.	Approval of the Western Region Aboriginal Cultural Heritage Management Plan on 27 October 2017.	Charbon operations update provided at Western Aboriginal Cultural Heritage Committee Meetings held on 6 May 2020 and 28 October 2020.	Continue to engage with Aboriginal stakeholder groups.
Surface Water	As per Schedule 3, Condition 27-32 of MP 08_0211 Mod 1 and Condition L2 of EPL528.	Non-compliant with licence conditions. See Section 7.1	Refer to section 14 for non-compliances in accordance with EPL 528.	Continue to maintain water management structures on site.
Groundwater	As per Schedule 3, Condition 33 of MP 08_0211 Mod 1.	Monitored groundwater from two bores located in the CHPP area.	The quality is typical of groundwater from within the Shoalhaven Group.	Continue to monitor ground water from two bores located in the CHPP area.

#### 6.1. Noise

Noise monitoring is undertaken to measure the ambient noise levels at the focus receptor locations (potentially worst affected) surrounding the mine in accordance with Condition 1 of Schedule 3 in Project Approval 08\_0211 Mod 1 and Condition L4 of EPL528. The Noise Management Plan at Charbon Colliery was reviewed during 2018 and was approved by the Department of Planning and Environment on 29 June 2018. The revised noise monitoring program requires monitoring to be undertaken annually at location H, location L, location P and location Q.

Quarterly noise surveys undertaken prior to approval of the revised monitoring program comprised of operator attended monitoring in 15 minute intervals coinciding with day, evening and night-time periods. Statistical indices recorded include  $L_{Amax}$ ,  $L_{A1}$ ,  $L_{A10}$ ,  $L_{A90}$  and  $L_{Aeq}$ . The results of the annual noise monitoring conducted at Charbon Colliery during August 2020 are shown below under the relevant sub-headings. The location of the focus receptors is provided in Figure 42.

#### Table 17 Charbon Noise Criteria (Project Approval 08\_0211 Mod 1)

#### **Impact Assessment Criteria**

The Proponent must ensure that the noise generated by the project does not exceed the noise impact assessment criteria in Table 1 at any residence on privately-owned land or on more than 25 per cent of any privately-owned land.

Table 1: Noise Impact Assessment Criteria dB(A) LAeq (15min)

Location	Day	Evening	Night	Night (L <sub>A1 (1 min)</sub> )
Residence P	35	39	39	45
All residences within 150 m of, and including, Residence Q	38	38	38	45
Residence M	36	37	35	45
All remaining locations	35	35	35	45

#### Notes:

- To determine compliance with the L<sub>Aeq(period)</sub> noise limits, noise from the project is to be measured at the most affected point within the residential boundary, or at the most affected point within 30 metres of a dwelling (rural situations) where the dwelling is more than 30 metres from the boundary. Where it can be demonstrated that direct measurement of noise from the project is impractical, alternative means of determining compliance (see Chapter 11 of the NSW Industrial Noise Policy) may be accepted. The modification factors in Section 4 of the NSW Industrial Noise Policy must also be applied to the measured noise levels where applicable.
- To determine compliance with the  $L_{A1(1 \text{ minute})}$  noise limits, noise from the project is to be measured at 1 metre from the dwelling façade. Where it can be demonstrated that direct measurement of noise from the project is impractical, alternative means of determining compliance (see Chapter 11 of the NSW Industrial Noise Policy) may be accepted.
- The noise emission limits identified in the above table apply under meteorological conditions of:

  - wind speeds of up to 3 m/s at 10 metres above ground level; or temperature inversion conditions of up to 3°C/100m, and wind speeds of up to 2 m/s at 10 metres above ground level.

determined in accordance with the NSW Industrial Noise Policy, including that exceedances of the criteria must be "systemic".

- For the locations of residences/properties named in this approval, see Appendices 1 and 4.
- These limits do not apply if the Proponent has an agreement with the relevant owner/s of these residences to generate higher noise levels, and the Proponent has advised the Department in writing of the terms of this agreement.

# 6.1.1 Annual Noise Monitoring Results – August 2020

**Table 18 2019 Annual – Daytime Noise Monitoring Results** 

						Licens			bon Coal Pty Ltd
Data Samp	led:			12/8/20	020	Addres EPL N		Charbon Rd Cha	arbon NSW 2848 528
		Measi	ured N	oise L	evels	dB(A)			
Day	LA max	LA 1	LA 10	LA 90	LA eq	Estimated Mine Contribution LAeq (15 minute)	Consent Noise Limits LAeq (15 minute)	Description of Noise Emissions	Date/Start Time/Weather
Location H	67	46	41	34	47	Not Discernible	35	Birds 27 to 67 dBA Wind in foliage 19 to 25 dBA Operator engine noise 27 to 50 dBA	13/08/2020 10:01 W = 3.5 m/s Temp = 13.2°C
Location L	50	40	32	22	35	Not Discernible	35	Birds 30 to 48 dBA Dogs 38 dBA Wind in foliage 38 to 39 dBA Distant road traffic 30 dBA Cows 39 to 40 dBA Motorbike 32 to 48 dBA	13/08/2020 10:00 W = 3.5 m/s Temp = 13.2°C Stability Category: B
Location P	56	61	45	22	41	Not Discernible	35	Birds 27 to 56 dBA Insects/Frogs 22 to 24 dBA Local road traffic 40 to 52 dBA Distant road traffic 44 to 48 dBA Operator engine noise 42 to 50 dBA Line trimmer at property 26 to 48 dBA	13/08/2020 10:27 W = 4.0 m/s Temp = 13.7°C Stability Category: D
Location Q	54	45	39	26	36	Not Discernible	38	Birds 32 to 54 dBA Dogs 38 to 39 dBA Wind in foliage 35 to 45 dBA Local road traffic 35 to 54 dBA Distant road traffic 31 to 32 dBA	13/08/2020 10:27 W = 4.0 m/s Temp = 13.7°C Stability Category: D




Figure 4 2020 Annual – Daytime Noise Monitoring Results

Table 19 2020 Annual – Evening Noise Monitoring Results

Data Samp	oled:			12/8/20		Licens Addres EPL N	ss: (	Charbon Coal Pty Ltd Charbon Rd Charbon NSW 2848 528			
Day	LA max	Meas LA 1	LA	LA 90	LA eq	dB(A) Estimated Mine Contribution LAeq (15 minute)	Consent Noise Limits LAeq (15 minute)	Description of Noise Emissions	Date/Start Time/Weather		
Location H	49	37	34	30	32	Not Audible	35	Birds 27 to 49 dBA Insects/Frogs 20 to 27 dBA Distant road traffic 25 to 26 dBA Operator engine noise 40 to 49 dBA	12/08/2020 18:00 W = 1.9 m/s Temp = 10.3°C Stability Category: E		
Location L	51	44	39	33	36	Not Audible	35	Birds 39 to 46 dBA Insects/Frogs 33 to 36 dBA Dogs 39 to 51 dBA Distant road traffic 35 to 37 dBA Barrel noise 47 dBA Horse 44 dBA	12/08/2020 18:00 W = 1.9 m/s Temp = 10.3°C Stability Category: E		
Location P	57	49	46	41	44	Not Audible	39	Insects/Frogs 44 to 49 dBA Distant road traffic 45 to 51 dBA Operator engine noise 49 to 57 dBA	12/08/2020 18:27 W = 1.8 m/s Temp = 10.2°C Stability Category: D		
Location Q	67	55	38	29	43	Not Audible	38	Insects/Frogs 30 to 34 dBA Dogs 35 dBA Local road traffic 38 to 67 dBA Distant road traffic 34 to 46 dBA Industrial hum	12/08/2020 18:30 W = 1.8 m/s Temp = 10.2°C Stability Category: D		

				30 dBA	




Figure 5 2020 Annual – Evening Noise Monitoring Results

**Table 20 2020 Annual – Night Noise Monitoring Results** 

						Licens	ee:	Cha	rbon Coal Pty Ltd	
Data Samp	oled:		•	12/8/20	020	Addres	_	Charbon Rd Ch	arbon NSW 2848	
						EPL N		528		
		Meas	ured N	loise L	evels	dB(A)				
Day	LA max	LA 1	LA 10	LA 90	LA eq	Estimated Mine Contribution LAeq (15 minute)	Consent Noise Limits LAeq (15 minute)	Descriptio n of Noise Emissions	Date/Start Time/Weather	
Location H	54	49	46	41	28	Not Audible	35	Insects/Frogs 26 to 30 dBA Dogs 29 to 31 dBA Distant road traffic 30 to 32 dBA Operator engine noise 47 to 54 dBA	12/08/2020 22:00 W = 1.4m/s Temp = 10.1°C Stability Category: E	
Location L	84	55	38	29	58	Not Audible	35	Insects/Frogs 30 to 37 dBA Dogs 44 to 46 dBA Local road traffic 49 to 76 dBA Distant road traffic 34 to 36 dBA Cattle 37 dBA	12/08/2020 22:00 W = 1.4m/s Temp = 10.1°C Stability Category: E	
Location P	57	34	29	25	38	Not Audible	39	Insects/Frogs 26 to 46 dBA Distant road traffic 29 to 47 dBA Operator engine noise 44 to 52 dBA	12/08/2020 22:26 W = 1.4m/s Temp = 10.5°C Stability Category: E	

								Industrial hum 26 dBA Operator ankle crack 57 dBA	
Location Q	44	73	50	30	29	Not Audible	38	Insects/Frogs 24 to 27 dBA Dogs 25 to 28 dBA Distant road traffic 29 to 44 dBA Industrial hum 23 to 24 dBA	12/08/2020 22:26 W = 1.4m/s Temp = 10.5°C Stability Category: E




Figure 6 2020 Annual – Night Noise Monitoring Results

All locations at all times for the annual noise monitoring undertaken during August 2020 were compliant. A summary of noise monitoring results, consent conditions and compliance with consent conditions, can be seen in Table 21 below.

Table 21 2020 Noise Monitoring – Summary of Compliance

Measurement location	Period <sup>1</sup>	Measured noise level L <sub>Aeq (15 minute)</sub> dBA	Relevant criteria L <sub>Aeq(15 minute)</sub> dBA SSD_5579 and EPL 21229	Compliance
Н	Day	Not discernible	35	Yes
	Evening	Not audible	35	Yes
	Night	Not audible	35	Yes
L	Day	Not discernible	35	Yes
	Evening	Not audible	35	Yes
	Night	Not audible	35	Yes
P	Day	Not discernible	35	Yes
	Evening	Not audible	39	Yes
	Night	Not audible	39	Yes
Q	Day	Not discernible	35	Yes
	Evening	Not audible	38	Yes
	Night	Not audible	38	Yes

Note 1: Day is defined as the period from 7:00 am to 6:00 pm Monday to Saturday and 8:00 am to 6:00 pm Sundays and public holidays. Evening is defined as the period from 6:00 pm to 10:00 pm. Night time is defined as the period from 10:00 pm to 7:00 am Monday to Saturday and 10:00 pm to 8:00 am Sundays and public holidays.

Note 2: The noise criteria in are to apply under all meteorological conditions except the following:

- (a) During rain and wind speeds (at 10 m height) greater than 3 m/s; and
- (b) Under "non-significant weather conditions"

Note 3: The EPA NSW Industrial Noise Policy (INP 2000) states: A development will be deemed to be in noncompliance with a noise consent or licence condition if the monitored noise level is more than 2 dB above the statutory noise limit specified in the consent or licence condition.

## 6.1.2 Historic Noise Monitoring Results

Charbon Colliery noise monitoring data from 2015 - 2019 has been graphically compared to the 2020 noise monitoring results. The noise contributions from Charbon Colliery complied with the Project Approval and Environment Protection Licence at all the monitoring locations and during all time periods (Day, Evening and Night).




Figure 7 Location L – Daytime Noise Monitoring Results, 2015 – 2020




Figure 8 Location L – Evening Noise Monitoring Results, 2015 – 2020




Figure 9 Location L – Night Noise Monitoring Results, 2015 – 2020




Figure 10 Location P – Daytime Noise Monitoring Results, 2015 – 2020




Figure 11 Location P – Evening Noise Monitoring Results, 2015 – 2020




Figure 12 Location P – Night Noise Monitoring Results, 2015 – 2020

#### 6.2. Blasting

Blasting did not occur at Charbon during the 2020 reporting period. Blasting commenced at Charbon in November 2006 and occurred periodically until 2010, with the last blast occurring on 20 August 2010. Blast monitoring and compliance results for Charbon Colliery can be found within previous Annual Reviews.

#### 6.3. Air Quality

Operations at Charbon Colliery are undertaken to minimize the generation of airborne dust. Water trucks continually operate during adverse weather conditions to ensure that dust from workings and haul roads is controlled.

Schedule 3, Condition 19 of MP 08\_0211 Mod 1 requires that the air pollution generated by the development does not exceed the criteria listed in Table 22. Schedule 3, Condition 22 of MP 08\_0211 Mod 1 requires High Volume Air Sampler (HVAS) and depositional dust monitoring. MP 08\_0211 Mod 1 limits are adopted as the impact assessment criteria in the Air Quality Management Plan (AQMP).

The Air Quality Monitoring Program at Charbon Colliery consists of the following:

- Four depositional dust gauges;
- One on-site Automatic Weather Station (AWS);
- One HVAS (measuring Total Suspended Particulate [TSP] matter and Particulate Matter <10µm [PM<sub>10</sub>]).

Table 22 Charbon Air Quality Criteria

Pollutant	Period	Criterion
Total Suspended Particulate (TSP) matter	Annual mean	90μg/m³
Particulate Matter <10µm (PM <sub>10</sub> )	Annual mean	25μg/m³
	24 hour max.	50μg/m³
Deposited Dust	Monthly max.(annual average)	4g/m²/month
	Maximum increase on previous year (annual average)	2g/m²/month

#### **6.3.1 Depositional Dust Monitoring Results – 2020**

Depositional dust  $(g/m^2/mth)$  results (insoluble solids) for 2020 are shown in Table 23 below. Monthly depositional dust  $(g/m^2/mth)$  results for 2020 are shown graphically in Figure 13.

Depositional dust gauge (DDG) monitoring data indicated that dust deposition results for February 2020 ranged from 5.8 g/m2/mth to 8.2 g/m2/mth. EPL 528 does not include a license limit for depositional dust; however, a maximum total deposited dust level of 4 g/m2/mth and a maximum increase in deposited dust level (2 g/m2/mth) is set by conditions included in Charbon's Project Approval Condition 19 of Schedule 3 in the Project Approval (MP 08\_0211). The depositional dust levels recorded at all four dust gauges increased during February 2020. Smoke from the Kerry Ridge bush fire in the Wollemi National Park and regional dust events contributed to the air quality results recorded during January and Febuary 2020.

Detailed monitoring results are described in monthly environmental data reports published on the Charbon Colliery website. Depositional dust gauge monitoring locations are shown in Figure 42.

Table 23 Charbon Depositional Dust Monitoring Results 2020

Location	Jan 20	Feb 20	Mar 20	Apr 20	May 20	Jun 20	Jul 20	Aug 20	Sep 20	Oct 20	Nov 20	Dec 20
DM - South	2.1	5.8	1.0	0.5	0.4	0.3	0.2	0.3	1.2	0.6	1	1.6
DM - West	2.7	7.8	1.2	1.1	0.6	0.3	0.2	0.3	1	0.4	0.6	1.5
Nioka	2.1	5.8	1.0	0.5	0.5	0.1	0.1	0.2	1.3	0.6	0.7	1.7
Pit Top	2.6	8.2	1.3	0.4	0.6	0.1	0.1	0.2	1.3	0.5	0.9	1.5
Annual Average Limit (4g/m²/mth)	4	4	4	4	4	4	4	4	4	4	4	4




Figure 13 Depositional Dust Monitoring Results 2020

#### **6.3.2 Historic Depositional Dust Monitoring Results**

Depositional dust monitoring results from 2015-2019 have been graphically compared to the 2020 depositional dust results in Figures 14 to 17. As shown in Figure 18 below, all annual average depositional dust results from 2015 to 2020 are below.




Figure 14 Depositional Dust Monitoring Comparison for DM-South, 2015 - 2020




Figure 15 Depositional Dust Monitoring Comparison for DM-West, 2015 - 2020




Figure 16 Depositional Dust Monitoring Comparison for Nioka, 2015 - 2020




Figure 17 Depositional Dust Monitoring Comparison for Pit Top, 2015 – 2020




Figure 18 Annual Average Depositional Dust Results, 2015 - 2020

#### 6.3.3 HVAS Monitoring Results - 2020

High volume air samplers (HVAS) monitored particulate concentrations (less than 10 micrometres in size [PM10] and Total Suspended Particulates [TSP]) during the reporting period. A summary of monitoring results for 2020 is provided below in tables 24 and 25 and figures 19 and 20.

Table 24 Charbon HVAS TSP Monitoring Results 2020

						Licens	see: (	Charbon (	Coal Pty	Ltd	
Data Sampled:	Janu	ıary – [	Decemb	er 2020		Addre	ess: (	Charbon I	Rd Charl	on NSV	V 2848
						EPL	No.	528			
Date	03/01/2020	09/01/2020	15/01/2020	21/01/2020	27/01/2020	02/02/2020	08/02/2020	14/02/2020	20/02/2020	26/02/2020	03/03/2020
TSP (ug/m³) 24 hr concentration	*	61.0	71.0	57.1	88.8	99.0	7.0	18.4	35.0	38.1	11.1
Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90	90	90	90	90
Date	09/03/2020	15/03/2020	21/03/2020	27/03/2020	02/04/2020	08/04/2020	14/04/2020	20/04/2020	26/04/2020	02/02/2020	08/05/2020
TSP (ug/m³) 24 hr concentration	9.0	11.3	47.4	10.0	11.8	10.5	15.0	24.2	43.1	6.6	20.0

Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90	90	90	90	90
Date	14/05/2020	20/05/2020	26/05/2020	01/06/2020	07/06/2020	13/06/2020	19/06/2020	25/06/2020	01/07/2020	07/07/2020	13/07/2020
TSP (ug/m³) 24 hr concentration	11.7	12.7	6.4	14.0	17.8	12.4	7.7	3.8	14.0	9.6	4.6
Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90	90	90	90	90
Date	19/07/2020	25/07/2020	31/07/2020	6/08/2020	12/08/2020	18/08/2020	5/09/2020	11/09/2020	17/09/2020	5/10/2020	11/10/2020
TSP (ug/m³) 24 hr concentration	10.7	7.2	16.9	12.6	11.7	8.2	14.5	8.7	35.7	39.7	31.1
Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90	90	90	90	90
Date	17/10/2020	4/11/2020	10/11/2020	16/11/2020	22/11/2020	4/12/2020	10/12/2020				
TSP (ug/m³) 24 hr concentration	74.1	34.6	25.8	58.2	58.8	44.3	42.2				
Annual Average TSP Limit (90µg/m³)	90	90	90	90	90	90	90				

<sup>\*</sup>Power supply to units is intermittent and run times and flow could not be determined.




Figure 19 HVAS TSP Results for 2020

Table 25 Charbon HVAS PM10 Monitoring Results 2020

						Licens	see:	Charbon (	Coal Pty	Ltd	
Data Sampled:	Janu	ıary – [	Decemb	er 2020		Addre	ess:	Charbon I	Rd Char	oon NSV	V 2848
						EPL	No.	528			
Date	03/01/2020	09/01/2020	15/01/2020	21/01/2020	27/01/2020	02/02/2020	08/02/2020	14/02/2020	20/02/2020	26/02/2020	03/03/2020
PM10 (ug/m³) 24 hr concentration	*	43.4	41.9	26.9	22.1	44.0	16.4	12.6	16.6	9.2	7.0
24 hr PM10 limit	50	50	50	50	50	50	50	50	50	50	50
12 month average PM10 limit	25	25	25	25	25	25	25	25	25	25	25
Date	09/03/2020	15/03/2020	21/03/2020	27/03/2020	02/04/2020	08/04/2020	14/04/2020	20/04/2020	26/04/2020	02/05/2020	08/05/2020
PM10 (ug/m³) 24 hr concentration	5.0	7.8	25.2	6.2	7.4	6.0	9.2	12.0	18.0	3.8	11.4
24 hr PM10 limit	50	50	50	50	50	50	50	50	50	50	50
12 month average PM10 limit	25	25	25	25	25	25	25	25	25	25	25
Date	14/05/2020	20/05/2020	26/05/2020	01/06/2020	07/06/2020	13/06/2020	19/06/2020	25/06/2020	01/07/2020	07/07/2020	13/07/2020
PM10 (ug/m³) 24 hr concentration	7.0	5.4	4.8	6.6	13.3	7.3	4.6	2.0	9.8	4.5	3.3
24 hr PM10 limit	50	50	50	50	50	50	50	50	50	50	50
12 month average PM10 limit	25	25	25	25	25	25	25	25	25	25	25
Date	19/07/2020	25/07/2020	31/07/2020	6/08/2020	12/08/2020	18/08/2020	5/09/2020	11/09/2020	17/09/2020	5/10/2020	11/10/2020
PM10 (ug/m³) 24 hr concentration	6.4	5.3	10.8	6.9	6.9	3.2	7.3	5.5	21.2	17.7	9.4
24 hr PM10 limit	50	50	50	50	50	50	50	50	50	50	50
12 month average PM10 limit	25	25	25	25	25	25	25	25	25	25	25
Date	17/10/2020	4/11/2020	10/11/2020	16/11/2020	22/11/2020	4/12/2020	10/12/200				
PM10 (ug/m³) 24 hr concentration	24.5	13.8	12.2	24.4	25.4	18.6	21.8				
24 hr PM10 limit	50	50	50	50	50	50	50				

12 month average PM10 limit	25	25	25	25	25	25	25				
--------------------------------	----	----	----	----	----	----	----	--	--	--	--

<sup>\*</sup>Power supply to units is intermittent and run times and flow could not be determined.




Figure 20 HVAS PM10 Results for 2020

In accordance with Schedule 3 Condition 19 of Project Approval 08\_0211 Mod 1, Total Suspended Particulates (TSP) have an annual average limit of 90  $\mu$ g/m³ for a 24 hour period, whilst particulate matter less than 10 micrometres in size (for PM<sub>10</sub>) have a 24 hour limit of 50  $\mu$ g/m³ and an annual average limit of 25  $\mu$ g/m³, respectively.

Smoke from the Kerry Ridge bush fire in the Wollemi National Park and regional dust events contributed to the air quality results recorded during January and Febuary 2020. Detailed monitoring results are described in monthly environmental data reports on the Charbon Colliery website.

## **6.3.4 Historic HVAS Monitoring Results**

HVAS results for TSP and  $PM_{10}$  have been graphically represented, in Figure 21 and Figure 23 respectfully, to show trends in monthly average results from 2015 to 2020. Annual average comparisons in TSP and  $PM_{10}$  are shown in Figure 22 and Figure 24 respectively.




Figure 21 HVAS TSP Monthly Average Comparison, 2015 – 2020




Figure 22 HVAS TSP Annual Average Comparison, 2015 – 2020




Figure 23 HVAS PM10 Monthly Average Comparison, 2015 – 2020




Figure 24 HVAS PM10 Annual Average Comparison, 2015 – 2020

## 7. WATER MANAGEMENT

Note that Table 26 below reports on the WATER YEAR which is from 1 July 2019 to 30 June 2020. Approximately 18.85ML of water (Upper Cudgegong River Source) was transferred to Airly Mine by rail during 2020 in accordance with Condition 42a of Schedule 3 in the Project Approval (MP 08\_0211)

.

Table 26 Water Take

License #	Water Sharing Plan, source and management zone (as applicable)	Entitlement	Passive take / inflows	Active pumping	TOTAL
80BL243771	Sydney Basin – MDB Groundwater Source	5ML	N/A	0	0
WAL35023	Macquarie Bogan Unregulated and Alluvial Water Sources Upper Cudgegong River Source	231ML	N/A	0	0
WAL27890	Sydney Basin - MDB Groundwater Source	30ML	N/A	0	0

Note: Volume is reported in megalitres (ML)

## 7.1. Surface Water

The pollutants included in Table 27 below are monitored at Licensed Discharge Points LDP002, LDP003, LDP004, LDP005 and LDP006 daily during discharge in accordance with the requirements of the Environment Protection Licence (EPL528).

Table 27 below is a summary of the water quality monitoring results that were determined by EPL 528. The data displayed has been sampled for the reporting period from 1<sup>st</sup> January 2020 to 31 December 2020. Surface water non-compliance are provided in section 14.

Table 27 Charbon Colliery Water Quality Summary, Jan 2020 – Dec 2020

Licenced Discharge Point (LDP)	Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value	Licence Limit
LDP002	Conductivity	microsiemens per centimetre	11	10	243.0	273.7	339.0	N/A
	Oil and Grease	milligrams per litre	11	10	2.0	4.4	5.0	10
	рН	рН	11	10	6.2	7.3	8.1	6.5-8.5

Licenced Discharge Point (LDP)	Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value	Licence Limit
	TSS	milligrams per litre	11	10	10.0	128.1	235.0	50
	Turbidity	nephelometric turbidity units	11	10	21.2	324.2	726.0	50
LDP003	Conductivity	microsiemens per centimetre	38	38	501.0	545.0	593.0	N/A
	Oil and Grease	milligrams per litre	38	37	2.0	4.8	5.0	10
	рН	рН	38	38	6.6	7.7	8.9	6.5-8.5
	TSS	milligrams per litre	38	37	5.0	9.8	96.0	50
	Turbidity	nephelometric turbidity units	38	38	7.6	24.9	71.9	50
LDP004	Conductivity	microsiemens per centimetre	14	14	1207.0	1537.9	1819.0	N/A
	Oil and Grease	milligrams per litre	14	14	2.0	4.6	5.0	10
	рН	рН	14	14	6.6	7.5	8.2	6.5-8.5
	TSS	milligrams per litre	14	14	5.0	9.4	24.0	50
	Turbidity	nephelometric turbidity units	14	14	4.2	13.4	35.0	50
LDP005	Conductivity	microsiemens per centimetre	18	16	505.0	680.8	892.0	N/A
	Oil and Grease	milligrams per litre	18	16	2.0	4.8	5.0	10
	рН	рН	18	16	6.2	7.2	7.7	6.5-8.5

Licenced Discharge Point (LDP)	Pollutant	Unit of measure	No. of samples required	No. of samples collected and analysed	Lowest sample value	Mean of sample	Highest sample value	Licence Limit
	TSS	milligrams per litre	18	16	5.0	37.1	258.0	50
	Turbidity	nephelometric turbidity units	18	16	7.0	95.1	415.0	50
LDP006	Conductivity	microsiemens per centimetre	10	10	129.0	148.9	164.0	N/A
	Oil and Grease	milligrams per litre	10	10	2.0	4.4	5.0	10
	рН	рН	10	10	6.3	7.2	7.8	6.5-8.5
	TSS	milligrams per litre	10	10	187.0	468.7	972.0	50
	Turbidity	nephelometric turbidity units	10	10	750.0	1550.3	2731.0	50




Figure 25 Surface Water pH Results 2020




Figure 26 Surface Water Total Suspended Solids (TSS) Results 2020




Figure 27 Surface Water Turbidity Results 2020




Figure 28 Surface Water Electrical Conductivity (EC) Results 2020




Figure 29 Surface Water Oil and Grease Results 2020

Table 28 Charbon Colliery – Total Water Volume Discharged 2020

Licenced Discharge Point (LDP)	Total Water Volume (ML) Discharged for Reporting Period (1 Jan 2020 – 31 Dec 2020)
LDP002	11.31
LDP003	16.09
LDP004	41.49
LDP005	20.27
LDP006	8.14

## 7.1.1 Historic Surface Water Results

Annual surface water quality results for pH, Total Suspended Solids, Oil and Grease, Turbidity and Electrical Conductivity from 2015 to 2020 have been graphically represented below. These comparisons are calculated from the annual average result for each water quality parameter during discharge events. Gaps in data are due to nil discharge during that period or data not being required under EPL528 at that point in time.




Figure 30 Surface Water pH Results, 2015 – 2020




Figure 31 Surface Water Total Suspended Solids (TSS) Results, 2015 – 2020




Figure 32 Surface Water Turbidity Results, 2015 – 2020




Figure 33 Surface Water Electrical Conductivity (EC) Results, 2015 – 2020




Figure 34 Surface Water Oil and Grease Results, 2015 – 2020

## 7.2 Groundwater

The Groundwater quality monitoring results for 20 at borehole PB2 and borehole PB3 are presented in Table 29 below. Water monitoring cannot be undertaken at borehole GW800781 as there are pump lines within the privately owned bore.

A revised site Water Management Plan was submitted to the Department of Planning, Industry and Environment on 30 October 2019. Centennial is awaiting approval of this plan.

 Table 29
 Groundwater Monitoring 2020

	Dovebale DD2		ı	Borehole PE	3		
Parameter	Unit	Minimum	Borehole PB2 Median	Maximum	Minimum	Median	Maximum
	Oilit		/sicochemical p		IVIIIIIIIIIIIIII	ivieulali	IVIAXIIIIUIII
EC	μS/cm	3070	3240	3450	3300	3437.50	3490
20	рН						
рН	units	5.20	5.79	6.80	6.10	6.27	6.40
TSS	mg/L	18	37	78	7	10	18
Turbidity	NTU	11	223.67	1100	46.60	98.89	192
	1	1	Major anio	ons		<del>,                                      </del>	T
Bicarbonate	mg/l	35	101.25	278	145	166.25	188
alkalinity Carbonate	mg/L						
alkalinity	mg/L	1	1	1	1	1	1
Hydroxide		1	1	1	1	1	1
alkalinity	mg/L	25	101.25	270	1.45	166.25	100
Total alkalinity	mg/L	35	101.25	278	145	166.25	188
Chloride	mg/L	60	67.17	77	125	141.42	159
Sulfate	mg/L	1890	2013.33	2140	1900	1997.50	2100
Major cations							
Calcium	mg/L	202	226.25	241	326	368.42	385
Magnesium	mg/L	252	275.08	295	258	277.17	297
Potassium	mg/L	5	6.08	8	12	13.67	15
Sodium	mg/L	96	102.50	111	87	93.25	100
		0.05	Nutrient		0.20	0.21	0.44
Ammonia	mg/L	0.05	0.29	0.88	0.20	0.31	0.44
Nitrate	mg/L	0.01	0.05	0.16	0.02	0.07	0.11
Nitrite Total Kjeldahl	mg/L	0.01	0.04	0.10	0.01	0.01	0.02
nitrogen	mg/L	0.10	0.42	1	0.20	0.43	0.80
Total nitrogen	mg/L	0.10	0.42	1	0.20	0.51	0.90
Total phosphorus	mg/L	0.01	0.01	0.03	0.01	0.01	0.04
·			Dissolved m	etals			•
Aluminium	mg/L	0.01	2.54	4.38	0.01	0.01	0.02
Arsenic	mg/L	0.00	0.00	0.00	0.00	0.00	0.00
Boron	mg/L	0.05	0.05	0.05	0.05	0.05	0.05
Cadmium	mg/L	202.00	226.25	241.00	0.00	0.00	0.00
Chromium	mg/L	0.00	0.00	0.00	0.00	0.00	0.00
Copper	mg/L	0.00	0.00	0.00	0.00	0.00	0.00
Lead	mg/L	0.00	0.00	0.00	0.00	0.00	0.00
Manganese	mg/L	10.90	14.42	18.60	5.92	7.25	9.09
Mercury	mg/L	0.00	0.00	0.00	0.00	0.00	0.00
Nickel	mg/L	0.00	0.21	0.36	0.06	0.07	0.08
Selenium	mg/L	0.01	0.01	0.01	0.01	0.01	0.01
Silver	mg/L	0.00	0.00	0.00	0.00	0.00	0.00
Zinc	mg/L	0.01	0.53	0.89	0.00	0.00	0.00

Graphical representations are presented below for pH and Electrical Conductivity to show data trends at borehole PB2 and borehole PB3.




Figure 35 PB2 Groundwater pH data, 2015 – 2020




Figure 36 PB3 Groundwater pH data, 2015 – 2020




Figure 37 PB2 Groundwater Electrical Conductivity data, 2015 – 2020




Figure 38 PB3 Groundwater Electrical Conductivity data, 2015 – 2020

The groundwater quality at borehole PB2 and borehole PB3 is typical of groundwater within the Shoalhaven Group. This rock formation was deposited in a marine environment and therefore the quality is brackish to saline and the chemistry makes the groundwater very hard being magnesium/calcium – sulfate dominant. Some metals in the groundwater are naturally elevated.

## 8. REHABILITATION

In accordance with the requirements of the Project Approval Charbon Colliery is required to rehabilitate the mine site to the satisfaction of the Department of Planning, Industry and Environment. Underground coal production at Charbon Colliery ceased in April 2014 and open cut coal mining operations ceased during August 2015. Charbon Colliery is currently undertaking rehabilitation activities to address the requirements of mine closure.

## 8.1 Rehabilitation Monitoring

Rehabilitation monitoring was undertaken during 2020 to monitor the progress of rehabilitation against the objectives and criteria outlined in the Rehabilitation and Closure Mining Operations Plan (MOP) Amendment C. Rehabilitation monitoring during 2020 was also undertaken on privately owned land and a Charbon POL Rehabilitation Monitoring Report was prepared to provide an overview of the status of rehabilitation on privately owned land.

The 2020 Rehabilitation Monitoring Report for Charbon Owned Lands provided an overview of the current status of rehabilitation sites and a comparison with control sites commensurate with the surrounding landscape. Measurements of ecosystem composition, landform structure and soil surface characteristics were made at each rehabilitation site and will be used to track performance over the life of the rehabilitation and monitoring program.

Currently, all rehabilitation sites appear to be stable with various levels of vegetation growth. At this early stage of rehabilitation monitoring, it is not clear how rapid natural regeneration is or what limits to rehabilitation may arise in the future. Although the rehabilitation appears to be progressing (is not failing), a selection of management actions will be considered on an as required basis to improve rehabilitation success and enhance vegetation growth.

Generally, rehabilitation at all rehabilitation monitoring sites is progressing and showing early stages of native woodland regeneration. Assuming that the native vegetation that is currently established at rehabilitation sites continues to grow and become established (with subsequent seeding and regeneration), and associated improvements in soil function, it is likely that the ecosystem composition and structure will progress further towards completion criteria over the coming years. A summary of the rehabilitation objectives and completion criteria for each of the rehabilitation monitoring sites is provided in Table 30 below.

Table 30 MOP Rehabilitation Objectives and Completion Criteria Assessment

MOP Rehabilitation Objectives & Criteria	CHRI	CHR2	CHR3	CHR4
Suitable topsoil depth	Achieved	Achieved	Achieved	Achieved
Amelioration required	No	No	No	No
Soil parameters	N/A	N/A	N/A	N/A
Landform is stable and non-polluting	Achieved	Achieved	Achieved	Achieved
Erosion control structures have been installed	Achieved	Achieved	Achieved	Achieved
There is no significant erosion (that comprises land capability or intended final land use)	Achieved	Achieved	Achieved	Achieved
There is no active gully or tunnel erosion, or rills >300 mm depth	Achieved	Achieved	Not Achieved	Achieved
Bushfire mitigation actions are implemented in accordance with the Bushfire Management Plan	N/A	N/A	N/A	N/A
Drainage structures are performing as designed	Achieved	Achieved	Achieved	Achieved
No significant weed infestations and weeds do not comprise a siginificant proportion of the species in any stratum (weed presence)	Not Achieved (recently remediated)	Achieved	Achieved	Achieved
Noxious weeds are controlled in accordance with the MOP and relevant legislation (weed presence)	Achieved	Not Achieved (Blackberry, St John's Wort)	Achieved	Not achieved (Blackberry, St John's Wort)
Pests/feral species do not occur in substantial numbers or visibly affect the development of planted species (feral animal density indicator)	Achieved	Achieved	Achieved	Achieved
Evidence of reproduction in tree/shrub species through presence of viable seed, flowers or presence of seedlings	N/A (recently remediated)	Achieved	Not Achieved	Achieved
More than 75% of trees are healthy and growing as indicated by rehabilitation monitoring at Year 5 following establishment (vegetation health indicator)	N/A (recently remediated)	Achieved	Achieved	Achieved
Rehabilitation monitoring verifies second generation tree seedlings are present or likley to be, based on monitoring in comparable older rehabilitation sites (regeneration/resilience indicator)	N/A (recently remediated)	Achieved	Not achieved	Not achieved
Species diversity for each stratum is generally comparable to control sites (species composition indicator)	N/A (recently remediated)	Not achieved	Not achieved	Not achieved
There is a diversity of vertebrate species which is consummate to that recorded in analogue sites (vertebrate species indicator)	Achieved	Not achieved	Achieved	Not Achieved
Feral and pest animal species are controlled in accordance with relevant legislation and the MOP (feral animal density)	N/A (recently remediated)	Achieved	Achieved	Achieved
Landscape Function Analysis Nutrient Index is generally comparable to relevant control sites (nutrient recycling indicator)	N/A (recently remediated)	Achieved	Achieved	Achieved

The 2020 Charbon POL Rehabilitation Monitoring Report provided an overview of the current status of rehabilitation sites and a comparison with control sites commensurate with the surrounding landscape. The report included an assessment of soil conditions, landform condition, sediment control structures, microorganisms, revegetation rates, plant health and weed infestation.

The vegetation within the POL rehabilitation zones remains in the early stages of development. The majority of rehabilitation sites are vegetated with mixed grasses, exotic herbs and sparse native shrubs. It is noted however that native species richness has increased in all rehabilitation sites. Native species richness has also improved in all but one control site (C2) compared to previous years.

Table 31 POL MOP Completion Criteria – Relevant to Vegetation Assessment

Domain Objective	Performance Indicator	Completion Criteria	Achieved (2020)
All Primary Doma	ains		,
Woodland rehabilitation areas species diversity is	Species Selection	A mixture of native trees, shrubs and grasses representative of regionally occurring woodland is present.	N/A (third year of monitoring)
comparable to analogue native vegetation community	Vegetation Health	Rehabilitation monitoring verifies more than 75% of trees are healthy and growing as indicated by rehabilitation monitoring at Year 5 following establishment.	N/A (Year 5 goal)
	Species Composition	Rehabilitation monitoring verifies species diversity for each stratum is comparable to analogue sites at Year 5 following establishment.	N/A (Year 5 goal)
	Tree Density	Tree density is commensurate with that observed in the analogue forest site.	NA (third year of monitoring)
Domain Woodlan	d Rehabilitation		
Effective maintenance and management of rehabilitation areas	Species Selection	A mixture of native trees, shrubs and grasses representative of regionally occurring woodland is present.	Achieved
Woodland rehabilitation areas species diversity is	Vegeatation Health	Rehabilitation monitoring verifies more than 75% of trees are healthy and growing as indicated by rehabilitation monitoring at Year 5 following establishment.	Achieved (Year 5 goal)
comparable to analogue native vegetation community.	Species composition	Rehabilitation monitoring verifies species diversity for each stratum (canopy, mid storey and ground cover) is commensurate with relevant analogue sites at Year 5 following establishment.	N/A (Year 5 goal)
Domain Forest R	ehabilitation		<u>'</u>
Weeds and feral animals that present a risk to rehabilitation success at the site will be managed.	Weed presence.	Rehabilitation monitoring verifies weed presence is broadly comparable to analogue sites and does not present a risk to rehabilitation.	Partially achieved. Weed density is significantly higher across rehabilitation sites compared to analogue site (average of 72%

			compared to 11%).  No significant infestations of priority weeds were identified in the rehabilitation areas.
Ecosystem health and sustainability	Vegetation Health	Rehabilitation monitoring verifies that more than 75% of trees are healthy and growing as indicated by rehabilitation monitoring.	Achieved
	Species Composition	Rehabilitation monitoring verifies that species diversity for each stratum (canopy, mid storey and ground cover) is generally comparable to relevant analogue sites.	Not achieved (currently at Year 3)
	Reproduction	Rehabilitation monitoring verifies second generation tree seedlings are present or likely to be based on monitoring in comparable older rehabilitation sites.	Not Achieved (only third year of monitoring)
	Resilience	Evidence of reproduction in tree/shrub species through presence of viable seed, flowers or presence of seedlings.	Not achieved (currently at Year 3)

## 8.2 Next Reporting Period

Rehabilitation works are planned to continue to be undertaken in the 8 Trunk and Strip 8 South area at Charbon Colliery during 2021. The data included in Table 33 below has been revised following commencement of the Rehabilitation and Closure Mining Operations Plan Amendment C which was approved 25 September 2019. Rehabilitation will be achieved through progressive reshaping, spreading of topsoil and seeding as described below:

## 1. Re-contouring

Reshaping of mine overburden areas required to reduce both the height of dumps and grades to achieve a MOP compliant final landform and allow final rehabilitation activities to occur.

#### 2. Overburden material transport

Overburden material movement by excavator and truck fleet to construct the design MOP compliant final landform as required.

#### 3. Soil material movement

Soil material transport by excavator and truck fleet is required from stockpile to final location and subsequent spread on final landform by bulldozer.

## 4. Erosion Control

Implementation of erosion control structures in the form of in-slope berms and stilling basins.

#### 5. Contour Ripping

Ripping on the contour by bulldozer to provide a land profile to reduce runoff and erosion and facilitate infiltration of rainfall to allow plant establishment and development of a self-sustaining vegetation cover.

#### 6(a). Hand Application of Fertilizer and Seed

On completion of all prior rehabilitation earthworks activities areas including ripping to prepare the seedbed, hand application of fertilizer and seed could be undertaken on key areas.

## 6(b). Helicopter Application of Fertilizer and Seed

On completion of all prior rehabilitation earthworks activities areas including ripping to prepare the seedbed, helicopter application of fertilizer and seed could be undertaken on areas not completed by hand seeding.

## 7. Seeding of Specific Areas

The land-uses proposed following rehabilitation of the mine site include Woodland and Forest. There are specific areas identified for seeding to facilitate the establishment of either a Woodland or Forest Community.

Rehabilitation activities at the Charbon Colliery are undertaken in accordance with the requirements of a Development Control Order issued under Schedule 5, Part 1, Item 14 of the EP&A Act to remedy a breach of the consent. The rehabilitation of areas of disturbance is undertaken in accordance with the schedule outlined in Table 32 below. The area of rehabilitation undertaken during 2020 and the forecast area to be rehabilitated during 2021 is outlined in Table 33. The total mine footprint for the reporting period includes the area subjected to subsidence from underground coal mining.

Table 32 Rehabilitation Schedule

	Date for	
Rehabilitation Area	Completion	Status
Strips 9 & 10 large open cut void	30 December 2019	Active
		Rehabilitation
8 Trunk workshop void & 8 Trunk stockpile base	30 December 2020	Active
		Rehabilitation
Strip 8 South area	30 December 2021	Ongoing
Strip 8 North area	30 December 2022	Ongoing
Strip 8 Central & West areas	30 December 2023	Ongoing
Areas 6 & 7, Haystack, CHPP, REAs & Main Stockpile.		
Rehabilitation of Southern Open Cut erosion resistant	30 December 2025	Ongoing
capping material source area.		

Table 33 Rehabilitation Status

Mine Area Type	Previous Reporting Period (Actual)	This Reporting Period (Actual)	Next Reporting Period (Forecast)
	Year 2019 (ha)	Year 2020 (ha)	Year 2021 (ha)
A. Total mine footprint <sup>1</sup>	1452.08	1452.08	1452.14
B. Total active disturbance <sup>2</sup>	157.4	145.5	141.1
C. Land being prepared for rehabilitation <sup>3</sup>	12.8	11.9	9.9
D. Land under active rehabilitation <sup>4</sup>	228	240.8	252.7

<sup>&</sup>lt;sup>1</sup> **Total Mine Footprint:** includes all areas within a mining lease that either have at some point in time or continue to pose a rehabilitation liability due to mining and associated activities. As such it is the sum of total active disturbance, decommissioning, landform establishment, growth medium development, ecosystem establishment, ecosystem development and relinquished lands (as defined in the DRE MOP/RMP Guidelines). Please note that subsidence remediation areas are excluded.

<sup>&</sup>lt;sup>2</sup> Total Active Disturbance: includes all areas requiring rehabilitation

<sup>&</sup>lt;sup>3</sup> Land being prepared for rehabilitation: includes the sum of mine disturbed land that is under the following rehabilitation phases – decommissioning, landform establishment and growth medium development (as defined in DRE MOP/RMP Guidelines)

<sup>&</sup>lt;sup>4</sup> Land under active rehabilitation: includes areas under rehabilitation and being managed to achieve relinquishment – includes 'ecosystem and land use establishment' and 'ecosystem and land use sustainability (as defined under the DRE MOP/RMP Guidelines)

## CHARBON COLLIERY ANNUAL REVIEW FOR 2020

E. Completed rehabilitation <sup>5</sup>	0	0	0
--	---	---	---

<sup>5</sup> **Completed rehabilitation**: requires formal sign off from DRE that the area has successfully met the rehabilitation land use objectives or completion criteria

## 9. AQUATIC ECOLOGY

## 9.1 Aquatic Ecology Monitoring

Aquatic Ecology Monitoring was undertaken during the months of March and October in 2020. The monitoring was undertaken in waterways with the potential to be impacted by discharges of water from licenced discharged points at Charbon Colliery. The monitoring program undertaken in 2020 involved the assessment of two reference sites and two impact sites. Water quality, sediment quality and macroinvertebrate samples were collected as part of the monitoring program.

Taxa richness for samples collected during autumn 2020 is presented in Figure 39 Below.




Figure 39 Taxa richness in macroinvertebrate samples, autumn 2019

Taxa richness for samples collected during spring 2020 is presented in Figure 40 below. The highest taxa richness was observed in samples collected from the Cudgegong River whilst the lowest taxa richness was observed in a sample collected from Riley's Creek at Brogans Creek Road.




Figure 40 Taxa richness in macroinvertebrate samples, spring 2020

Taxa richness for samples collected between spring 2015 and spring 2020 is presented in Figure 41 below. Analysis identified that taxa richness at the Cudgegong River and Rylstone Reservoir sites was higher for spring sampling events compared to autumn sampling events. Taxa richness has been highest at the Cudgegong River sampling site since monitoring began. The lowest taxa richness was observed at the Riley's Creek monitoring site during spring 2020.




Figure 41 Spatial and temporal variation in taxa richness

## 10. TERRESTRIAL ECOLOGY

## 10.1 Terrestrial Ecology Monitoring

Annual terrestrial flora and fauna monitoring surveys over compensatory habitat areas has been carried out in prior years as required by the EPBC Approval. The report is now completed every 3 years. In 2019 a report was prepared that reviewed the implementation of the Compensatory Habitat Management Plan and the outcomes of the annual monitoring surveys that were undertaken during 2012, 2014, 2016, 2017 and 2018. The report made the following recommendations for future management of the compensatory habitat areas:

- Maintain access management for people and livestock,
- Continued review of management actions,
- Continued pest fauna management,
- Continuation of exotic weed species management,
- Continued surveillance of bushfire risk,
- Continued monitoring and maintenance of sediment control structures.

## 10.2 Weed Management

A Weed Action Plan (WAP) designed to guide the management of weeds at Charbon Colliery was prepared during 2020. The plan although specific to this 1 year period was structured with long term weed control in mind. The main focus of the plan was to manage declared noxious weeds first followed by invasive environmental weeds which are posing a threat to the vegetation of the site including regeneration, pasture and riparian areas. Consideration of environmental impacts was also high, with the plan guiding weed control in a manner which would enhance the natural vegetation communities and safety at the site.

Monitoring is a key component of the Weed Action Plan. The weed survey which forms the basis of the Weed Action Plan also provides the basis for ongoing weed monitoring at the site. Monitoring inspections at Charbon Colliery were undertaken during Q1, Q2, Q3 and Q4 during 2020.. The survey's focused on inspecting areas where weeds were present in 2019 and control works were subsequently undertaken.

Weed control work was undertaken on the site between February 2020 and March focusing on Buffer and Conservation Areas along with natural areas close to these sites. Many of these areas are showing excellent response to this control work. Further works commenced/completed during December 2020 continuing into February 2021.

## 11 COMMUNITY

Charbon Colliery held Community Consultative Committee (CCC) Meetings on 24 March 2020 and 22 September 2020. The focus of the CCC meetings was to outline the mine closure process and provide an update on rehabilitation activities. A copy of the minutes to these meetings can be found on the Centennial Coal website:

http://www.centennialcoal.com.au/Operations/OperationsList/Charbon.aspx.

There were no complaints received by Charbon Colliery during 2020 as shown in Table 33 below. Complaints are also listed on the Complaints Register on the Centennial Coal - Charbon website.

 Table 34
 Complaints Register for Charbon Colliery 2020

Data Sampled: Jan – Dec 2020						Licensee: Address: EPL No.			Charbon Coal Pty Ltd Charbon Rd Charbon NSW 528				
	Jan- 20	Feb 20	Mar 20	Apr 20	May 20	Jun 20	Jul 20	Aug 20	Sep 20	Oct 20	Nov 20	Dec 20	Total
Air	0	0	0	0	0	0	0	0	0	0	0	0	0
Water	0	0	0	0	0	0	0	0	0	0	0	0	0
Noise	0	0	0	0	0	0	0	0	0	0	0	0	0
Flora & Fauna	0	0	0	0	0	0	0	0	0	0	0	0	0
Subsidence	0	0	0	0	0	0	0	0	0	0	0	0	0
Waste	0	0	0	0	0	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0	0	0	0	0	0
													0

 Table 35
 Complaints Register for Charbon Colliery 2004 – 2020

Year	Number of Complaints	Date	Complainant	Issue
2018	1	20/08/2019	Neighboring Landholder	Other
2017	1	11/01/2017	Neighboring Landholder	Water
2016	2	18/01/2016	Neighboring Landholder	Flora & Fauna
2010	2	02/11/2016	Neighboring Landholder	Water
		17/02/2015	Neighboring Landholder	Noise
		18/02/2015	Neighboring Landholder	Noise
2015	5	28/03/2015	Neighboring Landholder	Noise
		13/04/2015	Neighboring Landholder	Noise
		17/04/2015	Neighboring Landholder	Noise
2014	1	15/7/2014	Distant Landholder (5.3km away)	Noise
	07/01/2013 22/01/2013 06/03/2013 07/03/2013	07/01/2013		Noise & dust
		22/01/2013		Noise & dust
		06/03/2013		Noise
			Dust	
0010	00	08/03/2013	M'II' ' D'II'	Noise
2013	22	11/03/2013	Neighboring Residents	Noise
		13/03/2013		Noise
		15/03/2013		Noise
		18/03/2013		Noise
		18/03/2013		Dust

Year	Number of Complaints	Date	Complainant	Issue
		25/03/2013		Dust
		25/03/2013		Dust
		22/04/2013		Noise
		27/04/2013		Noise & dust
		11/05/2013		Noise
		11/05/2013		Noise
		24/05/2013		Noise
		27/05/2013		Noise
		12/06/2013		Noise
		21/06/2013		Noise
		26/06/2013		Noise
		25/07/2013		Feral Pigs
2012	1	18/10/2012	Neighboring Residents	Noise
2011	0	-	-	-
2010	0	-	-	-
2009	2	20/02/2009 20/03/2009	Neighboring Residents	Noise
2008	5	15/02/2008 08/04/2008 12/06/2008 01/08/2008 26/11/2008	Neighboring Residents	Noise Blasting Blasting Dust Noise
2007	6	07/08/2007 08/08/2007 28/08/2007 03/11/2007 07/11/2007 15/12/2007	Neighboring Residents	Dust Dust Dust Noise No Issue Noise
2006	1	27/10/2006	Neighboring Resident	Stray Light/Hours of Operation
2005	2	22/01/2005 01/04/2005	Neighboring Residents	Dust Stray Light/Hours of Operation
2004	1	31/08/2004	Neighboring Resident	Hours of Operation

#### 12 INDEPENDENT AUDIT

No Independent Environmental Audit was undertaken during the monitoring period of 2020. The next Independent Environmental Audit is scheduled to be undertaken during April 2021 as required under Schedule 5 Condition 8 of the Charbon Coal Project Approval (MP 08\_0211).

## 13 WASTE MANAGEMENT AND MINIMISATION

In accordance with Condition 46 of Schedule 3 in the Project Approval (MP 08\_0211) waste management and minimization at Charbon Colliery is monitored and reported.

Underground coal production at Charbon Colliery ceased in April 2014 and open cut coal mining operations ceased during August 2015. Charbon Colliery is currently undertaking rehabilitation activities to address the requirements of mine closure. Hence, all waste produced at Charbon during 2020 was related to the rehabilitation and maintenance of the mine site. A summary of waste produced on site is detailed in Table 36.

## 13.1 Sewage Treatment and Disposal

Sewage and other wastewater from the bathhouse and site offices within the surface facilities area is treated using an approved biocycle treatment facility. Treated water is used to irrigate landscaped areas via LDP001 (which allows for the discharge of effluent from the onsite sewage treatment system via irrigation) and is authorized under EPL 528.

## 13.2 Oil and Grease Containment and Disposal

The diesel storage facility at Charbon Colliery is located in the area of the Coal Handling and Preparation Plant at the mine site. This facility comprises of one above ground tank and is compliant with *Australian Standard AS1940-2004 – The Storage and Handling of Flammable and Combustible Liquids*. Bulk diesel is delivered to the mine site by a licensed contractor as required. Hydrocarbons are stored in bunded areas at the mine site. Waste oil and grease is collected from site by the licensed contractor for waste management

## 13.3 General Waste Disposal

General waste is collected in industrial waste containers that are serviced by a licensed contractor. Scrap metal is collected in a separate bin and recycled. Paper and cardboard is also collected in a separate bin and recycled.

Table 37 Waste Summary

	2015	2016	2017	2018	2019	2020
Hazardous Recycled (Waste Oil, Waste Grease / kL)	14.5	10.1	0.2	10.0	91.2	1.7
Non-Hazardous Recycled (Paper & Cardboard, Scrap Steel / tonnes)	52.6	2.8	71.4	819.7	1.2	0.52
Hazardous Disposal (Oily Rags / tonnes)	0	0	0	8.2	1.3	0

Non-Hazardous Disposal (Mixed Solid Waste / tonnes)	17.9	3.9	27.2	1.9	0.9	22.26
TOTAL OFFSITE WASTE	85.0	16.7	98.8	839.9	94.7	22.43
TOTAL RECYCLED WASTE	67.1	12.9	71.6	829.7	92.5	2.26
PERCENTAGE WASTE RECYCLED	78.9%	76.9%	72.4%	98.8%	97.7%	9.88%

# 14 INCIDENTS AND NON-COMPLIANCES DURING THE REPORTING PERIOD

 Table 38
 Summary of Reportable Incidents and Regulatory Actions

Compliance Type	Agency	Number	Response
Section 240	Resource Regulator	1	A Section 240 Notice was received on the 27th May 2020 after a planned inspection of tailings / rejects management activities associated with the Authorisations.

Note: This table includes actions taken by DPIE, DRG and the EPA during the reporting period.

**Table 39** Incident/Non-Compliance Summary

Nature of the incident/non-compliance	Water was discharged from the LDP003 discharge dam on the 28 <sup>th</sup> August 2020. Charbon is required to collect a water sample daily during discharge.
Date of incident/ non- compliance (if known; if not known state not known)	28/08/2020
The location of the incident/ non-compliance (include a figure if appropriate), if known	LDP003
Detail the cause of the incident/non-compliance	Courier lost samples during transport. Condition M2.2 requires daily discharge sampling.
Detail action that has been, or will be, taken to mitigate any adverse effects of the incident/ non-compliance	No action required.
Detail action that has been, or will be, taken to prevent recurrence of the incident/ noncompliance	No action required.

## Table 40 Incident/Non-Compliance Summary

Nature of the incident/non-compliance	Between the 4 <sup>th</sup> and 5 <sup>th</sup> April 2020 water was discharged from LDP005 but a water sample was not collect on either day.
Date of incident/ non- compliance (if known; if not known state not known)	4/4/2020 and 5/4/2020.
The location of the incident/ non-compliance (include a figure if appropriate), if known	LDP005
Detail the cause of the incident/non-compliance	IT fault with the data logger at the monitoring weir meant no alerts were set prior to discharge of water over the monitoring weir. Condition M2.2 required daily discharge sampling.
Detail action that has been, or will be, taken to mitigate any adverse effects of the incident/ non-compliance	Equipment inspected and required the fault with the communication system at the monitoring weir at LDP005.
Detail action that has been, or will be, taken to prevent recurrence of the incident/ noncompliance	Weekly dam level monitoring has been implemented with a site dashboard to track dam levels and rain forecast.

## Table 41 Incident/Non-Compliance Summary

Nature of the incident/non-compliance	Water was identified to be discharging from the spillway of the Haystack Transfer Dam to LDP002 Dam. The water was flowing from the dam into a drain line which directed water offsite. The HS Transfer Dam to LDP002 Dam is not a licensed discharge point.
Date of incident/ non- compliance (if known; if not known state not known)	27/7/2020
The location of the incident/ non-compliance (include a figure if appropriate), if know	HS Transfer Dam
Detail the cause of the incident/non-compliance	Pump at the dam was not operating.  The size of the dam was not large enough to hold the surface runoff from the rainfall event.
Detail action that has been, or will be, taken to mitigate any adverse effects of the incident/ non-compliance	

w re	Detail action that has been, or vill be, taken to prevent ecurrence of the incident/ non-ompliance	Introduction of a site dashboard of site dam levels to monitor conditions against predicted weather forecast.

# 15 ACTIVITES TO BE COMPLETED IN THE NEXT REPORTING PERIOD

Charbon Colliery has ceased coal mining and is currently undertaking rehabilitation activities to facilitate closure of the mine site. Charbon will continue working in conjunction with State and Federal agencies and technical consultants during the 2020 reporting period. The activities proposed for 2021 are summarised in Table 42 below:

Table 42 Activities proposed to be completed in the next reporting period

Activities proposed for 2021	Proposed timing of completion
Complete rehabilitation as per schedule in Table 32	2021




Figure 42 Charbon Colliery Sensitive Receiver and Monitoring Locations



Charbon Coal Pty Limited
Level 18, BT Tower
1 Market Street, Sydney NSW 2000
www.centennialcoal.com.au

