



NSW GOVERNMENT  
**Department of Planning**

Contact: Sally Munk  
Phone: 02 9228 6498  
Fax: 02 9228 6540  
Email: [sally.munk@planning.nsw.gov.au](mailto:sally.munk@planning.nsw.gov.au)  
Our ref: 09\_0016

Darryl Anderson  
Darryl Anderson Consulting  
Suite 7, 8 Corporation Circuit  
Tweed Heads South NSW 2486

Dear Mr Anderson

**Subject: Mixed Use Residential and Tourist Accommodation Development, Cnr Tweed Coast Road and Cypress Crescent, Cabarita (09\_0016)**

The Department has received your application for the proposed mixed use residential and tourist development at the corner of Tweed Coast Road and Cypress Crescent in Cabarita.

The Director-General's Environmental Assessment Requirements (DGRs) for the environmental assessment of the project application are attached to this correspondence at **Attachment 1**. These requirements have been prepared in consultation with the relevant government agencies including council.

**Attachment 2** lists the relevant plans and documents which will be required upon submission of your proposal.

It should be noted that the DGRs have been prepared based on the information provided to date. Under section 75F(3) of the Act, the Director-General may alter or supplement these requirements if necessary and in light of any additional information that may be provided prior to the proponent seeking approval for the project.

If the Environmental Assessment (EA) is not exhibited within 2 years of the date of issue of these requirements, you should consult further with the Director-General in relation to the preparation of the EA.

Please contact the Department at least two weeks before you propose to submit the EA for the project to determine:

- the fees applicable to the application. Note that you will need to provide a signed statement from a Quantity Surveyor to verify the capital investment value of the project;
- consultation and public exhibition arrangements that will apply; and
- number and format (hard-copy or CD-ROM) of the EA that will be required.

A list of some relevant technical and policy guidelines which may assist in the preparation of the EA are attached at **Attachment 3**.

Prior to exhibiting the EA, the Department will review the document to determine if it adequately addresses the DGRs. The Department may consult with other relevant government agencies in making this decision. If the Director-General considers that the EA does not adequately address the DGRs, the Director-General may require the proponent to revise the EA to address the

matters notified to the proponent. Following this review period, the EA will be made publicly available for a minimum period of 30 days.

If your proposal includes any actions that could have a significant impact on matters of National Environmental Significance (NES), it will require an additional approval under the Commonwealth *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act). This approval is in addition to any approvals required under NSW legislation. It is your responsibility to contact the Commonwealth Department of the Environment, Water, Heritage and the Arts in Canberra (6274 1111 or <http://www.environment.gov.au>) to determine if the proposal is likely to have a significant impact on matters of NES and would require an approval under the EPBC Act. The Commonwealth Government has accredited the NSW environmental assessment process for assessing any impacts on matters of NES. As a result, if it is determined that an approval is required under the EPBC Act, please contact the Department immediately as supplementary DGRs will need to be issued.

Please note that under section 75U of the Act, Part 3A applications do not require certain permits/approvals required under other legislation. These matters are considered as part of the Part 3A assessment process. For example, Section 87 permits and Section 90 consents under the *National Parks and Wildlife Act 1974* are not required for Part 3A applications. Section 75U applies from the date of issue of the DGRs.

Notwithstanding, the Department still requires an equivalent level of information within the EA as would ordinarily be required for the issue of any such permit/approval to enable an assessment of the relevant works. Please notify the Department should any sub-surface testing be required during the preparation of your EA.

Copies of responses from government agencies to the Department's request for key issues and assessment requirements are enclosed at **Attachment 4**. Please note that these responses have been provided to you for information only and do not form part of the DGRs for the EA.

If you have any queries regarding these requirements, please contact Sally Munk on 02 9228 6498 or email [sally.munk@planning.nsw.gov.au](mailto:sally.munk@planning.nsw.gov.au).

Yours sincerely



26.5.09

Chris Wilson  
**Executive Director**  
**Major Projects Assessment**  
as delegate for the Director General

# Attachment 1

## Director-General's Environmental Assessment Requirements

Section 75F of the *Environmental Planning and Assessment Act 1979*

<b>Application number</b>
09_0016
<b>Project</b>
<p>The project application includes:</p> <ul style="list-style-type: none"> <li>Demolition of existing structures;</li> <li>Construction of a three storey, multi dwelling housing and tourist accommodation building comprising 23 units; and</li> <li>Basement carparking for 49 vehicles.</li> </ul>
<b>Location</b>
Lot 1, 2 and 3 DP 29748 and Lot 4 Section 1 DP 31209, corner of Tweed Coast Road and Cypress Crescent, Cabarita, Tweed LGA
<b>Proponent</b>
Tweed Coast Homes Pty Ltd
<b>Date issued</b>
26 May 2009
<b>General requirements</b>
<p>The Environmental Assessment (EA) for the <b>Project Application</b> must include:</p> <ol style="list-style-type: none"> <li>1. An executive summary;</li> <li>2. A detailed description of the proposal including: <ul style="list-style-type: none"> <li>any development options;</li> <li>justification for the project taking into consideration any environmental impacts of the project, the suitability of the site and whether the project is in the public interest;</li> <li>outline of the staged implementation of the project if applicable;</li> </ul> </li> <li>3. A thorough site analysis including constraints mapping and description of the existing environment;</li> <li>4. Consideration of any relevant statutory and non-statutory provisions and identification of any non-compliances with such provisions, in particular relevant provisions arising from environmental planning instruments, Regional Strategies (including draft Regional Strategies) and Development Control Plans;</li> <li>5. Consideration of the consistency of the project with the objects of the <i>Environmental Planning and Assessment Act 1979</i>;</li> <li>6. Consideration of impacts, if any, on matters of National Environmental Significance under the <i>Commonwealth Environment Protection and Biodiversity Conservation Act 1999</i>;</li> <li>7. An assessment of the potential impacts of the project and a draft Statement of Commitments, outlining environmental management, mitigation and monitoring measures to be implemented to minimise any potential impacts of the project;</li> <li>8. The plans and documents outlined in <b>Attachment 2</b>;</li> <li>9. A signed statement from the author of the Environmental Assessment certifying that the information contained in the report is neither false nor misleading; and</li> <li>10. An assessment of the key issues specified below and a table outlining where in the EA these key issues have been addressed.</li> </ol>

Key Issues	
The EA must address the following key issues:	
1. Strategic Planning	
1.1	Justify the proposal with reference to relevant local, regional and State planning strategies. Provide justification for any inconsistencies with these planning strategies.
2. Urban Design and Sustainability	
2.1	Demonstrate suitability of the proposal with the surrounding area in relation to bulk, scale, amenity (including noise) and visual amenity having regard to the <i>Coastal Design Guidelines of NSW (2003)</i> and the <i>NSW Coastal Policy 1997</i> .
2.2	Provide a Design Statement and Access Review prepared by a registered Architect that outlines the development context, design objectives, uses proposed, GFAs, FSR, layout, scale, materials and finishes schedule, paths of travel, emergency egress and accessibility.
2.3	Demonstrate compliance with SEPP 65 and BASIX.
2.4	Provide a Building Management Plan providing details in relation to occupancy, management systems, use of amenities and facilities and body corporate roles and responsibilities etc.
3. Visual Impact	
3.1	Address the visual impact of the proposal in the context of surrounding development and relevant mitigation measures. In particular address impacts on the amenity of the foreshore, overshadowing of public reserves, including the Cudgen Nature Reserve, loss of views from public places and cumulative impacts.
3.2	Use visual aids such as photomontages to demonstrate visual impacts. Amelioration of visual impacts through design, use of appropriate colours and building materials, landscaping and buffer areas must be addressed.
4. Infrastructure Provision	
4.1	Address existing capacity and requirements of the development for sewerage, water, stormwater, electricity, waste disposal, telecommunications and gas in consultation with relevant agencies. Identify and describe staging, if any, of infrastructure works.
4.2	Address and provide the likely scope of any planning agreements and/or development contributions with Council/ Government agencies (including relevant community/state infrastructure contributions).
5. Traffic and Access	
5.1	Prepare a traffic impact study in accordance with Table 2.1 of the RTA's <i>Guide to Traffic Generating Developments</i> .
5.2	Protect existing public access to and along the beach and coastal foreshore and provide, where appropriate, new opportunities for controlled public access. Consider access for the disabled, where appropriate.
6. Hazard Management and Mitigation	
<i>Coastal Processes</i>	
6.1	Address coastal hazards and the provisions of the <i>Coastline Management Manual</i> . In particular, consider impacts associated with wave and wind action, coastal erosion, sea level rise and more frequent and intense storms.
<i>Contamination</i>	
6.2	Identify any contamination on site and appropriate mitigation measures in accordance with the provisions of <i>SEPP 55 – Remediation of Land</i> .

<b>Acid Sulfate Soils</b>	
6.4	Identify the presence and extent of acid sulfate soils on the site and, where relevant, appropriate mitigation measures. Prepare an Acid Sulfate Management Plan (prepared in accordance with ASSMAC Guidelines) and a Dewatering Management Plan if required.
<b>Bushfire</b>	
6.5	Address the requirements of <i>Planning for Bush Fire Protection 2006</i> (RFS).
6.6	Provide details on any formal agreement to manage the existing cleared areas as Asset Protection Zones within the Cudgen Nature Reserve in perpetuity.
<b>Geotechnical</b>	
6.7	Provide an assessment of any geotechnical limitations that may occur on the site and if necessary, appropriate design considerations that address these limitations.
<b>Flooding</b>	
6.8	Provide an assessment of any flood risk on site (for the full range of floods including events greater than the design flood, up to probable maximum flood; and from coastal inundation, catchment based flooding or a combination of the two) and having consideration of any relevant provisions of the <i>NSW Floodplain Development Manual 2005</i> . The assessment should determine: the flood hazard in the area; address the impact of flooding on the proposed development, address the impact of the development (including filling) on flood behaviour of the site and adjacent lands; and address adequate egress and safety in a flood event.
6.9	Assess the potential impacts of sea level rise and an increase in rainfall intensity on the flood regime of the site and adjacent lands with consideration of <i>Practical Consideration of Climate Change – Floodplain Risk Management Guideline</i> (DECC, October 2007).
<b>7. Water Cycle Management</b>	
7.1	Address and outline measures for Integrated Water Cycle Management (including stormwater) based on Water Sensitive Urban Design principles which addresses impacts on the surrounding environment, drainage and water quality controls for the catchment, and erosion and sedimentation controls at construction and operational stages.
7.2	Prepare a conceptual design layout plan for the preferred stormwater treatment train showing location, size and key functional elements of each part of the system.
7.3	Assess the impacts of the proposal on surface water hydrology and quality during both construction and occupation of the site.
7.4	Consider the nature and profile of the groundwater regime under the site, including any hydrologic impacts which would affect its depth or water quality, result in increased groundwater discharge, impact on the stability of potential acid sulfate soils in the vicinity, or affect groundwater dependent native vegetation.
<b>8. Heritage and Archaeology</b>	
8.1	Identify whether the site has significance to Aboriginal cultural heritage and identify appropriate measures to preserve any significance. The assessment must address the information and consultation requirements of the draft <i>Guidelines for Aboriginal Cultural Heritage Assessment and Community Consultation</i> (DEC 2005) and <i>Interim Community Consultation Requirements for Applicants</i> (DEC 2004)
8.2	Identify any items of non-indigenous heritage significance and, where relevant, provide measures for the conservation of such items.
<b>9. Flora and Fauna</b>	
9.1	Assess the potential direct and indirect impacts of the development on flora and fauna and the Cudgen Nature Reserve taking into consideration impacts on any threatened species, populations, ecological communities and/or critical habitat and any relevant recovery plan in accordance with DECC's <i>Guidelines for Threatened Species Assessment</i> (2005). Describe the actions that will be taken to avoid or mitigate impacts or compensate unavoidable impacts, where relevant.
9.2	Assess the effect a net increase in the future resident population may have on the Cudgen Nature Reserve through likely increases in visitation and recreational use.

<b>10. Noise</b>	
10.1	Address potential noise impacts, in particular road traffic noise, for future residents and appropriate mitigation measures.
<b>11. Socio-economic Impacts</b>	
11.1	Provide a social impact assessment for the development. Address the social and economic context of the development (for both the tourist and residential components) in terms of infrastructure requirements, public transport, community services and facilities (including schools and medical services) and the impact on the low cost tourist market available in the immediate locality.
11.2	Address the likely impacts on the long-term residents of the caravan park, options available for these residents and measures to be undertaken to ensure ongoing compliance with the <i>Local Government Act 1993</i> and <i>Residential Parks Act 1998</i> in preparation for closure of the park.
<b>Consultation</b>	
<p>You should undertake an appropriate and justified level of consultation with the following agencies during the preparation of the environmental assessment:</p> <p>(a) <i>Agencies or other authorities:</i></p> <ul style="list-style-type: none"> <li>• Tweed Shire Council;</li> <li>• Department of Environment and Climate Change;</li> <li>• Department of Primary Industries;</li> <li>• NSW Rural Fire Service;</li> <li>• Department of Water and Energy;</li> <li>• Roads and Traffic Authority;</li> <li>• Department of Lands;</li> <li>• State Emergency Service;</li> <li>• Office of Fair Trading; and,</li> <li>• Local Aboriginal Land Council/s and other Aboriginal community groups.</li> </ul> <p>(b) <i>Public:</i></p> <p>Document all community consultation undertaken to date or discuss the proposed strategy for undertaking community consultation. This should include any contingencies for addressing any issues arising from the community consultation and an effective communications strategy.</p> <p>The consultation process and the issues raised should be described in the Environmental Assessment.</p>	
<b>Deemed Refusal Period</b>	
60 days	

## Attachment 2

### Plans and Documents to accompany the Application

#### Plans and Documents of the development

The following plans, architectural drawings and diagrams of your proposal as well as the relevant documents will be required to be submitted for your application:

1. The **existing site survey plan** is to be drawn to 1:500 scale (or other appropriate scale) and show:
  - the location of the land, the measurements of the boundaries of the land, the size of the land and north point;
  - the existing levels of the land in relation to buildings and roads;
  - location and height of existing structures on the site; and
  - location and height of adjacent buildings and private open space.
2. An **aerial photograph** of the subject site with the site boundary superimposed.
3. A **Site Analysis Plan** must be provided which identifies existing natural elements of the site (including all hazards and constraints), existing vegetation, property dimensions, footpath crossing levels and alignments, existing pedestrian and vehicular access points and other facilities, slope and topography, natural features such as watercourses, rock outcrops, utility services, boundaries, orientation, view corridors and all structures on neighbouring properties where relevant to the application (including windows, driveways etc.).
4. A **locality/context plan** drawn to 1:500 scale (or other appropriate scale) should be submitted indicating:
  - significant local features such as parks, community facilities and open space, water courses and heritage items;
  - the location and uses of existing buildings, shopping and employment areas;
  - traffic and road patterns, pedestrian routes and public transport nodes; and
  - The existing site plan and locality plan should be supported by a written explanation of the local and site constraints and opportunities revealed through the above documentation.
5. A **zoning plan** must be provided which shows the existing zoning overlaid with the proposed development layout. An extract of the land use table or relevant clauses from the subject LEP is required.
6. The **Architectural drawings** are to be drawn to scale and illustrate the following general features:
  - the location of any existing building envelopes or structures on the land;
  - the floor plans;
  - the location of lifts, stairs and corridors;
  - adaptable housing requirements;
  - section plans;
  - fenestrations, balconies and other features;
  - communal facilities and servicing points;
  - the height of the proposed development in relation to the land;
  - significant level changes;
  - parking and vehicular access arrangements; and
  - pedestrian access to, through and within the site.



	<p>7. <b>Elevations</b> – of the proposed buildings drawn to the same scale as the architectural drawings. The elevations are to indicate height and key datum lines, building length and articulation, the composition of the façade and roof design, existing buildings on the site, building entries (pedestrian, vehicular and service), and profile of buildings on adjacent properties.</p> <p>8. <b>Materials and Finishes Board</b> – that illustrates the proposed colours, materials and finishes of the building.</p> <p>9. <b>Stormwater Management Plan</b> - illustrating the concept for stormwater management from the site and must include details of any major overland flow paths through the site and any discharge points to the street drainage system. Where an on-site detention system is required, the type and location must be shown and must be integrated with the proposed landscape design. Site discharge calculations should be provided;</p> <p>10. <b>Erosion and Sediment Control Plan</b> – plan or drawing that shows the nature and location of all erosion and sedimentation control measures to be utilised on the site;</p> <p>11. <b>Landscape Plan</b> – a detailed plan showing planting design and plant/tree species to be used, listing botanical and common names, mature height and spread, number of plants to be utilised in relation to the treatment of communal/public open space areas, footpaths, driveways and the public domain including details of street trees, furniture, signage, lighting and surface treatments (i.e. pavers).</p> <p>12. <b>Construction Management Plan</b> – a plan which outlines traffic and pedestrian management during construction and management of impacts on amenity of adjoining properties and appropriate mitigation measures including noise, dust and sediment and erosion controls;</p> <p>13. <b>Waste Management Plan</b> – a plan that details bulk as opposed to individual storage and addresses waste generated during demolition, construction and site occupation.</p> <p>14. <b>View analysis</b> – artist's impression, photomontages, etc of the proposed development in the context of the surrounding development.</p> <p>15. <b>Shadow Diagrams</b> – diagrams showing solar access to the site and adjacent properties, including the public reserve, at summer solstice (Dec 21), winter solstice (Jun 21) and the equinox (Mar 21 and Sept 21) at 9am, 12 midday, 3pm and 6.30pm.</p>
<b>Specialist advice</b>	<p>Specialist advice, where required to support your Environmental Assessment, must be prepared by suitably qualified and practising consultants in relation to issues including, but not limited to, the following:</p> <ul style="list-style-type: none"> <li>• Planning;</li> <li>• Flora and Fauna;</li> <li>• Bushfire;</li> <li>• Landscaping;</li> <li>• Geotechnical and/or hydrogeological (groundwater);</li> <li>• Stormwater/drainage;</li> <li>• Urban Design/Architectural;</li> <li>• Contamination in accordance with the requirements of SEPP 55; and</li> <li>• Acid Sulfate Soils.</li> </ul>
<b>Documents to be submitted</b>	<ul style="list-style-type: none"> <li>• Both hard copy and electronic versions of the Environmental Assessment will be required to be submitted. Please contact the Department prior to submitting your Environmental Assessment to determine how many copies</li> </ul>



	<p>will be required.</p> <ul style="list-style-type: none"> <li>• If the Environmental Assessment is bulky, you will be required to package up each Environmental Assessment ready for distribution by the Department to key agencies.</li> </ul>
<b>Electronic Documents</b>	<p>Electronic documents presented to the Department for publication via the Internet must satisfy the following criteria:-</p> <ul style="list-style-type: none"> <li>▪ All files should be approximately 5 Mb.</li> <li>▪ Large files of more than 5 Mb will need to be broken down and supplied as different files.</li> </ul>



## Attachment 3

### State Government technical and policy guidelines

The following list provides relevant technical and Policy Guidelines which may assist in the preparation of the Environmental Assessment. It should be noted, however, that this list is not exhaustive as other documents and policies may need to be reviewed. It is also important to note that not of all of these guidelines may be relevant to your proposal.

The majority of these documents can be found on the relevant Departmental Websites, on the NSW Government's on-line bookshop at <http://www.bookshop.nsw.gov.au> or on the Commonwealth Government's publications website at <http://www.publications.gov.au>.

Aspect	Policy /Methodology
<b>Biodiversity</b>	
	Draft Guidelines for Threatened Species Assessment (DEC & DPI, 2005)
	Threatened Biodiversity and Threatened Species Assessment – Guideline for Developments and Activities – Working Draft 2004
	Why do Fish Need to Cross the Road? Fish Passage Requirements for Waterway Crossings (NSW Fisheries, 2003)
	Policy and Guidelines: Aquatic Habitat Management and Fish Conservation (NSW Fisheries, 1999)
	Threatened Species Management Manual (NPWS, 1998)
<b>Coastal Planning</b>	
	NSW Coastal Policy 1997 - A sustainable Future for the New South Wales Coast, NSW Government, 1997
	Coastal Design Guidelines for NSW, PlanningNSW, February 2003
	NSW Wetlands Management Policy (DLWC, March 1996)
	Coastline Management Manual (NSW Government 1990)
<b>Community Consultation</b>	
	Guidelines For Major Project Community Consultation, (NSW Department of Planning, 2007)
<b>Bushfire</b>	
	Planning for Bushfire Protection 2006 (NSW Rural Fire Service)
<b>Contamination and Soils</b>	
	Managing Land Contamination: Planning Guidelines SEPP 55 – Remediation of Land (DUAP & EPA, 1998)
	Best Practice in Contaminated Sites (Commonwealth DEH, 1999, ISBN 0 642 546460)
	Contaminated Sites: Sampling Design Guidelines (EPA, 1999)
	NSW Acid Sulfate Soil Management Advisory Committee - Acid Sulfate Soil Manual (ASSMAC, 1998).
	National Environment Protection (Assessment of Site Contamination) Measure (NEPC 1999)
<b>Environmental Management Systems</b>	
	NSW Government Interim Water Quality and River Flow Environmental Objectives (DEC)
	Guidelines for the preparation of Environmental Management Plans (DIPNR, 2004)

Aspect	Policy /Methodology
<b>Heritage</b>	
<b>Aboriginal</b>	Draft Guidelines for Aboriginal Cultural Heritage Impact Assessment and Community Consultation (DEC, 2005)
	Interim Community Consultation Requirements for Applicants (DEC, 2004)
<b>Non-Indigenous</b>	Assessing Heritage Significance Update for Heritage Manual, NSW Heritage Office, 2000
	Statements of Heritage Impact, NSW Heritage Office 2002
	NSW Heritage Manual, NSW Heritage Office 1996
<b>Noise</b>	
	Environmental Criteria for Road Traffic Noise (EPA, 1999)
	Acoustics - Road traffic noise intrusion - Building siting and construction (Standards Australia, 1989, AS 3671-1989)
<b>Safety and Hazards</b>	
	Electrical Safety Guidelines (Integral Energy)
	Crime prevention and assessment of development applications 2001
<b>Traffic &amp; Transport</b>	
	Guide to Traffic Engineering and Guide to Geometric Design of Rural Roads (Austroads, 2003, AP-G1/03)
	Guide to Traffic Generating Developments (RTA, 2002)
<b>Urban Design: Cycleway/Pathway Design</b>	
	Guidelines for the Design and Construction of Paths and Cycleways along Watercourses and Riparian Areas (Version 2) (DIPNR/DNR)
<b>Vibration</b>	
	Assessing Vibration: A Technical Guideline (DEC, 2006)
<b>Water</b>	
<b>Water Quality</b>	Water quality guidelines for the protection of aquatic ecosystems for upland rivers. (ANZECC, 2000)
	Australian and New Zealand Guidelines for Fresh and Marine Water Quality (ANZECC 2000)
<b>Effluent Reuse</b>	Environmental Guidelines for the Utilisation of Treated Effluent by Irrigation (NSW DEC 2004)
<b>Floodplain</b>	NSW Government Floodplain Development Manual - the Management of Flood Liable Land (DIPNR, 2005)
	Practical Consideration of Climate Change – Floodplain Risk Management Guideline (DECC, October 2007)
<b>Groundwater</b>	NSW State Groundwater Quality Protection Policy (DLWC, 1998, 0 7313 0379 2)
	NSW State Groundwater Quality Protection Policy (DLWC 1998)
	NSW Groundwater Dependent Ecosystem Policy (DLWC 2000)
<b>Stormwater</b>	Managing Urban Stormwater: Soils & Construction – Volume 1 (NSW Landcom, March 2004) - "The Blue Book"
	Managing Urban Stormwater: Soils & Construction – Volume 2 (DECC, January 2008)
	Managing Urban Stormwater: Harvesting and Reuse (DEC, May 2006)
	Constructed Wetlands Manual (NSW DLWC 1998)

Aspect	Policy /Methodology
<b>Waterways</b>	Waterways Crossing Design & Construction (Version 4 – DIPNR/DNR Draft Guidelines)
<b>Wetlands</b>	NSW Wetlands Management Policy (DLWC 2000)



**Attachment 4**  
**Agency Responses to Request for Key Issues**  
**- For Information Only**



