5.6 Through site link

Amendments to the approved ground floor public access through site links are proposed by modifying the approved double access points into a single 6 metre access point (**Figure 6** and **7**). The Concept Plan approved 2 pedestrian links through the building, one provided as a straight though link while the other includes a common area in the middle of the site.

The modification seeks to amend the scheme by proposing an angled entrance from Broadway and Tooth Avenue that opens up to escalators and associated landscaping provided in the middle of the access points. Council raised concerns with the position of the proposed kink in the through site link and the proposed supermarket escalator and associated vegetation, in particular, obstructing the through site link both visually and from an access perspective. Concerns were also raised with utilising the through site link as an entry to the supermarket and recommended that a 6 metre wide path of travel should be maintained from north to south.

The Department considers that the design is acceptable and does not reduce the success of the through site link as a pedestrian pathway, particularly with the increased width of the paths. Access to the below ground supermarket and piazza area and the above ground retail / food court / gym is maintained. A reduction to one through site link is also considered suitable (as supported by Council), with the modified design considered to be consistent with the built form within the locality.




Figure 7: Approved ground floor layout illustrating through site links




Figure 8: Proposed ground floor layout illustrating proposed angled site link

5.7 Other

Child Care Places

Council's Child Care Centres DCP requires the provision of child care places within new developments. The DCP requires the provision of child care places at the following rates:

- 6 child care places per 100 households in residential developments
- 1 child care place per 1,450m² in commercial developments

The original project required the provision of 50 spaces to be provided for the building. A Statement of Commitment was provided stating that child care places were to be provided partly in Block 1 and 4 (29 places) and the remaining places in Blocks 8 or 11 (21 places).

The proposed modified building generates the provision of 52 child care spaces as follows:

- Residential 623 dwellings, generating 37.4 spaces (38)
- Commercial (0m²) / Retail (19,525m²) 19,525m², generating 13.5 spaces (14)

A revised commitment is proposed to provide the additional 2 places within Block 8 or 11. The Department notes the arrangements proposed by the Proponent and does not raise any concerns.

Signage Zones

The original project indicated proposed signage zones along the Broadway, Balfour Street, Kent Road and Tooth Avenue frontages (rooftop, awnings and on building facades). No details were submitted in relation to size or illumination of the proposed signs within these signage zones, however the signs would be 'high level building identification signage, retail podium level signage and ground level shopfront signage'.

The modification seeks to amend the location of the signage zones to being provided to the podium level and relating to the retail uses within the building. The amended location is not considered to negatively impact upon the aesthetics of the building and are designed to be incorporated within the landscaping to be installed on the exterior of the building. Further approvals are required for the construction of the signs (including size, content, illumination and materials) to be located in the signage zones.

Green Star Rating

The approved Concept Plan (as modified) contains a specific future assessment requirement to ensure the proposed development achieves a satisfactory environmental performance. Future Assessment Requirement - B12 – ESD and Sustainable Design of the approved Concept Plan (as modified) states:

- (1) A tri-generation facility and other leading ESD and WSUD measures are required as outlined in the revised Statement of Commitments. Details shall be provided with the Project Applications relating to residential, commercial or retail development.
- (2) Future Project Applications for all residential, commercial and retail development (including adaptable re-use of heritage buildings) shall achieve a 6 Star Green Star rating. Should the ESD and WSUD infrastructure required to support the 6 Star Green Star not be approved by others, all residential, commercial and retail development (including adaptable re-use of heritage buildings) shall achieve a minimum of 5 Star Green Star.

The Department considered the proposed works on the site to achieve the required Green Star rating. Accordingly, Condition No. B25 – Energy Star Rating was included in the approved Project that requires the following:

B25 Energy Star Ratings

Certification is to be provided to the Certifying Authority (with a copy supplied to the Department) by the Green Building Council of Australia, indicating that the development achieves a 6 Star Green Star rating. Should the ESD and WSUD infrastructure required to support the 6 Star Green Star not be approved by others, all residential, commercial

and retail development (including adaptable re-use of heritage buildings) shall achieve a minimum 5 Star Green Star. This certification is to be submitted prior to the issue of the relevant Construction Certificate.

The modification seeks to amend the timing of the certification to now providing the certification prior to the issue of the Occupation Certificate, as a result of possible delays being encountered should compliance with the current requirement be maintained as the Proponent has no control over when the Green Building Council of Australia will issue the certification.

The Department does not want to delay construction on one of the key sites currently under redevelopment in the Sydney CBD. A modified condition is recommended that the certification be provided prior to the issue of the first Occupation Certificate for the proposal. This will ensure that the certification is provided at one of the early phases of works, rather than at the end once the building is constructed.

6. CONCLUSION AND RECOMMENDATIONS

The proposed modifications are considered to be satisfactory and result in an improvement to the overall design of the project. The project achieves the same objectives as assessed in the original approved project and does not alter the overall nature, need or justification of the approved project. It is therefore recommended that the modifications be approved subject to the amended conditions.

It is RECOMMENDED that the Executive Director Major Projects Assessment:

- note the information provided in this briefing;
- approve the modification request under delegated authority, subject to conditions; and
- sign the attached modifying instrument.

Prepared by

Director

Metropolitan & Regional Projects South

25.3.11

Executive Director

Major Projects Assessment

APPENDIX A MODIFICATION REQUEST

See the Department's website at http://majorprojects.planning.nsw.gov.au/index.pl?action=view_job&job_id=4387

APPENDIX B SUBMISSIONS

See the Department's website at http://majorprojects.planning.nsw.gov.au/index.pl?action=view_job&job_id=4387

APPENDIX C RECOMMENDED MODIFYING INSTRUMENT

Modification of Minister's Approval

Section 75W of the Environmental Planning & Assessment Act 1979

As delegate of the Minister for Planning under delegation executed on 25 January 2010, I approve the modification of the project application referred to in Schedule 1, subject to the conditions in Schedule 2 and the amended Statement of Commitments in Schedule 3.

Executive Director

Major Projects Assessment

DEPARTMENT OF PLANNING

Sydney

25 MIRCH

2011

SCHEDULE 1

PART A — TABLE

Application made by:	Frasers Broadway Pty Ltd.	
Application made to:	Minister for Planning	
Major Project Application:	MP No. 09_0078	
On land comprising:	Lot 1 DP 1131320, 26 Broadway, Chippendale	
Local Government Area	City of Sydney Council	
For the carrying out of:	 Construction of a new mixed use retail, commercial and residential building with ancillary retail uses consisting of two towers (east tower maximum 133.0m AHD and west tower maximum 79.5m AHD) located above a podium, accommodating: Residential floor space comprising up to 593 residential apartments Retail floor space comprising a food court, speciality retail and a supermarket Commercial floor space Construction of terraces (landscaped platforms) which rise from the plaza to podium level 2 of the new building on Block 2 Installation of a heliostat (consisting of mirrors which are orientated to focus sunlight onto the landscaped platforms) Construction of the surrounding public domain Stratum subdivision of the proposal 	
Capital Investment Value	\$269,246,606	
Type of development:	Major Project under Part 3A of the Act.	
Determination made on:	18 June 2010	
Date approval is liable to lapse:	5 years from the date of determination unless the development has been physically commenced.	

PART B-NOTES RELATING TO THE APPROVAL OF MP No. 09 0078

Responsibility for other approvals / agreements

The Proponent is responsible for ensuring that all additional approvals and agreements are obtained from other authorities, as relevant.

Appeals

The Proponent has the right to appeal to the Land and Environment Court in the manner set out in the *Environmental Planning and Assessment Act*, 1979 and the *Environmental Planning and Assessment Regulation*, 2000 (as amended).

Legal notices

Any advice or notice to the approval authority shall be served on the Director-General.

PART C—DEFINITIONS

In this approval,

Act means the Environmental Planning and Assessment Act, 1979 (as amended).

Advisory Notes means advisory information relating to the approved development but do not form a part of this approval.

BCA means the Building Code of Australia.

Certifying Authority has the same meaning as Part 4A of the Act.

Council means City of Sydney Council.

Department means the Department of Planning or its successors.

Director-General means the Director-General of the Department or his nominee.

Environmental Assessment (EA) means the Environmental Assessment prepared by JBA Urban Planning Consultants Pty Ltd and dated September 2009.

Minister means the Minister for Planning.

MP No. 09_0078 means the Major Project described in the Proponent's Preferred Project Report.

PCA means a Principal Certifying Authority and has the same meaning as Part 4A of the Act.

Preferred Project Report (PPR) means the Preferred Project Report prepared by JBA Urban Planning Consultants Pty Ltd and dated February 2010.

Proponent means Frasers Broadway Pty Ltd or any party acting upon this approval.

Regulation means the Environmental Planning and Assessment Regulation, 2000 (as amended).

Subject Site has the same meaning as the land identified in Part A of this schedule.

End of Section

SCHEDULE 2

CONDITIONS

The above approval is modified as follows:

a) Schedule 1, Part A – Table is amended by inserting the following:

Application made by:	Frasers Broadway Pty Ltd.		
Application made to:	Minister for Planning		
Major Project Application:	MP No. 09_0078		
On land comprising:	Lot 1 DP 1131320, 26 Broadway, Chippendale		
Local Government Area	City of Sydney Council		
For the carrying out of:	 Construction of a new mixed use retail, commercial and residential building with ancillary retail uses consisting of two towers (east tower maximum 133.0m AHD and west tower maximum 79.5m AHD) located above a podium, accommodating: Residential floor space comprising up to 593 623 residential apartments Retail floor space comprising a food court, speciality retail, and a supermarket, and a gymnasium Commercial floor space Construction of terraces (landscaped platforms) which rise from the plaza to podium level 2 of the new building on Block 2 Installation of a heliostat (consisting of mirrors which are orientated to focus sunlight onto the landscaped platforms) Construction of the surrounding public domain Stratum subdivision of the proposal 		
Capital Investment Value	\$269,246,606		
Type of development:	Major Project under Part 3A of the Act.		
Determination made on:	18 June 2010		
Date approval is liable to lapse:	5 years from the date of determination unless the development has been physically commenced.		

b) Condition A1 is amended by inserting the following:

A1 Development Description

Development approval is granted only to carrying out the development described in detail below:

- Construction of a new mixed use retail, commercial and residential building with ancillary retail uses consisting of two towers (east tower maximum 133.0m AHD and west tower maximum 79.5m AHD) located above a podium, accommodating:
 - Residential floor space comprising up to 593 623 residential apartments; and
 - Retail floor space comprising a food court, speciality retail, and a supermarket and a gymnasium.; and
 - Commercial floor space;
- Construction of terraces (landscaped platforms) which rise from the plaza to podium level 2 of the new building on Block 2;

- Installation of a heliostat (consisting of mirrors which are orientated to focus sunlight onto the landscaped platforms);
- Construction of the surrounding public domain; and
- Stratum subdivision of the proposal.
- c) Condition A2 is amended by inserting the following

A2 Development in Accordance with Plans and Documentation

The development will be undertaken in accordance with MP No. 09_0078 and the Environmental Assessment dated September 2009, prepared by JBA Urban Planning Consultants Pty Ltd, except where amended by the Preferred Project Report dated February 2010, prepared by JBA Urban Planning Consultants Pty Ltd and the Section 75W Modification dated November 2010 (as amended), and the following drawings:

Drawing No.	Revision	Name of Plan	Date
PA-A-1001	11	Situation Plan CUB Site	30/07/09
PA-A-1002	11	Contextual Plan	30/07/09
PA-A-1003	11	Masterplan Block 2	30/07/09
PA-A-1004	11	Survey Plan	30/07/09
PA-A-2001	12	Lower Ground Floor Plan	09/09/09
PA-A-2002	12	Ground-Floor Plan	09/09/09
PA-A-2003	11	Level 1 Floor Plan	30/07/09
PA-A-2004	11	Level 2 Floor Plan	30/07/09
PA-A-2005	12	Level 3 Floor Plan	09/09/09
PA-A-2006	12	Level 4 Floor Plan	09/09/09
PA-A-2007	12	East and West Towers Level 5 Floor Plan	09/09/09
PA-A-2008	12	East and West Towers Level 6 Floor Plan	09/09/09
PA-A-2009	12	East and West Towers Level 7 Floor Plan	09/09/09
PA-A-2010	12	East and West Towers Level 8 Floor Plan	09/09/09
PA-A-2011	12	East and West Towers Level 9 Floor Plan	09/09/09
PA-A-2012	12	East and West Towers Level 10 Floor Plan	09/09/09
PA-A-2013	12	East and West Towers Level 11 Floor Plan	09/09/09
PA-A-2014	12	East and West Towers Level 12 Floor Plan	09/09/09
PA-A-2015	12	East and West Towers Level 13 Floor Plan	09/09/09
PA-A-2016	11	East and West Towers Level 14 Floor Plan	30/07/09
PA-A-2017	11	East and West Towers Level 15 Floor Plan	30/07/09
PA-A-2018	11	East and West Towers Level 16 Floor Plan	30/07/09
PA-A-2019	11	East and West Towers Level 17 Floor Plan	30/07/09
PA-A-2020	11	East and West Towers Level 18 Floor Plan	30/07/09
PA-A-2021	11	East and West Towers Level 19 Floor Plan	30/07/09

PA-A-2022	11	East Tower Level 20 Floor Plan	30/07/09
PA-A-2023	11	East Tower Level 21 Floor Plan	30/07/09
PA-A-2024	11	East Tower Level 22 Floor Plan	30/07/09
PA-A-2025	11	East Tower Level 23 Floor Plan	30/07/09
PA-A-2026	11	East Tower Level 24 Floor Plan	30/07/09
PA-A-2027	11	East Tower Level 25 Floor Plan	30/07/09
PA-A-2028	:11	East Tower Level 26 Floor Plan	30/07/09
PA-A-2029	11	East Tower Level 27 Floor Plan	30/07/09
PA-A-2030	11	East Tower Level 28 Floor Plan	30/07/09
PA-A-2031	11	East Tower Level 29 Floor Plan	30/07/09
PA-A-2032	11	East Tower Level 30 Floor Plan	30/07/09
PA-A-2033	11	East Tower Level 31 Floor Plan	30/07/09
PA-A-2034	11	East Tower Level 32 Floor Plan	30/07/09
PA-A-2035	11	East Tower Level 33 Floor Plan	30/07/09
PA A 2036	11	East Tower Level 34 Floor Plan	30/07/09
PA-A-2037	11	Roof Level (RT)	30/07/09
PA-A-3001	12	Longitudinal Section AA	09/09/09
PA-A-3002	12	Transversal Section BB	09/09/09
PA-A-3003	12	Longitudinal Section FF	09/09/09
PA-A-3004	12	Unfolded Slot Elevation 1, 2,	09/09/09
PA-A-3005	11	Unfolded Slot Elevation 4 & 5	30/07/09
PA-A-4001	11	North Elevation	30/07/09
PA-A-4002	11	East Elevation	30/07/09
PA-A-4003	12	East Façade West Tower Section CC	09/09/09
PA-A-4004	12	South Elevation	09/09/09
PA-A-4005	12	West Façade East Tower Section DD	09/09/09
PA-A-4006	12	West Elevation	09/09/09
PA-A-4007	11	North-Elevation	30/07/09
PA-A-4008	11	East Elevation	30/07/09
PA-A-4009	12	East Facade West Tower Section CC	09/09/09
PA-A-4010	12	South Elevation	09/09/09
PA-A-4011	11	West Façade Residential Tower Section DD	30/07/09
PA-A-4012	12	West-Elevation	09/09/09
PA-A-4101	11	North/ East Façade Detail	30/07/09
PA-A-4102	11	North/ East Façade Detail	30/07/09
PA-A-4103	11	South/West Façade Detail	30/07/09
PA-A-4104	11	South/ West Façade Detail	30/07/09
PA-A-4105	11	Slot Façade Detail	30/07/09

PA-A-4106	11	Slot Façade Detail	30/07/09
PA-A-4107	11	Heliostat System	30/07/09
PA-A-4109	11	North/ East Façade Detail	30/07/09
PA-A-4110	11	Detail Canopy North-West Facade	30/07/09
PA-A-5001	11	Landscape Plan	30/07/09
PA-A-5002	11	Public Domain Plan	30/07/09
PA-A-5003	11	Garden/Terraces Ground Floor Plan/Section	30/07/09
PA-A-5004	11	Platforms Floor Plans	30/07/09

and PTW Archite			
Drawing No.	Revision	Name of Plan	Date
A-PA-OA-011	E	Contextual Plan	10.11.10
A-PA-OA-012	E	Site Plan - Block 2 and 2A	10.11.10
A-PA-OA-046A	E	Basement 1 - Overall Floor Plan	10.11.10
A-PA-OA-047A	E	Basement 1 Mezzanine - Overall Floor Plan	10.11.10
A-PA-OA-049A	E	Ground Level - Overall Floor Plan	10.11.10
A-PA-OA-050	E	Ground Floor Mezzanine Level - Overall Floor Plan	10.11.10
A-PA-OA-051	E	Level 01 - Overall Floor Plan	10.11.10
A-PA-OA-052	E	Level 02 - Overall Floor Plan	10.11.10
A-PA-OA-053	E	Level 03 - Overall Floor Plan	10.11.10
A-PA-OA-054	F	Level 04 - Overall Floor Plan - East + West Towers & Podium	18.02.11
A-PA-OA-055	G	Level 05 - Overall Floor Plan - East + West Towers & Podium	21.02.11
A-PA-OA-056	F	Level 06 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-057	F	Level 07 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-058	F	Level 08 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-059	F	Level 09 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-060	F	Level 10 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-061	F	Level 11 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-062	F	Level 12 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-063	F	Level 13 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-064	F	Level 14 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-065	F	Level 15 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-066	F	Level 16 - Overall Floor Plan - East + West Towers	18.02.11
4-PA-OA-067	F	Level 17 - Overall Floor Plan - East + West Towers	18.02.11

ſ			T
A-PA-OA-068	F	Level 18 - Overall Floor Plan - East + West Towers	18.02.11
A-PA-OA-069	F	Level 19 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-070	F	Level 20 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-071	F	Level 21 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-072	F	Level 22 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-073	F	Level 23 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-074	F	Level 24 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-075	F	Level 25 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-076	F	Level 26 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-077	F	Level 27 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-078	F	Level 28 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-079	F	Level 29 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-080	F	Level 30 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-081	F	Level 31 - Overall Floor Plan - East Tower	18.02.11
A-PA-OA-082	F	Level 32 - Overall Floor Plan -East Tower	18.02.11
A-PA-OA-083	E	Level 33 - Overall Floor Plan -East Tower	10.11.10
A-PA-OA-084	E	Level 34 - Overall Floor Plan -East Tower	10.11.10
A-PA-OA-085	E	Roof - Overall Floor Plan -East Tower	10.11.10
A-PA-OA-800	E	Section A-A Overall	10.11.10
A-PA-OA-801	E	Section B-B Overall	10.11.10
A-PA-OA-708	E	Elevations - Tower Slot - East Tower Façade Slots	10.11.10
A-PA-OA-700	E	North Elevation	10.11.10
A-PA-OA-701	E	East Elevation	10.11.10
A-PA-OA-702	E	South Elevation	10.11.10
A-PA-OA-703	E	Internal Elevations - West Tower - East Elevation and East Tower - West Elevation	10.11.10
A-PA-OA-704	E	West Elevation	10.11.10
A-PA-P-981	E	Podium Awning Details Sheet	10.11.10
A-PA-OA-540	los	Façade Details - Façade Type A - Typical Large External Balcony With Privacy Screen	10.11.10
A-PA-OA-541	E	Façade Details - Façade Type B - Typical Small External Balcony With Privacy Screen	10.11.10
A-PA-OA-542	E	Façade Details - Façade Type C - Typical Balcony With Sliding / Stacking Doors to Slot Facade	10.11.10
A-PA-OA-543	E	Façade Details - Façade Type D - Typical East Tower Loggia	10.11.10
A-PA-OA-544	E	Façade Details - Façade Type E - Typical West Tower Studio / 1 Bed Loggia	10.11.10
A-PA-OA-545	Е	Façade Details - Façade Type F - Typical Two Key Loggia	10.11.10

A-PA-OA-550	E	Tower Façade Sections - Façade and Apartment Interior - Overall Section Detail	10.11.10
A-PA-OA-555	E	Tower Façade Arrangement Detail	10.11.10
A-PA-OA-560	E	Tower Slot Façade Details - Façade Glazing Sheet 1 - Slot Façade	10.11.10
A-PA-OA-961	E	Tower Planter Box and Green Wall Details	10.11.10
A-PA-OA-962	E	Tower Planter Box Details	10.11.10

d) Condition B1 is amended by inserting the following:

B1 Design Modifications

The design of the building shall be amended as follows:

- (a) The detailed design resolution of the pedestrian entrance into the Main Avenue adjacent to the Kent Brewery Gate Portal, (at the northwest corner of the building) should remove any ambiguity between the two adjacent entrances and ensure that the historic gate portal remains prominent. A plainer solid backdrop to the corner at street level, rather than glazing would assist and could incorporate interpretation of the Gate Portal.
- (b) The two north south areades within Block 2 shall have a minimum width of 4.5m.
- (c) In order to improve amenity and aspect, the 2 key apartments located in the eastern tower defined as RE.C3.01.00 between Level 5 and Level 28 are to be amended to 2 bedroom apartments in line with RE.C1.04.00 provided between Level 29 and 31.
- (d) In order to improve amenity and aspect, the following apartments in the eastern tower are to be amended:
 - (i) Apartment 0412 is to be provided with a balcony.
 - (ii) Apartment 12 (2 key apartment) between Level 5 and 12 is to be provided as a 2 bedroom apartment only.
- (e) In order to improve amenity and aspect, the following apartments in the western tower are to be amended:
 - (i) Apartment 0404 and 0405 is to be provided with a balcony.

Details shall be submitted to and approved by the Director-General, in consultation with Council, prior to any Construction Certificate.

e) Condition B25 is amended by inserting the following:

B25 Energy Star Ratings

Certification is to be provided to the Certifying Authority (with a copy supplied to the Department) by the Green Building Council of Australia, indicating that the development achieves a 6 Star Green Star rating. Should the ESD and WSUD infrastructure required to support the 6 Star Green Star not be approved by others, all residential, commercial and retail development (including adaptable re-use of heritage buildings) shall achieve a minimum 5 Star Green Star. This certification is to be submitted prior to the issue of the **first** relevant Construction Occupation Certificate for the proposal.

f) Condition B26 is amended by inserting the following:

B26 BASIX Certificate requirements

Prior to the issue of the relevant Construction Certificate, details of all amendments and treatments outlined in the BASIX Certificates submitted with the PPR (as amended by the 75W Modification dated November 2010 (as amended)), to achieve satisfactory levels of thermal comfort, and satisfactory water and energy ratings, shall be incorporated into the proposed development and provided to the PCA. Should design changes require amended BASIX Certificates, a copy is to be provided to the Department, along with stamped plans, for information.

SCHEDULE 3

Project Application for Block 2 Frasers Broadway 26 Broadway, Chippendale

Amended Statement of Commitments

(Source: Environmental Assessment received as part of Section 75W Modification dated November 2010 (as amended))

4.0 Revised Statement of Commitments

The amendments described in this report necessitate the following amendments to the approved Statement of Commitments. Deletions are shown in bold strikethrough and insertions are shown in bold italics.

Table 9 - Revised Statement of Commitments

Key Issue	No.	Commitment	Timing
Design	1.	The proposed development will be constructed in accordance with the plans and documentation submitted with the Project Application, as amended by the Section 75W modification.	Ongoing.
ESD	2.	The proposed development will achieve a 5 Star Green Star rating (Multi residential PILOT tool unless superseded by an operational tool).	Prior to occupation of the building.
Public Domain	3.	Proof shall be submitted demonstrating that Public Right of Way easements have been created on the land title	Prior to an occupation certificate being issued.
	4.	A Publicly Accessible Areas Management Plan will be entered into by the building management	Prior to the occupation of the building
Retail premises	5.	Separate Project Applications / Development Applications (dependent on cost of works) will be lodged for each of the ground floor retail tenancies.	N/A.
Childcare	6.	29 Childcare spaces for the proposed development will be provided on Blocks 1 and 4. The addition 24 23 spaces generated by the Block 2 development will be provided within the development on Blocks 8 or 11.	Ongoing.
Construction Management	7.	A detailed Construction Management Plan will be prepared by the building contractor.	Prior to the issue of a construction certificate.
	8.	Management of noise, vibration, dust, soil and erosion arising from the construction of the building will be undertaken in accordance with the Construction Management Plan (CMP) for the development.	Throughout the duration of construction works.
	9.	A sign will be erected on the boundary fence of the development which will advise of the following: Contractor details 4 hour emergency contact details	Throughout the duration of construction works.
	10.	Construction work will be carried out at the following times: Monday to Friday: 7.30am to 5.30pm Saturday: 7.30am to 3.30pm Sunday and Public Holidays: No work to be undertaken	Throughout the duration of construction works.
Traffic Management	11.	A construction traffic management plan will be prepared and submitted to the certifier.	Prior to the issue of a Construction Certificate.
	12.	Works will be carried out in accordance with the construction traffic management plan.	Throughout the duration of construction works.
Parking	13.	Commercial, retail and residential parking spaces will be managed in accordance with a car park management plan will be prepared by the building manager.	Prior to Occupation of the building.
Accessibility	14.	All publicly accessible areas of the building will be designed to equitable access for the mobility impaired.	Prior to issue of a Construction Certificate.

Key Issue	No.	Commitment	Timing Timing
Waste Management	15.	A commercial contractor will be engaged to remove waste and recycling from the building in accordance with the Waste Management Plan for the project.	Prior to occupation of the building.
Residential Amenity	16.	Mitigation measures outlined in the detailed CMP will be implemented so as to minimise impacts on the surrounding community.	Throughout the construction of the building.
	17.	The plant selected for the building will be acoustically treated so as to meet the acoustic goals set in the Noise Assessment prepared by Acoustic Logic.	Prior to occupation of the building.
	18.	The acoustic treatments proposed to the achieve the noise goals set for the internal amenity of the proposed units will be certified by an appropriately qualified acoustic consultant.	Prior to the issue of a construction certificate.
Heritage	19.	The proposed works will be carried out in accordance with the recommendations of the Heritage Impact Statement prepared by Urbis Pty Ltd.	Throughout the duration of the construction works.
	20.	Construction works will be overseen by a qualified heritage consultant when in close proximity to the heritage gate.	As relevant
	21.	The recommendations of the nominated site archaeologists will be carried out.	Prior to work commencing in the relevant areas.
	22.	Temporary and permanent interpretive elements will be incorporated into the design of the proposed building	During the construction phase and design development phase.
Wind	23.	The wind amelioration treatments recommended by CPP will be incorporated into the design of the proposed building	Prior to the issue of a Construction Certificate.
Reflectivity	24.	The façade of the building will be constructed so as to meet the recommendations made by CPP in relation to reflectivity.	Prior to issue of a Construction Certificate.
Consultation	25.	Frasers will regularly update local residents on construction work and the progress of the development via their community liaison officer, website and newsletter.	Ongoing
Public Transport	26.	Transport access guides and Workplace Travel Plans containing specific measures to increase public transport and cycling trips will be prepared for the proposed building.	Prior to the issue of an Occupational Certificate.
Acoustic Amenity	27.	Information will be submitted to the PCA demonstrating that the proposed design will meet the internal noise criteria as outlined in the Acoustic Assessment.	Prior to the issue of a CC.
Strata Subdivision	28.	The 2 key apartments will be located on a single strata lot so as to ensure each unit remains in single ownership.	Prior to the issue of an OC.
Public Art	29.	Public art will be installed in the atrium of the Block 2 building.	Details to be provided prior to the issue of a CC.
Remediation	30.	Site Audit Statements will be issued confirming that the site has been made suitable or that sufficient management measures are in place so as to ensure that the site is suitable for the proposed use.	Prior to issue of an OC.