

Check all dimensions and site conditions prior to commencement of any work, the purchase or ordering of any materials, fittings, plant, services or equipment and the preparation of shop drawings and/or the fabrication of any components.

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification.

Legend

CP-01 CP-02 Textured Granosite sandbased render - white Sandblasted pre-cast concrete panels- green

pigment added to mix Sandblasted pre-cast concrete panels- pink

pigment added to mix Sandblasted pre-cast concrete panels- yellow pigment added to mix

Sandblasted pre-cast concrete panels- blue Sandblasted pre-cast concrete panels- orange

pigment added to mix Glass - clear to BASIX spec below

Glass canopy - clear glass with stainless steel fittings on powdercoated steel frame

Balustrade - clear glass Balustrade - sandblasted glass

RD-01 Rollerdoor - anodised aluminium

Louvre - clear glass on anodised

aluminium frame

Louvre - anodised aluminium

BASIX Thermal Comfort Commitment

All extends will be have R15 houlation.

Plasterboard Inings to all internal walls within the units.

All walls between units to be plastered missiony.

All roofs and exposed ceilings to have metal deck, R1,0 insulation foll backed blanket, unventitated 50mm air space, R2,5 insulation and plasterboard (downwards).

Carpate to the floor of bedroom.

Carpate to the floor of bedroom.

All bathroom external windows to have single clear glazing (Uysystem=6,35, SHGC=0,77).

SHSC=0.69), Unit 3,19 to have double Low-E glazing, Cllysystem≥48, SHGC=0,4), Uhits 4,08.

Soll and 6,08 to have single Low E glazing, All other units to have single clear glazing (Uysystem=6,35, SHGC=0,77).

3 26/03/10 PPR Submission
Rev. Date Description

61 Hall Street, Bondi

General Arrangement Level 000



PREFERRED PROJECT SUBMISSION

1/200 @ A2

10788

Plot file S:\10700-10799\S10788_TOGA_HALLSTREET\01_MAIN \CAD\PLOTS\PPR\A2:204.DWG

A2.204

Sydney 1/243 Liverpool Street East Sydney NSW 2010 Australla T 02 8354 5100 F 02 8354 5199 email syd@batessmart.com.au http://www.batessmart.com.au

Bates Smart Pty Ltd ABN 70 004 999 400

BATESSMART