

Batch: EB56796
Sub Batch: 1
Date of Issue: 25/07/2003
Client: GILBERT & SUTHERLAND PTY LTD
Client Reference:

CERTIFICATE OF ANALYSIS



METHOD		ANALYSIS DESCRIPTION	Laboratory I.D.		SAMPLE IDENTIFICATION						
			Date Sampled								
			UNIT	LOR							
EA-055		Moisture Content (dried @ 103°C)	%	0.1	37.5						
EP-068A-SS		ORGANOCHLORINE PESTICIDES									
EP-068A-SS		alpha-BHC	mg/kg	0.05	<0.05						
EP-068A-SS		HCB	mg/kg	0.05	<0.05						
EP-068A-SS		beta-BHC & gamma-BHC	mg/kg	0.1	<0.1						
EP-068A-SS		delta-BHC	mg/kg	0.05	<0.05						
EP-068A-SS		Heptachlor	mg/kg	0.05	<0.05						
EP-068A-SS		Aldrin	mg/kg	0.05	<0.05						
EP-068A-SS		Heptachlor epoxide	mg/kg	0.05	<0.05						
EP-068A-SS		Chlordane - trans	mg/kg	0.05	<0.05						
EP-068A-SS		Endosulfan 1	mg/kg	0.05	<0.05						
EP-068A-SS		Chlordane - cis	mg/kg	0.05	<0.05						
EP-068A-SS		Dieldrin	mg/kg	0.05	<0.05						
EP-068A-SS		DDE	mg/kg	0.05	<0.05						
EP-068A-SS		Endrin	mg/kg	0.05	<0.05						
EP-068A-SS		Endosulfan 2	mg/kg	0.05	<0.05						
EP-068A-SS		DDD	mg/kg	0.05	<0.05						
EP-068A-SS		Endrin aldehyde	mg/kg	0.05	<0.05						
EP-068A-SS		Endosulfan sulfate	mg/kg	0.05	<0.05						
EP-068A-SS		DDT	mg/kg	0.2	<0.2						
EP-068A-SS		Endrin ketone	mg/kg	0.05	<0.05						
EP-068A-SS		Methoxychlor	mg/kg	0.2	<0.2						
EP-068B-SS		ORGANOPHOSPHORUS PESTICIDES									
EP-068B-SS		Dichlorvos	mg/kg	0.05	<0.05						
EP-068B-SS		Demeton-S-methyl	mg/kg	0.05	<0.05						
EP-068B-SS		Monocrotophos	mg/kg	0.2	<0.2						
EP-068B-SS		Dimethoate	mg/kg	0.05	<0.05						
EP-068B-SS		Diazinon	mg/kg	0.05	<0.05						
EP-068B-SS		Chlorpyrifos-methyl	mg/kg	0.05	<0.05						
EP-068B-SS		Parathion-methyl	mg/kg	0.2	<0.2						
EP-068B-SS		Malathion	mg/kg	0.05	<0.05						
EP-068B-SS		Fenthion	mg/kg	0.05	<0.05						
EP-068B-SS		Chlorpyrifos	mg/kg	0.05	<0.05						
EP-068B-SS		Parathion	mg/kg	0.2	<0.2						

Batch:

EB56796

Sub Batch:

1

Date of Issue:

25/07/2003

Client:

GILBERT & SUTHERLAND PTY LTD

Client Reference:

CERTIFICATE OF ANALYSIS



			SAMPLE IDENTIFICATION									
			Laboratory I.D.	61								
			Date Sampled	15/07/2003								
METHOD	ANALYSIS DESCRIPTION	UNIT	LOR									
EP-068B-SS	Phosphos-ethyl	mg/kg	0.05	<0.05								
EP-068B-SS	Chlorfenvinphos E	mg/kg	0.05	<0.05								
EP-068B-SS	Chlorfenvinphos Z	mg/kg	0.05	<0.05								
EP-068B-SS	Bromophos-ethyl	mg/kg	0.05	<0.05								
EP-068B-SS	Fenamiphos	mg/kg	0.05	<0.05								
EP-068B-SS	Prothiofos	mg/kg	0.05	<0.05								
EP-068B-SS	Ethion	mg/kg	0.05	<0.05								
EP-068B-SS	Carbophenothion	mg/kg	0.05	<0.05								
EP-068B-SS	Azinphos-methyl	mg/kg	0.05	<0.05								
EP-068S-SS	ORGANOCHLORINE PESTICIDE SURROGATE											
EP-068S-SS	Dibromo-DDE	%	1	79								
EP-068T-SS	ORGANOPHOSPHORUS PESTICIDE SURROGATE											
EP-068T-SS	DEF	%	1	78								

Batch: EB56796


Sub Batch: 1

Date of Issue: 25/07/2003

Client: GILBERT & SUTHERLAND PTY LTD

Client Reference:

QUALITY CONTROL REPORT



METHOD		ANALYSIS DESCRIPTION	SAMPLE IDENTIFICATION																	
			Laboratory I.D.		200	406	407	300	506	507	400	606	607	500						
			Date Sampled	14/07/2003	Method Blank 1	14/07/2003	OCOPS1401 SCS % Rec	14/07/2003	OCOPS1401 DCS % Rec	Method Blank 1	14/07/2003	OCOPS1402 SCS % Rec	14/07/2003	OCOPS1402 DCS % Rec	Method Blank 1	14/07/2003	OCOPS1403 SCS % Rec	14/07/2003	OCOPS1403 DCS % Rec	Method Blank 1
			UNIT	LOR	CHECKS AND SPIKES															
EA-055		Moisture Content (dried @ 103°C)	%	0.1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
EP-068A-SS		ORGANOCHLORINE PESTICIDES																		
EP-068A-SS		alpha-BHC	mg/kg	0.05	<0.05	75.2%	74.1%	<0.05	82.1%	85.4%	<0.05	83.4%	83.0%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		HCB	mg/kg	0.05	<0.05	76.5%	78.5%	<0.05	84.0%	87.4%	<0.05	88.0%	83.4%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		beta-BHC & gamma-BHC	mg/kg	0.1	<0.1	80.1%	80.2%	<0.1	87.2%	90.1%	<0.1	86.5%	84.9%	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
EP-068A-SS		delta-BHC	mg/kg	0.05	<0.05	79.6%	82.0%	<0.05	87.8%	90.0%	<0.05	84.5%	84.5%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Heptachlor	mg/kg	0.05	<0.05	79.2%	83.0%	<0.05	97.6%	98.4%	<0.05	82.8%	82.5%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Aldrin	mg/kg	0.05	<0.05	80.4%	82.7%	<0.05	87.1%	91.0%	<0.05	84.2%	83.2%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Heptachlor epoxide	mg/kg	0.05	<0.05	79.5%	82.3%	<0.05	88.9%	84.7%	<0.05	80.9%	82.1%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Chlordane - trans	mg/kg	0.05	<0.05	81.2%	88.4%	<0.05	90.0%	87.4%	<0.05	78.7%	83.1%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Endosulfan 1	mg/kg	0.05	<0.05	86.0%	84.2%	<0.05	102%	101%	<0.05	92.9%	97.3%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Chlordane - cis	mg/kg	0.05	<0.05	82.1%	87.1%	<0.05	91.1%	91.2%	<0.05	81.5%	84.5%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Dieldrin	mg/kg	0.05	<0.05	83.4%	89.4%	<0.05	90.3%	87.9%	<0.05	83.7%	83.1%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		DDE	mg/kg	0.05	<0.05	85.0%	85.8%	<0.05	86.4%	84.4%	<0.05	77.5%	80.5%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Endrin	mg/kg	0.05	<0.05	89.6%	89.9%	<0.05	93.9%	97.1%	<0.05	89.1%	88.6%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Endosulfan 2	mg/kg	0.05	<0.05	80.9%	82.8%	<0.05	92.4%	92.6%	<0.05	81.2%	81.8%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		DDD	mg/kg	0.05	<0.05	84.1%	86.6%	<0.05	95.9%	91.7%	<0.05	86.9%	87.7%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Endrin aldehyde	mg/kg	0.05	<0.05	73.7%	77.6%	<0.05	85.0%	84.2%	<0.05	81.2%	79.6%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Endosulfan sulfate	mg/kg	0.05	<0.05	96.5%	99.9%	<0.05	87.6%	84.2%	<0.05	85.2%	87.6%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		DDT	mg/kg	0.2	<0.2	93.0%	93.6%	<0.2	88.9%	82.8%	<0.2	92.7%	90.5%	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EP-068A-SS		Endrin ketone	mg/kg	0.05	<0.05	92.9%	95.8%	<0.05	98.2%	95.0%	<0.05	86.1%	86.6%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068A-SS		Methoxychlor	mg/kg	0.2	<0.2	65.3%	65.8%	<0.2	96.2%	91.2%	<0.2	82.4%	80.8%	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EP-068B-SS		ORGANOPHOSPHORUS PESTICIDES																		
EP-068B-SS		Dichlorvos	mg/kg	0.05	<0.05	61.5%	66.9%	<0.05	77.3%	79.1%	<0.05	86.1%	81.1%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068B-SS		Demeton-S-methyl	mg/kg	0.05	<0.05	71.4%	74.9%	<0.05	82.8%	84.0%	<0.05	82.2%	78.9%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068B-SS		Monocrotophos	mg/kg	0.2	<0.2	88.8%	91.0%	<0.2	87.4%	85.1%	<0.2	96.7%	94.4%	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EP-068B-SS		Dimethoate	mg/kg	0.05	<0.05	82.9%	84.4%	<0.05	89.2%	86.5%	<0.05	83.6%	84.8%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068B-SS		Diazinon	mg/kg	0.05	<0.05	81.1%	79.5%	<0.05	91.7%	89.1%	<0.05	85.4%	81.9%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068B-SS		Chlorpyrifos-methyl	mg/kg	0.05	<0.05	81.6%	83.4%	<0.05	91.2%	91.8%	<0.05	84.1%	83.0%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068B-SS		Parathion-methyl	mg/kg	0.2	<0.2	86.2%	88.6%	<0.2	87.1%	90.9%	<0.2	84.2%	83.2%	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
EP-068B-SS		Malathion	mg/kg	0.05	<0.05	81.6%	82.7%	<0.05	95.0%	88.1%	<0.05	85.9%	83.5%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
EP-068B-SS		Fenthion	mg/kg	0.05	<0.05	79.2%	80.7%	<0.05	88.3%	88.8%	<0.05	84.0%	81.6%	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05



SAMPLE IDENTIFICATION																	
Laboratory I.D.		200	406	407	300	506	507	400	606	607	500						
Date Sampled		14/07/2003	14/07/2003	14/07/2003	14/07/2003	14/07/2003	14/07/2003	14/07/2003	14/07/2003	14/07/2003	14/07/2003						
METHOD	ANALYSIS DESCRIPTION	UNIT	LOR	Method	Blank 1	OCOPS1401	OCOPS1401	OCOPS1402	OCOPS1402	OCOPS1403	OCOPS1403						
				Blank 1	DCS % Rec	DCS % Rec	DCS % Rec	DCS % Rec	DCS % Rec	Method	Blank 1	DCS % Rec	Method	Blank 1			
CHECKS AND SPIKES																	
EP-068B-SS	Chlorpyrifos	mg/kg	0.05	<0.05	82.6%	84.5%	<0.05	92.1%	90.9%	<0.05	86.6%	90.9%	<0.05				
EP-068B-SS	Parathion	mg/kg	0.2	<0.2	85.8%	89.2%	<0.2	95.2%	101%	<0.2	90.6%	88.5%	<0.2				
EP-068B-SS	Prirmpfos-ethyl	mg/kg	0.05	<0.05	80.0%	79.6%	<0.05	86.4%	86.1%	<0.05	88.4%	84.8%	<0.05				
EP-068B-SS	Chlorfenvinphos E	mg/kg	0.05	<0.05	----	----	<0.05	----	----	<0.05	----	----	<0.05				
EP-068B-SS	Chlorfenvinphos Z	mg/kg	0.05	<0.05	82.3%	84.3%	<0.05	95.7%	89.5%	<0.05	83.8%	88.1%	<0.05				
EP-068B-SS	Bromophos-ethyl	mg/kg	0.05	<0.05	77.8%	81.4%	<0.05	93.2%	91.6%	<0.05	86.7%	89.0%	<0.05				
EP-068B-SS	Fenamiphos	mg/kg	0.05	<0.05	81.7%	84.7%	<0.05	92.5%	92.4%	<0.05	83.3%	85.7%	<0.05				
EP-068B-SS	Prothiofos	mg/kg	0.05	<0.05	82.0%	87.3%	<0.05	89.2%	86.0%	<0.05	89.6%	87.6%	<0.05				
EP-068B-SS	Ethion	mg/kg	0.05	<0.05	84.5%	85.0%	<0.05	96.4%	95.3%	<0.05	94.2%	91.5%	<0.05				
EP-068B-SS	Carbophenothion	mg/kg	0.05	<0.05	89.8%	96.9%	<0.05	94.8%	92.8%	<0.05	90.2%	91.5%	<0.05				
EP-068B-SS	Azinphos-methyl	mg/kg	0.05	<0.05	109%	106%	<0.05	92.1%	82.2%	<0.05	69.2%	69.4%	<0.05				
EP-068S-SS	ORGANOCHLORINE PESTICIDE SURROGATE																
EP-068S-SS	Dibromo-DDE	%	1	74	75	75	81	82	86	79	84	81	84				
EP-068T-SS	ORGANOPHOSPHORUS PESTICIDE SURROGATE																
EP-068T-SS	DEF	%	1	73	73	74	77	77	78	82	79	76	79				

Batch: EB56796
Sub Batch: 1
Date of Issue: 25/07/2003
Client: GILBERT & SUTHERLAND PTY LTD
Client Reference:

QUALITY CONTROL REPORT



METHOD		ANALYSIS DESCRIPTION		Laboratory I.D.		SAMPLE IDENTIFICATION						
				Date Sampled		706	707					
				UNIT	LOR	SCS % Rec	OCOPS1404	DCS % Rec	CHECKS AND SPIKES			
				%								
EA-055		Moisture Content (dried @ 103°C)		0.1		---	---					
EP-068A-SS		ORGANOCHLORINE PESTICIDES										
EP-068A-SS		alpha-BHC		mg/kg		81.4%	82.3%					
EP-068A-SS		HCB		mg/kg		83.4%	85.2%					
EP-068A-SS		beta-BHC & gamma-BHC		mg/kg	0.1	87.8%	88.0%					
EP-068A-SS		delta-BHC		mg/kg	0.05	84.0%	82.0%					
EP-068A-SS		Heptachlor		mg/kg	0.05	82.3%	80.3%					
EP-068A-SS		Aldrin		mg/kg	0.05	83.3%	82.7%					
EP-068A-SS		Heptachlor epoxide		mg/kg	0.05	84.6%	83.8%					
EP-068A-SS		Chlordane - trans		mg/kg	0.05	82.4%	81.9%					
EP-068A-SS		Endosulfan 1		mg/kg	0.05	89.9%	88.3%					
EP-068A-SS		Chlordane - cis		mg/kg	0.05	85.8%	85.1%					
EP-068A-SS		Dieldrin		mg/kg	0.05	83.5%	81.5%					
EP-068A-SS		DDE		mg/kg	0.05	81.3%	82.0%					
EP-068A-SS		Endrin		mg/kg	0.05	88.3%	85.3%					
EP-068A-SS		Endosulfan 2		mg/kg	0.05	83.5%	83.4%					
EP-068A-SS		DDD		mg/kg	0.05	89.6%	87.6%					
EP-068A-SS		Endrin aldehyde		mg/kg	0.05	77.0%	79.6%					
EP-068A-SS		Endosulfan sulfate		mg/kg	0.05	89.5%	86.8%					
EP-068A-SS		DDT		mg/kg	0.2	91.9%	90.1%					
EP-068A-SS		Endrin ketone		mg/kg	0.05	88.5%	86.7%					
EP-068A-SS		Methoxychlor		mg/kg	0.2	90.3%	86.9%					
EP-068B-SS		ORGANOPHOSPHORUS PESTICIDES										
EP-068B-SS		Dichlorvos		mg/kg	0.05	76.5%	77.5%					
EP-068B-SS		Demeton-S-methyl		mg/kg	0.05	78.8%	80.0%					
EP-068B-SS		Monocrotophos		mg/kg	0.2	90.9%	89.8%					
EP-068B-SS		Dimethoate		mg/kg	0.05	88.0%	84.9%					
EP-068B-SS		Diazinon		mg/kg	0.05	84.0%	82.7%					
EP-068B-SS		Chlorpyrifos-methyl		mg/kg	0.05	82.0%	83.9%					
EP-068B-SS		Parathion-methyl		mg/kg	0.2	83.3%	82.7%					
EP-068B-SS		Malathion		mg/kg	0.05	81.4%	78.7%					
EP-068B-SS		Fenthion		mg/kg	0.05	84.5%	85.2%					

Batch: EB56796

Sub Batch: 1

Date of Issue: 25/07/2003

Client: GILBERT & SUTHERLAND PTY LTD

Client Reference:

QUALITY CONTROL REPORT



METHOD		ANALYSIS DESCRIPTION	Laboratory I.D.		SAMPLE IDENTIFICATION						
			Date Sampled		706	707					
		UNIT	LOR		OCOPS1404 SCS % Rec	OCOPS1404 DCS % Rec					
CHECKS AND SPIKES											
EP-068B-SS	Chlorpyrifos	mg/kg	0.05		88.9%	89.1%					
EP-068B-SS	Parathion	mg/kg	0.2		85.0%	85.1%					
EP-068B-SS	Phosphos-ethyl	mg/kg	0.05		80.2%	81.9%					
EP-068B-SS	Chlorfenvinphos E	mg/kg	0.05		---	---					
EP-068B-SS	Chlorfenvinphos Z	mg/kg	0.05		90.8%	86.7%					
EP-068B-SS	Bromophos-ethyl	mg/kg	0.05		85.3%	86.8%					
EP-068B-SS	Fenamiphos	mg/kg	0.05		87.1%	84.9%					
EP-068B-SS	Prothiofos	mg/kg	0.05		89.9%	88.3%					
EP-068B-SS	Ethion	mg/kg	0.05		87.0%	86.3%					
EP-068B-SS	Carbophenothion	mg/kg	0.05		88.2%	88.2%					
EP-068B-SS	Azinphos-methyl	mg/kg	0.05		88.5%	88.9%					
EP-068S-SS	ORGANOCHLORINE PESTICIDE SURROGATE										
EP-068S-SS	Dibromo-DDE	%	1		85	85					
EP-068T-SS	ORGANOPHOSPHORUS PESTICIDE SURROGATE										
EP-068T-SS	DEF	%	1		78	78					

0108



TO: GILBERT & SUTHERLAND PTY LTD

P O BOX 4115
ROBINA QLD 4230

ATTENTION: MR C BUTLER

SUBJECT: Analytical results.

BATCH: EB56836-1

DATE: 28/07/03

AUSTRALIAN LABORATORY SERVICES P/L

ABN: 84 009 936 029

BRISBANE

Tel: 61-7-3243 7222

Fax: 61-7-3243 7218

SYDNEY

Tel: 61-2-8784 8555

Fax: 61-2-8784 8500

MELBOURNE

Tel: 61-3-9538 4444

Fax: 61-3-9538 4400

NEWCASTLE

Tel: 61-2-4968 9433

Fax: 61-2-4968 0349

AUCKLAND

Tel: 64-9-379 9437

Fax: 64-9-379 1449



GILBERT & SUTHERLAND PTY LTD

Attention: MR C BUTLER

YourOrder: GJ0128

SampleType: SOIL

Project:

Page-no: 1

ENV BRISBANE

Batch-no: 56836

Sub-batch:1

No-samples:38

Received: 17/07/03

Checked:

Method	Analysis description	Units	LOR	12/53-C13	1/22-C1	1/22-C2
				16/07/03	15/07/03	15/07/03
EA-055	Moisture Content (dried @ 103' %		0.1	23.4	23.2	23.1
EP-068A-SS	ORGANOCHLORINE PESTICIDES					
EP-068A-SS	alpha-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	ECB	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	beta-BHC & gamma-BHC	mg/kg	0.1	<0.1	<0.1	<0.1
EP-068A-SS	delta-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Aldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor epoxide	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - trans	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 1	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - cis	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Dieldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDE	mg/kg	0.05	0.07	<0.05	<0.05
EP-068A-SS	Endrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 2	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDD	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin aldehyde	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan sulfate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDT	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068A-SS	Endrin ketone	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Methoxychlor	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	ORGANOPHOSPHORUS PESTICIDES					
EP-068B-SS	Dichlorvos	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Demeton-S-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Monocrotophos	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Dimethoate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Diazinon	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Parathion-methyl	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Malathion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Fenthion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos	mg/kg	0.05	<0.05	<0.05	<0.05

Results apply to sample(s) as submitted. Samples analysed on an as received basis. Results reported on a dry weight basis.

AUSTRALIAN LABORATORY SERVICES P/L

ABN: 84 009 936 029

BRISBANE

Tel: 61-7-3243 7222

Fax: 61-7-3243 7218

SYDNEY

Tel: 61-2-8784 8555

Fax: 61-2-8784 8500

MELBOURNE

Tel: 61-3-9538 4444

Fax: 61-3-9538 4400

NEWCASTLE

Tel: 61-2-4968 9433

Fax: 61-2-4968 0349

AUCKLAND

Tel: 64-9-379 9437

Fax: 64-9-379 1449



GILBERT & SUTHERLAND PTY LTD

Attention: MR C BUTLER
 YourOrder: GJ0128
 SampleType: SOIL
 Project:

Page-no: 2
 ENV BRISBANE
 Batch-no: 56836
 Sub-batch:1
 No-samples:38
 Received: 17/07/03
 Checked:

Method	Analysis description	Units	LOR	1/22-C3	1/22-C4	1/22-C5
EA-055	Moisture Content (dried @ 103' &		0.1	15/07/03 20.4	15/07/03 20.8	15/07/03 18.4
EP-068A-SS	ORGANOCHLORINE PESTICIDES					
EP-068A-SS	alpha-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	RCB	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	beta-BHC & gamma-BHC	mg/kg	0.1	<0.1	<0.1	<0.1
EP-068A-SS	delta-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Aldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor epoxide	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - trans	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 1	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - cis	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Dieldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDE	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 2	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDD	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin aldehyde	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan sulfate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDT	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068A-SS	Endrin ketone	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Methoxychlor	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	ORGANOPHOSPHORUS PESTICIDES					
EP-068B-SS	Dichlorvos	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Demeton-S-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Monocrotophos	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Dimethoate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Diazinon	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Parathion-methyl	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Malathion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Fenthion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos	mg/kg	0.05	<0.05	<0.05	<0.05

AUSTRALIAN LABORATORY SERVICES P/L

ABN: 84 009 936 029

BRISBANE

Tel: 61-7-3243 7222
 Fax: 61-7-3243 7218

SYDNEY

Tel: 61-2-8784 8555
 Fax: 61-2-8784 8500

MELBOURNE

Tel: 61-3-9538 4444
 Fax: 61-3-9538 4400

NEWCASTLE

Tel: 61-2-4968 9433
 Fax: 61-2-4968 0349

AUCKLAND

Tel: 64-9-379 9437
 Fax: 64-9-379 1449



GILBERT & SUTHERLAND PTY LTD

Attention: MR C BUTLER
 YourOrder: GJ0128
 SampleType: SOIL
 Project:

Page-no: 3
 ENV BRISBANE
 Batch-no: 56836
 Sub-batch:1
 No-samples:38
 Received: 17/07/03
 Checked:

Method	Analysis description	Units	LOR	1/22-C6	1/22-C7	1/22-C8
EA-055	Moisture Content (dried @ 103' %		0.1	15/07/03 22.6	15/07/03 27.5	15/07/03 25.7
EP-068A-SS	ORGANOCHLORINE PESTICIDES					
EP-068A-SS	alpha-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	RCB	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	beta-BHC & gamma-BHC	mg/kg	0.1	<0.1	<0.1	<0.1
EP-068A-SS	delta-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Aldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor epoxide	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - trans	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 1	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - cis	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Dieldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDE	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 2	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDD	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin aldehyde	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan sulfate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDT	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068A-SS	Endrin ketone	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Methoxychlor	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	ORGANOPHOSPHORUS PESTICIDES					
EP-068B-SS	Dichlorvos	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Demeton-S-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Monocrotophos	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Dimethoate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Diazinon	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Parathion-methyl	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Malathion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Fenthion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos	mg/kg	0.05	<0.05	<0.05	<0.05

AUSTRALIAN LABORATORY SERVICES P/L

ABN: 84 009 936 029

BRISBANE

Tel: 61-7-3243 7222
 Fax: 61-7-3243 7218

SYDNEY

Tel: 61-2-8784 8555
 Fax: 61-2-8784 8500

MELBOURNE

Tel: 61-3-9538 4444
 Fax: 61-3-9538 4400

NEWCASTLE

Tel: 61-2-4968 9433
 Fax: 61-2-4968 0349

AUCKLAND

Tel: 64-9-379 9437
 Fax: 64-9-379 1449



GILBERT & SUTHERLAND PTY LTD

Attention: MR C BUTLER

YourOrder: GJ0128

SampleType:SOIL

Project:

Page-no: 4

ENV BRISBANE

Batch-no: 56836

Sub-batch:1

No-samples:38

Received: 17/07/03

Checked:

Method	Analysis description	Units	LOR	1/22-C9	1/22-C10	1/22-C11
EA-055	Moisture Content (dried @ 103° C)		0.1	15/07/03 23.1	15/07/03 25.8	15/07/03 24.2
EP-068A-SS	ORGANOCHLORINE PESTICIDES					
EP-068A-SS	alpha-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	HCB	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	beta-BHC & gamma-BHC	mg/kg	0.1	<0.1	<0.1	<0.1
EP-068A-SS	delta-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Aldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor epoxide	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - trans	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 1	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - cis	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Dieldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDE	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 2	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDD	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin aldehyde	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan sulfate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDT	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068A-SS	Endrin ketone	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Methoxychlor	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	ORGANOPHOSPHORUS PESTICIDES					
EP-068B-SS	Dichlorvos	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Demeton-S-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Monocrotophos	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Dimethoate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Diazinon	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Parathion-methyl	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Malathion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Fenthion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos	mg/kg	0.05	<0.05	<0.05	<0.05

AUSTRALIAN LABORATORY SERVICES P/L

ABN: 84 009 936 029

BRISBANE

Tel: 61-7-3243 7222

Fax: 61-7-3243 7218

SYDNEY

Tel: 61-2-8784 8555

Fax: 61-2-8784 8500

MELBOURNE

Tel: 61-3-9538 4444

Fax: 61-3-9538 4400

NEWCASTLE

Tel: 61-2-4968 9433

Fax: 61-2-4968 0349

AUCKLAND

Tel: 64-9-379 9437

Fax: 64-9-379 1449



GILBERT & SUTHERLAND PTY LTD

Attention: MR C BUTLER
 YourOrder: GJ0128
 SampleType: SOIL
 Project:

Page-no: 5
 ENV BRISBANE
 Batch-no: 56836
 Sub-batch: 1
 No-samples: 38
 Received: 17/07/03
 Checked:

Method	Analysis description	Units	LOR	1/22-C12	1/22-C13	1/22-C14
EA-055	Moisture Content (dried @ 103' %			15/07/03		
EP-068A-SS	ORGANOCHLORINE PESTICIDES		0.1	19.1	16/07/03	16/07/03
EP-068A-SS	alpha-BHC				29.3	26.5
EP-068A-SS	HCB	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	beta-BHC & gamma-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	delta-BHC	mg/kg	0.1	<0.1	<0.1	<0.1
EP-068A-SS	Heptachlor	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Aldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor epoxide	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - trans	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 1	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - cis	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Dieldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDE	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 2	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDD	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin aldehyde	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan sulfate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDT	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin ketone	mg/kg	0.2	<0.2	<0.2	<0.05
EP-068A-SS	Methoxychlor	mg/kg	0.05	<0.05	<0.05	<0.2
EP-068B-SS	ORGANOPHOSPHORUS PESTICIDES		0.2	<0.2	<0.2	<0.05
EP-068B-SS	Dichlorvos					<0.2
EP-068B-SS	Demeton-S-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Monocrotophos	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Dimethoate	mg/kg	0.2	<0.2	<0.2	<0.05
EP-068B-SS	Diazinon	mg/kg	0.05	<0.05	<0.05	<0.2
EP-068B-SS	Chlorpyrifos-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Parathion-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Malathion	mg/kg	0.2	<0.2	<0.2	<0.05
EP-068B-SS	Penthion	mg/kg	0.05	<0.05	<0.05	<0.2
EP-068B-SS	Chlorpyrifos	mg/kg	0.05	<0.05	<0.05	<0.05

AUSTRALIAN LABORATORY SERVICES P/L
 ABN: 84 009 936 029

BRISBANE

Tel: 61-7-3243 7222
 Fax: 61-7-3243 7218

SYDNEY

Tel: 61-2-8784 8555
 Fax: 61-2-8784 8500

MELBOURNE

Tel: 61-3-9538 4444
 Fax: 61-3-9538 4400

NEWCASTLE

Tel: 61-2-4968 9433
 Fax: 61-2-4968 0349

AUCKLAND

Tel: 64-9-379 9437
 Fax: 64-9-379 1449



GILBERT & SUTHERLAND PTY LTD

Attention: MR C BUTLER
 YourOrder: GJ0128
 SampleType:SOIL
 Project:

Page-no: 6
 ENV BRISBANE
 Batch-no: 56836
 Sub-batch:1
 No-samples:38
 Received: 17/07/03
 Checked:

Method	Analysis description	Units	LOR	1/22-C15	1/22-C16	1/22-C17
EA-055	Moisture Content (dried @ 103' %		0.1	16/07/03 25.4	16/07/03 30.0	16/07/03 27.1
EP-068A-SS	ORGANOCHLORINE PESTICIDES					
EP-068A-SS	alpha-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	HCB	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	beta-BHC & gamma-BHC	mg/kg	0.1	<0.1	<0.1	<0.1
EP-068A-SS	delta-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Aldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor epoxide	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - trans	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 1	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - cis	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Dieldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDE	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 2	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDD	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin aldehyde	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan sulfate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDT	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068A-SS	Endrin ketone	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Methoxychlor	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	ORGANOPHOSPHORUS PESTICIDES					
EP-068B-SS	Dichlorvos	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Demeton-S-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Monocrotophos	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Dimethoate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Diazinon	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Parathion-methyl	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Malathion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Fenthion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos	mg/kg	0.05	<0.05	<0.05	<0.05

AUSTRALIAN LABORATORY SERVICES P/L

ABN: 84 009 936 029

BRISBANE

Tel: 61-7-3243 7222
 Fax: 61-7-3243 7218

SYDNEY

Tel: 61-2-8784 8555
 Fax: 61-2-8784 8500

MELBOURNE

Tel: 61-3-9538 4444
 Fax: 61-3-9538 4400

NEWCASTLE

Tel: 61-2-4968 9433
 Fax: 61-2-4968 0349

AUCKLAND

Tel: 64-9-379 9437
 Fax: 64-9-379 1449



GILBERT & SUTHERLAND PTY LTD

Attention: MR C BUTLER
 YourOrder: GJ0128
 SampleType: SOIL
 Project:

Page-no: 7
 ENV BRISBANE
 Batch-no: 56836
 Sub-batch: 1
 No-samples: 38
 Received: 17/07/03
 Checked:

Method	Analysis description	Units	LOR	1/22-C18	1/22-C19	1/22-C20
EA-055	Moisture Content (dried @ 103' %			16/07/03	16/07/03	16/07/03
EP-068A-SS	ORGANOCHLORINE PESTICIDES		0.1	25.3	28.5	25.8
EP-068A-SS	alpha-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	HCB	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	beta-BHC & gamma-BHC	mg/kg	0.1	<0.1	<0.1	<0.1
EP-068A-SS	delta-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Aldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor epoxide	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - trans	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 1	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - cis	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Dieldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDE	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 2	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDD	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin aldehyde	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan sulfate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDT	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068A-SS	Endrin ketone	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Methoxychlor	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	ORGANOPHOSPHORUS PESTICIDES					
EP-068B-SS	Dichlorvos	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Demeton-S-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Monocrotophos	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Dimethoate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Diazinon	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Parathion-methyl	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Malathion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Fenthion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos	mg/kg	0.05	<0.05	<0.05	<0.05

AUSTRALIAN LABORATORY SERVICES P/L
 ABN: 84 009 936 029

BRISBANE

Tel: 61-7-3243 7222
 Fax: 61-7-3243 7218

SYDNEY

Tel: 61-2-8784 8555
 Fax: 61-2-8784 8500

MELBOURNE

Tel: 61-3-9538 4444
 Fax: 61-3-9538 4400

NEWCASTLE

Tel: 61-2-4968 9433
 Fax: 61-2-4968 0349

AUCKLAND

Tel: 64-9-379 9437
 Fax: 64-9-379 1449



GILBERT & SUTHERLAND PTY LTD

Attention: MR C BUTLER
YourOrder: CJ0128
SampleType:SOIL
Project:

Page-no: 8
ENV BRISBANE
Batch-no: 56836
Sub-batch:1
No-samples:38
Received: 17/07/03
Checked:

Method	Analysis description	Units	LOR	1/22-C21	1/22-C22	1/22-C23
EA-055	Moisture Content (dried @ 103' %		0.1	16/07/03 17.3	16/07/03 21.3	16/07/03 22.1
EP-068A-SS	ORGANOCHLORINE PESTICIDES					
EP-068A-SS	alpha-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	HCB	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	beta-BHC & gamma-BHC	mg/kg	0.1	<0.1	<0.1	<0.1
EP-068A-SS	delta-BHC	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Aldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Heptachlor epoxide	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - trans	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 1	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Chlordane - cis	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Dieldrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDE	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan 2	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDD	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endrin aldehyde	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Endosulfan sulfate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	DDT	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068A-SS	Endrin ketone	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068A-SS	Methoxychlor	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	ORGANOPHOSPHORUS PESTICIDES					
EP-068B-SS	Dichlorvos	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Demeton-S-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Monocrotophos	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Dimethoate	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Diazinon	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos-methyl	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Parathion-methyl	mg/kg	0.2	<0.2	<0.2	<0.2
EP-068B-SS	Malathion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Fenthion	mg/kg	0.05	<0.05	<0.05	<0.05
EP-068B-SS	Chlorpyrifos	mg/kg	0.05	<0.05	<0.05	<0.05

AUSTRALIAN LABORATORY SERVICES P/L

ABN: 84 009 936 029

BRISBANE

Tel: 61-7-3243 7222

Fax: 61-7-3243 7218

SYDNEY

Tel: 61-2-8784 8555

Fax: 61-2-8784 8500

MELBOURNE

Tel: 61-3-9538 4444

Fax: 61-3-9538 4400

NEWCASTLE

Tel: 61-2-4968 9433

Fax: 61-2-4968 0349

AUCKLAND

Tel: 64-9-379 9437

Fax: 64-9-379 1449