

| Level | Total Units w/<br>Cross Vent. | % Units w/<br>Cross Vent. | Level | Total Units w/<br>Cross Vent. | % Units w/<br>Cross Vent. |
|-------|-------------------------------|---------------------------|-------|-------------------------------|---------------------------|
| 24    | 7                             | 100.0%                    | 29    | 2                             | 28.6%                     |
| 23    | 3                             | 27.2%                     | 28    | 2                             | 28.6%                     |
| 22    | 9                             | 75.0%                     | 27    | 2                             | 28.6%                     |
| 21    | 9                             | 75.0%                     | 26    | 4                             | 40.0%                     |
| 20    | 9                             | 75.0%                     | 25    | 4                             | 40.0%                     |
| 19    | 9                             | 75.0%                     | 24    | 4                             | 36.4%                     |
| 18    | 9                             | 75.0%                     | 23    | 8                             | 66.7%                     |
| 17    | 9                             | 75.0%                     | 22    | 8                             | 66.7%                     |
| 16    | 9                             | 75.0%                     | 21    | 8                             | 66.7%                     |
| 15    | 9                             | 75.0%                     | 20    | 8                             | 66.7%                     |
| 14    | 9                             | 75.0%                     | 19    | 8                             | 66.7%                     |
| 13    | 9                             | 75.0%                     | 18    | 8                             | 66.7%                     |
| 12    | 8                             | 66.6%                     | 17    | 8                             | 66.7%                     |
| 11    | 9                             | 69.2%                     | 16    | 8                             | 66.7%                     |
| 10    | 9                             | 69.2%                     | 15    | 8                             | 66.7%                     |
| 9     | 9                             | 69.2%                     | 14    | 8                             | 66.7%                     |
| 8     | 9                             | 69.2%                     | 13    | 8                             | 66.7%                     |
| 7     | 9                             | 69.2%                     | 12    | 8                             | 66.7%                     |
| 6     | 9                             | 69.2%                     | 11    | 8                             | 66.7%                     |
| 5     | 9                             | 69.2%                     | 10    | 8                             | 66.7%                     |
| 4     | 9                             | 69.2%                     | 9     | 8                             | 66.7%                     |
| 3     | 9                             | 69.2%                     | 8     | 8                             | 66.7%                     |
| 2     | 9                             | 69.2%                     | 7     | 8                             | 66.7%                     |
| 1     | 6                             | 75.0%                     | 6     | 8                             | 66.7%                     |
| G     |                               |                           | 5     | 8                             | 66.7%                     |
|       |                               |                           | 4     | 8                             | 66.7%                     |
|       |                               |                           | 3     | 8                             | 66.7%                     |
|       |                               |                           | 2     | 8                             | 66.7%                     |
|       |                               |                           | 1     | 5                             | 100.0%                    |
|       |                               |                           | G     |                               |                           |

| TARGET | Tower 1 + Tower 2 Total    |                        |
|--------|----------------------------|------------------------|
|        | Total Units w/ Cross Vent. | % Units w/ Cross Vent. |
| 60.0%  | 405                        | 66.6%                  |




Figure 6.7 - Typical floor plans showing cross-ventilation




Figure 6.8 - Apartment plan showing ventilation due to laminar flows in single aspect apartments