







LEGEND:
PROVIDE 1m RETURNS TO SILT FENCE AT 30m MAX. INTERVALS.
TYPICAL (N.S.O.P.)
- SILT FENCE WITH CATCH DRAIN

SEDIMENT AND EROSION CONTROL PLAN
SCALE 1:750



NOTE: ADOPT ABOVE DETAILS AROUND ALL PITS WITHIN AREA ENCOMPASSED BY SILT FENCE & TO PITS ON THE ROAD ADJACENT TO SITE BOUNDARY.






- STOCKPILE NOTES**
1. PLACE ALL STOCKPILES IN LOCATIONS MORE THAN 5m FROM EXISTING VEGETATION, ROADS & HAZARDOUS AREAS.
 2. CONSTRUCT STOCKPILES ON THE CONTIGUOUS AS LOW, FLAT ELONGATED HILLSIDES.
 3. WHERE THERE IS SUFFICIENT AREA, TOPSOIL STOCKPILES SHALL BE LESS THAN 2m IN HEIGHT.
 4. WHERE STOCKPILES ARE TO BE IN PLACE FOR MORE THAN 10 DAYS, STABILISE USING WOOD CHIP MULCH - 16 TONNE/HA.
 5. CONSTRUCT SILT FENCE WITH CATCH DRAIN ON UPSLOPE SIDE TO DIVERT WATER AROUND STOCKPILES & SILT FENCE ONLY 1 TO 2m DOWNSLOPE AS SHOWN.

NOTES:

- ALL EROSION & SEDIMENT CONTROL MEASURES TO BE INSPECTED & MAINTAINED DAILY BY SITE MANAGER.
- MINIMISE DISTURBED AREAS.
- ROADS & FOOTPATHS TO BE SWEEPED DAILY.
- 12m TURF TO BE PLACED BEHIND KERBS.
- DUST MINIMISATION CONTROL BY WATERING TO BE IMPLEMENTED BY SITE MANAGER AS REQUIRED OR AS DIRECTED BY THE EPA.

FOR DEVELOPMENT APPLICATION

				ARCHITECT				CLIENT				PROJECT				<div>Costin Roe Consulting Pty Ltd. Civil & Structural Engineers Suite 310, 1000 Pacific Highway The Rocks, Sydney NSW 2000 Tel: (02) 9694-1069 Fax: (02) 9647-0721 Email: info@costinroe.com.au</div>			
				<div>AUSTRALAND COMMERCIAL & INDUSTRIAL DIVISION PO BOX 200 MORFITT NSW 2120 AUSTRALIA MORFITT NSW 2120</div>				<div>AUSTRALAND COMMERCIAL & INDUSTRIAL DIVISION PO BOX 200 MORFITT NSW 2120 AUSTRALIA MORFITT NSW 2120</div>				<div>ACEA Australian Council of Engineering Associations PO BOX 961 Sydney NSW 1587 AUSTRALIA SYDNEY NSW 1587</div>							
FOR DEVELOPMENT APPLICATION				A				DATE				DATE				DATE			
MEASUREMENTS				MEASUREMENTS				MEASUREMENTS				MEASUREMENTS				MEASUREMENTS			
DATE				DATE				DATE				DATE				DATE			