

			NatHERS Certificate Number																						
Building	Dwelling Number	Dwelling ID	Shading	External Walls				Internal Party Wall			Internal Partition			Windows and Sliding Door				Roof			Internal Floor/Ceiling			External Floor	
			Eaves	Materials	Insulation	Colour		Materials	Insulation		Materials	Insulation	Area	Glazing	Frame	System U-Value	System SHGC	Material	Insulation	Colour	Material	Insulation		Material	Insulation
4A	1	4AG.1	As indicated	Concrete/Air gap/insulation/plasterboard	R2.0	Not specified		Concrete/Air gap/plasterboard	None		Plasterboard/air gap/plasterboard	None		Single clear 6mm glass	Aluminium	System U-Value = 6.06	System SHGC Value 0.7	Waterproof membrane/Concrete/air gap/insulation/plasterboard	n/a	Not specified	Timber/concrete/air gap/plasterboard	None		Timber/air gap/insulation/concrete	R2.0
	2	4AG.2			R1.5														R1.0						
	3	4AG.3			R1.5														R1.0						
	4	4A1.1			R2.0														R3.0						
	5	4A1.2			R1.5														n/a						
	6	4A1.3			R1.5														n/a						
	7	4A1.4			R1.5														n/a						
	8	4A1.5			R1.5														n/a						
	9	4A2.1			R2.0														n/a						
	10	4A2.2			R1.5														n/a						
	11	4A2.3			R1.5														n/a						
	12	4A2.4			R1.5														n/a						
	13	4A2.5			R1.5														n/a						
	14	4A3.1			R2.0														n/a						
	15	4A3.2			R1.5														n/a						
	16	4A3.3			R1.5														n/a						
	17	4A3.4			R1.5														n/a						
	18	4A3.5			R1.5														n/a						
4B	1	4BG.1	As indicated	Concrete/Air gap/insulation/plasterboard	R1.5	Not specified		Concrete/Air gap/plasterboard	None		Plasterboard/air gap/plasterboard	None		Single clear 6mm glass	Aluminium	System U-Value = 6.06	System SHGC Value 0.7	Waterproof membrane/Concrete/air gap/insulation/plasterboard	n/a	Not specified	Timber/concrete/air gap/plasterboard	None		Timber/air gap/insulation/concrete	R2.0
	2	4BG.2			R1.5														R1.0						
	3	4B1.1			R1.5														n/a						
	4	4B1.2			R1.5														n/a						
	5	4B1.3			R1.5														R2.0						
	6	4B2.1			R1.5														n/a						
	7	4B2.2			R1.5														n/a						
	8	4B2.3			R1.5														n/a						
	9	4B3.1			R1.5														n/a						
	10	4B3.2			R1.5														n/a						
	11	4B3.3			R1.5														n/a						
	12	4B4.1			R1.5														n/a						
	13	4B4.2			R1.5														n/a						
	14	4B4.3			R1.5														n/a						
	15	4B5.1			R1.5														n/a						
	16	4B5.2			R1.5														n/a						
	17	4B5.3			R1.5														n/a						
	4C	1			4C1														As indicated						Concrete/air gap/insulation/plasterboard
2		4C2	R1.0	R1.0																					
3		4C3	R1.0	R1.0																					
4		4C4	R1.0	R1.0																					
5		4C5	R1.0	R1.0																					
6		4C6	R1.0	R1.0																					
7		4C7	R1.0	R1.0																					
8		4C8	R1.0	R1.0																					
9		4C9	R1.0	R1.0																					