

Project Approval

Section 75J of the *Environmental Planning and Assessment Act 1979*

As delegate for the Minister for Planning and Infrastructure under delegation dated 27 February 2013, I approve the Project Application referred to in schedule 1, subject to the conditions in schedules 2 to 3.

These conditions are required to:

- Prevent, minimise, and/or offset adverse environmental impacts including economic and social impacts;
- Set standards and performance measures for acceptable environmental performance;
- Require regular monitoring and reporting; and
- Provide for the ongoing environmental management of the development.



Executive Director
Development Assessment Systems and Approvals

Sydney

5 APRIL

2013

SCHEDULE 1

Application No.:	MP11_0089
Proponent:	Frasers Broadway Pty Ltd
Approval Authority:	Minister for Planning and Infrastructure
Land:	Block 3A, Central Park, Chippendale (former Carlton United Brewery site)
Project:	<p>Construction of a boutique hotel comprising:</p> <ul style="list-style-type: none">• 60 hotel rooms;• a total GFA of 4,595.9m²;• 1,098m² of food and drink premises including three restaurants and a lounge;• conference and meeting facilities;• staff offices and amenities;• a rooftop deck and pool;• storage and loading facilities; and• A single storey addition to the Clare Hotel and a two storey addition to the Administration Building. Construction of a new glazed link between the two buildings to create a foyer and entry space for the hotel.

TABLE OF CONTENTS

DEFINITIONS	4
SCHEDULE 1	5
PART A - ADMINISTRATIVE CONDITIONS	5
A1. Development Description	5
A2. Terms of Approval	5
A3. Inconsistency between documents	6
A4. Prescribed Conditions	6
A5. Construction Certificate	6
A6. Limits of approval	6
A7. Further approvals	6
A8. Visitor and Tourist Accommodation – Use and Operation	6
A9. Responsibility for other approvals/agreements	6
PART B - PRIOR TO ISSUE OF CONSTRUCTION CERTIFICATE	7
B1. Compliance with the Building Code of Australia (BCA)	7
B2. Additional Details - Details of Materials, Colours and Finishes	7
B3. Additional Details - Reflectivity	7
B4. Additional details - Outdoor Lighting	7
B5. Access for People with Disabilities	7
B6. Erosion and Sedimentation Control	7
B7. Pre-Construction Dilapidation Reports	7
B8. Number of Bicycle Spaces	7
B9. Mechanical ventilation systems	8
B10. Storage and Handling of Waste	8
B11. Sydney Water Notice of Requirements	8
B12. Protection of Stone Kerbs	8
B13. Stormwater and Drainage – Major Development	9
B14. Stormwater Quality Management	9
B15. Footpath Damage Bank Guarantee	9
B16. Protection Methodology	9
B17. Schedule of Conservation Works and Implementation	10
B18. Heritage Interpretation Plan – Non Standard	11
B19. Photographic Archival Documentation (Minor Works)	11
B20. Environmental Performance	11
B21. Physical Models	11
B22. Submission of Electronic Models prior to Construction Certificate and prior to Occupation Certificate	12
PART C – PRIOR TO CONSTRUCTION	13
C1. Demolition	13
C2. Excavation Works	13
C3. Structural Details	13
C4. Construction Environmental Management Plan	13
C5. Waste Management Plan during construction	13
C6. Disposal of Surplus Salvaged Materials	14
C7. Traffic & Pedestrian Management Plan	14
C8. Utility Services	14
C9. Subsurface Drainage	14
C10. Retail Fit-out	15
C11. Road Opening Permit	15
C12. Road Opening License	15
C13. Application for Hoardings and Scaffolding	15
C14. Barricade Permit	16
C15. Contact Telephone Number	16
C16. Vehicle Cleansing	16
C17. Traffic Works	16
C18. Traffic Control Plan	16
PART D - DURING CONSTRUCTION	17
D1. Erosion and Sediment Control	17
D2. Disposal of Seepage and Stormwater	17
D3. Approved Plans to be On-site	17
D4. Site Notice	17
D5. Hours of Work and Noise – Outside CBD	17
D6. Construction Noise Management	18
D7. Vibration Criteria	18
D8. General Heritage	19
D9. Heritage Supervisor	19
D10. Loading and Unloading During Construction	19

D11. Covering of Loads	19
D12. Associated Roadway Costs	19
D13. Cost of Traffic Management	19
D14. Use of Mobile Cranes	20
D15. Noise – Mechanical Plant and Equipment	20
D16. No Obstruction of Public Way	20
D17. Anti-Graffiti	20
PART E - PRIOR TO ISSUE OF OCCUPATION CERTIFICATE / PRIOR TO OPERATIONS	21
E1. Occupation Certificate to be Submitted	21
E2. Compliance with Acoustic Report and Post Works Verifications	21
E3. Mechanical Ventilation	21
E4. Road Damage	21
E5. Registration of Easements	21
E6. Sydney Water Compliance (prior to occupation)	21
E7. Post-construction Dilapidation Report	22
E8. Visitor and Tourist Accommodation – Plans of Management	22
E9. Heritage Asset Maintenance Plan	22
E10. Fire Safety Certificate	22
E11. Safety Management Plan	22
E12. Public Art	22
E13. Commemorative Plaque	22
E14. Historic Marker	22
E15. Waste and Recycling Collection Contract	23
E16. Waste and Recycling Management – Hotel and Restaurant Uses	23
E17. Vehicle Footway Crossing	23
E18. Noise Management Plan – Visitors and Tourist Accommodation	23
E19. Environmental Performance	23
PART F - DURING OPERATIONS	24
F1. Annual Fire Safety Certification	24
F2. Noise Control – Plant and Machinery	24
F3. Public Way to be Unobstructed	24
F4. External Lighting	24
F5. Care of Building Surrounds	24
F6. Noise General	24
F7. Noise – Mechanical Plant and Equipment	25
F8. Air Conditioners	25
ADVISORY NOTES	26
AN1. Appeals	26
AN2. Other Approvals and Permits	26
AN3. Responsibility for other approvals / agreements	26
AN4. Movement of Trucks Transporting Waste Material	26
AN5. Street Numbering	26
AN6. Temporary Structures	26
AN7. Disability Discrimination Act	26
AN8. Commonwealth Environment Protection and Biodiversity Conservation Act 1999	26
AN9. Asbestos Removal	27
AN10. Site contamination issues during construction	27
AN11. Archaeological Discovery during Excavation	27
AN12. Ongoing Archaeological Management	27
AN13. Compliance Certificate, Water Supply Authority Act, 2000	27
AN14. Requirements of Public Authorities for Connection to Services	28
AN15. Compliance with Building Code of Australia	28
AN16. Structural Capability for Existing Structures	28
AN17. Construction Inspections	28
AN18. Other Details required prior to Issue of Subdivision Certificate	28
AN19. Stormwater drainage works or effluent systems	28
APPENDIX F PROPONENT'S STATEMENT OF COMMITMENTS	29

DEFINITIONS

Advisory notes	Means advisory information relating to the approved development but does not form part of this approval.
BCA	Building Code of Australia
Construction	Any works, including earth and building works
Council	City of Sydney Council
Certifying Authority	Has the same meaning as Part 4A of the Act.
Department	Department of Planning and Infrastructure or its successors.
Director-General	Director-General of the Department of Planning and Infrastructure, or nominee.
Director General's approval, agreement or satisfaction	A written approval from the Director - General (or nominee/delegate). Where the Director-General's approval, agreement or satisfaction is required under a condition of this approval, the Director-General will endeavour to provide a response within one month of receiving an approval, agreement or satisfaction request. The Director-General may ask for additional information if the approval, agreement or satisfaction request is considered incomplete. When further information is requested, the time taken for the Proponent to respond in writing will be added to the one month period.
EA	Environmental Assessment prepared by JBA Planning Consultants Pty Ltd and dated November 2012
EP&A Act	Means the Environmental Planning and Assessment Act, 1979 (as amended).
EP&A Regulation	<i>Environmental Planning and Assessment Regulation 2000</i>
Minister	Minister for Planning and Infrastructure
PCA	Principal Certifying Authority
Proponent	Means Frasers Broadway Pty Ltd or any party acting upon this approval.
RMS	Roads and Maritime Services Division, Department of Transport or its successor
Subject Site	Kensington Lane, Chippendale (Lot 1 DP 191024 and Lot 6 1142053)
Sensitive receiver	Residence, education institution (e.g. school, university, TAFE college), health care facility (e.g. nursing home, hospital), religious facility (e.g. church) and children's day care facility.

SCHEDULE 1

PART A - ADMINISTRATIVE CONDITIONS

A1. Development Description

Development approval is granted only to carrying out the development described in detail below:

- Construction of a boutique hotel comprising:
 - 60 hotel rooms;
 - a total GFA of 4,595.9m²;
 - 1,098m² of food and drink premises including three restaurants and a lounge;
 - conference and meeting facilities;
 - staff offices and amenities;
 - a rooftop deck and pool; and
 - storage and loading facilities.
- A single storey addition to the Clare Hotel and a two storey addition to the Administration Building.
- Construction of a new glazed link between the two buildings to create a foyer and entry space for the hotel.

A2. Terms of Approval

The Proponent shall carry out the project in accordance with the following documentation:

- a) Environmental Assessment and supporting documents prepared by JBA Planning dated November 2012;
- b) Preferred Project Report and Response to Submissions and supporting documents prepared by JBA Planning dated 5 March 2013; and
- c) following drawings, except for:
 - i. any modifications which are Exempt' or Complying Development;
 - ii. otherwise provided by the conditions of this approval.

Architectural (or Design) Drawings prepared by Tonkin Zulaikha Greer			
Drawing No.	Rev	Name of Plan	Date
A-001	A	Context Plan	2 November 2012
A-002	A	Site Analysis	2 November 2012
A-003	A	3D Images	2 November 2012
A-100	A	Basement	2 November 2012
A-101	A	Ground Floor	2 November 2012
A-102	A	Level 1	2 November 2012
A-103	A	Level 2	2 November 2012
A-104	B	Level 3	15 February 2013
A-105	B	Level 4	15 February 2013
A-106	B	Pool Deck	15 February 2013
A-107	B	Roof	15 February 2013
A-300	A	Section 01	2 November 2012
A-301	A	Section 02	2 November 2012
A-302	A	Section 03	2 November 2012
A-400	B	East Elevation	15 February 2013
A-401	B	West Elevation	15 February 2013
A-402	A	North Elevation	2 November 2012

Architectural (or Design) Drawings prepared by Tonkin Zulaikha Greer			
A-403	A	South Elevation	2 November 2012
A-700	A	Material Schedule	2 November 2012
Survey Drawings prepared by Degotardi, Smith and Partners			
30826A38	A	Sheet 1	24 October 2012
Stormwater Concept Drawings prepared by Mott MacDonald			
MMD-313916-C-DR-CD-0003	P1	Concept Stormwater Layout Plan	24 October 2012

A3. Inconsistency between documents

In the event of any inconsistency between the plans and documentation referred to above, including the Proponent's Statement of Commitments, the most recent document shall prevail to the extent of the inconsistency. However, conditions of this approval prevail to the extent of any inconsistency. Where there is an inconsistency between approved elevations and plans, the elevations prevail.

A4. Prescribed Conditions

The Proponent shall comply with the prescribed conditions of approval under Clause 98 of the *Environmental Planning and Assessment Regulation 2000* in relation to the requirements of the Building Code of Australia (BCA).

A5. Construction Certificate

Prior to commencement of any construction works associated with the approved development (including excavation and building construction, it is necessary to obtain a Construction Certificate. A Construction Certificate may be issued by Council or an Accredited Certifier. Plans and documentation submitted with the Construction Certificate are to be amended to satisfy all relevant conditions of this development approval.

A6. Limits of approval

This approval will lapse five years from the date of approval unless the building works associated with the project have physically commenced.

A7. Further approvals

This approval does not permit the following, which are required to obtain separate approval (except where exempt and complying development applies):

- Any use or fit-out of restaurants or bars, including plans of mechanical extraction/ventilation;
- Any advertising signage; and
- Construction of any vehicle crossings or the removal of any existing redundant vehicle crossings.

A8. Visitor and Tourist Accommodation – Use and Operation

The use and operation of the premises must comply with the requirements of Schedule 2 (Standards for Places of Shared Accommodation) of the Local Government (General) Regulation, 2005 under the *Local Government Act 1993*, the *Public Health Act, 2010* and regulations there under and *Sydney Development Control Plan 2012*.

A9. Responsibility for other approvals/agreements

The Proponent is responsible for ensuring that all additional approvals and agreements are obtained from other authorities, as relevant.

End of Section

SCHEDULE 2

PERFORMANCE CONDITIONS

PART B - PRIOR TO ISSUE OF CONSTRUCTION CERTIFICATE

B1. Compliance with the Building Code of Australia (BCA)

Details shall be provided to the satisfaction of the Certifying Authority, with the application for a Construction Certificate, which demonstrate that the proposal complies with the prescribed conditions of approval under Clause 98 of the *Environmental Planning and Assessment Regulation 2000* in relation to the requirements of the Building Code of Australia (BCA).

B2. Additional Details - Details of Materials, Colours and Finishes

Final design details of the proposed external materials and finishes, including schedules and a sample board of materials and colours (including an A3 photographic reproduction), shall be submitted to and approved by the Council prior to the issue of a Construction Certificate.

B3. Additional Details - Reflectivity

Prior to issue of the relevant or that of above ground works Construction Certificate, the PCA is to ensure that the visible light reflectivity from building materials used on the façade of the building does not exceed 20%.

B4. Additional details - Outdoor Lighting

All outdoor lighting associated with the Block 3A building shall comply with, where relevant, Australian Standard 1158.3: 1999 Pedestrian Area (Category P) Lighting and Australian Standard 4282: 1997 Control of the Obtrusive Effects of Outdoor Lighting. Details demonstrating compliance with these requirements are to be submitted to the satisfaction of the Council prior to the issue of a Construction Certificate.

B5. Access for People with Disabilities

The building must be designed and constructed to provide access and facilities for people with a disability in accordance with the Building Code of Australia. The Certifying Authority must ensure that evidence of compliance with this condition from an appropriately qualified person is provided and that the requirements are referenced on Construction Certificate drawings, where appropriate.

B6. Erosion and Sedimentation Control

Soil erosion and sediment control measures shall be designed in accordance with the document *Managing Urban Stormwater-Soils & Construction Volume 1 (2004)* by Landcom. Details are to be submitted to the satisfaction of the Certifying Authority prior to the issue of the Construction Certificate.

B7. Pre-Construction Dilapidation Reports

The Proponent is to engage a qualified structural engineer to prepare a Pre-Construction Dilapidation Report detailing the current structural condition of all retained existing and adjoining buildings, infrastructure and roads. The report shall be submitted to the satisfaction of the Certifying Authority prior to the issue of the Construction Certificate. A copy of the report is to be forwarded to the Department and to the Council.

B8. Number of Bicycle Spaces

The layout, design and security of bicycle facilities shall be installed in accordance with the specification of the JOSTA system, or equivalent.

B9. Mechanical ventilation systems

All mechanical ventilation systems shall be installed in accordance with Part F4.5 of the Building Code of Australia and shall comply with Australian Standards AS1668.2 and AS3666 Microbial Control of Air Handling and Water Systems of Building, to ensure adequate levels of health and amenity to the occupants of the building and to ensure environment protection. Details shall be submitted to the satisfaction of the Certifying Authority prior to the issue of a Construction Certificate.

B10. Storage and Handling of Waste

An appropriate area shall be provided within the premises for the storage of garbage bins and recycling containers and all waste and recyclable material generated by this premises. Requirements of the Sydney Development Control Plan 2012 shall be met, including:

- a) All internal walls of the storage area shall be rendered to a smooth surface, coved at the floor/wall intersection, graded and appropriately drained with a tap in close proximity to facilitate cleaning;
- b) Include provision for the separation and storage in appropriate categories of material suitable for recycling; and
- c) And include provision for separate storage and collection of organic/food waste.

The Certifying Authority must ensure that the building plans and specifications submitted by the Proponent, referenced on and accompanying the issued Construction Certificate, fully satisfy the requirements of this condition.

B11. Sydney Water Notice of Requirements

- a) An application shall be made to Sydney Water for a Certificate under Part 6, Division 9, section 73 of the Sydney Water Act 1994 (Compliance Certificate) prior to the issue of a Construction Certificate. The Application must be made through an authorised Water Servicing Coordinator. Please refer to the "Your Business" section of the web site www.sydneywater.com.au then follow the "e-Developer" icon or telephone 13 20 92 for assistance.
- b) Following application a "Notice of Requirements" will advise of water and sewer extensions to be built and charges to be paid. Please make early contact with the Coordinator, since building of water/sewer extensions can be time consuming and may impact on other services and building, driveway or landscape design.

B12. Protection of Stone Kerbs

- a) The existing stone kerbs on the Kensington Street frontage of the site are to be retained and properly protected during excavation and construction works.
- b) To avoid damage to stone kerbs during construction and / or excavation works for the development, temporary removal and storage of the stone kerbs may be approved by Council. Removed, serviceable stone kerbs (i.e. those that are in good condition as agreed by City officers) must be re-installed in accordance with Council's standard details and specifications after the construction and / or excavation works have been completed.
- c) Note: A temporary concrete kerb will need to be constructed to retain the footpath and road access until the stone kerbs can be reinstalled. The removed stone kerbs are to be reinstalled prior to the issue of an Occupation Certificate.
- d) Note: all costs associated with the works are to be at no cost to the Council.
- e) Damaged kerbs are to be replaced to match existing to the City's satisfaction or as otherwise advised by Council officers.
- f) Where new crossings or temporary crossings are to be constructed to access the property, the affected kerb stones should be salvaged and reused wherever possible.
- g) All new driveway laybacks and kerbs are to be constructed with stone kerbs to match existing stones or as specified by Council officers. All unused stone kerbs are to be salvaged and returned to the Council's store.
- h) Council approval is required before kerbs are removed.

B13. Stormwater and Drainage – Major Development

- a) Prior to the issue of a Construction Certificate, details of any proposed stormwater disposal and drainage from the Development including a system of on-site stormwater detention in accordance with Council's standard requirements and detailed of the provision and maintenance of overland flow paths must be submitted to and approved by Council. All approved details for the disposal of stormwater and drainage are to be implemented in the development;
- b) Any proposed connection to the Council's underground drainage system will require the owner to enter into a Deed of Agreement with the Council and obtain registration on Title of a Positive Covenant prior to Construction Certificate being issued and prior to the commencement of any work within the public way;
- c) The requirements of Sydney Water with regard to the on-site detention of stormwater must be ascertained and complied with. Evidence of the approval of Sydney Water to the on-site detention must be submitted prior to a Construction Certificate being issued; and
- d) An "Application for Approval of Stormwater Drainage Connections" must be submitted to the Council with the appropriate fee at the time of lodgement of the proposal for connection of stormwater to the Council's drainage system.

B14. Stormwater Quality Management

- a) Stormwater quality objectives for this development shall comply with the modification of Major Project Approval (MP06_0171) approval dated 24 July 2012 and the subsequent final Stormwater Management Plan dated June 2012 by Mott MacDonald Hughes Trueman.
- b) Detailed design documentation to implement best practice urban stormwater management using WSUD principles shall be submitted to Council for approval prior to the relevant construction certificate being issued if the proposed assets are within public domain and to be maintained by Council in the future.
- c) A design certification report for the proposed stormwater quality management shall be prepared by an appropriately qualified engineer and shall be submitted to the PCA prior to the issue of the relevant Construction Certificate.

This condition is considered to be satisfied if it has been resolved as part of another Project Approval for the subject site, which specifically identified the works under this approval.

B15. Footpath Damage Bank Guarantee

A Footpath Damage Bank Guarantee calculated on the total lineal metres of the public frontage of the site frontage must be lodged with Council in accordance with Council's adopted Schedule of Fees and Charges. The Footpath Damage Bank Guarantee must be submitted as an unconditional bank guarantee in favour of Council as security for repairing any damage to the public domain in the vicinity of the site.

The guarantee must be lodged with Council prior to issue of a Construction Certificate.

The Bank Guarantee will be retained in full until the final Occupation Certificate has been issued and any rectification works to the footway and public domain are completed to Council's satisfaction. On satisfying the above requirements 90% of the total securities will be released, with the remaining 10% to be retained for the duration of the 12 months Defect Liability Period.

B16. Protection Methodology

- a) All fabric and elements identified as being of significance in the Conservation Management Plan for the Administrative building and County Clare Hotel by Paul Davies Pty Ltd Nov 12, are to be adequately protected throughout all stages of the works. To this end a protection methodology is to be submitted to Council's own Heritage Specialist for approval prior to the issue of the Construction Certificate.
- b) The methodology should also make recommendations on the following:

- i. Site induction of all construction personal as to the significance of the Irving Street Brewery buildings, and the elements and fabric to be conserved.
- ii. The Construction methodology.

B17. Schedule of Conservation Works and Implementation

To conserve the heritage significance of the Administrative building and County Clare Hotel the following is to apply:

- a) A Schedule of Conservation Works, based on the recommendations of the Former Carlton and United Brewery Site Conservation Management Plan by NBRSA dated 2005 and the Conservation Management Plan for the Administrative building and County Clare Hotel by Paul Davies Pty Ltd Nov 12, is to be submitted to Council's own Heritage Specialist for approval prior to the issue of the Construction Certificate.
- b) The Schedule is to include at a minimum works to the following:
 - i. Exterior fabric including stonework, brickwork, door and window joinery, copper came glazing and obscure glass, decorative wrought iron roof joinery, roof plumbing, roof tiling, faience, renderwork, floor tiles, glass blocks, and ventilation grills.
- c) Administration Building
 - i. the former ground floor entrance G.20, including wrought metal work and transom, and replacement of non -original linings with sympathetic materials.
 - ii. the level 1 'Heritage Bar Room' 1A.05, including Queensland maple linings and fittings, timber flooring, early bar and fridges.
 - iii. the 'Heritage Boardroom Suite' and ante spaces, Rooms 2A.08 to 2A.11, including parquet, Blackwood wall panelling, fireplace and surrounds, plaster ceilings, copper came glazing, timber and window joinery, light fittings, bathroom tiles, bathroom fixtures, door and window hardware.
 - iv. Details of the relocated main stair Queensland Maple panelling including 1:50 plans and elevations.
 - v. Details of the relocated executive passenger lift and enclosure, including timber frame and lining and brass wire mesh including 1:50 plans and elevations.
 - vi. The basement rooms, such as the former strong room.
- d) County Clare Hotel
 - i. Re instatement of the former ground floor glazed faience wall tiling;
 - ii. The conservation of all spaces of high or moderate significance as outlined in the CMP by Paul Davies P L including the Main Bar, the Saloon Bar, Bar, level 2, Telephone Booth in Saloon bar, Bottle Shop, Main stair, Secondary stairs, Rooms level 2, and Cellar.
 - iii. Comprehensive conservation works to all significant fabric and elements, including as a minimum, external window and door joinery, internal door joinery, timber wall linings, plaster ceilings, timber fixtures, floor and wall tiling, metalwork, bathroom fixtures, door and window hardware.
 - iv. The re interpretation of the original central elliptical bar counter and elliptical ceiling pattern.
 - v. The schedule is to include details of how fire rated separation will be achieved between spaces in both buildings where heritage fabric is to be conserved.
 - vi. The submission of the Schedule is to be supported by key drawings, detail drawings and specifications, and is to incorporate the principles of the Australian ICOMOS Burra Charter.
 - vii. Materials for making good are to match the original materials in terms of colours, finishes, sizes, profile and materials.

- viii. The approved Schedule of Conservation Works is to be implemented to the satisfaction of the Conservation Architect engaged by the Proponent and the Council's own Heritage Specialist prior to the Occupation Certificate, by means of site inspections staged at intervals to suit the programme of works.

B18. Heritage Interpretation Plan – Non Standard

- a) An interpretation plan for the Block 3A must be submitted to and approved by Council's own Heritage Specialist prior to a Construction Certificate being issued.
- b) The interpretation plan must detail how information on the history and significance of the Block 3A will be provided for the public and make recommendations regarding public accessibility, signage and lighting. Public art, details of the heritage design, the display of selected artefacts are some of the means that can be used.
- c) Prior to Occupation Certificate being issued the approved interpretation plan must be implemented to the satisfaction of Council's own Heritage Specialist.

B19. Photographic Archival Documentation (Minor Works)

Prior to a Construction Certificate being issued, an archival photographic recording of the subject buildings, both externally and internally, is to be prepared to Council's satisfaction. The recording may be in either digital or film-based form, or a combination of both, prepared in accordance with the NSW Heritage Office guidelines titled "Photographic Recording of Heritage Items using Film or Digital Capture". One copy of the record is to be submitted to Council to be lodged with Council's Archives.

The form of the recording is to be as follows:

- a) In A4 format, placed in archival plastic sleeves in an appropriate archival folder.
- b) The Major Project number must be noted on the front of the folder and in the report.
- c) Include a summary report detailing the project description, date and authorship of the photographic record, method of documentation and limitations of the photographic record.
- d) Each negative, slide or digital image is to be cross referenced to a photographic catalogue and photographic base plans.
- e) Include written confirmation, issued with the authority of both the Proponent and the photographer that Council is granted a perpetual non-exclusive licence to make use of the copyright in all images supplied, including the right to make copies available to
- f) third parties as though they were Council images. The signatures of both the Proponent and the photographer must be included.
- g) A digital based recording is to include a CD or DVD containing the report in PDF format and the electronic images saved as JPEG, TIFF or PDF files and cross referenced to the digital catalogue sheets and base plans.
- h) A film based recording is to include 35mm film images submitted as contact sheets with equivalent negatives, a selection of black and white prints 200 x 250mm, and 35mm colour transparencies, all labelled and cross-referenced to the catalogue sheets and base plans.

B20. Environmental Performance

The Proponent is to provide documentation, prepared by a suitably qualified consultant, indicating that the development has been designed in accordance with the principles of a 5 Star Green Star Building, consistent with Future Assessment Requirement B12 of MP06_0171 (Concept Plan). Evidence of the project's ineligibility and its consistency with Green Star principles shall be provided.

B21. Physical Models

- a) Prior to a Construction Certificate for above ground works being issued, an accurate 1:500 scale model of the approved development must be submitted to Council for the City Model in Town Hall House; and

- b) Prior to an Occupation Certificate for above ground works being issued, an accurate 1:500 scale model of the development as constructed, must also be submitted to Council for placement in the City Model at the City Exhibition Space.

Note: The models must be constructed in accordance with the Model Specifications available online at www.cityofsydney.nsw.gov.au/Development/DevelopmentApplicationGuide/PreparingandLodgingaDA.asp. Council's model maker must be consulted prior to construction of the model for Town Hall House. The Manager of Customs House must be contacted prior to the construction of the model for City Exhibition Space.

The models are to comply with all of the conditions of the Development Approval.

The models must be amended to reflect any further modifications to the approval (under section 96 of the Act that affect the external appearance of the building).

B22. Submission of Electronic Models prior to Construction Certificate and prior to Occupation Certificate

- a) Prior to a Construction Certificate for above ground works being issued, an accurate 1:1 electronic model of the detailed construction certificate stage drawings must be submitted to Council for the electronic City Model;
- b) The data required to be submitted within the surveyed location must include and identify:
- c) Building design above and below ground in accordance with the development approval;
- d) All underground services and utilities, underground structures and basements, known archaeological structures and artefacts;
- e) Property boundaries and the kerb lines adjacent to the site. The data is to be submitted as a DGN or DWG file on physical media (floppy disc or CD). All plans are to be referenced to the submitted Integrated Survey Grid of NSW (ISG), Australian Map Grid (AMG) or Map of Australia (MGA) spatially located in the initial Data Extraction file;
- f) Within the DGN or DWG file each identified structure, feature, utility or service must be distinguished by a combination of layering and/or symbology schema. The submitted plans must be accompanied by a comma delimited text file, detailing the layering and/or symbology scheme;
- g) The electronic model must be constructed in accordance with the Council's electronic data protocol. The protocol provides specific details of the information required to be shown and is available on line at:

www.cityofsydney.nsw.gov.au/Development/DevelopmentApplicationGuide/PreparingandLodgingaDA.asp.

Council's Design/Technical Support staff should be consulted prior to creation of the model. The data is to comply with all of the conditions of the Development Approval; and

- h) Prior to an Occupation Certificate being issued, a second and updated "as built" 1:1 electronic model, in accordance with the above requirements, of the completed development must be submitted to Council for the electronic City Model.

Note: The submitted model/data must be amended to reflect any modifications to the approval (under section 96 of the Act) that affect the location of any of the underground services or structures and/or external configuration of building above ground.

End of Section

PART C – PRIOR TO CONSTRUCTION

C1. Demolition

The demolition work shall comply with the provisions of Australian Standard AS2601: 2001 The Demolition of Structures. The work plans required by Australian Standard 2601: 2001 shall be accompanied by a written statement from a suitably qualified person that the proposals contained in the work plan comply with the safety requirements of the Standard. The work plans and the statement of compliance shall be submitted to the satisfaction of the PCA prior to the commencement of works.

C2. Excavation Works

The PCA and Council shall be given written notice, at least 48 hours prior to the commencement of excavation, shoring or underpinning works on the Subject Site.

C3. Structural Details

Prior to the commencement of construction, the Proponent shall submit to the satisfaction of the PCA structural drawings prepared and signed by a suitably qualified practising Structural Engineer that comply with:

- a) The relevant clauses of the BCA;
- b) The development approval; and
- c) Drawings and specifications comprising the Construction Certificate.

C4. Construction Environmental Management Plan

- a) Prior to the commencement of any works on the Subject Site, a Construction Environmental Management Plan (CEMP) shall be submitted to the PCA. The Plan shall address, but not be limited to, the following matters where relevant:
 - i. hours of work
 - ii. 24 hour contact details of site manager
 - iii. traffic management
 - iv. noise and vibration management, prepared by a suitably qualified person
 - v. management of dust to protect the amenity of the neighbourhood
 - vi. erosion and sediment control
 - vii. measures to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the Subject Site
 - viii. external lighting in compliance with AS4282: 1997 Control of the Obtrusive Effects of Outdoor Lighting
- a) The CEMP must not include works that have not been explicitly approved in the development approval. In the event of any inconsistency between the approval and the CEMP, the approval shall prevail.
- b) The Proponent shall submit a copy of the CEMP to the Department and to the Council, prior to commencement of work.

C5. Waste Management Plan during construction

- a) Prior to the commencement of any works on the subject site, a Construction Waste Management Plan prepared by a suitably qualified person in consultation with the Council, shall be submitted to the PCA. The Plan shall address, but not be limited to, the following matters:
 - i. Recycling of demolition materials including concrete; and

- ii. Removal of hazardous materials and disposal at an approved waste disposal facility in accordance with the requirements of the relevant legislation, codes, standards and guidelines, prior to the commencement of any building works.
- b) Details demonstrating compliance with the relevant legislative requirements, associated with the removal of hazardous waste, particularly the method of containment and control of emission of fibres to the air, are to be submitted to the satisfaction of the PCA prior to the removal of any hazardous materials; and
- c) The Proponent shall submit a copy of the Plan to the Department and to the Council, prior to commencement of work.

C6. Disposal of Surplus Salvaged Materials

Reasonable endeavours shall be made to sell salvaged traditional building materials surplus to the requirements of this project including stone, bricks, structural timber, and joinery to an established dealer in second hand heritage building materials. Documentation of the salvage methodology must be submitted for the approval of Council prior to the commencement of demolition.

C7. Traffic & Pedestrian Management Plan

- a) Prior to the commencement of any works on the subject site, a Traffic and Pedestrian Management Plan prepared by a suitably qualified person shall be submitted to the PCA. The Plan must be prepared in consultation with the Council, and where required, the approval of the council's traffic committee obtained.
- b) The Plan shall address, but not be limited to, the following matters:
 - i. Ingress and egress of vehicles to the Subject Site,
 - ii. Loading and unloading, including construction zones,
 - iii. Predicted traffic volumes, types and routes, and
 - iv. Pedestrian and traffic management methods.
- c) The Proponent shall submit a copy of the final Plan to the Council, prior to the commencement of work.

C8. Utility Services

Prior to the commencement of work the Proponent is to negotiate with the utility authorities (e.g. Ausgrid and Telecommunications Carriers) in connection with the relocation and/or adjustment of the services affected by the construction of the underground structures.

C9. Subsurface Drainage

Subsurface drainage systems shall be provided for all road formations, cuttings, and the base and sub base of pavement layers and throughout the entire base of the new public park. The design and construction of the subsurface drainage system shall be undertaken in accordance with Council's Development Specification for Civil Works. Detailed plans and construction specifications for the subsurface drainage systems shall be prepared and certified as complying with Council's specifications prior to the issue of a Construction Certificate. The plans shall include as a minimum the following information:

- a) The proposed location of all subsoil drains and sub-pavement drains, including the nominal width and depth of trenches, pipe diameters and materials, longitudinal design grades, and the locations of outlets and cleanouts;
- b) The location of public utility services shall also be included on the plans and cross sectional drawings;
- c) Specifications for the construction of all components of the system in accordance with Council's Development Specification for Civil Works; and

- d) All assumptions and/or calculations made in the determination of the need or otherwise for subsurface drainage in special circumstances shall be submitted to Council for approval with the documentation.

This condition is considered to be satisfied if it has been resolved as part of another Project Application for the subject site, which specifically identified the works under this approval.

C10. Retail Fit-out

Adequate provision is to be made for the installation of mechanical exhaust and ventilation for any future food premises intended for retail areas where cooking, heating or similar food preparation is to be carried out.

Any details relating to retail fit-out, including plans of mechanical extraction/ventilation, should be included within a separate Part 4 Development Application as the uses are not specified in the application.

C11. Road Opening Permit

A separate **Road Opening Permit** under Section 138 of the *Roads Act 1993* shall be obtained from Council prior to the commencement of any:

- a) Excavation in or disturbance of a public way; or
- b) Excavation on land that, if shoring were not provided, may disturb the surface of a public road (including footpath).

C12. Road Opening License

A separate Road Opening License must be obtained from Council's Construction Regulations section prior to the commencement of any:

- a) Excavation in or disturbance of a public way; and/or
- b) Excavation on land that, if shoring were not provided, may disturb the surface of a public road (including footpaths).

C13. Application for Hoardings and Scaffolding

- a) A separate application under Section 138 of the *Roads Act 1993* is to be made to Council to erect a hoarding and/or scaffolding in a public place and such application is to include:
 - i. Architectural, construction and structural details of the design in accordance with the Policy for the Design and Construction of Hoarding (September 1997) and the Guidelines for Temporary Protective Structures (April 2001).
 - ii. Structural certification prepared and signed by an appropriately qualified practising structural engineer.

Evidence of the issue of a Structural Works Inspection Certificate and structural certification will be required prior to the commencement of demolition or construction works on site.

Assessment of the impacts of construction and final design upon the City of Sydney's street furniture such as bus shelters, phone booths, bollards and litter bins and JC Decaux street furniture including kiosks, bus shelters, phones, poster bollards, bench seats and litter bins. The Proponent is responsible for the cost of removal, storage and reinstallation of any of the above as a result of the erection of the hoarding. In addition, the Proponent is responsible for meeting any revenue loss experienced by Council as a result of the removal of street furniture. Costing details will be provided by Council. The Proponent must also seek permission from the telecommunications carrier (e.g. Telstra) for the removal of any public telephone.

- b) Should the hoarding obstruct the operation of Council's CCTV Cameras, the Proponent must relocate or replace the CCTV camera within the hoarding or to an alternative position as determined by Council's Contracts and Asset Management Unit for the duration of the construction of the development. The cost of relocating or replacing the CCTV camera is to be

borne by the Proponent. Further information and a map of the CCTV cameras are available by contacting Council's CCTV Unit on 9265 9232.

- c) The hoarding must comply with the Council's policies for hoardings and temporary structures on the public way. Graffiti must be removed from the hoarding within one working day.

C14. Barricade Permit

Where construction / building works require the use of a public place including a road or footpath, approval under Section 138 of the *Roads Act 1993* for a Barricade Permit is to be obtained from Council prior to the commencement of work. Details of the barricade construction, area of enclosure and period of work are required to be submitted to the satisfaction of Council.

C15. Contact Telephone Number

Prior to the commencement of the works, the Proponent shall forward to Council a 24 hour telephone number to be operated for the duration of the construction works.

C16. Vehicle Cleansing

Prior to the commencement of work, suitable measures are to be implemented to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the site. It is an offence to allow, permit or cause materials to pollute or be placed in a position from which they may pollute waters.

C17. Traffic Works

Any proposals for alterations to the public road, involving traffic and parking arrangements, must be designed in accordance with RTA Technical Directives and must be referred to and approved by the Sydney Traffic Committee prior to any work commencing on site.

C18. Traffic Control Plan

Where works are to occur on existing public roads a Traffic Control plan is to be prepared. Such plans shall be prepared in strict compliance with the requirements of the current version of Australian Standard 1742.3 (Traffic Control Device for works on Roads) as well as the current version of the RTA Traffic Control at Work Site manual. Any person preparing such Traffic Control plans shall have the relevant RTA accreditation, which must be stated on the submitted plans.

The Traffic Control Plan is to be prepared and submitted to Council prior to the relevant works being undertaken.

End of Section

PART D - DURING CONSTRUCTION

D1. Erosion and Sediment Control

All erosion and sediment control measures, are to be effectively implemented and maintained at or above design capacity for the duration of the construction works and until such time as all ground disturbed by the works has been stabilised and rehabilitated so that it no longer acts as a source of sediment. The Soil and Water Management Plan (SWMP) or Erosion and Sediment Control Plan (ESCP) which has been approved by the PCA must be implemented in full during the construction period.

During the construction period:

- a) Erosion and sediment controls must be regularly inspected, repaired and maintained in working order sufficient for a 10 year Average Recurrence Interval (ARI) rainfall event;
- b) Erosion and sediment control signage available from Council must be completed and attached to the most prominent structure visible at all times when entering the site for the duration of construction; and
- c) Building operations and stockpiles must not be located on the public footway or any other locations which could lead to the discharge of materials into the stormwater system.

D2. Disposal of Seepage and Stormwater

Any seepage or rainwater collected on-site during construction shall not be pumped to the street stormwater system unless separate prior approval is given in writing by Council.

D3. Approved Plans to be On-site

A copy of the approved and certified plans, specifications and documents incorporating conditions of approval and certification shall be kept on the Subject Site at all times and shall be readily available for perusal by any officer of the Department, Council or the PCA.

D4. Site Notice

A site notice(s) shall be prominently displayed at the boundaries of the Subject Site for the purposes of informing the public of project details including, but not limited to the details of the Builder, PCA and Structural Engineer.

The notice(s) is to satisfy all but not be limited to, the following requirements:

- a) Minimum dimensions of the notice are to measure 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size;
- b) The notice is to be durable and weatherproof and is to be displayed throughout the works period;
- c) The approved hours of work, the name of the site/project manager, the responsible managing company (if any), its address and 24 hour contact phone number for any inquiries, including construction/noise complaint are to be displayed on the site notice; and
- d) The notice(s) is to be mounted at eye level on the perimeter hoardings/fencing and is to state that unauthorised entry to the Subject Site is not permitted.

D5. Hours of Work and Noise – Outside CBD

The hours of construction, including the delivery of materials to and from the Subject Site, shall be restricted as follows:

- a) between 7:00 am and 7:00 pm, Mondays to Fridays inclusive;
- b) between 7:00 am and 5:00 pm, Saturdays;
- c) no work on Sundays and public holidays; and
- d) Works may be undertaken outside these hours where:
 - i) the delivery of materials is required outside these hours by the Police or other authorities;

- ii) it is required in an emergency to avoid the loss of life, damage to property and/or to prevent environmental harm; or
- iii) variation is approved in advance in writing by the Director General or his nominee.

D6. Construction Noise Management

The following requirements apply:

- a) The construction noise objective for the Project is to manage noise from construction activities (as measured by a L_{A10} (15minute) receiver) so it does not exceed the background L_{A90} noise level by:
 - i. For the first four weeks of the construction period, not more than 20dB(A);
 - ii. From the 5th week to the 26th week (inclusive) of the construction period, not more than 10dB(A); and
 - iii. For construction periods greater than 26 weeks, not more than 5dB(A).
- b) Background noise levels are those identified in Environmental Impact Statement or otherwise identified. The Proponent shall implement all feasible noise mitigation and management measures with the aim of achieving the construction noise objective.
- c) Any activities that have the potential for noise emissions that exceed the objective must be identified and managed in accordance with a Construction Noise and Vibration Management Plan, approved by the Director-General.
- d) If the noise from a construction activity is substantially tonal or impulsive in nature (as described in Chapter 4 of the NSW Industrial Noise Policy), 5dB(A) must be added to the measured construction noise level when comparing the measured noise with the construction noise objective.
- e) The Proponent shall schedule rock breaking, rock hammering, sheet piling, pile driving and any similar activity only between the following hours unless otherwise approved in the Construction Noise and Vibration Management Plan.
 - i. 9.00 am to 12.00 pm, Monday to Friday;
 - ii. 2.00 pm to 5.00 pm Monday to Friday; and
 - iii. 9.00 am to 12.00 pm, Saturday
- f) Wherever practical, and where sensitive receivers may be affected, piling activities are completed using bored piles. If driven piles are required they must only be installed where outlined in a Construction Noise and Vibration Management Plan approved by the Director-General.
- g) Any noise generated during the construction of the development must not be offensive noise within the meaning of the *Protection of the Environment Operations Act, 1997* or exceed approved noise limits for the Subject Site.

D7. Vibration Criteria

Vibration caused by construction at any residence or structure outside the Subject Site must be limited to:

- a) for structural damage vibration, German Standard DIN 4150 Part 3 Structural Vibration in Buildings. Effects on Structures; and
- b) for human exposure to vibration, the evaluation criteria presented in British Standard BS 6841- Guide to Evaluate Human Exposure to Vibration in Buildings (1Hz to 80 Hz) for low probability of adverse comment.
- c) Vibratory compactors must not be used closer than 30 metres from residential buildings unless vibration monitoring confirms compliance with the vibration criteria specified above.
- d) These limits apply unless otherwise outlined in a Construction Noise and Vibration Management Plan, approved by the Director-General.

D8. General Heritage

- a) The proposed works are to be carried out in a manner that minimises demolition, alterations and new penetrations/fixings to the significant fabric of the existing building which is listed as a Heritage Item.
- b) New services are to be surface mounted rather than chased-in to existing walls to minimise impact on heritage fabric.
- c) Appropriately qualified tradespersons (as appropriate) are to be commissioned who are skilled in traditional building and engineering trades to carry out the proposed scope of works.
- d) The new windows and doors must use timber joinery.
- e) The face brickwork/sandstone must not be rendered, painted or coated.
- f) Where internal partitions meet external walls they must abut window mullions, columns or other such building elements and not glazing.

D9. Heritage Supervisor

Works shall be supervised by a consultant(s) experienced in the conservation of similar heritage buildings.

D10. Loading and Unloading During Construction

The following requirements apply:

- a) All loading and unloading associated with construction activity must be accommodated on the Central Park site.
- b) If, during excavation, it is not feasible for loading and unloading to take place on site, a Works Zone on the street may be considered by Council.
- c) A Works Zone may be required if loading and unloading is not possible on site. If a Works Zone is warranted an application must be made to Council at least 8 weeks prior to commencement of work on the site. An approval for a Works Zone may be given for a specific period and certain hours of the days to meet the particular need for the site for such facilities at various stages of construction. The approval will be reviewed periodically for any adjustment necessitated by the progress of the construction activities.
- d) In addition to any approved construction zone, provision must be made for loading and unloading to be accommodated on the Central Park site once the development has reached ground level.

D11. Covering of Loads

All vehicles involved in the excavation and / or demolition process and departing the property with demolition materials, spoil or loose matter must have their loads fully covered before entering the public roadway.

D12. Associated Roadway Costs

All costs associated with the construction of any new road works including kerb and gutter, road pavement, drainage system and footway shall be borne by the developer. The new road works must be designed and constructed in accordance with the Council's "Development Specification for Civil Works Design and Construction".

D13. Cost of Traffic Management

All costs associated with signposting for any kerbside parking restrictions and traffic management measures associated with the development shall be borne by the developer.

D14. Use of Mobile Cranes

The following requirements apply:

- a) Mobile cranes operating from the road is not the preferred method of demolishing or constructing a building.
- b) For special operations including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on-site tower cranes which warrant the on-street use of mobile cranes, permits must be obtained from Council for the use of a mobile crane. The permits must be obtained 48 hours beforehand for partial road closures which, in the opinion of Council will create minimal traffic disruptions and 4 weeks beforehand in the case of full road closures and partial road closures which, in the opinion of Council, will create significant traffic disruptions.
- c) Special operations and the use of mobile cranes must comply with the approved hours of construction. Mobile cranes must not be delivered to the site prior to 7.30am without the prior approval of Council.

D15. Noise – Mechanical Plant and Equipment

Noise associated with the use of mechanical plant and equipment must not give rise to any one or more of the following:

- a) Transmission “offensive noise” as defined in the Protection of the Environment Operations Act 1997 to any affected receiver.
- b) A sound pressure level at the boundary of any affected receiver that exceeds the background (LA90, 15minutes) noise level by more than 5dB. The background noise level must be measured in the absence of noise emitted from the use in accordance with Australian Standard AS1055.

D16. No Obstruction of Public Way

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances. Non-compliance with this requirement will result in the issue of a notice by Council to stop all work on site.

D17. Anti-Graffiti

All ground level surfaces are to be treated with anti-graffiti coating to minimise the potential of defacement. In addition, any graffiti evident on the exterior facades and visible from a public place is to be removed within 24 hours.

End of Section

PART E - PRIOR TO ISSUE OF OCCUPATION CERTIFICATE / PRIOR TO OPERATIONS

E1. Occupation Certificate to be Submitted

An Occupation Certificate must be obtained from the Principal Certifying Authority and a copy submitted to the Department and Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

E2. Compliance with Acoustic Report and Post Works Verifications

- a) All recommendations and acoustic criteria contained in Section 3.1 Table 3.1 of the Acoustic Assessment by WSP Acoustics shall be fully implemented and met during and after construction of the premises.
- b) The Proponent shall provide the PCA with a statement from an appropriately qualified acoustic consultant who possesses the qualifications to render them eligible for membership of the Australia Acoustic Consultants, certifying that the acoustic mitigation measures outlined in the above stated report have been suitably incorporated into the development and that the stated acoustic criteria has been fully met.

E3. Mechanical Ventilation

Following completion, installation and testing of all the mechanical ventilation systems, the Proponent shall provide evidence to the satisfaction of the PCA, prior to the issue of any Occupation Certificate, that the installation and performance of the mechanical systems complies with:

- a) The Building Code of Australia;
- b) Australian Standard AS1668 and other relevant codes;
- c) The development approval and any relevant modifications; and
- d) Any dispensation granted by the New South Wales Fire Brigade.

E4. Road Damage

The cost of repairing any damage caused to Council or other Public Authority's assets in the vicinity of the Subject Site as a result of construction works associated with the approved development is to be met in full by the Proponent/developer prior to the issue of any Occupation Certificate.

Note: Should the cost of damage repair work not exceed the road maintenance bond, Council will automatically call up the bond to recover the costs. Should the repair costs exceed the bond amount; a separate invoice will be issued.

E5. Registration of Easements

Prior to the issue of any Occupation Certificate, the Proponent shall provide to the PCA evidence that all matters required to be registered on title including easements required by this approval, approvals, and other approvals have been lodged for registration or registered at the NSW Land and Property Information.

E6. Sydney Water Compliance (prior to occupation)

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation.

Application must be made through an authorised Water Servicing Coordinator. Please refer to the "Your Business" section of the web site www.sydneywater.com.au then follow the "e-Developer" icon or telephone 13 20 92 for assistance.

The Section 73 Certificate must be submitted to the PCA prior to issue of the occupation certificate in the case of buildings or works or issue of a subdivision certificate, in the case of subdivision.

E7. Post-construction Dilapidation Report

- a) The Proponent shall engage a suitably qualified person to prepare a post-construction dilapidation report at the completion of the construction works. This report to ascertain whether the construction works created any structural damage to adjoining buildings, infrastructure and roads.
- b) The report is to be submitted to the PCA. In ascertaining whether adverse structural damage has occurred to adjoining buildings, infrastructure and roads, the PCA must:
 - i. Compare the post-construction dilapidation report with the pre-construction dilapidation report required by these conditions; and
 - ii. Have written confirmation from the relevant authority that there is no adverse structural damage to their infrastructure and roads.
- c) A copy of this report is to be forwarded to the Department and Council.

E8. Visitor and Tourist Accommodation – Plans of Management

Plans of Management must be submitted and approved by Council's Health and Building Unit prior to an Occupation Certificate being issued. The Plans of Management must include the minimum criteria as stipulated in Council's *Sydney Development Control Plan 2012*.

E9. Heritage Asset Maintenance Plan

A Heritage Asset Maintenance Plan must be prepared to guide the future maintenance on heritage fabric for the buildings, significant fabric and elements, the yard and the interpretation and submitted to Council's own Heritage Specialist for approval prior to the issue of an Occupation Certificate. The Maintenance Plan is to be based on the NSW Heritage Branch Maintenance Series 1.1: 'Preparing a Maintenance Plan' and include all fabric identified as being of heritage significance, specification notes, and list of appropriate consultants and suppliers.

E10. Fire Safety Certificate

Fire Safety Certificate shall be furnished to the PCA for all the Essential Fire or Other Safety Measures forming part of this approval prior to issue of any Occupation Certificate. A copy of the Fire Safety certificate must be submitted to the approval authority and Council by the PCA.

E11. Safety Management Plan

The recommendations of the Safety Management Strategy and Plan and Draft Security Management Plan shall be implemented prior to the issue of the Occupation Certificate.

E12. Public Art

Public Art will be designed in consultation with the Council and the Department of Planning and Infrastructure and installed in accordance with the approved Public Art Strategy prior to the issue of the final Occupation Certificate.

E13. Commemorative Plaque

A commemorative plaque, recording the names of the developer, architect, Approval authority and year of completion of construction must be installed on the building prior to occupation. The design, location and wording must be submitted to and approved by Council prior to an Occupation Certificate being issued.

E14. Historic Marker

A brass plaque relating to the history of the site must be installed on the facade of the building prior to occupation. The design, location and wording must be submitted for the approval of Council prior to an Occupation Certificate being issued.

E15. Waste and Recycling Collection Contract

Prior to an Occupation Certificate being issued and/or commencement of the use, whichever is earlier, of the building the owner must ensure that there is a contract with a licensed contractor for the removal of **all trade waste**. No garbage is to be placed on the public way e.g. footpaths, roadways, plazas, and reserves at any time.

E16. Waste and Recycling Management – Hotel and Restaurant Uses

Prior to an Occupation Certificate being issued or the use commencing, whichever is earlier, the PCA must obtain Council's approval of the waste and recycling management facilities provided in the development and confirm that a contract has been made with a licensed contractor for the removal of waste. The contract must detail that domestic waste collection is to occur within the site and that no garbage is to be placed on the public way e.g. footpaths, roadways or reserves at any time.

E17. Vehicle Footway Crossing

A separation application is to be made to an approved by, Council for the construction of any proposed vehicle footpath crossing or for the removal of any existing crossing and replacement of the footpath formation where any such crossings are no longer required.

All disused or redundant vehicle crossings and laybacks must be removed and footway and kerb reinstated in accordance with Council's standards, to suit the adjacent finished footway and edge treatment materials, levels and details, or as otherwise directed by Council officers. All construction and replacement works are to be completed in accordance with the approved plans prior to the issue of an Occupation Certificate.

Note: In all cases the construction materials should reinforce the priority of pedestrian movement over that of the crossing vehicle.

E18. Noise Management Plan – Visitors and Tourist Accommodation

A site specific noise Management Plan must be submitted and approved by Council's Health and Building Unit prior to the issue of the Occupation Certificate. The Noise Management Plan must address:

- a) Details of site supervision, hours of operation, night management;
- b) Details on restrictions to amplified music, time, and use;
- c) Details about visitor times;
- d) Information given to guests on check in;
- e) Details about any signage to inform guests of curfew hours;
- f) Details on training guidelines for staff;
- g) Details on the process for community consultation and dealing with noise complaints from residents;
- h) A noise management plan is to be on site and made available upon request; and
- i) A noise management plan date to be reviewed.

E19. Environmental Performance

The Proponent is to provide documentation, prepared by a suitably qualified consultant, indicating that the development has been designed in accordance with the principles of a 5 Star Green Star building, consistent with Future Assessment Requirement B21 of MP06_0171 (Concept Plan). Evidence of the project's ineligibility and its consistency with Green Star principles shall be provided.

End of Section

PART F - DURING OPERATIONS

F1. Annual Fire Safety Certification

The owner of the building shall certify to the council every year that the essential services installed in the building for the purpose of fire safety have been inspected and at the time of inspection are capable of operating to the required minimum standard. The purpose of this condition is to ensure that there is adequate safety of persons in the building in the event of fire and for the prevention of fire, the suppression of fire and the prevention of spread of fire.

F2. Noise Control – Plant and Machinery

Noise associated with the operation of any plant, machinery or other equipment on the Subject Site, shall not exceed 5dB(A) above the background noise level when measured at the boundary of the Subject Site.

F3. Public Way to be Unobstructed

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like under any circumstances.

F4. External Lighting

External Lighting shall comply with Australian Standard 4282: 1997 Control of the Obtrusive Effects of Outdoor Lighting. Upon installation of lighting, but before it is finally commissioned, the Proponent shall submit to the approval authority evidence from an independent qualified practitioner demonstrating compliance in accordance with this condition.

F5. Care of Building Surrounds

In addition to Council's daily street sweeping and cleansing operations, the owner/manager of the building must ensure that the surrounds of the building including pavements and gutters are to be kept clean and free of litter at all times.

F6. Noise General

- a) The emission of noise associated with the use, the operation of any mechanical plant and equipment shall comply with the following criteria:
 - i. The LAeq, 15minute noise level emitted from the use must not exceed the background noise level LA90, 15minute by more than 5dB when assessed at the boundary of any affected residence.
 - ii. The LAeq, 15minute noise level shall be adjusted for modifying factors in accordance with Appendix 2 of the Noise Guide For Local Government published by DECCW.
 - iii. The background noise level shall be measured in the absence of noise emitted from the use in accordance with 5 Australian Standard AS 1055.1-1997-Description and measurement of environmental noise.
 - iv. The use of the premises shall be controlled so that any emitted noise is at a level so as not to create an "offensive noise" as defined in the Protection of the Environment Operations Act 1997 to any affected residence.

Residential

- a) An LAeq, 15minute noise level emitted from the use must not exceed the LA90, 15minute noise level by more than 3dB in any Octave Band Centre Frequency (31.5 Hz to 8 kHz inclusive) when assessed inside any habitable room of any affected residence provided that;
 - i. Where the LA90, 15minute noise level is below the threshold of hearing T_f at any Octave Band Centre Frequency as defined in Table 1 of International Standard ISO 226 - Normal Equal-Loudness-Level Contours then the value of T_f corresponding to that Octave Band Centre Frequency shall be used instead.

- ii. The LAeq,15minute noise level and the LA90,15minute noise level shall both be measured with all external doors and windows of the affected residence closed;
- iii. The LA90,15minute noise level shall be measured in the absence of noise emitted from the use but with the ventilation equipment (excluding air-conditioning equipment)
- iv. normally servicing the affected residence operating.

Commercial

- a) An LAeq,15minute noise level emitted from the use must not exceed the LA90, 15minute noise level by more than 3dB in any Octave Band Centre Frequency (31.5 Hz to 8 kHz inclusive) when assessed inside any commercial premises provided that;
 - i. The LAeq,15minute noise level and the LA90,15minute noise level shall both be measured with all external doors and windows of the commercial premises closed;
 - ii. The LA90,15minute noise level shall be measured in the absence of noise emitted from the use but with the ventilation equipment (including air-conditioning equipment) normally servicing the commercial premises operating.
 - iii. The use of the premises shall be controlled so that any emitted noise is at a level so as not to create an "offensive noise" as defined in the Protection of the Environment Operations Act 1997 to any affected residence.
 - iv. In this clause, the term "noise level emitted from the use" means the contributing noise level from the use in isolation to any other ambient noise and account must therefore be
 - v. 6 taken of the LAeq,15minute when the use is not in operation.
 - vi. In circumstances where this development application refers to a modification or addition to an existing use, the background noise level referred to in this clause pertains to
 - vii. the LA90, 15minute noise level measured in the absence of all noise from the site.

F7. Noise – Mechanical Plant and Equipment

Noise associated with the use of mechanical plant and equipment must not give rise to any one or more of the following:

- a) Transmission of "*offensive noise*" as defined in the Protection of the Environment Operations Act 1997 to any affected receiver.
- b) A sound pressure level at the boundary of any affected receiver that exceeds the background (LA90, 15minutes) noise level by more than 5dB. The background noise level must be measured in the absence of noise emitted from the use in accordance with Australian Standard AS1055.

Note: The method of measurement of vibration being carried out in accordance with "assessing Vibration; Technical Guidelines" – DEC (EPA) AS1055 for sound level measurements.

F8. Air Conditioners

The air conditioner/s must not:

- a) emit noise that is audible within a habitable room in any other residential property (regardless of whether any door or window to that room is open):
 - i. before 8.00am and after 10.00pm on any Saturday, Sunday or public holiday; or
 - ii. before 7.00am and after 10.00pm on any other day.
- b) emit a sound pressure level when measured at the boundary of any other residential property, at a time other than those specified in (i) and (ii) above, which exceeds the background (LA90, 15 minute) by more than 5dB(A). The source noise level must be measured as a LAeq 15 minute.

End of Section

ADVISORY NOTES

AN1. Appeals

The Proponent has the right to appeal to the Land and Environment Court in the manner set out in the Environmental Planning and Assessment Act, 1979 and the *Environmental Planning and Assessment Regulation, 2000 (as amended)*.

AN2. Other Approvals and Permits

The Proponent shall apply to the council for all necessary permits including crane permits, road opening permits, hoarding or scaffolding permits, footpath occupation permits and/or any other approvals under Section 68 (Approvals) of the *Local Government Act, 1993* or Section 138 of the *Roads Act, 1993*.

AN3. Responsibility for other approvals / agreements

The Proponent is solely responsible for ensuring that all additional approvals and agreements are obtained from other authorities, as relevant.

AN4. Movement of Trucks Transporting Waste Material

The Proponent must notify the Roads and Maritime Authority's Traffic Management Centre (TMC) of the truck route(s) to be followed by trucks transporting waste material from the Subject Site, prior to the commencement of the removal of any waste material from the Subject Site.

AN5. Street Numbering

Street numbers and the building name(s), if any, will need to be clearly displayed at either end of the ground level frontages in accordance with the council's policy, prior to the occupation of the building(s) or commencement of the use. If street numbers or a change to street numbers is required, a separate application shall be made to the Council.

AN6. Temporary Structures

- a) An approval under *State Environmental Planning Policy (Temporary Structures) 2007* must be obtained from the council for the erection of the temporary structures. The application must be supported by a report detailing compliance with the provisions of the Building Code of Australia.
- b) Structural certification from an appropriately qualified practicing structural engineer must be submitted to the council with the application under *State Environmental Planning Policy (Temporary Structures) 2007* to certify the structural adequacy of the design of the temporary structures.

AN7. Disability Discrimination Act

This application has been assessed in accordance with the *Environmental Planning and Assessment Act 1979*. No guarantee is given that the proposal complies with the *Disability Discrimination Act 1992*. The Proponent/owner is responsible to ensure compliance with this and other anti-discrimination legislation. The *Disability Discrimination Act 1992* covers disabilities not catered for in the minimum standards called up in the Building Code of Australia which references AS 1428.1 - Design for Access and Mobility. Australian Standard 1428 Parts 2, 3 & 4 provides the most comprehensive technical guidance under the *Disability Discrimination Act 1992* currently available in Australia.

AN8. Commonwealth Environment Protection and Biodiversity Conservation Act 1999

- a) The *Commonwealth Environment Protection and Biodiversity Conservation Act 1999* provides that a person must not take an action which has, will have, or is likely to have a significant impact on a matter of national environmental significance (NES) matter; or Commonwealth land, without an approval from the Commonwealth Environment Minister.

- b) This application has been assessed in accordance with the *Environmental Planning & Assessment Act, 1979*. The determination of this assessment has not involved any assessment of the application of the Commonwealth legislation. It is the Proponent's responsibility to consult the Department of Sustainability, Environment, Water, Population and Communities to determine the need or otherwise for Commonwealth approval and you should not construe this grant of approval as notification to you that the Commonwealth Act does not have application. The Commonwealth Act may have application and you should obtain advice about this matter. There are severe penalties for non-compliance with the Commonwealth legislation.

AN9. Asbestos Removal

All excavation and demolition works involving the removal and disposal of asbestos must only be undertaken by contractors who hold a current WorkCover Asbestos or "Demolition Licence" and a current WorkCover "Class 2 (Restricted) Asbestos Licence and removal must be carried out in accordance with NOHSC: "Code of Practice for the Safe Removal of Asbestos"

AN10. Site contamination issues during construction

Should any new information come to light during demolition or construction works which has the potential to alter previous conclusions about site contamination then the Proponent must be immediately notified and works must cease. Works must not recommence on site until the consultation is made with the Department.

AN11. Archaeological Discovery during Excavation

- a) Should any historical relics be unexpectedly discovered on the site during excavation, all excavation or disturbance to the area is to stop immediately and the Heritage Council of NSW should be informed in accordance with section 146 of the *Heritage Act 1977*.
- b) Should any Aboriginal relics be unexpectedly discovered then all excavation or disturbance of the area is to stop immediately and the Department of Environment and Climate Change is to be informed in accordance with Section 91 of the *National Parks and Wildlife Act, 1974*.

AN12. Ongoing Archaeological Management

Should any historical relics be unexpectedly discovered on the site during excavation, all excavation or disturbance to the area is to stop immediately and further advice sought from the archaeologist who undertook the original program of investigation of the site. In addition the Heritage Office of NSW should be informed in accordance with section 146 of the *Heritage Act 1977*.

Should any Aboriginal objects be unexpectedly discovered then all excavation or disturbance of the area is to stop immediately and further advice sought from the archaeologist who undertook the original program of investigation of the site. In addition the NSW Department of the Environment and Heritage is to be informed in accordance with Section 89A of the *National Parks and Wildlife Act 1974*.

AN13. Compliance Certificate, Water Supply Authority Act, 2000

Prior to issuing a Subdivision Certificate, a Compliance Certificate shall be provided to the approval authority showing that the development has met with the detailed requirements of the relevant water supply authority for the region that the subject site is located within.

The developer shall obtain the Compliance Certificate from the relevant local water supply authority and produce this to the satisfaction of:

- a) the certifying authority before release of the Construction Certificate,
- b) the approval authority before the release of the subdivision certificate, and
- c) the principal certifying authority prior to occupation.

AN14. Requirements of Public Authorities for Connection to Services

The Proponent shall comply with the requirements of any public authorities (e.g. Energy Australia, Sydney Water, Telstra Australia, AGL, etc) in regard to the connection to, relocation and/or adjustment of the services affected by the construction of the proposed structure. Any costs in the relocation, adjustment or support of services shall be the responsibility of the Proponent. Details of compliance with the requirements of any relevant public authorities are to be submitted to the satisfaction of the PCA prior to the issue of the Construction Certificate.

AN15. Compliance with Building Code of Australia

The Proponent is advised to consult with the PCA about any modifications needed to comply with the BCA prior to submitting the application for a Construction Certificate.

AN16. Structural Capability for Existing Structures

The structural capabilities of an existing structure will need to meet the requirements of the BCA and may require engaging a structural engineer.

AN17. Construction Inspections

Compliance certificate/s shall be issued by the Principal Certifying Authority and submitted to Council in accordance with the mandatory inspection requirements of the *Building Legislation Amendment— Quality of Construction Act, 2002* for each stage of construction, such as the following:

- a) Foundations,
- b) Footings,
- c) Damp proof courses and waterproofing installation,
- d) Structural concrete, including placing of reinforcement and formwork prior to pouring,
- e) Structural beam and column framing,
- f) Timber wall and roof framing, and
- g) Stormwater disposal.

Any Compliance Certificate issued for the above stages of construction shall certify that all relevant ancillary or dependent work has been undertaken in accordance with the Building Code of Australia and any other conditions of approval.

AN18. Other Details required prior to Issue of Subdivision Certificate

The Proponent shall submit to the satisfaction of the approval authority or Council, the following information, prior to the issue of the Subdivision Certificate:

- a) Documentary evidence of the payment of the open space/ community facility/ transport and access contribution(s),
- b) Documentary evidence that the property has been developed in accordance with plans approved by this approval and of compliance (or a Compliance Certificate) with the conditions of that approval.

AN19. Stormwater drainage works or effluent systems

A Construction Certificate for works that involve any of the following:

- a) Water supply, sewerage and stormwater drainage work
- b) Management of waste as defined by Section 68 of the Local Government Act, 1993 will not be issued until prior separate approval to do so has been granted by Council under Section 68 of that Act. Applications for these works must be submitted on Council's standard Section 68 application form accompanied by the required attachments and the prescribed fees.

End of Section

APPENDIX F PROPONENT'S STATEMENT OF COMMITMENTS

No.	Issue	Commitment	Timing
1	Design	The proposed development will be constructed in accordance with the Architectural Plans prepared by TZG and documentation submitted with the Project Application.	Ongoing.
2	ESD	The proposed development will be consistent with the recommendation of the ESD report prepared by WSP Built Ecology and dated 30 October 2012 and will be carried out in accordance with the measures outlined at Table 8 of that report.	Throughout construction works and during the occupation of the building.
3	Construction Management	An updated Construction Management Plan will be prepared once a building contractor is appointed, in accordance with the preliminary Construction Management Plan prepared by Frasers Broadway Pty Ltd and dated 1 November 2012.	Prior to commencement of works.
4	Accessibility	All publicly accessible areas of the building will be designed to equitable access for the mobility impaired in accordance with the Access Report prepared by Accessibility Solutions (NSW) Pty Ltd. The proposed development will comply with AS1428 and the City of Sydney Access DCP.	Prior to issue of the relevant Construction Certificate.
5	Waste Management	Waste management will be undertaken in accordance with the Waste Management Statement prepared by ARUP and dated 2 November 2012.	Ongoing
6	Plan of Management	The Preliminary Operational Management Plan prepared by Frasers Broadway Pty Ltd and dated 1 November 2012 will be updated once an operator is appointed for the management of the hotel.	Prior to occupation of the building.
7	Plan of Management	Mitigation measures outlined in the detailed Operational Management Plan will be implemented during the operation of the hotel.	Prior to and during occupation
8	Safety and Security	Details and requirements outlined in the Safety Management Plan, prepared by Elton Consulting and dated 30 October 2012 will be implemented.	During construction and prior to occupation of the building.
9	Fire Engineering	Fire Engineering Solutions will be developed in accordance with the recommendations of the Services Report prepared by WSP and dated 31 October 2012.	Prior to issue of a Construction Certificate.

No.	Issue	Commitment	Timing
10	Noise management	The plant selected for the building will be acoustically treated so as to meet the acoustic goals set in the Acoustic Report prepared by WSP Acoustics dated 31 October 2012.	Prior to occupation of the building.
11	Noise management	Window and facade treatments to mitigate against acoustic privacy impacts will be adopted in accordance with the recommendations Acoustic Report prepared by WSP Acoustics dated 31 October 2012.	Prior to the issue of the relevant Construction Certificate
12	Heritage	The proposed works will be carried out in accordance with the recommendations of the Heritage Impact Statement and Specific Element Conservation Management Plan prepared by Paul Davies Pty Ltd and dated November 2012.	Throughout the duration of the construction and operation of the building.
13	Archaeology	If a relic is found during works, then the NSW Heritage Council will be advised and the site managed in accordance with their requirements.	As relevant
14	Public Art	Public Art will be designed in consultation with the City of Sydney Council and the Department of Planning and Infrastructure and installed in accordance with the approved Public Art Strategy.	Prior to the issue of a Final Occupation Certificate.
15	Geotechnical	Works will be carried out in accordance with the Geotechnical Investigation prepared by JK Geotechnics and dated 2 November 2012.	Prior to the issue of a Construction Certificate
16	Contamination	Works will be carried out in accordance with the Site Audit Report and Site Audit Statement prepared by AECOM and dated 2 November 2012.	Ongoing