

## **BIO-RETENTION NOTES:**

FILTER MEDIA TO BE LOAMY SAND WITH A PERMEABILITY NOT LESS THAN 200mm/hr. FILTER MEDIA TO BE FREE OF RUBBISH, DELETERIOUS MATERIAL TOXICANTS, DECLARED PLANTS AND LOCAL WEEDS, AND IS TO NOT BE HYDROPHOBIC.

FILTER MEDIA TO HAVE THE FOLLOWING COMPOSITION RANGE: CLAY & SILT (<0.05mm) 5-30% VERY FINE SAND (0.05-0.15mm) FINE SAND (0.15-0.25mm) 10-30% MEDIUM TO COARSE SAND (0.25-1.00mm) 40-60% COARSE SAND (1.0-2.0mm) 7-10%

FINE GRAVEL (2.0-3.4mm)

FILTER MEDIA THAT DOES NOT MEET THE FOLLOWING CRITERIA SHALL BE

<3%

- REJECTED: a. ORGANIC MATTER CONTENT TO BE IDEALLY WITHIN 1% TO 3% (W/W) AND TO BE NO GREATER THAN 5%(W/W).
- b. PH TO BE BETWEEN 5.5 AND 7.5 c. PHOSPHOROUS CONTENT TO BE NO GREATER THAN 35mg/kg
- FILTER MEDIA TO BE ASSESSED BY QUALIFIED HORTICULTURALIST TO ENSURE CAPABILITY OF SUPPORTING PLANT LIFE.


DRAINAGE LAYER TO BE CLEAN GRAVEL 5-7mm.


PLANTS TO BE IN ACCORDANCE WITH LIVERPOOL CITY COUNCIL REQUIREMENTS.

PROVIDE 100mm TOPSOIL AND TEMPORARY EROSION PROTECTION (JUTEMASTER OR EQUIV) TO SWALE BATTER SLOPES AND ADJACENT LANDSCAPED AREAS. NOTE THAT NO TOPSOIL IS TO BE PLACED OVER FILTRATION MEDIA. PROVIDE SILT FENCE TO TOP OF BANK UNTIL SUCH TIME AS THIS STABILISING AND VEGETATION HAS BEEN COMPLETED.

BIO-RETENTION TO BE PARTIALLY INSTALLED, FOLLOWING COMPLETION OF THE ROAD, WITH THE TOP 75-100mm OF FILTER MEDIA REPLACED WITH A FINE TO COARSE SAND UNDERLAIN WITH A GEOTEXTILE LAYER (REFER TO DETAIL). FOLLOWING COMPLETION OF THE UPSTREAM DEVELOPMENT AND SITE STABILISATION, THE SAND IS TO BE REMOVED, REPLACED WITH FILTER MATERIAL AND PLANTED OUT. REFER TO TEMPORARY BIO-BASIN DETAIL

PRIOR TO PLANTING, THE TOP 100mm OF THE BIORETENTION FILTER MEDIA IS TO BE AMELIORATED WITH APPROPRIATE ORGANIC MATTER, FERTILISER AND TRACE ELEMENTS TO AID PLANT ESTABLISHMENT AS PER THE TABLE BELOW:





BASIN INLET PIT - BIP

2000mm 1:20 SCALE AT A0 SHEET SIZE

FOR APPROVAL

1:500 SCALE AT A0 SHEET SIZE

MPE STAGE 2 – BALANCE OF SITE BIO-RETENTION BASIN 1 PLAN AND DETAILS

ISSUED FOR APPROVAL

PRELIMINARY ISSUE ONLY

AMENDMENTS

REVISED FOR BIO-BASIN DETAILS

05.07.19

26.06.19

24.06.19

DATE ISSUE AMENDMENTS



**REIDCAMPBELL** Architecture, Interiors, Project Management ACN 002 033 801 ABN 28 317 605 875 Level 15, 124 Walker Street North Sydney NSW 2060 Australia Tel: 61 02 9954 5011 Email: sydney@reidcampbell.com Fax: 61 02 9954 4946 Web: www.reidcampbell.com

TACTICAL

MOOREBANK PRECINCT EAST INTERIM SWMP MOOREBANK AVENUE, MOOREBANK DESIGNED DRAWN DATE CHECKED SIZE SCALE CAD REF:
D.S. D.S. MAY 19 M.W. A0 AS SHOWN Co13455.04-IC423

Costin Roe Consulting Pty Ltd. Consulting Engineers ACN 003 696 446 Level 1, 8 Windmill Street Walsh Bay, Sydney NSW 2000 Tel: (02) 9251-7699 Fax: (02) 9241-3731

email: mail@costinroe.com.au ©

Costin Roe Consulting

Co13455.04-IC423

PRECISION | COMMUNICATION | ACCOUNTABILITY

