

Ms Leone McEntee  
Manager Planning  
Health Infrastructure  
Level 14, 77 Pacific Highway  
North Sydney NSW 2060  
09/08/2019

Dear Ms McEntee

Westmead Hospital - Acute Services Building (SSD-7642-Mod-3)  
**Request for Comment on Conditions**

The Department has drafted modified conditions of consent for the Westmead Hospital - Acute Services Building (SSD-7642-Mod-3).

You are invited to review the draft conditions (Attachment A) and to provide any comments to the Department by Thursday 15 August 2019.

If you are unable to provide comments within this timeframe, you are required to provide, and commit to, a timeframe detailing the provision of any comments.

If you have any questions, please contact Alexander Scott, who can be contacted on 8217 2096/ at [alexander.scott@planning.nsw.gov.au](mailto:alexander.scott@planning.nsw.gov.au).

Yours sincerely



David Gibson  
Team Leader, Social Infrastructure  
Social & Infrastructure Assessments

**as delegate for the Secretary**

Enclosed: Draft conditions

## **Attachment A – Proposed New Conditions**

Part A – Administrative Conditions – Insert new Conditions A17 and A18 as follows:

### **Signage**

- A17. Signage must be installed and operated in accordance with the recommendations of *Technical Lighting Assessment of Proposed Illuminated Signage: Westmead Hospital* prepared by LHA Consulting Engineers and dated 17 April 2019, including:
- a) a maximum average illuminance of 250cd/m<sup>2</sup>
  - b) the ability to further dim the signage and control via time clock.
- A18. Any amendments to the content of the approved signage prior to installation must be submitted to and approved by the Secretary.