Appendix F1 – Operational Noise Impact Assessment

EIS HTSP PHASE 5 – 11 | Appendix F1 – Operational Noise Impact Assessment



Hanson Tweed Sand Plant (HTSP) Expansion

Altona Road, Cudgen

Operational Noise Impact Assessment

Hanson Construction Materials Pty Ltd

Project No.: ATP190611

Project Name: Tweed Sand Plant

Document No.: ATP190611-R-NIA-07

April 2021



Document Control Record

Prepared by:	Aidan Daniels
Position:	Engineer – Acoustics
Signed:	Aponnels
Date:	9 April 2021

Approved by:	Sasho Temelkoski RPEQ 13551
Position:	Managing Director
Signed:	Steward
Date:	9 April 2021

REVISION STATUS

Revision No.	Description of Revision	Date	Approved	
0	0 Issue 1		S. Temelkoski	
1	Issue 2	11 January 2021	S. Temelkoski	
2 Issue 3		18 January 2021	S. Temelkoski	
3	Issue 4	3 February 2021	S. Temelkoski	
4	Issue 5 12 February 2021 S. Temelkosk		S. Temelkoski	
5	5 Issue 6 11 March 2021 S. Teme		S. Temelkoski	
6	6 Issue 7 9 April 2021 S. Temell		S. Temelkoski	

Recipients are responsible for eliminating all superseded documents in their possession.

atf ATP Engineering Trust ABN: 95 634 079 845

Gold Coast

34 Lakefront Crescent Varsity Lakes, QLD 4227 Ph: (07) 5593 0487 Brisbane Studio 5, 33 Vulture Street West End QLD 4101 Ph: 0499 015 150 Perth Suite 59, 102 Railway Street West Perth WA 6005 Ph: (08) 9265 1424

E-mail: <u>admin@atpconsulting.com.au</u> Internet: <u>www.atpconsulting.com.au</u>

RELIANCE, USES and LIMITATIONS

This report is copyright and is to be used only for its intended purpose by the intended recipient, and is not to be copied or used in any other way. The report may be relied upon for its intended purpose within the limits of the following disclaimer.

This study, report and analyses have been based on the information available to ATP Consulting Engineers at the time of preparation. ATP Consulting Engineers accepts responsibility for the report and its conclusions to the extent that the information was sufficient and accurate at the time of preparation. ATP Consulting Engineers does not take responsibility for errors and omissions due to incorrect information or information not available to ATP Consulting Engineers at the time of preparation.

Client: Hanson Construction Materials Pty Ltd Doc No.: ATP190611-R-NIA-07 Doc Title: Noise Impact Assessment



Executive Summary

ATP Consulting Engineers (ATP) was engaged to prepare an operational noise impact assessment (acoustic report) in support of the proposed expansion of the existing Hanson Tweed Sand Plant (HTSP) in Cudgen, owned and operated by Hanson Construction Materials Pty Ltd (Hanson).

Issue 7 of this report has been prepared in response to the Environmental Impact Statement (EIS) Rejection Notice from the Department of Planning, Industry & Environment (DPIE) dated 1 April 2021, which calls for consideration of noise enhancing meteorological conditions in line with *Fact Sheet D* of the *NSW Noise Policy for Industry*. Responses to the matters raised in the EIS Rejection Notice are provided in Section 1.1 of this report.

The HTSP currently operates under an existing Notice of Modification to DA 152-6-2005 issued by the New South Wales Department of Planning, Industry & Environment (DPIE) on 20 August 2018. The site also operates in accordance with Environment Protection Licence (No. 11453) issued by the New South Wales Environment Protection Authority (EPA).

Hanson is proposing to expand and redevelop the existing HTSP and is applying to the DPIE for approval to enable the following:

- Access to a sand resource of approximately 30-35 million tonnes with an annual maximum extraction of 950,000 tonnes of sand;
- The operations to be 24 hours seven days a week;
- Initially the existing wash plant and stockpile area will be used with an expectation that as the extraction phases progress, the area would be relocated as per the operational requirements; and
- Hanson will retain ownership of the site following completion of sand extraction and any proposed subsequent use of the site will be decided via the appropriate consultative, application and regulation processes in place at that time.

This acoustic report is prepared as per the requirements of the *Environmental Planning and Assessment Act 1979, Noise Policy for Industry 2017* and *Tweed Local Environment Plan 2014.*

Noise monitoring was carried out at the nearest noise sensitive places using automated noise loggers to obtain information about the existing background noise levels during day, evening and night-time. The Rating Background Levels (RBL) were calculated based on the background noise levels when there were no dredging operations taking place at the HTSP.

As per the NSW EPA *Noise Policy for Industry*, the intrusiveness, amenity and maximum noise level criteria were determined based on the results of the background noise monitoring, the methodology for which is presented in Section 3 of this report.

It is proposed that the project trigger levels, as per Table 3.5 of this report, be adopted as the new Operational Noise Criteria for the HTSP. It is important to note that special consideration is given to private haulage roads under the NSW EPA *Noise Policy for Industry*. To this end, the use of the



proposed private haulage road should be assessed separately, against project amenity noise level criteria, which are presented in Table 3.4 of this report.

The noise criteria do not apply if the Tweed Sand Plant has an agreement with any impacted landowner to exceed the noise criteria, and the Tweed Sand Plant has advised the NSW Department of Planning, Industry and Environment in writing of the terms of this agreement.

Detailed noise propagation modelling was carried out to assess potential noise impacts from the future operation of the HTSP on the nearest noise sensitive land uses over the 30-year planning horizon.

In the 3D noise propagation model, all proposed activities at the site were considered, including dredging activities (dredge and booster), shoreline processing (water pump, wash plant and loader) and truck movements (haulage route, dispatch of loaded trucks from the plant). The results of the noise propagation modelling indicate that without noise control measures, there is a potential for noise impacts on the nearest noise sensitive receptors from the operation of the extended HTSP as per various planned phases of expansion.

The noise impacts on the nearest noise sensitive receptors are associated with the use of the dredge, the booster and the wash plant, mainly during night-time operations, and when the dredge is operated at location nearest to the sensitive receptors. To protect the noise amenity at the nearest noise sensitive places (mainly residential dwellings), it is recommended to attenuate noise from the dredge, the booster and the wash plant.

Recent noise attenuation works have been carried out on the dredge at the existing HTSP, including:

- Installation of a new exhaust silencer;
- Installation of an acoustic enclosure to the engine bay;
- Installation of acoustic louvres to the ventilation openings at the front and rear walls of the engine room;
- Acoustic lagging added to the external high-pressure line; and
- Acoustic upgrade to the engine room maintenance doors adjacent to the suction pipe.

The noise levels associated with the dredge, after the installation of the noise attenuation works, were assessed during the attended noise measurements carried out on 21 August 2020. The operational noise modelling was carried out considering the attenuated noise levels, assessed at the nearest noise sensitive receptors to the proposed expansions considering the proposed continuous operation, daytime, evening, and night-time.

The dredge as it operates now, is sufficiently attenuated to operate during daytime for all phases barring phase 9, as well as evening for phase 8 and 11, and night for phase 8. Should the existing dredge be further acoustically upgraded, it may expand its operations further.

However, under some scenarios (e.g. operating during evening or night time within close proximity to some receivers), the level of noise reduction required is not practicable with the current dredge.



Therefore, it is recommended that the existing dredge be replaced with a dredge that has been acoustically treated to comply with the applicable noise limits.

The maximum allowable dredge noise levels to achieve compliance with the noise criteria during daytime, evening and night-time for each project phase are presented in Table 5.1 of this report.

Based on the operational noise level requirements for the dredge presented in Table 5.1 of this report, ATP proposes the following five options for levels of noise attenuation in order to comply with the applicable noise criteria during different operating scenarios:

- Option 1 Existing dredge Existing dredge, which currently achieves a sound pressure level of 90dB(A), 97dB(C) or 97dB(Z) measured at a 3-metre setback, and 80dB(A), 87dB(C) or 87dB(Z) measured at a 10-metre setback.
- Option 2 Existing dredge with acoustic upgrades Existing dredge, with additional acoustic upgrades to achieve a sound pressure level of not more than 86dB(A), 93dB(C) or 93dB(Z) measured at a 3-metre setback, and no more than 76dB(A), 83dB(C) or 83dB(Z) measured at a 10-metre setback.
- Option 3 Dredge 1 Dredge noise levels attenuated to achieve a sound pressure level of not more than 78dB(A), 85dB(C) or 85dB(Z) measured at a 3-metre setback, and no more than 68dB(A), 75dB(C) or 75dB(Z) measured at a 10-metre setback.
- Option 4 Dredge 2 Dredge noise levels attenuated to achieve a sound pressure level of not more than 74dB(A), 81dB(C) or 81dB(Z) measured at a 3-metre setback, and no more than 64dB(A), 71dB(C) or 71dB(Z) measured at a 10-metre setback.
- Option 5 Dredge 3 Dredge noise levels attenuated to achieve a sound pressure level of not more than 70dB(A), 77dB(C) or 77dB(Z) measured at a 3-metre setback, and no more than 60dB(A), 67dB(C) or 67dB(Z) measured at a 10-metre setback.

Summary of the abovementioned options for levels of noise attenuation for the dredge, as they relate to the project phases and periods, is presented in Table 5.2 of this report.

Based on the information presented in Tables 5.1 and 5.2 of this report, it can be seen that for the existing dredge to be able to operate evening for phases 5, 6, 7 and 10, additional acoustic upgrades will be required to achieve a minimum 4dB noise attenuation (i.e. Option 2). After these upgrades, ATP does not expect that further significant improvement could be achieved with the existing dredge, and a replacement dredge would be required to operate under more stringent conditions.

For any dredge to be able operate daytime during project phase 9, a level of noise attenuation corresponding to Option 3 will be required, as a minimum. Further levels of noise attenuation (Options 4 and 5) will allow for expanded operations into evening and night-time of phase 9.

The results of the operational noise modelling indicate that during night-time, when the booster is positioned within proximity to the nearest noise sensitive receptors, a minor exceedance of the noise criteria may occur.



ATP has carried out assessment of the existing noise attenuation works installed on the booster and have deemed them to be state of the art and sufficient for most operational scenarios. Because the booster is always located between the dredge and the processing plant, the noise impacts from the booster can be readily managed by appropriate positioning. Therefore, it is recommended that maximum distance is maintained between the booster and the nearest noise sensitive receptors during daytime, evening and night-time.

The results of the operational noise modelling indicate that during night-time operation the existing wash plant has the potential to cause minor exceedance of the noise criteria at the nearest noise sensitive receptors along Cudgen Road. To ensure the night-time operation of the wash plant does not impact the noise amenity at the nearest noise sensitive receptors it is recommended that a partial acoustic enclosure be installed around the wash plant motor, enclosing it on the south-east and south-west sides. Following design specifications are required for the acoustic enclosure:

- The enclosure is to be constructed using a material with minimum surface density of 15kg/m² (e.g. timber palings with minimum thickness of 22mm, fibre cement sheeting with minimum thickness of 12mm, or aerated concrete);
- The height of the enclosure is to be minimum 0.3m above the top of the wash plant motor, with returns along the south-east and south-west sides of the wash plant motor;
- The enclosure should be free of any gaps;
- If the walls of the enclosure are constructed of timber palings, planks should have minimum 35mm overlap; and
- The enclosure should be of durable construction.

To ensure ongoing compliance with the new Operational Noise Criteria (i.e. the project trigger levels, as per Table 3.5 of this report), annual attended compliance noise monitoring must be carried out at the nearest noise sensitive receivers (i.e. private residences or privately owned land).

Furthermore, attended compliance noise monitoring must be carried out at the nearest noise sensitive receivers following the commencement of dredging activities in new project phase areas (see Phasing Plan presented in Appendix A of this report).

Noise generated by the development is to be measured in accordance with the *NSW Noise Policy for Industry 2017.*

Provided the recommended noise control measures are fully implemented at detailed design and construction, there are no further acoustic constraints on the establishment of the proposed expanded operations of the Hanson Tweed Sand Plant in Cudgen.



Table of Contents

Acc	oustics	Glossary	x
1.	Intro	duction	1
1	.1	Response to DPIE EIS Rejection Notice	1
1	.2	Study Objectives	4
	1.2.1	Review of Noise Criteria from Development Consent Conditions	4
	1.2.2	2 Operational Noise Impact Assessment	4
1	.3	Subject Site	5
1	.4	Tweed Sand Plant Operations	7
1	.5	Zoning	
	.6	Nearest Noise Sensitive Places	
2.	Nois	e Measurements	
	2.1	Site-Specific Noise Measurements	
2	2.2	Unattended Background Noise Measurements	
	2.2.1		
	2.2.2	-	
	2.2.3		
	2.2.4	Unattended Noise Measurement Results – Location 4	17
	2.2.5	5 Unattended Noise Measurement Results – Location 5	18
2	2.3	Attended Operational Noise Measurements	19
2	2.4	Corrections for Annoying Noise Characteristics	
	2.4.1	Tonal Noise	
	2.4.2	2 Low Frequency Noise	
3.	Nois	e Criteria	
3	8.1	Noise Policy for Industry	
	3.1.1	Intrusiveness Noise Levels	
	3.1.2	2 Amenity Noise Levels	
	3.1.3	B Project Trigger Level	
	3.1.4		
4.	Ope	rational Noise Impact Assessment	
4	.1	Modelling Methodology	
4	.2	Noise Sources	
	4.2.1	Leq Noise Level Assessment	
	4.2.2	2 Maximum Noise Level Assessment (Night-time Only)	32
4	.3	Operational Noise Modelling Results	
	4.3.1		
	4.3.2		



	4.3.3	Scenario 3 (Year 9-13)	58
	4.3.4	Scenario 4 (Year 14-18)	66
	4.3.5	Scenario 5 (Year 19-22)	74
	4.3.6	Scenario 6 (Year 23-26)	82
	4.3.7	Scenario 7 (Year 27-30)	90
	4.3.8	Scenario 8 (Proposed Haulage Road)	98
5.	Discussio	n and Recommendations	102
5	.1 Ope	rational Noise Criteria	102
5	.2 Ope	rational Noise Impact Assessment	102
	5.2.1	Noise Mitigation of Dredge	102
	5.2.2	Noise Mitigation of Booster	105
	5.2.3	Noise Mitigation of Wash Plant	105
	5.2.4	Attended Compliance Noise Monitoring	106
6.	Reference	es	107

Tables

Table 2.1	Noise measurements	.9
Table 2.2	Measured background noise levels – Location 1	14
Table 2.3	Measured background noise levels – Location 2	15
Table 2.4	Measured background noise levels – Location 3	16
Table 2.5	Measured background noise levels – Location 4	17
Table 2.6	Measured background noise levels – Location 5	18
Table 2.7	Attended noise measurements	19
Table 2.8	One-third octave low-frequency noise thresholds	23
Table 2.9	One-third octave low-frequency noise levels at Location 1	23
	Intrusiveness noise criteria	
Table 3.2	Residential receiver categories	25
Table 3.3	Recommended amenity noise levels	26
Table 3.4	Project amenity noise levels	26
Table 3.5	Project trigger level	27
Table 3.6	Maximum noise level criteria	28
Table 4.1	Data and assumptions – Operational noise model	29
Table 4.2	Noise sources – Leq noise level assessments	32
Table 4.3	Noise sources – Maximum noise level assessment (night time only)	32
Table 4.4	Operational noise levels – Leq assessment – Scenario 1 (year 1-3)	12
	Operational noise levels – Lmax assessment – Scenario 1 (year 1-3)	
Table 4.6	Operational noise levels – Leq assessment – Scenario 2 (year 4-8)	50
Table 4.7	Operational noise levels – Lmax assessment – Scenario 2 (year 4-8)	54
Table 4.8	Operational noise levels – Leq assessment – Scenario 3 (year 9-13)	58
Table 4.9	Operational noise levels – L _{max} assessment – Scenario 3 (year 9-13)	32



Table 4.10	Operational noise levels – Leq assessment – Scenario 4 (year 14-18)	66
Table 4.11	Operational noise levels – Lmax assessment – Scenario 4 (year 14-18)	70
Table 4.12	Operational noise levels – Leq assessment – Scenario 5 (year 19-22)	74
Table 4.13	Operational noise levels – Lmax assessment – Scenario 5 (year 14-18)	78
Table 4.14	Operational noise levels – Leq assessment – Scenario 6 (year 23-26)	82
Table 4.15	Operational noise levels – L _{max} assessment – Scenario 6 (year 23-26)	86
Table 4.16	Operational noise levels – L _{eq} assessment – Scenario 7 (year 27-30)	90
Table 4.17	Operational noise levels – Lmax assessment – Scenario 7 (year 27-30)	94
Table 4.18	Operational noise levels – Leq assessment – Scenario 8 (proposed haulage road)	98
Table 5.1 C	Derational noise level requirements for dredge	103
Table 5.2 S	Summary of options for levels of noise attenuation for dredge	104

Figures

Figure 1.1	Site location	6
Figure 1.2	Zoning map – Tweed Shire Council	8
Figure 2.1	Unattended noise measurement locations	. 11
Figure 2.2	Attended noise measurement locations – 12 September 2019	. 12
Figure 2.3	Attended noise measurement locations – 29 August 2020	. 13
Figure 2.4	One-third octave noise levels at various distances from dredge	. 21
Figure 2.5	One-third octave noise levels at various distances from booster	. 22
Figure 4.1	SoundPLAN operational noise model excerpt – Scenario 1 (year 1-3)	. 34
Figure 4.2	SoundPLAN operational noise model excerpt – Scenario 2 (year 4-8)	. 35
Figure 4.3	SoundPLAN operational noise model excerpt – Scenario 3 (year 9-13)	. 36
Figure 4.4	SoundPLAN operational noise model excerpt – Scenario 4 (year 14-18)	. 37
Figure 4.5	SoundPLAN operational noise model excerpt – Scenario 5 (year 19-22)	. 38
Figure 4.6	SoundPLAN operational noise model excerpt – Scenario 6 (year 23-26)	. 39
Figure 4.7	SoundPLAN operational noise model excerpt – Scenario 7 (year 27-30)	. 40
Figure 4.8	SoundPLAN operational noise model excerpt – Scenario 8 (proposed haulage road)	. 41

Appendices


- Appendix A Phasing Plan
- Appendix B Nearest Noise Sensitive Places
- Appendix C Site Photos
- Appendix D Meteorological Data
- Appendix E Noise Measurement Results
- Appendix F SoundPLAN Results Operational Noise



Acoustics Glossary

A-weighting

The A-weighting filter suppresses low frequency sounds and some of the higher frequency sounds to which the human ear is less sensitive. It is a correction to sound pressure levels to mimic the response of the human ear at low sound pressure levels. The A-weighted sound pressure level correlates well with the perceived loudness at low sound levels. The A-weighted sound pressure level is used extensively for general purpose noise measurements.



Broadband sound Sound distributed across the whole audible frequency range.

dB(A) The A-weighted sound pressure level.

Fast time-
weightingThe Fast ("F") time-weighting is defined in AS 1259.1-1990. Instruments with F time
weighting use a time constant of 125 milliseconds in their exponential averaging circuit.

Hz (Hertz) Hertz is the standard measure of the frequency of oscillations in a wave motion. The frequency is most often measured in cycles per second (cps) or Hertz (Hz). Frequency of 1 Hz is one cycle per second.

Impulsive noise
and
impulsivenessNoise having a high peak of short duration or a sequence of such peaks. Impulsive
noise is present if the difference in A-weighted maximum noise levels between fast
response and impulse response is greater than 2dB. Impulsiveness adjustment
(penalty) of up to 5dB should be applied to the component noise level.

- L_{Aeq,T} "Average-energy" sound level used in situations where sound varies over time. L_{Aeq,T} is the A-weighted sound pressure level that has the same energy as the fluctuating sound over the time period T sec.
- L_{A01,T} Measure of the maximum sound level. L_{A01,T} is a statistical parameter that is the A-weighted sound pressure level that is exceeded for 1% of the measurement time T.
- L_{A10,T} L_{A10,T} is a statistical parameter that is the A-weighted sound pressure level that is exceeded for 10% of the measurement time T.
- L_{A90,T} Background sound level. L_{A90,T} is a statistical parameter that is the A-weighted sound pressure level that is exceeded for 90% of the measurement time T.

Noise Unwanted sound.



Octave bands and 1/3 octave bands	A range of frequencies whose upper frequency limit is twice that of its lower frequency limit. In acoustics, the audible spectrum (20Hz to 20kHz) is divided into 10 parts (octaves) with centre frequencies of 31.5Hz, 63Hz, 125Hz, 250Hz, 500Hz, 1kHz, 2kHz, 4kHz, 8kHz and 16kHz. For more detailed frequency analysis, octave bands are further divided into more discrete bands. For examples, 1/3 octaves bands are is where each octave band is divided into three parts. IEC 61260:1995, <i>Electroacoustics — Octave-band and fractional-octave band filters</i>
Rating background level (RBL)	The overall single-figure background level representing each assessment period (e.g. standard hours, non-standard hours). The RBL is the background noise level for each work period using the tenth percentile method of measured LA90,15-minute.
Sound power	The sound energy radiated per unit time by a sound source in all directions, measured in Watts (W).
Sound Power Level, L _w (SWL)	The sound power level in decibels (dB) is 10 times the base 10 logarithm of the ratio of the sound power in W to the reference sound power of 1×10^{-12} W (hearing threshold).
Sound pressure	The difference between the pressure caused by a sound wave and the ambient pressure of the medium the sound wave is passing through. Measured in Pascals (Pa).
Sound Pressure Level, L _p (SPL)	The sound power level in decibels (dB) is 20 times the base 10 logarithm of the ratio of the sound pressure in Pa to the reference sound pressure of 2×10^{-5} Pa (hearing threshold).
Tonal noise, tonality and tonality adjustment	Tonal noise is characterised by one or more distinct frequency components ("tones") that emerge audibly from the total sound. For example, distinct tones may be emitted by fans, saws, grinders and other equipment. Tonal noise is generally far more annoying than non-tonal noise. Presence of tonal sound ("tonality") can be identified by analysing the sound levels in adjacent 1/3 octave bands. AS1055.1-1997 and the DEHP Noise Measurement Manual 2013 provides guidance on how tonality should be assessed. If tonal components are clearly audible and they can be detected by 1/3 octave analysis (1/3 octave band exceeds neighbouring bands by at least 5dB), tonality adjustment (penalty) of up to 5dB should be applied to the component noise level.
Weighted Sound Reduction Index (R _w)	A single-number quantity which characterises the airborne sound insulation of a material or building element over a range of frequencies.



1. Introduction

ATP Consulting Engineers (ATP) was engaged to prepare an operational noise impact assessment (acoustic report) in support of the proposed expansion of the existing Hanson Tweed Sand Plant (HTSP) in Cudgen, owned and operated by Hanson Construction Materials Pty Ltd (Hanson).

Issue 7 of this report has been prepared in response to the Environmental Impact Statement (EIS) Rejection Notice from the Department of Planning, Industry & Environment (DPIE) dated 1 April 2021, which calls for consideration of noise enhancing meteorological conditions in line with *Fact Sheet D* of the *NSW Noise Policy for Industry*. Responses to the matters raised in the EIS Rejection Notice are provided in Section 1.1 of this report.

The HTSP currently operates under an existing Notice of Modification to DA 152-6-2005 issued by the New South Wales Department of Planning, Industry & Environment (DPIE) on 20 August 2018. The site also operates in accordance with Environment Protection Licence (No. 11453) issued by the New South Wales Environment Protection Authority (EPA).

Hanson is proposing to expand and redevelop the existing HTSP and is applying to the DPIE for approval to enable the following:

- Access to a sand resource of approximately 30-35 million tonnes with an annual maximum extraction of 950,000 tonnes of sand;
- The operations to be 24 hours seven days a week;
- Initially the existing wash plant and stockpile area will be used with an expectation that as the extraction phases progress, the area would be relocated as per the operational requirements; and
- Hanson will retain ownership of the site following completion of sand extraction and any proposed subsequent use of the site will be decided via the appropriate consultative, application and regulation processes in place at that time.

ATP Consulting has also prepared a Construction Noise Assessment (CNA) report (ref. ATP190611-R-CNA-04, dated 12 February 2021) for this project to address potential noise impacts from the construction activities associated with the expanded operations of the HTSP.

This acoustic report is prepared as per the requirements of the *Environmental Planning and Assessment Act 1979, Noise Policy for Industry* and *Tweed Local Environment Plan 2014.*

1.1 Response to DPIE EIS Rejection Notice

Issue 7 of this report has been prepared in response to the EIS Rejection Notice from DPIE dated 1 April 2021 for the Hanson Tweed Sand Plant Expansion SSD-10398. The EIS Rejection Notice calls for consideration of noise enhancing meteorological conditions in line with Fact Sheet D of the *NSW Noise Policy for Industry*, as follows:

"The Department notes that the Secretary's Environmental Assessment Requirements (SEARs) for the project require noise impacts to be assessed in accordance with the



NSW Noise Policy for Industry (NPfI). Fact Sheet D of the NPfI sets out the necessary considerations for noise enhancing meteorological conditions when assessing a project's noise impacts. The methodology used in the Noise Impact Assessment for the EIS assesses noise impacts under a modelled worst-case scenario, however the assumed noise enhancing meteorological conditions have been established using Equation 3 of ISO 9613, which is inconsistent with the methodology set out in the NPfI.

Please provide a revised Noise Impact Assessment that either provides justification as to why this alternative methodology has been adopted, or adopts the methodologies set out in the NPfI."

ATP has prepared this report, as per the EIS Rejection Notice, to provide justification as to why the methodology used in the noise impact assessment has been adopted and is appropriate.

Fact Sheet D of the *Noise Policy for Industry* stipulates that noise-enhancing weather conditions must be considered as part of the noise impact assessment, with specific reference made to the Pasquill-Gifford Stability Classification Scheme.

The Pasquill-Gifford (P-G) Stability Classification Scheme is used to describe atmospheric stability. Stability class under the P-G scheme is designated a letter from A-F, and sometimes G, which describes a range of atmospheric conditions ranging from highly unstable to extremely stable (Pasquill 1961).

During extremely stable conditions, cool air near the ground is trapped by a layer of warm air above which results in virtually no vertical air motion; this condition is known as a 'temperature inversion', and is favourable for noise propagation. The density of the air decreases with increased altitude, altering the speed of sound, which creates a refractive effect. As a result, sound waves that would normally radiate out into the atmosphere are refracted back to the ground, leading to an increased noise level at the receiver (Kochanowski & Mackenzie 2008).

In relation to noise propagation modelling, the variables that relate to noise-enhancing weather conditions are as follows:

- Separation distance between noise source and receiver;
- Altitude, with respects to noise source, receiver, and the path between them;
- Relative humidity;
- Atmospheric pressure;
- Temperature;
- Wind speed;
- Wind direction; and
- Atmospheric stability, as a product of the above variables, and presence of temperature inversions.



Fact Sheet D of the *Noise Policy for Industry* stipulates that the Pasquill-Gifford Stability Classification Scheme must be utilised in the noise impact assessment, with no specific reference made to which noise prediction model is preferable. In Australia, the only noise prediction model that actively utilises the Pasquill-Gifford Stability Classification Scheme (i.e. makes specific reference to the stability classes) is the CONCAWE method from the 1960s. CONCAWE was established in 1963 by a conglomerate of oil companies carrying out research on environmental issues relevant to the oil industry (noise impacts from oil rigs at great distances).

It is widely accepted that at relatively short distances (less than 700m) the CONCAWE method overestimates the influence of wind on the calculated noise levels (Parry 2008). At greater distances, the CONCAWE method provides reliable noise modelling results, as the method was developed based on experimental validation at great distances – a product of the methods origins in the oil industry.

The nearest and most exposed noise sensitive receptors to the Hanson Tweed Sand Plant are within 80m to 300m from the proposed expansion. At this separation, the CONCAWE method is inappropriate and should not be utilised.

The methodology employed in this noise impact assessment is the ISO9613-2 noise prediction model, which has been widely accepted and utilised for industrial noise modelling throughout Australia and internationally since the late 1990s.

Specification and validation of specific P-G classes with respects to the ISO9613-2 model are largely irrelevant, as the standard already considers all components that make up the P-G stability classes, albeit without specifically referencing the classes themselves. This standard predicts noise under meteorological conditions favourable to the propagation of sound – a discussion of which is provided in Table 4.1 of this report, and is also presented below:

- All scenarios in the operational noise modelling were prepared to account for noise enhancing meteorological effects (equation 3 of ISO 9613), resulting in a worst-case scenario assessment.
- By utilising equation 3 in ISO 9613, the noise modelling automatically accounts for noise enhancing effects of downwind noise propagation and temperature inversion.
- The calculations give the average downwind sound pressure levels $L_{AT(DW)}$. The downwind propagation conditions are:
 - Wind direction within an angle of $\pm 45^{\circ}$ of the direction connecting the centre of the dominant sound source and the centre of the specified receiver region, with the wind blowing from the source to receiver; and
 - Wind speed between approximately 1 m/s and 5 m/s, measured at a height of 3 m to 11 m above the ground.
- The calculations consider average propagation under a well-developed moderate groundbased temperature inversion, such as commonly occurs on clear, calm nights.



• Extract from ISO 9613 is as follows: "use of equation 3 leads directly to an equivalent continuous A-weighted sound pressure level L_{AT} at the receiver for meteorological conditions which are favourable for propagation from the sound source to that receiver. This may be the appropriate condition for meeting a specific community noise limit, i.e. a level which is seldom exceeded."

As Kochanowski & Mackenzie (2008) stated; "Papers note the improved accuracy of the ISO9613-2 method compared to other prediction models including CONCAWE". Bass et al (1996) noted "The accuracy of output from the ISO model is impressive. Agreement with sound pressure levels measured under conditions of an 8m/s positive vector wind speed has been measured to within 1.5 dBA on flat, rolling and complex terrain sites."

As the ISO9613-2 noise prediction model used in this noise impact assessment already considers highly conservative assumptions for all noise modelling parameters relevant to meteorological conditions favourable to the propagation of sound, it is considered appropriate, and accounts for all the factors discussed in *Fact Sheet D* of the *NSW Noise Policy for Industry*.

1.2 Study Objectives

Study objectives are as follows:

1.2.1 Review of Noise Criteria from Development Consent Conditions

- Identification and unattended noise measurements at the nearest noise sensitive receptors to the subject site (543 Cudgen Road, Cudgen; 139 Pacific Motorway, Chinderah; 271 Pacific Motorway, Chinderah; and 353 Cudgen Road, Cudgen) and the control noise monitoring location as proposed by SLR in the NMP dated May 2019.
- Determination of the Rating Background Levels (RBL) representative of the typical noise amenity at the residential area in Cudgen which may be affected by noise emissions from HTSP.
- Determination of the environmental noise criteria for the HTSP operations based on the measured RBLs.

1.2.2 Operational Noise Impact Assessment

- Attended noise measurements of all operational noise sources at the existing HTSP.
- Development of a 3D noise propagation model considering the noise sources associated with the HTSP, considering the operations as per the Phasing Plan over the 30-year planning horizon.
- Calculation of the HTSP noise levels at the nearest noise sensitive land uses and assessment against the environmental noise criteria.
- Recommendation of noise mitigation measures to ensure compliance with the noise criteria throughout various phases of the planned HTSP expansion and redevelopment.



1.3 Subject Site

The existing HTSP is located on the land described as Lot 22 on DP1082435, Lot 23 on DP1077509 and Lot 494 on DP720450.

Over the 30-year planning horizon it is proposed to expand the HTSP to also occupy adjacent allotments, specifically Lot 1 on DP1250570, Lot 2 on DP1192506, Lot 3 on DP1243752, Lot 50 on DP1056966 and Lot 51 on DP1166990.

The Phasing Plan for the proposed expansion is presented in Appendix A.

The location of the existing HTSP and the proposed 30-year planning horizon site extent is presented in Figure 1.1.






Figure 1.1 Site location



1.4 Tweed Sand Plant Operations

A brief summary of activities carried out at Tweed Sand Plant is as follows:

- Clearing of areas to be dredged (clearing of top soil to a depth of approximately 0.5m, and removal of cleared materials from site). Within each project phase, clearing will take place in stages, wherein over a 1–2 week period once a year, a 20–30m setback of land will be cleared to facilitate dredging operations;
 - As the clearing works are short term and periodic (i.e. only occurring once a year), and are carried out in order to enable the dredging activities to take place, they are considered construction activities (scheduled development work) specifically covered under the *Interim Construction Noise Guideline 2009*¹. To this end, the clearing works are assessed as part of the Construction Noise Assessment (CNA) report (ref. ATP190611-R-CNA-04, dated 12 February 2021) for this project.
- Dredging of sand from the extraction area;
- Pumping of dredged material to wash plant at shoreline;
- Processing of sand using wash plant;
- Stockpiling of processed sand;
- Loading of sand onto product trucks; and
- Weighing and despatch of product trucks using weighbridge.

Over the 30-year planning horizon, it is proposed to expand operations to be carried out continuously, 24 hours a day, 7 days a week.

1.5 Zoning

Under the *Tweed Local Environment Plan 2014*, the subject site and most of the surrounding land is zoned RU1 Primary Production. There is a portion of land to the north which is zoned SP2 Infrastructure (Tweed Shire Sustainable Living Centre) and some land to the east, which is zoned R2 Low Density Residential, RE1 Recreation and R1 General Residential.

Zoning map from the *Tweed Local Environment Plan 2014* online mapping system is presented in Figure 1.2.

¹ The Interim Construction Noise Guideline 2009 coverers a number of construction activities, including: "scheduled development work that will enable scheduled activities to be carried out (section 47 of the Protection of the Environment Operations (POEO) Act 1997)". Section 47 of the POEO Act 1997 states that "scheduled development work means work at any premises at which scheduled activities are not carried on that is designed to enable scheduled activities to be carried on at the premises". As the dredging activities are considered a scheduled activity (extractive activity) under Schedule 1 of the POEO Act 1997, the clearing work is therefore considered to be scheduled development work that will enable the scheduled activities (extractive activities) to be carried out.






Figure 1.2 Zoning map – Tweed Shire Council

1.6 Nearest Noise Sensitive Places

In accordance with the *Noise Policy for Industry* (2017), a noise sensitive land use is defined as a land use that is sensitive to noise such as residential areas, churches, schools and recreation areas.

The nearest noise sensitive land uses to the HTSP are as follows:

- Residential dwellings to the south at Cudgen Road;
- Cudgen Public School to the east;
- Residential dwellings to the east; and
- Residential dwellings to the north.

All noise sensitive land uses are labelled in Appendix B.



2. Noise Measurements

2.1 Site-Specific Noise Measurements

Noise monitoring was carried out at the nearest noise sensitive places using automated noise loggers to obtain information about the existing background noise levels during day, evening and night-time. The Rating Background Levels (RBL) were calculated based on the background noise levels when there were no dredging operations taking place at the HTSP.

Additional noise monitoring was carried out close to the plant and equipment at the existing HTSP to determine the sound power levels for development of the 3D noise propagation model in SoundPLAN.

The noise measurement methodology is summarised in Table 2.1.


Relevant legislation, standards and guidelines	 The noise measurements were carried out in accordance with: Australian Standard AS 1055:2018 (<i>Acoustics – Description and measurement of environmental noise</i>).
J	NSW EPA, 2017, Noise Policy for Industry.
	Unattended noise monitoring was carried out 24 hours a day from 16 to 30 September 2020. During the unattended noise monitoring, the existing HTSP has been operating during business hours. However, site records show that there were no dredging operations on the following workdays: 16, 18 to 20, 22, 23, 25 to 27, and 29 September 2020. Product loading was still carried out on these days but had negligible contribution to the measured background noise at Locations 1 and 2. As part of a previous compliance assessment for the HTSP, attended noise
Measurement period	measurements were carried out between 9:15am and 11:00am on 12 September 2019, at a time when dredging operations were taking place. These measurements were carried out prior to acoustic upgrades being carried out for the dredge. The primary measurements of interest from 12 September 2019 include the measurements of noise associated with the booster barge, sand wash plant, front loader trucks, and water pump. Further attended noise measurements were carried out between 9:15am and 10:45am on 21 August 2020, at a time when dredging operations were taking place. These measurements were on the dredge barge and wash plant after a number of acoustic upgrades were implemented on the dredge barge.
Measurement location	 The unattended noise monitoring was carried out at the following locations: Location 1 – 543 Cudgen Road, Cudgen; Location 2 – South-eastern shoreline of lake at subject site; Location 3 – 139 Pacific Motorway, Chinderah; Location 4 – 271 Pacific Motorway, Chinderah; and Location 5 – 353 Cudgen Road, Cudgen. The attended noise measurements carried out on 12 September 2019 were carried out at various locations, including:
	 On the dredge and booster barges; On lake surface near the dredge and booster barges; Sand wash plant; and Product loading area.

Table 2.1 Noise measurements



	 The attended noise measurements carried out on 12 August 2020 were carried out at various locations, including: Locations 1 and 2; On the dredge barge and at various setback distances from it; and At sand wash plant. The noise monitoring locations are presented in Figures 2.1 through 2.3, with photos showing the noise measurement locations are presented in Appendix C.
Measurement equipment	 The following sound measurement equipment was used: <u>Unattended noise monitoring from 16 to 30 September 2020:</u> Location 1 noise logger – ARL Ngara, serial no. 8781BC; Location 2 noise logger – SVAN 977A, serial no. 81347; Location 3 noise logger – ARL EL316, serial no. 16-707-017; Location 4 noise logger – ARL EL315, serial no. 92176; Location 5 noise logger – ARL EL315, serial no. 15-203-537; and Calibration – RION NC-74, serial no. 34615224. <u>Attended noise monitoring on 12 September 2019:</u> Sound level meter – SVAN 977A, serial no. 45740; and Calibration – RION NC-74, serial no. 34615224. <u>Attended noise monitoring on 21 August 2020:</u> Sound level meter – SVAN 977A, serial no. 92130; Sound level meter – SVAN 977A, serial no. 92176; and Calibration – RION NC-73, serial no. 11038082. The noise measurement instruments conform to Australian Standard AS IEC61672.1-
	2019. Calibration was performed during set up and download of the data from the instruments. The calibration drift was <0.1 dB(A).In accordance with Table A1 of the NSW EPA <i>Noise Policy for Industry</i>, the conditions
	for background noise monitoring are "Average wind speed < 5 m/s (at microphone height), no rain, no extraneous noise". Meteorological data for the nearest weather station, Coolangatta Airport, for the unattended and attended noise monitoring periods are both presented in Appendix D.
Meteorological conditions	The meteorological conditions during the unattended and attended noise monitoring periods have been fine with no rainfall recorded. However, the Coolangatta Airport weather station had intermittent technical issues occurring on 18 and 19 September 2020, resulting in some periods of missing meteorological data. Noise data gathered on these days were disregarded in determination of the background noise levels.
	Calculation of L_{A90} and ABL noise levels excludes data with wind speed greater than 5 m/s at the microphone height. The wind speed at Coolangatta Airport is recorded at 10 m above ground level. The wind speed at the microphone height (1.5 m above ground level) was calculated from the wind speed at 10 m above ground level, assuming a logarithmic wind profile and roughness length of $z_0 = 0.1$ m.
	$v_{@1.5m} = v_{@10m} \frac{\ln\left(\frac{1.5}{z_0}\right)}{\ln\left(\frac{10}{z_0}\right)}$
Analysis of data	 The noise measurement data was analysed to determine the following noise descriptor: RBL: Rating Background Level during daytime (7am to 6pm), evening (6pm to 10pm) and nighttime (10pm to 7am). The RBL was calculated from the LA90,15min noise levels using the procedure described in the <i>Noise Policy for Industry</i>. The RBL noise levels are used to determine the intrusiveness noise criteria as per Section 3.1 of this report.





The unattended noise monitoring locations are presented in Figure 2.1.

Figure 2.1 Unattended noise measurement locations



Figure 2.2 shows the attended and unattended noise measurement locations within closer proximity to the HTSP.




Figure 2.2 Attended noise measurement locations – 12 September 2019



Figure 2.3 shows the attended and unattended noise measurement locations within closer proximity to the HTSP.



Figure 2.3 Attended noise measurement locations – 29 August 2020



2.2 Unattended Background Noise Measurements

This section of the report presents the background noise levels measured during the unattended noise monitoring period from 16 to 30 September 2020.

2.2.1 Unattended Noise Measurement Results – Location 1

The results of the background noise monitoring at Location 1 are presented in Table 2.2 and Appendix E.

	Background noise levels L ₉₀ dB(A)			Assessment Background Levels (ABL) dB(A)		
Date	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)
16 Sep 2020 (Wed)	—	40	42	—	38	39
17 Sep 2020 (Thu)	43*	43	41	39*	41	37
18 Sep 2020 (Fri)	39	49	38	36	41	34
19 Sep 2020 (Sat)	38	41	37	37	37	34
20 Sep 2020 (Sun)	39	46	40	38	40	37
21 Sep 2020 (Mon)	48*	49	45	46*	47	43
22 Sep 2020 (Tue)	47	45	41	46	44	39
23 Sep 2020 (Wed)	41	45	37	38	43	33
24 Sep 2020 (Thu)	41*	43	42	39*	42	39
25 Sep 2020 (Fri)	48	48	41	45	45	37
26 Sep 2020 (Sat)	39	36	30	37	33	25
27 Sep 2020 (Sun)	38	35	35	35	33	32
28 Sep 2020 (Mon)	42*	35	36	40*	33	32
29 Sep 2020 (Tue)	39	37	40	37	35	37
Arithmetic Average	39	41	39	—	—	_
	Rating Background Level (RBL) with no dredging operations			37	38	37

Table 2.2 Measured background noise levels – Location 1

Note:

Data excluded due to meteorological effects (wind speed) or extraneous noise

Data excluded due to missing meteorological data

* Data excluded due to dredging operations



2.2.2 Unattended Noise Measurement Results – Location 2

The results of the background noise monitoring at Location 2 are presented in Table 2.3 and Appendix E.

_	Backg	round noise lev dB(A)	rels L ₉₀	Assessmen	t Background L dB(A)	evels (ABL).
Date	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)
16 Sep 2020 (Wed)	_	45	44	—	42	41
17 Sep 2020 (Thu)	49*	45	43	39*	43	40
18 Sep 2020 (Fri)	39	49	40	36	42	37
19 Sep 2020 (Sat)	40	49	39	37	44	36
20 Sep 2020 (Sun)	39	47	40	38	43	37
21 Sep 2020 (Mon)	55*	53	49	48*	52	47
22 Sep 2020 (Tue)	51	48	39	48	44	36
23 Sep 2020 (Wed)	41	46	37	38	43	33
24 Sep 2020 (Thu)	44*	44	44	40*	42	41
25 Sep 2020 (Fri)	51	51	42	47	48	34
26 Sep 2020 (Sat)	38	37	30	35	32	24
27 Sep 2020 (Sun)	36	35	36	33	34	31
28 Sep 2020 (Mon)	44*	37	37	41*	35	34
29 Sep 2020 (Tue)	39	39	42	36	35	38
Arithmetic Average	39	43	40	—	_	_
Rating Background Level (RBL) with no dredging operations3642						36

Table 2.2	Maasurad	background	noico		Location 2	2
I able 2.3	Measureu	background	110126	164612 -	LUCATION 2	é.,

Note:

Data excluded due to meteorological effects (wind speed) or extraneous noise



2.2.3 Unattended Noise Measurement Results – Location 3

The results of the background noise monitoring at Location 3 are presented in Table 2.4 and Appendix E.

_	Backg	round noise lev dB(A)	els L ₉₀	Assessmen	t Background L dB(A)	evels (ABL)
Date	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)
16 Sep 2020 (Wed)	_	51	45	—	47	40
17 Sep 2020 (Thu)	46*	50	44	42*	47	37
18 Sep 2020 (Fri)	43	45	46	39	40	40
19 Sep 2020 (Sat)	44	51	42	43	44	39
20 Sep 2020 (Sun)	44	56	49	42	46	40
21 Sep 2020 (Mon)	55*	54	50	53*	52	44
22 Sep 2020 (Tue)	55	54	51	53	52	44
23 Sep 2020 (Wed)	46	51	43	42	46	35
24 Sep 2020 (Thu)	45*	50	45	42*	48	40
25 Sep 2020 (Fri)	53	50	43	50	47	36
26 Sep 2020 (Sat)	45	46	35	41	41	29
27 Sep 2020 (Sun)	41	45	41	39	43	35
28 Sep 2020 (Mon)	46*	47	43	42*	43	37
29 Sep 2020 (Tue)	43	49	45	41	46	39
Arithmetic Average	44	50	44	_	—	_
Rating Background Level (RBL) 41 46 with no dredging operations 41 46						39

Table 2.4 Measured backg	around noise	elevels – Location 3

Note:

Data excluded due to meteorological effects (wind speed) or extraneous noise



2.2.4 Unattended Noise Measurement Results – Location 4

The results of the background noise monitoring at Location 4 are presented in Table 2.5 and Appendix E.

	Backg	round noise lev dB(A)	els L ₉₀	Assessmen	t Background L dB(A)	evels (ABL)
Date	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)
16 Sep 2020 (Wed)	_	48	43	—	45	40
17 Sep 2020 (Thu)	41*	48	43	38*	44	39
18 Sep 2020 (Fri)	41	47	44	36	44	38
19 Sep 2020 (Sat)	41	52	43	39	48	38
20 Sep 2020 (Sun)	40	51	46	37	46	41
21 Sep 2020 (Mon)	46*	52	46	44*	49	42
22 Sep 2020 (Tue)	47	49	42	46	47	38
23 Sep 2020 (Wed)	41	50	42	37	45	40
24 Sep 2020 (Thu)	41*	47	44	38*	45	40
25 Sep 2020 (Fri)	46	46	41	43	44	38
26 Sep 2020 (Sat)	41	42	35	38	39	31
27 Sep 2020 (Sun)	38	40	40	35	39	37
28 Sep 2020 (Mon)	45*	42	42	40*	40	38
29 Sep 2020 (Tue)	42	44	44	40	40	41
Arithmetic Average	41	47	42	_	—	—
	Rating Background Level (RBL) with no dredging operations3745					

Table 2.5	Measured	background	noise	levels – Location 4
		No on on on o on the		

Note:

Data excluded due to meteorological effects (wind speed) or extraneous noise



2.2.5 Unattended Noise Measurement Results – Location 5

The results of the background noise monitoring at Location 5 are presented in Table 2.6 and Appendix E.

_	Backg	round noise lev dB(A)	els L ₉₀	Assessmen	t Background L dB(A)	evels (ABL)
Date	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)	L _{90,11hr} day (7am–6pm)	L _{90,4hr} evening (6pm–10pm)	L _{90,9hr} night (10pm–7am)
16 Sep 2020 (Wed)	—	48	43	—	46	40
17 Sep 2020 (Thu)	41*	48	40	38*	44	38
18 Sep 2020 (Fri)	38	48	43	35	44	41
19 Sep 2020 (Sat)	39	50	41	37	47	38
20 Sep 2020 (Sun)	39	51	43	37	49	39
21 Sep 2020 (Mon)	49*	52	47	46*	50	45
22 Sep 2020 (Tue)	48	48	42	46	46	38
23 Sep 2020 (Wed)	40	49	40	37	45	35
24 Sep 2020 (Thu)	38*	47	43	35*	45	39
25 Sep 2020 (Fri)	51	51	42	45	47	37
26 Sep 2020 (Sat)	36	40	28	33	34	24
27 Sep 2020 (Sun)	36	36	36	32	32	30
28 Sep 2020 (Mon)	39*	39	37	37*	38	35
29 Sep 2020 (Tue)	38	42	40	36	40	38
Arithmetic Average	38	45	40	—	—	—
Rati wi	36	45	38			

Table 2.6 Measured background noise levels – Location 5

Note:

Data excluded due to meteorological effects (wind speed) or extraneous noise



2.3 Attended Operational Noise Measurements

This section of the report presents the operational noise levels with HTSP operating.

Summary of the attended noise measurements carried out on 12 September 2019 (Thursday) and on 21 August 2020 (Friday) are presented in Table 2.7.

Date	Location	Distance between noise source and measurement location, m	Noise level L _{Aeq} dB(A)	Noise level L _{Ceq} dB(C)					
	Booster (front)	7	69	86					
	Booster (side)	8	71	87					
12 Sep 2019 (Thu)	Sand wash plant	5 (distance from engine)	71	73					
	Front loader loading product truck	8	72	83					
	Water pump at shore near sand wash plant	1.5	84	85					
	Location 1*	Distance from dredge: 485m	47	62					
	(543 Cudgen Road)		TSP component: 60						
	Location 2*	Distance from dredge: 255m	54	71					
	(South-eastern shore of lake)	Distance from booster: 350m	TSP component: 52	TSP component: 66					
		Distance from front (west): 45m	60	nt: 43 TSP component: 60					
21 Aug 2020 (Fri)	Dradaa	Distance from left side (north): 30m	61	81					
	Dredge	Distance from rear (east): 50m	60	77					
		Distance from right side (south): 35m	69	78					
		Distance from west: 45m	57	71					
	Sand wash plant	Distance from south: 15m	66	73					
		Distance from east: 38m	62	70					

Table 2.7 Attended noise measurements

*Note: Measured noise level includes background noise, but HTSP noise level is not distinguishable from the background. The HTSP component noise level was calculated using SoundPLAN noise propagation model.

During attended noise measurements at 543 Cudgen Road, ATP observed that the dredge was just audible as a distant "hum".



It is noted that the measured noise levels at Location 1 include significant background noise which was contributing more to the noise levels than the HTSP. Due to the large separation distance between Location 1 and the existing HTSP, and dominance of background noise, the HTSP noise level was undistinguishable from the background noise. Background noise present at Location 1 included birds, insects, wind rustling through vegetation and distant traffic noise.

The highest noise levels associated with the HTSP at Location 1 during the noise monitoring period, in the absence of background noise, are estimated to be 43 dB(A) $L_{Aeq,15min}$. This noise level has been calculated using a SoundPLAN noise propagation model, which was validated using the attended noise measurements close to the plant and equipment at the existing HTSP.

It is noted that the results of the SoundPLAN noise propagation model indicate noise level of 43 dB(A) $L_{Aeg,15min}$ at the adjacent residence at 535 Cudgen Road.

2.4 Corrections for Annoying Noise Characteristics

Extract from the *Noise Policy for Industry* is as follows:

Where a noise source contains certain characteristics, such as tonality, intermittency, irregularity or dominant low-frequency content, there is evidence to suggest that it can cause greater annoyance than other noise at the same noise level. On the other hand, some sources may cause less annoyance where only a single event occurs for a limited duration. This section outlines the correction factors to be applied to the source noise level at the receiver before comparison with the project noise trigger levels specified in Section 2, to account for the additional annoyance caused by these modifying factors.

The modifying factor corrections should be applied having regard to:

- the contribution noise level from the premises when assessed/measured at a receiver location, and
- the nature of the noise source and its characteristics (as set out in this fact sheet).

The corrections specified for tonal, intermittent and low-frequency noise are to be added to the measured or predicted noise levels at the receiver before comparison with the project noise trigger levels.

2.4.1 Tonal Noise

Tonal noise is characterised by one or more distinct frequency components ("tones") that emerge audibly from the total sound. Tonal noise can be assessed with one-third octave band analysis of the noise measured at the receiver.

In accordance with the *Noise Policy for Industry*, the method of assessing tonality is the "objective method for assessing the audibility of tones in noise – simplified method" (ISO 1996.2:2007 – Annex D). Extract from ISO 1996.2:2007 – Annex D:

For a prominent, discrete tone to be identified as present, the time-average sound pressure level in the one-third-octave band of interest is required to exceed the time-average sound pressure levels of both adjacent one-third-octave bands by some constant level difference.



The constant level difference may vary with frequency. Possible choices for the level differences are:

- 15 dB in the low-frequency one-third-octave bands (25 Hz to 125 Hz),
- 8 dB in middle-frequency bands (160 Hz to 400 Hz),
- 5 dB in high-frequency bands (500 Hz to 10 000 Hz).

Correction to the measured noise levels, by addition of a tonal noise correction factor (penalty) of +5 dB(A) to the measured noise levels, is applied when tonal noise is present at the noise sensitive receiver.

Figure 2.4 presents the sound pressure levels in one-third octave bands, at various distances from the dredge.




Figure 2.4 One-third octave noise levels at various distances from dredge

Review of Figure 2.4 shows the following:

• Pronounced noise in the 63 Hz band was recorded at the measurement locations. However, the 63 Hz noise level at the nearest noise sensitive receptor at 543 Cudgen Road did not exceed the criteria for tonality as specified above.



• Tonality at 400 Hz is present in the noise measurements at 35 m from the dredge and to a lesser extent at Location 2 on the shoreline of the lake. However, no tonality at 400 Hz was detected at 543 Cudgen Road.

Figure 2.5 presents the sound pressure levels in one-third octave bands, at various distances from the booster. It should be noted that the noise levels at 7m from the booster, as presented in Figure 2.5, were measured as part of previous noise monitoring in August to September 2019. There have been no modifications to the booster since 2019, so the close-up measurements of the booster were not repeated.




Figure 2.5 One-third octave noise levels at various distances from booster

Review of Figure 2.5 shows the following:

• Tonality at 63 Hz was recorded at 7 m from the booster. However, there was no tonality at the shoreline or 543 Cudgen Road.

No tonality associated with the HTSP was detected in the one-third octave noise measurements at 543 Cudgen Road, according to the objective method of assessing tonality.



2.4.2 Low Frequency Noise

In accordance with the *Noise Policy for Industry*, low frequency noise is present at the receiver when the C-weighted noise level ($L_{Ceq,T}$) is at least 15 dB greater than the A-weighted noise level ($L_{Aeq,T}$) and:

- Where any of the one-third octave band noise levels in Table 2.8 are exceeded by up to and including 5 dB, a 2 dB(A) positive adjustment to the measured A-weighted levels applies for the evening/night period; and
- Where any of the one-third octave band noise levels in Table 2.8 are exceeded by more than 5 dB, a 5 dB(A) positive adjustment to the measured A-weighted levels applies for the evening/night period and a 2 dB(A) positive adjustment applies for the daytime period.

Low		One-third octave Lzeq,15min threshold level, dB(Z)											
frequency noise threshold	10 Hz	12.5 Hz	16 Hz	20 Hz	25 Hz	31.5 Hz	40 Hz	50 Hz	63 Hz	80 Hz	100 Hz	125 Hz	160 Hz
dB(Z)	92	89	86	77	69	61	54	50	50	48	48	46	44

Table 2.8 One-third octave low-frequency noise thresholds

Source: Moorhouse A, Waddington D and Adams M 2011, Procedure for the assessment of low frequency noise complaints, Department for Environment Food and Rural Affairs (Contract No. NANR45, Revision 1) December 2011

Review of the measured noise levels in Table 2.7 shows that the C-weighted noise level at 543 Cudgen Road was 15 dB greater than the A-weighted level. The one-third octave dB(Z) noise levels measured at 543 Cudgen Road, including background noise, are presented in Table 2.9.

Frequency (Hz)	10 Hz	12.5 Hz	16 Hz	20 Hz	25 Hz	31.5 Hz	40 Hz	50 Hz	63 Hz	80 Hz	100 Hz	125 Hz	160 Hz
Measured noise level, dB(Z)	_	_	_	58	58	57	55	54	62	52	50	48	44
Exceedance of low frequency threshold	_	_	_	0	0	0	1	4	12	4	2	2	0

Table 2.9 One-third octave low-frequency noise levels at Location 1

No noise data available

The low frequency threshold is exceeded at the nearest noise sensitive receiver at 543 Cudgen Road during day time by more than 5 dB, so a 5 dB(A) positive applies for the evening/night period and a 2 dB(A) positive adjustment applies for the daytime period. It is likely that the low frequency threshold would also be exceeded at the adjacent residence at 535 Cudgen Road.



3. Noise Criteria

3.1 Noise Policy for Industry

The NSW EPA *Noise Policy for Industry* identifies three criteria for assessing the impact of noise from a premise:

- Intrusiveness noise levels: noise limits set relative to existing background levels;
- Amenity noise levels: absolute noise limits set according to surrounding land uses; and
- Maximum noise levels: maximum noise levels and number of events during night-time.

The project noise trigger level is the lower value of the project intrusiveness noise level and project amenity noise level.

3.1.1 Intrusiveness Noise Levels

Noise from the premises may generally be considered acceptable if the equivalent continuous A-weighted level of noise from the premises (represented by the L_{Aeq} descriptor), measured over a 15-minute period, does not exceed the RBL measured in the absence of the all noise from premises by more than 5 dB.

Based on the results of the background noise measurements, it has been determined that different RBLs are applicable to different areas, depending on the level of development and proximity to major roads. The proposed intrusiveness noise levels are presented in Table 3.1.

Location	Period	RBL	Intrusiveness noise level L _{Aeq,adj,15min} , dB(A)		
Noise sensitive places to the east, and to the south-east (north of	Day	37		42 (37 + 5)	
intersection between Cudgen	Evening	38		42 (37 + 5) *	
Road and Plantation Road) (zoned as RU1 and R2)	Night	37		42 (37 + 5)	
Noise sensitive places to the south and south-west (south of	Day	36		41 (36 + 5)	
intersection between Cudgen	Evening	45		41 (36 + 5) *	
Road and Plantation Road) (zoned as RU1)	Night	38		41 (36 + 5) *	
Noise sensitive places to the north at significant setback from Pacific	Day	37	RBL + 5dB(A)	42 (37 + 5)	
Motorway (primarily applicable to	Evening	45		42 (37 + 5) *	
dwelling at 271 Pacific Motorway) (zoned as RU1)	Night	39		42 (37 + 5) *	
Noise sensitive places to the north	Day	41]	46 (41 + 5)	
and west within proximity to Pacific	Evening	46		46 (41 + 5) *	
Motorway (zoned as RU1)	Night	39		44 (39 + 5)	

Table 3.1 Intrusiveness noise criteria

* The noise levels measured at a number of locations featured higher RBLs during evening than daytime. Similarly, in some locations the RBLs for night-time were higher than daytime and/or evening. This is likely due to seasonal insect noise and is typical of rural areas. As per the procedure from Section 2.3 of the NSW Noise Policy for Industry, the intrusiveness noise limits for evening were set to be no greater than the limits for day time, and the noise limits for night time were set to be no greater than the limits for day time, and the noise limits for night time were set to be no greater than the limits for day time, and the noise limits for night time were set to be no greater than the limits for day time, and the noise limits for night time were set to be no greater than the limits for day time, and the noise limits for night time were set to be no greater than the limits for day time, and the noise limits for night time were set to be no greater than the limits for day time, and the noise limits for night time were set to be no greater than the limits for day time, and the noise limits for night time were set to be no greater than the limits for day time, and the noise limits for night time were set to be no greater than the limits for day time or evening.



3.1.2 Amenity Noise Levels

The Noise Policy for Industry defines two planning noise levels:

- *Recommended amenity noise level:* the objective for total industrial noise at a receiver location.
- *Project amenity noise level:* the objective for noise from a single industrial development at a receiver location. To ensure that industrial noise levels (existing plus new) remain within the *recommended amenity noise levels* for an area, a *project amenity noise level* applies for each new source of industrial noise as follows:

Project amenity noise level for industrial developments = *Recommended amenity noise level* minus 5dB(A)

The *recommended amenity noise level* is set according to the surrounding land uses (receiver category) and the existing background noise levels. The receiver categories and typical existing background noise levels are presented in Table 3.2.

Receiver category	Typical planning zoning – standard instrument	Typical existing background noise levels	Description
Rural residential	RU1 – primary production RU2 – rural landscape RU4 – primary production small lots R5 – large lot residential E4 – environmental living	Daytime RBL <40dB(A) Evening RBL <35dB(A) Night RBL <30dB(A)	Rural – an area with an acoustical environment that is dominated by natural sounds, having little or no road traffic noise and generally characterised by low background noise levels. Settlement patterns would be typically sparse. Note: Where background noise levels are higher than those presented in column 3 due to existing industry or intensive agricultural activities, the selection of a higher noise amenity area should be considered.
Suburban residential	RU5 – village RU6 – transition R2 – low density residential R3 – medium density residential E2 – environmental conservation E3 – environmental management	Daytime RBL<45dB(A) Evening RBL<40dB(A) Night RBL <35dB(A)	Suburban – an area that has local traffic with characteristically intermittent traffic flows or with some limited commerce or industry. This area often has the following characteristic: evening ambient noise levels defined by the natural environment and human activity.
Urban residential	 R1 – general residential R4 – high density residential B1 – neighbourhood centre (boarding houses and shop-top housing) B2 – local centre (boarding houses) B4 – mixed use 	Daytime RBL> 45dB(A) Evening RBL> 40dB(A) Night RBL >35dB(A)	 Urban – an area with an acoustical environment that: is dominated by 'urban hum' or industrial source noise, where urban hum means the aggregate sound of many unidentifiable, mostly traffic and/or industrial related sound sources has through-traffic with characteristically heavy and continuous traffic flows during peak periods. is near commercial districts or industrial districts. has any combination of the above.

Table 3.2 Residential receiver categories

Note: This table is reproduced from Table 2.3 of the Noise Policy for Industry



Land zoning map from the *Tweed Local Environmental Plan 2014* indicates that the subject site and nearest dwellings to the south along Cudgen Road are zoned "RU1 Primary Production". This corresponds to the "rural residential" in accordance with Table 3.2.

The Cudgen Public School and residential area to the east are zoned "R2 Low Density Residential". This corresponds to the "suburban residential" in accordance with Table 3.2.

Considering the above, the *recommended amenity noise levels* to be used in this assessment are presented in Table 3.3.

Location	Period	Receiver category based on zoning and existing RBLs	Recommended amenity noise level L _{Aeq,adj,15min} , dB(A)
Residences to south. south-	Day		50
west and north (located	Evening	Rural	45
within RU1 zone)	Night		40
	Day	Suburban	55
Residences to east (located within R2 zone)	Evening		45
	Night		40
School classroom	Noisiest 1-hour period when in use	All	35 (internal) 40 (external) ²
Active recreation area (e.g. school playground)	When in use	All	55

Table 3.3 Recommended amenity noise levels

Then, considering the minus 5dB(A) adjustment to obtain the *project amenity noise level*:

Project amenity noise level for industrial developments = *Recommended amenity noise level minus 5dB(A).*

The resulting *project amenity noise levels* are presented in Table 3.4.

Location	Period	Recommended amenity noise level L _{Aeq,adj,15min} , dB(A)	Project amenity noise level L _{Aeq,adj,15min} , dB(A)
Residences to south, south-	Day	50	48 (50 – 5 + 3)
west and north (located	Evening	45	43 (45 – 5 + 3)
within RU1 zone)	Night	40	38 (40 – 5 + 3)
	Day	55	53 (55 – 5 + 3)
Residences to east (located within R2 zone)	Evening	45	43 (45 – 5 + 3)
	Night	40	38 (40 – 5 + 3)
School classroom	Noisiest 1-hour period when in use	40	38 (40 – 5 + 3)
Active recreation area (e.g. school playground)	When in use	55	53 (55 – 5 + 3)

 Table 3.4 Project amenity noise levels

Note: Project amenity noise level (ANL) is suburban ANL (Table 2.1 of The Noise Policy for Industry) minus 5 dB(A) plus 3 dB(A) to convert from a period level to a 15-minute level)

 $^{^{2}}$ Noise Policy for Industry specifies an internal noise criterion of 35 dB(A). External noise level is derived from the internal noise level, considering 5 dB(A) noise attenuation by building envelope with windows fully open.



3.1.3 Project Trigger Level

The project noise trigger levels (lower value of the project intrusiveness noise level and project amenity noise level) are presented in Table 3.5.

Location	Period	Project trigger level L _{Aeq,adj,15min} , dB(A)
Noise sensitive places to the east, and to the south-east (north of	Day	42
intersection between Cudgen Road	Evening	42
and Plantation Road) (zoned as RU1 and R2)	Night	38
Noise sensitive places to the south and south-west (south of intersection	Day	41
between Cudgen Road and	Evening	41
Plantation Road) (zoned as RU1)	Night	38
Noise consitive places to the porth at	Day	42
Noise sensitive places to the north at significant setback from Pacific	Evening	42
Motorway (zoned as RU1)	Night	38
Noise sensitive places to the north	Day	46
and west within proximity to Pacific	Evening	46
Motorway (zoned as RU1)	Night	38
School classroom	Noisiest 1-hour period when in use	38
Active recreation area (e.g. school playground)	When in use	53

Table 2 E	Drojoot tr	igger level
1 able 5.5	Project ir	lader level

It is proposed that the project trigger levels as per Table 3.5 be adopted as the new Operational Noise Criteria for the HTSP.

It is important to note that special consideration is given to private haulage roads under the NSW EPA *Noise Policy for Industry*, as follows:

"Where a private haul road is proposed to convey materials from one premises to another and is proposed for the express purpose of removing traffic from a public road, the private haul road should be assessed against the project amenity noise levels only."

To this end, the use of the proposed private haulage road will be assessed separately, against project amenity noise level criteria.

The remaining operations will be assessed against the project trigger level criteria.

3.1.4 Maximum Noise Level Events During Night-time

There is considerable published research into sleep disturbance caused by short duration or intermittent noise events. For example, sleep disturbance is addressed in the *Night Noise Guidelines for Europe* (World Health Organization, 2009). The *Night Noise Guidelines for Europe* states that the likelihood of awakening is related to the maximum instantaneous noise levels (L_{Amax}), ambient noise



levels and number of events during night-time. As a rule, in planning for short-term or transient noise events, for good sleep over eight hours, the indoor sound pressure level measured as a maximum instantaneous value should not exceed approximately $45dB(A) L_{max}$ more than 10-15 times per night. The corresponding external noise level, assuming partially closed windows, is $52dB(A) L_{max}$, measured in the free field.

In accordance with the *Noise Policy for Industry*, detailed maximum noise level event assessment is required when the night-time (10pm to 7am) noise levels from the premises exceed the following:

- L_{Aeq,15min} 40dB(A) or the prevailing RBL plus 5dB, whichever is greater; and/or
- L_{AFmax} 52dB(A) or the prevailing RBL plus 15dB, whichever is greater.

Considering the night-time RBL of 35dB(A), the resulting noise limits are presented in Table 3.6.

	Period	Noise limit, L _{Aeq,15min} , dB(A)	Noise limit, L _{AFmax} , dB(A)
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen Road and Plantation Road) (zoned as RU1 and R2)		Criteria 1: 40dB(A) Criteria 2: 42dB(A) (37 + 5) Criteria 2 is applicable	Criteria 1: 52dB(A) Criteria 2: 52dB(A) (37 + 15) Criteria 1 and 2 are the same
Noise sensitive places to the south and south-west (south of intersection between Cudgen Road and Plantation Road) (zoned as RU1)		Criteria 1: 40dB(A) Criteria 2: 41dB(A) (36 + 5) Criteria 1 is applicable	Criteria 1: 52dB(A) Criteria 2: 51dB(A) (36 + 15) Criteria 1 is applicable
Noise sensitive places to the north at significant setback from Pacific Motorway (primarily applicable to dwelling at 271 Pacific Motorway) <i>(zoned as RU1)</i>	Night	Criteria 1: 40dB(A) Criteria 2: 42dB(A) (37 + 5) Criteria 2 is applicable	Criteria 1: 52dB(A) Criteria 2: 52dB(A) (37 + 15) Criteria 1 and 2 are the same
Noise sensitive places to the north and west within proximity to Pacific Motorway <i>(zoned as RU1)</i>		Criteria 1: 40dB(A) Criteria 2: 44dB(A) (39 + 5) Criteria 2 is applicable	Criteria 1: 52dB(A) Criteria 2: 54dB(A) (39 + 15) Criteria 2 is applicable

Table 3.6 Maximum noise level criteria

The $L_{Aeq,15min}$ maximum noise level criteria for night-time presented in Table 3.6 is more lenient than the $L_{Aeq,15min}$ project trigger level criteria for night-time presented in Table 3.5. To this end, assessment of the $L_{Aeq,15min}$ noise levels for night-time with respects to the maximum noise level criteria is unnecessary. The maximum noise level assessment for night-time will only consider the L_{AFmax} criteria.

The noise criteria do not apply if the Tweed Sand Plant has an agreement with any impacted landowner to exceed the noise criteria, and the Tweed Sand Plant has advised the NSW Department of Planning, Industry and Environment in writing of the terms of this agreement.



4. Operational Noise Impact Assessment

4.1 Modelling Methodology

A 3D model of the site and surroundings was developed using SoundPLAN noise propagation software considering the operations at the HTSP as per the planned expansion over a 30 year period and the location of the extraction sites, processing site and dispatch roads associated with the expanded HTSP relative to the nearest noise sensitive places.

The calculations were carried out as per the procedures specified in the International Standard ISO9613 (*Acoustics – Attenuation of sound during propagation outdoors*).

The calculation method for a single frequency is as follows:

$L_{S} = [L_{W} + K_{0}] - [A_{dI} + A_{div} + A_{gr} + A_{bar} + A_{atm} + d_{Lrefl} + d_{Lw}]$

Where:	Ls Lw A ₀ A _{div} A _{gr} A _{bar} A _{atm}	Sound pressure for a single frequency Sound power of source Correction for propagation in limited spatial angle Mean directivity correction Mean attenuation due to geometrical spreading Mean attenuation due to ground effect Mean attenuation due to screening Mean attenuation due to air absorption
	A _{bar}	Mean attenuation due to screening
	d _{Lrefl} d _{Lw}	Level increase due to reflections Correction due to source operation time

The noise propagation losses are calculated as a combination of distance attenuation (geometrical spreading), screening, ground attenuation and other factors.

The assumptions and data used in development of the operational noise propagation model are presented in Table 4.1.

	Table 4.1 Data and assumptions – Operational holse model
Development layout and	Seven (7) different modelling scenarios were considered in the operational noise modelling, to account for the future phasing plan over the 30-year planning horizon as the HTSP expands its operations onto the adjacent allotments. These seven modelling scenarios are based on the Concept Development / Phasing Plan for the HTSP Expansion, prepared by Zone Planning Group (job / drawing no: Z19163-104, preliminary issue), dated 25 January 2021, which is presented in Appendix A.
modelling of site expansion over 30-year planning	The seven scenarios consider Phase 5 (year 1-3) through to Phase 11 (year 27-30), and account for the operations of the dredge, booster, wash plant and haulage route as they change during the expansion.
horizon	For each of the seven modelling scenarios, two variations have been considered, with the location of the dredge and booster being shifted to be as close as possible to the nearest noise sensitive receivers to assess the worst-case scenarios.
	The modelling scenarios are as follows:

Table 4.1 Data and assumptions – Operational noise model



	 Phase 5 – Year 1-3 (expansion of dredge area to the north-west, onto northern section of Lot 22 on DP1082435 and onto the area of Lot 2 on DP1192506 not occupied by future wash plant facilities): Scenario 1A – Dredging on northern side of the expanded dredge area Scenario 1B – Dredging on southern side of the expanded dredge area Phase 6 – Year 4-8 (expansion of dredge area to the south-west, onto centre portion of Lot 1 on DP1250570, over Lot 3 on RP1243752 onto southern section of Lot 1 on DP1250570, and over location of existing wash plant facilities): Scenario 2A – Dredging on northern side of the expanded dredge area Scenario 2B – Dredging on southern side of the expanded dredge area Scenario 2B – Dredging on southern side of the expanded dredge area Scenario 2B – Dredging on southern side of the expanded dredge area Scenario 3B – Dredging on southern side of the expanded dredge area Phase 7 – Year 9-13 (relocation of wash plant facilities to northern portion of Lot 2 on DP1192506. and expansion of dredge area to the west, towards western portion of Lot 1 on DP1250570): Scenario 3A – Dredging on eastern side of the expanded dredge area Scenario 3B – Dredging on western side of the expanded dredge area
	 Phase 5 – Year 14-16 (expansion of dredge area to the west, to the far western portion of Lot 1 on DP1250570): Scenario 4A – Dredging on northern side of the expanded dredge area Scenario 4B – Dredging on southern side of the expanded dredge area
	 Phase 9 – Year 19-22 (expansion of dredge area to the south, onto southern portion of Lot 1 on DP1250570): Scenario 5A – Dredging on northern side of the expanded dredge area Scenario 5B – Dredging on southern side of the expanded dredge area
	 Phase 10 – Year 23-26 (relocation of dredge to eastern portion of Lot 51 on DP1166990): Scenario 6A – Dredging on northern side of the expanded dredge area Scenario 6B – Dredging on southern side of the expanded dredge area
	 Phase 11 – Year 27-30 (expansion of dredge area to the west, onto western portion of Lot 51 on DP1166990): Scenario 7A – Dredging on northern side of the expanded dredge area Scenario 7B – Dredging on southern side of the expanded dredge area Proposed Haulage Route Assessment Scenario 8A – Phases 5 to 6 (Year 1-8) Scenario 8B – Phases 7 to 11 (Year 9-30)
	 A new haulage route is proposed for access to the Pacific Motorway (M1). The proposed haulage road has been modelled as per the Traffic Impact Assessment report prepared by Burchills Engineering Solutions (BE190043-RP-TIA-06), dated 9 February 2021.
Proposed haulage route	• The proposed haulage route will service both the Hanson Tweed Sand Plant and the Lytton Sand Plant. The haulage road is expected to carry 267 heavy vehicle movements (two-way) per day (AADT) (rolling quarterly average) for the ultimate design (Year 2042). The maximum daily two-way traffic is expected to be no more than 559 heavy vehicles per day.
	 The AM and PM peak hourly vehicle movements, as per the Traffic Impact Assessment, are expected to be at most 64 vehicle movements per hour (32 in and 32 out) in the year 2042. To obtain conservative results, the peak hourly heavy vehicle movements for the Year 2042 (64 vehicle movements – 32 in and 32 out) were modelled as occurring during every hour of daytime, evening and night time (total of 1,536 heavy vehicle movements per day).
Terrain	 Ground surface levels were obtained from ELVIS 5 metre grid elevation data. Ground surface absorption factor of 0 was applied to all paved surfaces and water body surfaces, whilst a factor of 1 was applied for all grassed areas.



Calculation receivers Noise sources and operating times	 Receivers were attached to the façades of the nearest noise sensitive buildings at a height of 1.5m above each floor level. SoundPLAN adds +2.5dB(A) to the calculated noise levels when the receivers are attached to the buildings, thus the noise levels are facade adjusted. 50m grid spacing was used for calculation of the noise contour maps Refer to Table 4.2.
Noise control measures	The recommended noise control measures are discussed in Section 5 of this report.
Noise enhancing meteorological effects	 All scenarios in the operational noise modelling were prepared to account for noise enhancing meteorological effects (equation 3 of ISO 9613), resulting in a worst-case scenario assessment. By utilising equation 3 in ISO 9613, the noise modelling automatically accounts for noise enhancing effects of downwind noise propagation and temperature inversion. The calculations give the average downwind sound pressure levels L_{AT(DW)}. The downwind propagation conditions are: Wind direction within an angle of ± 45° of the direction connecting the centre of the dominant sound source and the centre of the specified receiver region, with the wind blowing from the source to receiver; and Wind speed between approximately 1 m/s and 5 m/s, measured at a height of 3 m to 11 m above the ground. The calculations consider average propagation under a well-developed moderate ground-based temperature inversion, such as commonly occurs on clear, calm nights. Extract from ISO 9613 is as follows: "use of equation 3 leads directly to an equivalent continuous A-weighted sound pressure level LAT at the receiver for meteorological conditions which are favourable for propagation from the sound source to that receiver. This may be the appropriate condition for meeting a specific community noise limit, i.e. a level which is seldom exceeded."
 3D model of the subject site and surroundings was developed using cada SoundPLAN. The source-receiver distances and geometrical spreading are a calculated in SoundPLAN to a high level of accuracy in accordance with the procedure. Separation distances and distance attenuation values are presented in Appendix 	
Barrier attenuation / screening	 Some of the neighbouring properties are shielded by intervening buildings and topographical features which act as noise barriers. The barrier attenuation has been calculated in SoundPLAN to a high level of accuracy in accordance with the ISO9613 procedure. Barrier attenuation / screening values are presented in Appendix F.
Ground attenuation	 Sound reflecting surfaces such as pavement or water are modelled with ground absorption coefficient of 0 (no absorption). Grassed and vegetated areas are modelled with ground absorption coefficient of 1 (100% absorption) in accordance with ISO9613. Ground attenuation values are presented in Appendix F.



4.2 Noise Sources

4.2.1 Leq Noise Level Assessment

The sound power levels, tonality/impulsiveness adjustment factors, and the operational scenarios for all noise sources considered in the SoundPLAN model are presented in Table 4.2.

Operational noise source	Location	Sound power level dB(A) (re 10 ⁻¹² W)	Operational scenario	Tonality/ impulsiveness	
Project trigge	r noise level assessn	nents (Scenarios 1 to 7)			
Loader	Loading area	Sound power of 97.7 dB(A) – Derived from site-specific noise measurements on 12 Sep 2019	Continuous operation	+2 dB (day) +5 dB (evening /night) (low frequency noise)	
Shoreline water pump	Shoreline processing area	Sound power of 95.6 dB(A) – Derived from site-specific noise measurements on 21 Aug 2020	Continuous operation	+2 dB (day) +5 dB (evening /night) (low frequency noise)	
Dredge	Extremities of extraction area, as per Figures 4.1 to 4.7.	Sound power of 107.8 dB(A) – Derived from site-specific noise measurements on 21 Aug 2020	Continuous operation	+2 dB (day) +5 dB (evening /night) (low frequency noise)	
Booster	Halfway between dredge and shoreline processing area	Sound power of 95.4 dB(A) – Derived from site-specific noise measurements on 12 Sep 2019	Continuous operation	+2 dB (day) +5 dB (evening /night) (low frequency noise)	
Wash plant	Shoreline processing area	Sound power of 98.1 dB(A) – Derived from site-specific noise measurements on 12 Sep 2019	Continuous operation	+2 dB (day) +5 dB (evening /night) (low frequency noise)	
Project amenity noise level assessment (Scenario 8)					
Truck movements	Haul roads and loading area	Sound power of 51.0 dB(A) per metre for moving point source – Derived from site-specific noise measurements on 12 Sep 2019	64 trucks per hour (32 in and 32 out)	+2 dB (day) +5 dB (evening /night) (low frequency noise)	

Table 4.2 Noise sources – Leg noise level assessments

4.2.2 Maximum Noise Level Assessment (Night-time Only)

For the night-time period, the activities at the proposed development which will produce short duration, intermittent noise events were considered. To provide conservative assessment, all noise sources considered in the L_{eq} assessment were considered in the L_{Amax} assessment.

The sound power levels for calculation of the noise levels in terms of L_{Amax} for the night-time assessment (10pm to 7am) are presented in Table 4.3.


Operational noise source	Location	Sound power level dB(A) (re 10 ⁻¹² W) for calculation of L _{Amax}	Tonality/ impulsiveness
Loader	Loading area	Sound power of 102.7 dB(A) – Derived from site-specific noise measurements on 12 Sep 2019	+5 dB (low frequency noise)

Table 4.3 Noise sources - Maximum noise level assessment (night time only)



Operational noise source	Location	Sound power level dB(A) (re 10 ⁻¹² W) for calculation of L _{Amax}	Tonality/ impulsiveness
Shoreline water pump	Shoreline processing area	Sound power of 98.6 dB(A) – Derived from site-specific noise measurements on 21 Aug 2020	+5 dB (low frequency noise)
Dredge	Extremities of extraction area, as per Figures 4.1 to 4.7.	Sound power of 110.8 dB(A) – Derived from site-specific noise measurements on 21 Aug 2020	+5 dB (low frequency noise)
Booster	Halfway between dredge and shoreline processing area	Sound power of 98.4 dB(A) – Derived from site-specific noise measurements on 12 Sep 2019	+5 dB (low frequency noise)
Wash plant	Shoreline processing area	Sound power of 101.1 dB(A) – Derived from site-specific noise measurements on 12 Sep 2019	+5 dB (low frequency noise)






Extract from the SoundPLAN operational noise model for Scenario 1 is presented in Figure 4.1.

Figure 4.1 SoundPLAN operational noise model excerpt – Scenario 1 (year 1-3)





Extract from the SoundPLAN operational noise model for Scenario 2 is presented in Figure 4.2.

Figure 4.2 SoundPLAN operational noise model excerpt – Scenario 2 (year 4-8)



Extract from the SoundPLAN operational noise model for Scenario 3 is presented in Figure 4.3.




Figure 4.3 SoundPLAN operational noise model excerpt – Scenario 3 (year 9-13)




0 Processing and loading 1-. 4 Dredge (SC4A) Booster (SC4) Dredge (SC4B) Legend Part. Point source . Line source Building Hard surface

Extract from the SoundPLAN operational noise model for Scenario 4 is presented in Figure 4.4.

Figure 4.4 SoundPLAN operational noise model excerpt – Scenario 4 (year 14-18)









Figure 4.5 SoundPLAN operational noise model excerpt – Scenario 5 (year 19-22)






Extract from the SoundPLAN operational noise model for Scenario 6 is presented in Figure 4.6.

Figure 4.6 SoundPLAN operational noise model excerpt – Scenario 6 (year 23-26)






Extract from the SoundPLAN operational noise model for Scenario 7 is presented in Figure 4.7.

Figure 4.7 SoundPLAN operational noise model excerpt – Scenario 7 (year 27-30)





Extract from the SoundPLAN operational noise model for Scenario 8 is presented in Figure 4.8.

Figure 4.8 SoundPLAN operational noise model excerpt – Scenario 8 (proposed haulage road)



4.3 Operational Noise Modelling Results

4.3.1 Scenario 1 (Year 1-3)

L_{eq} noise level assessment

The noise levels associated with the HTSP during Phase 5 (year 1-3), assessed against the project trigger levels, are presented in Table 4.4.

	Ca	Complies with		
Receiver name)	project trigger	
	Day	Evening	Night	levels?
NSW EPA Noise Policy for Industry – Project trigger levels				
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen Road and Plantation Road)	42	42	38	
2 Clarke Street	22	25	25	Yes
3 Clarke Street	23	26	26	Yes
6 Clarke Street	22	25	25	Yes
1 Collier Street	28	31	31	Yes
2 Collier Street	26	29	29	Yes
4 Collier Street	26	29	29	Yes
6 Collier Street	25	28	28	Yes
8 Collier Street	25	28	28	Yes
10 Collier Street	25	28	28	Yes
16 Collier Street	24	27	27	Yes
17 Collier Street	17	20	20	Yes
18 Collier Street	24	27	27	Yes
20 Collier Street	22	25	25	Yes
22 Collier Street	23	26	26	Yes
24 Collier Street	20	23	23	Yes
1 Crescent Street	23	26	26	Yes
3 Crescent Street	22	25	25	Yes
4 Crescent Street	23	26	26	Yes
5 Crescent Street	22	25	25	Yes
7 Crescent Street	23	26	26	Yes
8 Crescent Street	23	26	26	Yes
9 Crescent Street	24	27	27	Yes
10 Crescent Street	20	23	23	Yes
11 Crescent Street	22	25	25	Yes
12 Crescent Street	20	23	23	Yes
13 Crescent Street	23	26	26	Yes
14 Crescent Street	22	25	25	Yes
16 Crescent Street	20	23	23	Yes
17 Crescent Street	17	20	20	Yes
18 Crescent Street	18	21	21	Yes
19 Crescent Street	23	26	26	Yes



	Calculated noise levels				
Receiver name		Leq,adj,15min, dB(A)		Complies with project trigger	
	Day	Evening	Night	levels?	
20 Crescent Street	17	20	20	Yes	
20A Crescent Street	16	19	19	Yes	
21 Crescent Street	21	24	24	Yes	
22-24 Crescent Street	18	21	21	Yes	
23 Crescent Street	17	20	20	Yes	
26 Crescent Street	17	20	20	Yes	
28 Crescent Street	19	22	22	Yes	
29 Crescent Street	17	20	20	Yes	
30 Crescent Street	16	19	19	Yes	
32 Crescent Street	18	21	21	Yes	
34 Crescent Street	17	20	20	Yes	
36 Crescent Street	18	21	21	Yes	
38 Crescent Street	16	19	19	Yes	
1-5 Cudgen Road	25	28	28	Yes	
7 Cudgen Road	23	26	26	Yes	
11 Cudgen Road	17	20	20	Yes	
463 Cudgen Road	25	28	28	Yes	
480 Cudgen Road	22	25	25	Yes	
480A Cudgen Road	24	27	27	Yes	
482 Cudgen Road	26	29	29	Yes	
501 Cudgen Road	25	28	28	Yes	
529A Cudgen Road	31	34	34	Yes	
529B Cudgen Road	34	37	37	Yes	
531 Cudgen Road	29	32	32	Yes	
535A Cudgen Road	30	33	33	Yes	
535B Cudgen Road	30	33	33	Yes	
535C Cudgen Road	34	37	37	Yes	
542 Cudgen Road	30	33	33	Yes	
543 Cudgen Road	35	38	38	Yes	
576 Cudgen Road	30	33	33	Yes	
592 Cudgen Road	29	32	32	Yes	
604 Cudgen Road	25	28	28	Yes	
607 Cudgen Road	35	38	38	Yes	
609 Cudgen Road	29	32	32	Yes	
611A Cudgen Road	29	32	32	Yes	
611B Cudgen Road	34	37	37	Yes	
626 Cudgen Road	27	30	30	Yes	
647 Cudgen Road	27	30	30	Yes	
5 Denman Drive	17	20	20	Yes	
7 Denman Drive	17	20	20	Yes	
9 Denman Drive	21	24	24	Yes	
11 Denman Drive	24	27	27	Yes	
13 Denman Drive	25	28	28	Yes	
14 Denman Drive	31	34	34	Yes	
15 Denman Drive	25	28	28	Yes	



	Calculated noise levels			Complies with	
Receiver name		L _{eq,adj,15min} , dB(A))	project trigger	
	Day	Evening	Night	levels?	
16 Denman Drive	31	34	34	Yes	
17 Denman Drive	21	24	24	Yes	
18 Denman Drive	30	33	33	Yes	
19 Denman Drive	23	26	26	Yes	
20 Denman Drive	29	32	32	Yes	
21 Denman Drive	25	28	28	Yes	
22 Denman Drive	29	32	32	Yes	
23 Denman Drive	27	30	30	Yes	
24 Denman Drive	29	32	32	Yes	
25 Denman Drive	26	29	29	Yes	
26 Denman Drive	29	32	32	Yes	
27 Denman Drive	26	29	29	Yes	
28 Denman Drive	28	31	31	Yes	
30 Denman Drive	28	31	31	Yes	
32 Denman Drive	28	31	31	Yes	
34 Denman Drive	27	30	30	Yes	
36 Denman Drive	25	28	28	Yes	
38 Denman Drive	25	28	28	Yes	
40 Denman Drive	26	29	29	Yes	
42 Denman Drive	26	29	29	Yes	
3 Murraya Way	15	18	18	Yes	
6 Murraya Way	15	18	18	Yes	
8 Murraya Way	16	19	19	Yes	
9 Murraya Way	18	21	21	Yes	
10 Murraya Way	20	23	23	Yes	
12 Murraya Way	21	24	24	Yes	
14 Murraya Way	18	21	21	Yes	
15 Murraya Way	19	22	22	Yes	
16 Murraya Way	21	24	24	Yes	
17 Murraya Way	24	27	27	Yes	
142 Plantation Road	23	26	26	Yes	
154A Plantation Road	22	25	25	Yes	
154B Plantation Road	22	25	25	Yes	
2 The Village Lane	26	29	29	Yes	
146 Tweed Coast Road	22	25	25	Yes	
Noise sensitive places to the south and south-west (south of intersection between Cudgen Road and Plantation Road)	41	41	38		
278A Cudgen Road	15	18	18	Yes	
278B Cudgen Road	15	18	18	Yes	
293 Cudgen Road	22	25	25	Yes	
297 Cudgen Road	21	24	24	Yes	
298A Cudgen Road	19	22	22	Yes	
298B Cudgen Road	19	22	22	Yes	
301 Cudgen Road	23	26	26	Yes	
302 Cudgen Road	20	23	23	Yes	



	Calculated noise levels			Complies with	
Receiver name		L _{eq,adj,15min} , dB(A)	project trigger	
	Day	Evening	Night	levels?	
306 Cudgen Road	18	21	21	Yes	
307 Cudgen Road	22	25	25	Yes	
310 Cudgen Road	20	23	23	Yes	
312 Cudgen Road	21	24	24	Yes	
317 Cudgen Road	22	25	25	Yes	
320 Cudgen Road	23	26	26	Yes	
346 Cudgen Road	18	21	21	Yes	
351 Cudgen Road	24	27	27	Yes	
353 Cudgen Road	25	28	28	Yes	
355 Cudgen Road	24	27	27	Yes	
372 Cudgen Road	19	22	22	Yes	
379 Cudgen Road	23	26	26	Yes	
389 Cudgen Road	23	26	26	Yes	
394 Cudgen Road	22	25	25	Yes	
396 Cudgen Road	19	22	22	Yes	
401 Cudgen Road	21	24	24	Yes	
413A Cudgen Road	22	25	25	Yes	
413B Cudgen Road	21	24	24	Yes	
416 Cudgen Road	20	23	23	Yes	
422 Cudgen Road	20	23	23	Yes	
438 Cudgen Road	21	24	24	Yes	
440A Cudgen Road	21	24	24	Yes	
440B Cudgen Road	21	24	24	Yes	
458A Cudgen Road	22	25	25	Yes	
458B Cudgen Road	21	24	24	Yes	
459 Cudgen Road	23	26	26	Yes	
396 Melaleuca Road	14	17	17	Yes	
37 Mccollums Road	16	19	19	Yes	
41 Mccollums Road	15	18	18	Yes	
54 Mccollums Road	16	19	19	Yes	
52 Reardons Road	19	22	22	Yes	
Noise sensitive places to the north at significant setback from Pacific Motorway	42	42	38		
271 Pacific Motorway	29	32	32	Yes	
145 Plantation Road	24	27	27	Yes	
155A Plantation Road	22	25	25	Yes	
155B Plantation Road	22	25	25	Yes	
Noise sensitive places to the north and west within proximity to Pacific Motorway	46	46	38		
139A Pacific Motorway	20	23	23	Yes	
139B Pacific Motorway	24	27	27	Yes	
141 Pacific Motorway	22	25	25	Yes	
9394 Tweed Valley Way	19	22	22	Yes	
School class room	38	38	38		
11A Collier Street	28	31	31	Yes	
11B Collier Street	27	30	30	Yes	



Maximum noise level assessment (night-time only)

The maximum noise levels associated with distinct night-time noise events at the HTSP during Phase 5 (year 1-3), assessed against the maximum noise level criteria, are presented in Table 4.5.

	se levels – L _{max} assessment – Scenario 1 (year 1-3) Calculated noise levels					
	L _{AFmax} , dB(A)					Complies
Receiver name	Wash				Wash	with criteria?
	Loader	Pump	Dredge	Booster	plant	cinteria :
NSW EPA Noise Policy for Industry –						
Maximum noise level criteria						
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen						
Road and Plantation Road)	52	52	52	52	52	
2 Clarke Street	24	17	28	16	20	Yes
3 Clarke Street	25	18	25	17	20	Yes
6 Clarke Street	24	17	26	15	19	Yes
1 Collier Street	32	25	29	20	28	Yes
2 Collier Street	30	24	27	17	26	Yes
4 Collier Street	29	24	27	17	24	Yes
6 Collier Street	28	23	27	17	24	Yes
8 Collier Street	28	23	27	16	24	Yes
10 Collier Street	28	23	27	17	23	Yes
16 Collier Street	27	20	27	18	21	Yes
17 Collier Street	19	6	20	19	9	Yes
18 Collier Street	26	22	26	19	21	Yes
20 Collier Street	24	16	25	16	18	Yes
22 Collier Street	25	16	25	18	19	Yes
24 Collier Street	23	14	23	16	16	Yes
1 Crescent Street	26	19	25	15	22	Yes
3 Crescent Street	21	23	26	16	16	Yes
4 Crescent Street	25	15	28	16	19	Yes
5 Crescent Street	22	23	26	16	18	Yes
7 Crescent Street	25	20	25	16	20	Yes
8 Crescent Street	25	17	26	17	19	Yes
9 Crescent Street	27	20	27	17	23	Yes
10 Crescent Street	22	18	25	16	16	Yes
11 Crescent Street	25	17	25	14	19	Yes
12 Crescent Street	22	13	23	15	14	Yes
13 Crescent Street	26	20	26	17	21	Yes
14 Crescent Street	25	18	25	15	20	Yes
16 Crescent Street	22	11	24	16	15	Yes
17 Crescent Street	20	9	21	11	11	Yes
18 Crescent Street	20	12	23	14	13	Yes
19 Crescent Street	24	13	26	17	17	Yes
20 Crescent Street	18	9	21	14	9	Yes
20A Crescent Street	16	4	20	16	6	Yes
21 Crescent Street	20	16	26	13	12	Yes
22-24 Crescent Street	21	13	22	19	12	Yes

Table 4.5 Operational noise levels – L_{max} assessment – Scenario 1 (year 1-3)



	Calculated noise levels					
Receiver name		Complies with				
	Loader	Pump	Dredge	Booster	Wash plant	criteria?
23 Crescent Street	17	6	21	16	6	Yes
26 Crescent Street	19	8	21	15	10	Yes
28 Crescent Street	21	10	23	15	12	Yes
29 Crescent Street	19	9	21	9	10	Yes
30 Crescent Street	18	8	20	13	11	Yes
32 Crescent Street	20	8	22	14	11	Yes
34 Crescent Street	19	9	22	13	10	Yes
36 Crescent Street	19	9	22	14	10	Yes
38 Crescent Street	18	8	20	8	9	Yes
1-5 Cudgen Road	30	14	27	17	26	Yes
7 Cudgen Road	27	14	25	16	23	Yes
11 Cudgen Road	18	10	20	16	10	Yes
463 Cudgen Road	26	23	27	19	22	Yes
480 Cudgen Road	25	20	25	15	21	Yes
480A Cudgen Road	26	21	26	16	22	Yes
482 Cudgen Road	27	25	28	18	24	Yes
501 Cudgen Road	27	24	27	17	24	Yes
529A Cudgen Road	32	29	34	26	28	Yes
529B Cudgen Road	35	34	36	26	32	Yes
531 Cudgen Road	31	28	31	21	29	Yes
535A Cudgen Road	32	30	31	18	29	Yes
535B Cudgen Road	33	30	32	21	29	Yes
535C Cudgen Road	33	31	37	27	30	Yes
542 Cudgen Road	32	29	30	19	29	Yes
543 Cudgen Road	37	34	37	27	34	Yes
576 Cudgen Road	32	30	30	19	28	Yes
592 Cudgen Road	32	29	30	18	28	Yes
604 Cudgen Road	28	23	27	16	24	Yes
607 Cudgen Road	37	35	34	24	34	Yes
609 Cudgen Road	32	28	30	21	28	Yes
611A Cudgen Road	32	28	29	18	28	Yes
611B Cudgen Road	37	33	33	23	34	Yes
626 Cudgen Road	29	25	28	17	25	Yes
647 Cudgen Road	30	26	28	17	26	Yes
5 Denman Drive	18	7	21	14	8	Yes
7 Denman Drive	19	9	21	15	9	Yes
9 Denman Drive	24	12	25	20	15	Yes
11 Denman Drive	28	16	25	17	24	Yes
13 Denman Drive	29	16	28	15	24	Yes
14 Denman Drive	33	26	32	25	30	Yes
15 Denman Drive	28	23	28	19	27	Yes
16 Denman Drive	33	26	32	25	29	Yes
17 Denman Drive	24	23	25	16	15	Yes
18 Denman Drive	32	26	33	25	27	Yes
19 Denman Drive	25	20	27	18	18	Yes



Calculated noise levels						
Receiver name	L _{AFmax} , dB(A)					Complies with
Receiver hame	Loader	Pump	Dredge	Booster	Wash plant	criteria?
20 Denman Drive	31	26	32	25	27	Yes
21 Denman Drive	28	24	26	21	25	Yes
22 Denman Drive	31	26	31	24	26	Yes
23 Denman Drive	30	25	29	20	25	Yes
24 Denman Drive	31	26	31	24	26	Yes
25 Denman Drive	30	24	27	17	25	Yes
26 Denman Drive	31	26	30	24	26	Yes
27 Denman Drive	29	23	27	16	25	Yes
28 Denman Drive	31	26	30	24	26	Yes
30 Denman Drive	31	26	29	24	26	Yes
32 Denman Drive	31	26	29	21	26	Yes
34 Denman Drive	31	24	29	19	26	Yes
36 Denman Drive	28	21	28	19	23	Yes
38 Denman Drive	28	21	28	19	23	Yes
40 Denman Drive	29	23	27	18	25	Yes
42 Denman Drive	29	22	27	18	24	Yes
3 Murraya Way	17	7	19	11	8	Yes
6 Murraya Way	17	7	19	14	8	Yes
8 Murraya Way	18	7	20	14	9	Yes
9 Murraya Way	20	9	22	16	11	Yes
10 Murraya Way	18	8	26	11	9	Yes
12 Murraya Way	19	9	27	12	12	Yes
14 Murraya Way	20	11	23	16	13	Yes
15 Murraya Way	21	17	21	14	18	Yes
16 Murraya Way	24	21	24	16	17	Yes
17 Murraya Way	27	16	26	16	22	Yes
142 Plantation Road	25	20	25	15	21	Yes
154A Plantation Road	24	18	24	15	20	Yes
154B Plantation Road	24	19	25	17	20	Yes
2 The Village Lane	29	25	27	17	26	Yes
146 Tweed Coast Road	23	18	25	17	20	Yes
Noise sensitive places to the south and south- west (south of intersection between Cudgen Road and Plantation Road)	52	52	52	52	52	
278A Cudgen Road	16	12	18	9	11	Yes
278B Cudgen Road	16	10	19	8	11	Yes
293 Cudgen Road	22	18	25	15	19	Yes
297 Cudgen Road	22	16	25	14	18	Yes
298A Cudgen Road	21	16	22	11	16	Yes
298B Cudgen Road	20	15	23	12	15	Yes
301 Cudgen Road	23	19	26	16	20	Yes
302 Cudgen Road	20	17	23	14	17	Yes
306 Cudgen Road	19	14	21	15	14	Yes
307 Cudgen Road	23	18	26	16	19	Yes
310 Cudgen Road	21	18	23	13	17	Yes



	Calculated noise levels					
Receiver name	L _{AFmax} , dB(A)					Complies with
	Loader	Pump	Dredge	Booster	Wash plant	criteria?
312 Cudgen Road	22	19	24	16	19	Yes
317 Cudgen Road	23	19	25	15	19	Yes
320 Cudgen Road	23	20	26	16	19	Yes
346 Cudgen Road	19	15	22	12	15	Yes
351 Cudgen Road	25	21	27	18	21	Yes
353 Cudgen Road	26	23	28	19	22	Yes
355 Cudgen Road	25	21	27	17	21	Yes
372 Cudgen Road	20	16	22	12	15	Yes
379 Cudgen Road	24	17	27	17	20	Yes
389 Cudgen Road	21	17	27	17	16	Yes
394 Cudgen Road	21	17	27	16	16	Yes
396 Cudgen Road	20	16	22	12	16	Yes
401 Cudgen Road	21	17	24	17	17	Yes
413A Cudgen Road	22	19	24	18	18	Yes
413B Cudgen Road	21	17	23	17	17	Yes
416 Cudgen Road	21	18	23	13	17	Yes
422 Cudgen Road	21	18	23	13	17	Yes
438 Cudgen Road	22	18	23	13	18	Yes
440A Cudgen Road	23	19	24	14	18	Yes
440B Cudgen Road	23	19	24	13	19	Yes
458A Cudgen Road	23	20	24	14	19	Yes
458B Cudgen Road	23	19	24	11	19	Yes
459 Cudgen Road	23	20	26	16	19	Yes
396 Melaleuca Road	16	6	18	7	8	Yes
37 Mccollums Road	17	12	19	9	12	Yes
41 Mccollums Road	16	11	19	7	10	Yes
54 Mccollums Road	17	12	20	9	12	Yes
52 Reardons Road	21	17	22	11	16	Yes
Noise sensitive places to the north at significant setback from Pacific Motorway	52	52	52	52	52	
271 Pacific Motorway	30	20	33	24	27	Yes
145 Plantation Road	26	22	25	14	23	Yes
155A Plantation Road	24	21	24	14	20	Yes
155B Plantation Road	24	20	24	13	20	Yes
Noise sensitive places to the north and west within proximity to Pacific Motorway	54	54	54	54	54	
139A Pacific Motorway	22	7	24	15	17	Yes
139B Pacific Motorway	23	16	28	16	22	Yes
141 Pacific Motorway	23	15	27	16	21	Yes
9394 Tweed Valley Way	20	13	22	13	16	Yes



4.3.2 Scenario 2 (Year 4-8)

L_{eq} noise level assessment

The noise levels associated with the HTSP during Phase 6 (year 4-8), assessed against the project trigger levels, are presented in Table 4.6.

	Calculated noise levels			Complies with	
Receiver name		project trigger			
_	Day	L _{eq,adj,15min} , dB(A) Evening	Night	levels?	
NSW EPA Noise Policy for Industry – Project trigger levels	-		•		
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen Road and Plantation Road)	42	42	38		
2 Clarke Street	21	24	24	Yes	
3 Clarke Street	22	25	25	Yes	
6 Clarke Street	21	24	24	Yes	
1 Collier Street	26	29	29	Yes	
2 Collier Street	25	28	28	Yes	
4 Collier Street	25	28	28	Yes	
6 Collier Street	25	28	28	Yes	
8 Collier Street	25	28	28	Yes	
10 Collier Street	24	27	27	Yes	
16 Collier Street	23	26	26	Yes	
17 Collier Street	17	20	20	Yes	
18 Collier Street	23	26	26	Yes	
20 Collier Street	21	24	24	Yes	
22 Collier Street	22	25	25	Yes	
24 Collier Street	20	23	23	Yes	
1 Crescent Street	23	26	26	Yes	
3 Crescent Street	21	24	24	Yes	
4 Crescent Street	22	25	25	Yes	
5 Crescent Street	21	24	24	Yes	
7 Crescent Street	22	25	25	Yes	
8 Crescent Street	22	25	25	Yes	
9 Crescent Street	24	27	27	Yes	
10 Crescent Street	21	24	24	Yes	
11 Crescent Street	22	25	25	Yes	
12 Crescent Street	20	23	23	Yes	
13 Crescent Street	23	26	26	Yes	
14 Crescent Street	22	25	25	Yes	
16 Crescent Street	20	23	23	Yes	
17 Crescent Street	18	21	21	Yes	
18 Crescent Street	18	21	21	Yes	
19 Crescent Street	21	24	24	Yes	
20 Crescent Street	17	20	24	Yes	
20 Crescent Street	13	16	16	Yes	

Table 4.6 Operational noise levels – Leq assessment – Scenario 2 (year 4-8)



	Ca	/els	Complies with		
Receiver name		L _{eq,adj,15min} , dB(A)	1	project trigger	
	Day	Evening	Night	levels?	
21 Crescent Street	18	21	21	Yes	
22-24 Crescent Street	19	22	22	Yes	
23 Crescent Street	14	17	17	Yes	
26 Crescent Street	17	20	20	Yes	
28 Crescent Street	19	22	22	Yes	
29 Crescent Street	17	20	20	Yes	
30 Crescent Street	16	19	19	Yes	
32 Crescent Street	18	21	21	Yes	
34 Crescent Street	18	21	21	Yes	
36 Crescent Street	17	20	20	Yes	
38 Crescent Street	16	19	19	Yes	
1-5 Cudgen Road	25	28	28	Yes	
7 Cudgen Road	23	26	26	Yes	
11 Cudgen Road	18	21	21	Yes	
463 Cudgen Road	26	29	29	Yes	
480 Cudgen Road	21	24	24	Yes	
480A Cudgen Road	24	27	27	Yes	
482 Cudgen Road	27	30	30	Yes	
501 Cudgen Road	26	29	29	Yes	
529A Cudgen Road	32	35	35	Yes	
529B Cudgen Road	34	37	37	Yes	
531 Cudgen Road	29	32	32	Yes	
535A Cudgen Road	30	33	33	Yes	
535B Cudgen Road	31	34	34	Yes	
535C Cudgen Road	35	38	38	Yes	
542 Cudgen Road	28	31	31	Yes	
543 Cudgen Road	35	38	38	Yes	
576 Cudgen Road	30	33	33	Yes	
592 Cudgen Road	29	32	32	Yes	
604 Cudgen Road	25	28	28	Yes	
607 Cudgen Road	34	37	37	Yes	
609 Cudgen Road	29	32	32	Yes	
611A Cudgen Road	28	31	31	Yes	
611B Cudgen Road	34	37	37	Yes	
626 Cudgen Road	26	29	29	Yes	
647 Cudgen Road	26	29	29	Yes	
5 Denman Drive	14	17	17	Yes	
7 Denman Drive	16	19	19	Yes	
9 Denman Drive	20	23	23	Yes	
11 Denman Drive	24	27	27	Yes	
13 Denman Drive	25	28	28	Yes	
14 Denman Drive	30	33	33	Yes	
15 Denman Drive	25	28	28	Yes	
16 Denman Drive	29	32	32	Yes	
17 Denman Drive	21	24	24	Yes	



	Ca	Complies with		
Receiver name		project trigger		
	Day	Evening	Night	levels?
18 Denman Drive	28	31	31	Yes
19 Denman Drive	22	25	25	Yes
20 Denman Drive	28	31	31	Yes
21 Denman Drive	24	27	27	Yes
22 Denman Drive	28	31	31	Yes
23 Denman Drive	26	29	29	Yes
24 Denman Drive	28	31	31	Yes
25 Denman Drive	26	29	29	Yes
26 Denman Drive	27	30	30	Yes
27 Denman Drive	26	29	29	Yes
28 Denman Drive	27	30	30	Yes
30 Denman Drive	28	31	31	Yes
32 Denman Drive	27	30	30	Yes
34 Denman Drive	26	29	29	Yes
36 Denman Drive	24	27	27	Yes
38 Denman Drive	24	27	27	Yes
40 Denman Drive	26	29	29	Yes
42 Denman Drive	25	28	28	Yes
3 Murraya Way	15	18	18	Yes
6 Murraya Way	15	18	18	Yes
8 Murraya Way	15	18	18	Yes
9 Murraya Way	17	20	20	Yes
10 Murraya Way	16	19	19	Yes
12 Murraya Way	16	19	19	Yes
14 Murraya Way	17	20	20	Yes
15 Murraya Way	19	22	22	Yes
16 Murraya Way	21	24	24	Yes
17 Murraya Way	24	27	27	Yes
142 Plantation Road	23	26	26	Yes
154A Plantation Road	22	25	25	Yes
154B Plantation Road	22	25	25	Yes
2 The Village Lane	26	29	29	Yes
146 Tweed Coast Road	21	24	24	Yes
Noise sensitive places to the south and south-west (south of intersection between Cudgen Road and Plantation Road)	41	41	38	
278A Cudgen Road	16	19	19	Yes
278B Cudgen Road	17	20	20	Yes
293 Cudgen Road	24	27	27	Yes
297 Cudgen Road	24	27	27	Yes
298A Cudgen Road	21	24	24	Yes
298B Cudgen Road	21	24	24	Yes
301 Cudgen Road	25	28	28	Yes
302 Cudgen Road	21	24	24	Yes
306 Cudgen Road	22	25	25	Yes
307 Cudgen Road	25	28	28	Yes



	Ca	Complies with		
Receiver name		project trigger		
	Day	Evening	Night	levels?
310 Cudgen Road	22	25	25	Yes
312 Cudgen Road	24	27	27	Yes
317 Cudgen Road	25	28	28	Yes
320 Cudgen Road	25	28	28	Yes
346 Cudgen Road	21	24	24	Yes
351 Cudgen Road	27	30	30	Yes
353 Cudgen Road	28	31	31	Yes
355 Cudgen Road	26	29	29	Yes
372 Cudgen Road	21	24	24	Yes
379 Cudgen Road	25	28	28	Yes
389 Cudgen Road	25	28	28	Yes
394 Cudgen Road	24	27	27	Yes
396 Cudgen Road	21	24	24	Yes
401 Cudgen Road	25	28	28	Yes
413A Cudgen Road	27	30	30	Yes
413B Cudgen Road	23	26	26	Yes
416 Cudgen Road	22	25	25	Yes
422 Cudgen Road	22	25	25	Yes
438 Cudgen Road	23	26	26	Yes
440A Cudgen Road	23	26	26	Yes
440B Cudgen Road	22	25	25	Yes
458A Cudgen Road	22	25	25	Yes
458B Cudgen Road	20	23	23	Yes
459 Cudgen Road	23	26	26	Yes
396 Melaleuca Road	15	18	18	Yes
37 Mccollums Road	18	21	21	Yes
41 Mccollums Road	17	20	20	Yes
54 Mccollums Road	18	21	21	Yes
52 Reardons Road	20	23	23	Yes
Noise sensitive places to the north at significant setback from Pacific Motorway	42	42	38	
271 Pacific Motorway	29	32	32	Yes
145 Plantation Road	22	25	25	Yes
155A Plantation Road	23	26	26	Yes
155B Plantation Road	23	26	26	Yes
Noise sensitive places to the north and west within proximity to Pacific Motorway	46	46	38	
139A Pacific Motorway	21	24	24	Yes
139B Pacific Motorway	23	26	26	Yes
141 Pacific Motorway	22	25	25	Yes
9394 Tweed Valley Way	20	23	23	Yes
School class room	38	38	38	
11A Collier Street	27	30	30	Yes
11B Collier Street	26	29	29	Yes



Maximum noise level assessment (night-time only)

The maximum noise levels associated with distinct night-time noise events at the HTSP during Phase 6 (year 4-8), assessed against the maximum noise level criteria, are presented in Table 4.7.

Table 4.7 Operational noise lev	-1110		ated noise		your + o)	
	LAFmax, dB(A)					Complies
Receiver name	Loader	Pump	Dredge	Booster	Wash plant	with criteria?
NSW EPA Noise Policy for Industry – Maximum noise level criteria						
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen						
Road and Plantation Road)	52	52	52	52	52	
2 Clarke Street	24	17	24	13	20	Yes
3 Clarke Street	25	18	24	11	20	Yes
6 Clarke Street	24	17	24	11	19	Yes
1 Collier Street	32	25	26	15	28	Yes
2 Collier Street	30	24	25	14	26	Yes
4 Collier Street	29	24	25	12	24	Yes
6 Collier Street	28	23	25	12	24	Yes
8 Collier Street	28	23	25	12	24	Yes
10 Collier Street	28	23	25	12	23	Yes
16 Collier Street	27	20	25	12	21	Yes
17 Collier Street	19	6	20	11	9	Yes
18 Collier Street	26	22	25	13	21	Yes
20 Collier Street	24	16	24	11	18	Yes
22 Collier Street	25	16	25	14	19	Yes
24 Collier Street	23	14	23	14	16	Yes
1 Crescent Street	26	19	24	13	22	Yes
3 Crescent Street	21	23	24	11	16	Yes
4 Crescent Street	25	15	24	12	19	Yes
5 Crescent Street	22	23	24	11	18	Yes
7 Crescent Street	25	20	24	11	20	Yes
8 Crescent Street	25	17	24	12	19	Yes
9 Crescent Street	27	20	25	13	23	Yes
10 Crescent Street	22	18	23	12	16	Yes
11 Crescent Street	25	17	24	11	19	Yes
12 Crescent Street	22	13	24	10	14	Yes
13 Crescent Street	26	20	25	11	21	Yes
14 Crescent Street	25	18	24	11	20	Yes
16 Crescent Street	22	11	23	11	15	Yes
17 Crescent Street	20	9	22	9	11	Yes
18 Crescent Street	20	12	22	10	13	Yes
19 Crescent Street	20	12	24	10	10	Yes
20 Crescent Street	18	9	21	12	9	Yes
20A Crescent Street	16	4	17	3	6	Yes
21 Crescent Street	20	16	22	12	12	Yes
22-24 Crescent Street	20	13	23	12	12	Yes

Table 4.7 Operational noise levels – L_{max} assessment – Scenario 2 (year 4-8)



		Calculated noise levels					
Receiver name		L _{AFmax} , dB(A)					
	Loader	Pump	Dredge	Booster	Wash plant	with criteria?	
23 Crescent Street	17	6	17	5	6	Yes	
26 Crescent Street	19	8	21	10	10	Yes	
28 Crescent Street	21	10	23	11	12	Yes	
29 Crescent Street	19	9	21	9	10	Yes	
30 Crescent Street	18	8	21	8	11	Yes	
32 Crescent Street	20	8	22	10	11	Yes	
34 Crescent Street	19	9	22	10	10	Yes	
36 Crescent Street	19	9	22	9	10	Yes	
38 Crescent Street	18	8	20	6	9	Yes	
1-5 Cudgen Road	30	14	24	12	26	Yes	
7 Cudgen Road	27	14	24	11	23	Yes	
11 Cudgen Road	18	10	24	10	10	Yes	
463 Cudgen Road	26	23	29	20	22	Yes	
480 Cudgen Road	25	20	25	16	21	Yes	
480A Cudgen Road	26	21	26	17	22	Yes	
482 Cudgen Road	27	25	29	18	24	Yes	
501 Cudgen Road	27	24	29	18	24	Yes	
529A Cudgen Road	32	29	35	24	28	Yes	
529B Cudgen Road	35	34	36	24	32	Yes	
531 Cudgen Road	31	28	32	19	29	Yes	
535A Cudgen Road	32	30	31	18	29	Yes	
535B Cudgen Road	33	30	33	19	29	Yes	
535C Cudgen Road	33	31	39	24	30	Yes	
542 Cudgen Road	32	29	28	17	29	Yes	
543 Cudgen Road	37	34	38	24	34	Yes	
576 Cudgen Road	32	30	29	16	28	Yes	
592 Cudgen Road	32	29	29	17	28	Yes	
604 Cudgen Road	28	23	25	12	24	Yes	
607 Cudgen Road	37	35	33	21	34	Yes	
609 Cudgen Road	32	28	29	18	28	Yes	
611A Cudgen Road	32	28	27	14	28	Yes	
611B Cudgen Road	37	33	33	20	34	Yes	
626 Cudgen Road	29	25	26	13	25	Yes	
647 Cudgen Road	30	26	26	14	26	Yes	
5 Denman Drive	18	7	18	4	8	Yes	
7 Denman Drive	19	9	20	8	9	Yes	
9 Denman Drive	24	12	23	9	15	Yes	
11 Denman Drive	28	16	24	14	24	Yes	
13 Denman Drive	29	16	26	10	24	Yes	
14 Denman Drive	33	26	30	10	30	Yes	
15 Denman Drive	28	23	24	13	27	Yes	
16 Denman Drive	33	26	30	17	29	Yes	
17 Denman Drive	24	23	25	12	15	Yes	
18 Denman Drive	32	26	30	12	27	Yes	
19 Denman Drive	25	20	26	13	18	Yes	



		Complies with				
Receiver name						
Receiver hame	Loader	Pump	AFmax, dB(/ Dredge	Booster	Wash plant	criteria?
20 Denman Drive	31	26	29	18	27	Yes
21 Denman Drive	28	24	25	14	25	Yes
22 Denman Drive	31	26	28	18	26	Yes
23 Denman Drive	30	25	25	13	25	Yes
24 Denman Drive	31	26	29	17	26	Yes
25 Denman Drive	30	24	26	13	25	Yes
26 Denman Drive	31	26	27	14	26	Yes
27 Denman Drive	29	23	26	13	25	Yes
28 Denman Drive	31	26	26	14	26	Yes
30 Denman Drive	31	26	29	14	26	Yes
32 Denman Drive	31	26	27	14	26	Yes
34 Denman Drive	31	24	26	14	26	Yes
36 Denman Drive	28	21	26	13	23	Yes
38 Denman Drive	28	21	26	13	23	Yes
40 Denman Drive	29	23	26	14	25	Yes
42 Denman Drive	29	22	26	14	24	Yes
3 Murraya Way	17	7	18	7	8	Yes
6 Murraya Way	17	7	19	5	8	Yes
8 Murraya Way	18	7	19	6	9	Yes
9 Murraya Way	20	9	20	9	11	Yes
10 Murraya Way	18	8	20	7	9	Yes
12 Murraya Way	19	9	20	8	12	Yes
14 Murraya Way	20	11	22	11	13	Yes
15 Murraya Way	21	17	21	11	18	Yes
16 Murraya Way	24	21	24	12	17	Yes
17 Murraya Way	27	16	25	12	22	Yes
142 Plantation Road	25	20	26	15	21	Yes
154A Plantation Road	24	18	25	14	20	Yes
154B Plantation Road	24	19	26	16	20	Yes
2 The Village Lane	29	25	25	13	26	Yes
146 Tweed Coast Road	23	18	22	11	20	Yes
Noise sensitive places to the south and south- west (south of intersection between Cudgen Road and Plantation Road)	52	52	52	52	52	
278A Cudgen Road	16	12	21	13	11	Yes
278B Cudgen Road	16	10	21	11	11	Yes
293 Cudgen Road	22	18	27	21	19	Yes
297 Cudgen Road	22	16	27	21	18	Yes
298A Cudgen Road	21	16	24	16	16	Yes
298B Cudgen Road	20	15	25	17	15	Yes
301 Cudgen Road	23	19	28	22	20	Yes
302 Cudgen Road	20	17	24	17	17	Yes
306 Cudgen Road	19	14	25	18	14	Yes
307 Cudgen Road	23	18	28	21	19	Yes
310 Cudgen Road	21	18	25	18	17	Yes



		Calcul	ated noise	levels		
Receiver name		Complies with				
	Loader	Pump	AFmax, dB(/ Dredge	Booster	Wash plant	criteria?
312 Cudgen Road	22	19	26	22	19	Yes
317 Cudgen Road	23	19	28	21	19	Yes
320 Cudgen Road	23	20	28	22	19	Yes
346 Cudgen Road	19	15	24	17	15	Yes
351 Cudgen Road	25	21	30	24	21	Yes
353 Cudgen Road	26	23	31	23	22	Yes
355 Cudgen Road	25	21	30	20	21	Yes
372 Cudgen Road	20	16	24	17	15	Yes
379 Cudgen Road	24	17	29	18	20	Yes
389 Cudgen Road	21	17	29	18	16	Yes
394 Cudgen Road	21	17	29	17	16	Yes
396 Cudgen Road	20	16	24	16	16	Yes
401 Cudgen Road	21	17	30	18	17	Yes
413A Cudgen Road	22	19	31	22	18	Yes
413B Cudgen Road	21	17	26	18	17	Yes
416 Cudgen Road	21	18	25	16	17	Yes
422 Cudgen Road	21	18	25	17	17	Yes
438 Cudgen Road	22	18	26	17	18	Yes
440A Cudgen Road	23	19	26	17	18	Yes
440B Cudgen Road	23	19	25	17	19	Yes
458A Cudgen Road	23	20	24	18	19	Yes
458B Cudgen Road	23	19	22	16	19	Yes
459 Cudgen Road	23	20	26	14	19	Yes
396 Melaleuca Road	16	6	19	8	8	Yes
37 Mccollums Road	17	12	21	12	12	Yes
41 Mccollums Road	16	11	20	11	10	Yes
54 Mccollums Road	17	12	21	13	12	Yes
52 Reardons Road	21	17	23	13	16	Yes
Noise sensitive places to the north at significant setback from Pacific Motorway	52	52	52	52	52	
271 Pacific Motorway	30	20	33	25	27	Yes
145 Plantation Road	26	22	25	13	23	Yes
155A Plantation Road	24	21	26	14	20	Yes
155B Plantation Road	24	20	26	14	20	Yes
Noise sensitive places to the north and west within proximity to Pacific Motorway	54	54	54	54	54	
139A Pacific Motorway	22	7	24	15	17	Yes
139B Pacific Motorway	23	16	26	15	22	Yes
141 Pacific Motorway	23	15	26	15	21	Yes
9394 Tweed Valley Way	20	13	23	16	16	Yes



4.3.3 Scenario 3 (Year 9-13)

L_{eq} noise level assessment

The noise levels associated with the HTSP during Phase 7 (year 9-13), assessed against the project trigger levels, are presented in Table 4.8.

	Ca	Complies with		
Receiver name		L _{eq,adj,15min} , dB(A))	project trigger
	Day	Evening	Night	levels?
NSW EPA Noise Policy for Industry – Project trigger levels				
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen Road and Plantation Road)	42	42	38	
2 Clarke Street	22	25	25	Yes
3 Clarke Street	22	25	25	Yes
6 Clarke Street	21	24	24	Yes
1 Collier Street	24	27	27	Yes
2 Collier Street	23	26	26	Yes
4 Collier Street	23	26	26	Yes
6 Collier Street	22	25	25	Yes
8 Collier Street	22	25	25	Yes
10 Collier Street	22	25	25	Yes
16 Collier Street	23	26	26	Yes
17 Collier Street	22	25	25	Yes
18 Collier Street	23	26	26	Yes
20 Collier Street	23	26	26	Yes
22 Collier Street	23	26	26	Yes
24 Collier Street	23	26	26	Yes
1 Crescent Street	23	26	26	Yes
3 Crescent Street	21	24	24	Yes
4 Crescent Street	23	26	26	Yes
5 Crescent Street	22	25	25	Yes
7 Crescent Street	21	24	24	Yes
8 Crescent Street	22	25	25	Yes
9 Crescent Street	23	26	26	Yes
10 Crescent Street	22	25	25	Yes
11 Crescent Street	22	25	25	Yes
12 Crescent Street	22	25	25	Yes
13 Crescent Street	22	25	25	Yes
14 Crescent Street	22	25	25	Yes
16 Crescent Street	22	25	25	Yes
17 Crescent Street	19	22	22	Yes
18 Crescent Street	22	25	25	Yes
19 Crescent Street	23	26	26	Yes
20 Crescent Street	21	24	24	Yes
20A Crescent Street	20	23	23	Yes

 Table 4.8 Operational noise levels – Leq assessment – Scenario 3 (year 9-13)



	Cá	Calculated noise levels				
Receiver name		Leq,adj,15min , dB(A)	1	Complies with project trigger		
	Day	Evening	Night	levels?		
21 Crescent Street	22	25	25	Yes		
22-24 Crescent Street	24	27	27	Yes		
23 Crescent Street	18	21	21	Yes		
26 Crescent Street	22	25	25	Yes		
28 Crescent Street	22	25	25	Yes		
29 Crescent Street	20	23	23	Yes		
30 Crescent Street	21	24	24	Yes		
32 Crescent Street	22	25	25	Yes		
34 Crescent Street	22	25	25	Yes		
36 Crescent Street	22	25	25	Yes		
38 Crescent Street	19	22	22	Yes		
1-5 Cudgen Road	22	25	25	Yes		
7 Cudgen Road	21	24	24	Yes		
11 Cudgen Road	19	22	22	Yes		
463 Cudgen Road	28	31	31	Yes		
480 Cudgen Road	26	29	29	Yes		
480A Cudgen Road	27	30	30	Yes		
482 Cudgen Road	27	30	30	Yes		
501 Cudgen Road	27	30	30	Yes		
529A Cudgen Road	31	34	34	Yes		
529B Cudgen Road	31	34	34	Yes		
531 Cudgen Road	28	31	31	Yes		
535A Cudgen Road	28	31	31	Yes		
535B Cudgen Road	29	32	32	Yes		
535C Cudgen Road	34	37	37	Yes		
542 Cudgen Road	27	30	30	Yes		
543 Cudgen Road	34	37	37	Yes		
576 Cudgen Road	26	29	29	Yes		
592 Cudgen Road	27	30	30	Yes		
604 Cudgen Road	22	25	25	Yes		
607 Cudgen Road	31	34	34	Yes		
609 Cudgen Road	26	29	29	Yes		
611A Cudgen Road	24	27	27	Yes		
611B Cudgen Road	30	33	33	Yes		
626 Cudgen Road	23	26	26	Yes		
647 Cudgen Road	24	27	27	Yes		
5 Denman Drive	17	20	20	Yes		
7 Denman Drive	20	23	23	Yes		
9 Denman Drive	23	26	26	Yes		
11 Denman Drive	23	26	26	Yes		
13 Denman Drive	22	25	25	Yes		
14 Denman Drive	28	31	31	Yes		
15 Denman Drive	22	25	25	Yes		
16 Denman Drive	28	31	31	Yes		
17 Denman Drive	23	26	26	Yes		



	Ca	Complies with		
Receiver name		project trigger		
	Day	Evening	Night	levels?
18 Denman Drive	28	31	31	Yes
19 Denman Drive	23	26	26	Yes
20 Denman Drive	28	31	31	Yes
21 Denman Drive	23	26	26	Yes
22 Denman Drive	28	31	31	Yes
23 Denman Drive	24	27	27	Yes
24 Denman Drive	26	29	29	Yes
25 Denman Drive	23	26	26	Yes
26 Denman Drive	26	29	29	Yes
27 Denman Drive	22	25	25	Yes
28 Denman Drive	25	28	28	Yes
30 Denman Drive	26	29	29	Yes
32 Denman Drive	25	28	28	Yes
34 Denman Drive	25	28	28	Yes
36 Denman Drive	24	27	27	Yes
38 Denman Drive	24	27	27	Yes
40 Denman Drive	23	26	26	Yes
42 Denman Drive	23	26	26	Yes
3 Murraya Way	17	20	20	Yes
6 Murraya Way	18	21	21	Yes
8 Murraya Way	20	23	23	Yes
9 Murraya Way	20	23	23	Yes
10 Murraya Way	20	23	23	Yes
12 Murraya Way	20	23	23	Yes
14 Murraya Way	21	24	24	Yes
15 Murraya Way	22	25	25	Yes
16 Murraya Way	23	26	26	Yes
17 Murraya Way	22	25	25	Yes
142 Plantation Road	25	28	28	Yes
154A Plantation Road	25	28	28	Yes
154B Plantation Road	26	29	29	Yes
2 The Village Lane	22	25	25	Yes
146 Tweed Coast Road	21	24	24	Yes
Noise sensitive places to the south and south-west (south of intersection between Cudgen Road and Plantation Road)	41	41	38	
278A Cudgen Road	26	29	29	Yes
278B Cudgen Road	25	28	28	Yes
293 Cudgen Road	33	36	36	Yes
297 Cudgen Road	32	35	35	Yes
298A Cudgen Road	27	30	30	Yes
298B Cudgen Road	27	30	30	Yes
301 Cudgen Road	34	37	37	Yes
302 Cudgen Road	30	33	33	Yes
306 Cudgen Road	31	34	34	Yes
307 Cudgen Road	33	36	36	Yes



	Complies with				
Receiver name	Receiver name L _{eq,adj,15min} , dB(A)				
	Day	Evening	Night	levels?	
310 Cudgen Road	32	35	35	Yes	
312 Cudgen Road	32	35	35	Yes	
317 Cudgen Road	32	35	35	Yes	
320 Cudgen Road	32	35	35	Yes	
346 Cudgen Road	27	30	30	Yes	
351 Cudgen Road	34	37	37	Yes	
353 Cudgen Road	35	38	38	Yes	
355 Cudgen Road	32	35	35	Yes	
372 Cudgen Road	26	29	29	Yes	
379 Cudgen Road	31	34	34	Yes	
389 Cudgen Road	31	34	34	Yes	
394 Cudgen Road	30	33	33	Yes	
396 Cudgen Road	26	29	29	Yes	
401 Cudgen Road	31	34	34	Yes	
413A Cudgen Road	31	34	34	Yes	
413B Cudgen Road	31	34	34	Yes	
416 Cudgen Road	25	28	28	Yes	
422 Cudgen Road	26	29	29	Yes	
438 Cudgen Road	29	32	32	Yes	
440A Cudgen Road	29	32	32	Yes	
440B Cudgen Road	29	32	32	Yes	
458A Cudgen Road	25	28	28	Yes	
458B Cudgen Road	25	28	28	Yes	
459 Cudgen Road	23	26	26	Yes	
396 Melaleuca Road	21	24	24	Yes	
37 Mccollums Road	23	26	26	Yes	
41 Mccollums Road	23	26	26	Yes	
54 Mccollums Road	23	26	26	Yes	
52 Reardons Road	22	25	25	Yes	
Noise sensitive places to the north at significant setback from Pacific Motorway	42	42	38		
271 Pacific Motorway	33	36	36	Yes	
145 Plantation Road	24	27	27	Yes	
155A Plantation Road	24	27	27	Yes	
155B Plantation Road	24	27	27	Yes	
Noise sensitive places to the north and west within proximity to Pacific Motorway	46	46	38		
139A Pacific Motorway	25	28	28	Yes	
139B Pacific Motorway	27	30	30	Yes	
141 Pacific Motorway	28	31	31	Yes	
9394 Tweed Valley Way	32	35	35	Yes	
School class room	38	38	38		
11A Collier Street	23	26	26	Yes	
11B Collier Street	23	26	26	Yes	



The maximum noise levels associated with distinct night-time noise events at the HTSP during Phase 7 (year 9-13), assessed against the maximum noise level criteria, are presented in Table 4.9.

Table 4.9 Operational noise leve							
Receiver name		L _{AFmax} , dB(A)					
Receiver name	Loader	Pump	Dredge	Booster	Wash plant	with criteria?	
NSW EPA Noise Policy for Industry – Maximum noise level criteria							
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen	50	50	50	50	50		
Road and Plantation Road) 2 Clarke Street	52 21	52 14	52 26	52 12	52 17	Yes	
			-				
3 Clarke Street	21	15	24	8	17	Yes	
6 Clarke Street	21	14	24	10	17	Yes	
1 Collier Street	24	18	27	15	21	Yes	
2 Collier Street	22	15	25	13	18	Yes	
4 Collier Street	22	15	25	12	18	Yes	
6 Collier Street	22	15	25	11	18	Yes	
8 Collier Street	22	16	25	11	18	Yes	
10 Collier Street	23	17	25	9	20	Yes	
16 Collier Street	22	17	25	11	18	Yes	
17 Collier Street	22	16	23	7	18	Yes	
18 Collier Street	23	18	25	10	20	Yes	
20 Collier Street	23	17	25	11	20	Yes	
22 Collier Street	22	16	24	12	18	Yes	
24 Collier Street	21	15	23	11	17	Yes	
1 Crescent Street	21	15	24	11	18	Yes	
3 Crescent Street	20	14	24	8	17	Yes	
4 Crescent Street	23	17	27	13	20	Yes	
5 Crescent Street	20	14	23	9	16	Yes	
7 Crescent Street	22	17	25	9	19	Yes	
8 Crescent Street	23	17	26	9	20	Yes	
9 Crescent Street	22	15	25	10	18	Yes	
10 Crescent Street	22	17	25	9	19	Yes	
11 Crescent Street	21	15	24	8	17	Yes	
12 Crescent Street	21	14	24	8	17	Yes	
13 Crescent Street	22	15	25	9	18	Yes	
14 Crescent Street	21	15	24	8	17	Yes	
16 Crescent Street	21	14	24	8	17	Yes	
17 Crescent Street	17	8	19	7	9	Yes	
18 Crescent Street	21	14	24	8	17	Yes	
19 Crescent Street	22	15	25	9	18	Yes	
20 Crescent Street	21	15	24	7	17	Yes	
20A Crescent Street	21	15	24	2	17	Yes	
21 Crescent Street	21	15	25	8	17	Yes	
22-24 Crescent Street	23	17	24	10	20	Yes	

Table 4.9 Operational noise levels – L_{max} assessment – Scenario 3 (year 9-13)



Receiver name		L	AFmax, dB(A)		Complies with
Receiver name	Loader	Pump	Dredge	Booster	Wash plant	criteria?
23 Crescent Street	19	12	22	1	14	Yes
26 Crescent Street	21	15	23	8	16	Yes
28 Crescent Street	21	15	23	8	18	Yes
29 Crescent Street	19	10	22	7	12	Yes
30 Crescent Street	21	14	23	7	16	Yes
32 Crescent Street	21	14	23	8	17	Yes
34 Crescent Street	22	15	25	8	17	Yes
36 Crescent Street	22	16	25	8	19	Yes
38 Crescent Street	18	9	18	6	11	Yes
1-5 Cudgen Road	23	17	26	11	20	Yes
7 Cudgen Road	21	14	24	8	17	Yes
11 Cudgen Road	19	10	20	6	13	Yes
463 Cudgen Road	24	19	26	18	20	Yes
480 Cudgen Road	22	17	24	15	18	Yes
480A Cudgen Road	23	19	25	16	20	Yes
482 Cudgen Road	24	19	26	17	20	Yes
501 Cudgen Road	24	18	25	18	19	Yes
529A Cudgen Road	30	26	33	21	27	Yes
529B Cudgen Road	31	26	34	26	28	Yes
531 Cudgen Road	26	21	28	21	22	Yes
535A Cudgen Road	26	20	28	22	22	Yes
535B Cudgen Road	26	21	29	22	23	Yes
535C Cudgen Road	31	27	34	23	28	Yes
542 Cudgen Road	25	20	28	22	22	Yes
543 Cudgen Road	31	27	34	27	28	Yes
576 Cudgen Road	24	19	28	22	21	Yes
592 Cudgen Road	24	18	29	21	21	Yes
604 Cudgen Road	21	15	25	18	17	Yes
607 Cudgen Road	28	22	32	23	26	Yes
609 Cudgen Road	25	19	30	20	20	Yes
611A Cudgen Road	23	10	27	21	19	Yes
611B Cudgen Road	28	22	32	23	26	Yes
626 Cudgen Road	20	16	26	19	18	Yes
647 Cudgen Road	22	10	26	10	20	Yes
5 Denman Drive	22	15	23	3	8	Yes
7 Denman Drive	22	16	23	7	18	Yes
9 Denman Drive	23	16	26	10	10	Yes
11 Denman Drive	23	10	26	9	19	Yes
13 Denman Drive	23	17	26	8	19	Yes
14 Denman Drive	23	17	31	14	24	Yes
15 Denman Drive	24	17	24	9	19	Yes
16 Denman Drive	25	17	31	9 14	25	Yes
17 Denman Drive	23	19	25	14	25 19	Yes
18 Denman Drive	23	17	25 31	10	24	Yes
18 Denman Drive	24	18	26	14	 19	Yes



Receiver name		Complies with				
Receiver name	Loader	Pump	AFmax, dB()	Booster	Wash plant	criteria?
20 Denman Drive	25	21	30	14	. 24	Yes
21 Denman Drive	24	17	27	12	20	Yes
22 Denman Drive	25	21	30	15	24	Yes
23 Denman Drive	25	19	27	10	22	Yes
24 Denman Drive	25	21	30	16	24	Yes
25 Denman Drive	24	17	26	10	20	Yes
26 Denman Drive	25	21	29	20	24	Yes
27 Denman Drive	23	16	26	13	19	Yes
28 Denman Drive	25	21	28	20	24	Yes
30 Denman Drive	25	21	27	19	24	Yes
32 Denman Drive	25	21	28	19	24	Yes
34 Denman Drive	24	18	27	17	20	Yes
36 Denman Drive	24	18	27	16	20	Yes
38 Denman Drive	23	17	26	15	20	Yes
40 Denman Drive	23	16	26	14	19	Yes
42 Denman Drive	22	16	24	14	19	Yes
3 Murraya Way	21	13	19	3	15	Yes
6 Murraya Way	23	16	24	3	19	Yes
8 Murraya Way	23	16	26	6	19	Yes
9 Murraya Way	20	13	25	7	15	Yes
10 Murraya Way	22	15	26	6	18	Yes
12 Murraya Way	22	16	25	6	18	Yes
14 Murraya Way	23	16	25	7	19	Yes
15 Murraya Way	22	16	25	9	18	Yes
16 Murraya Way	23	16	26	10	19	Yes
17 Murraya Way	22	16	23	9	18	Yes
142 Plantation Road	22	16	24	15	18	Yes
154A Plantation Road	22	16	24	14	17	Yes
154B Plantation Road	23	18	25	14	20	Yes
2 The Village Lane	21	16	24	10	18	Yes
146 Tweed Coast Road	21	15	25	7	16	Yes
Noise sensitive places to the south and south- west (south of intersection between Cudgen Road and Plantation Road)	52	52	52	52	52	
278A Cudgen Road	19	13	21	14	14	Yes
278B Cudgen Road	19	12	21	13	14	Yes
293 Cudgen Road	25	20	27	21	22	Yes
297 Cudgen Road	24	19	27	20	20	Yes
298A Cudgen Road	21	15	25	15	16	Yes
298B Cudgen Road	21	14	24	15	16	Yes
301 Cudgen Road	26	21	28	22	22	Yes
302 Cudgen Road	23	17	26	18	18	Yes
306 Cudgen Road	24	19	28	19	21	Yes
307 Cudgen Road	25	19	29	21	21	Yes
310 Cudgen Road	25	19	27	20	21	Yes



		Calcu	ated noise	elevels			
Receiver name		L	AFmax, dB(۹)		Complies with	
	Loader	Pump	Dredge	Booster	Wash plant	criteria?	
312 Cudgen Road	25	20	27	20	21	Yes	
317 Cudgen Road	25	20	28	20	21	Yes	
320 Cudgen Road	25	20	28	20	22	Yes	
346 Cudgen Road	21	15	24	15	17	Yes	
351 Cudgen Road	27	22	29	22	23	Yes	
353 Cudgen Road	28	23	31	23	25	Yes	
355 Cudgen Road	26	21	29	20	22	Yes	
372 Cudgen Road	21	15	23	14	16	Yes	
379 Cudgen Road	25	20	28	18	21	Yes	
389 Cudgen Road	25	20	28	18	21	Yes	
394 Cudgen Road	25	19	28	18	21	Yes	
396 Cudgen Road	22	15	23	13	17	Yes	
401 Cudgen Road	25	20	28	19	22	Yes	
413A Cudgen Road	25	21	29	19	22	Yes	
413B Cudgen Road	25	20	28	18	21	Yes	
416 Cudgen Road	21	15	23	13	16	Yes	
422 Cudgen Road	21	16	24	13	17	Yes	
438 Cudgen Road	22	15	28	17	17	Yes	
440A Cudgen Road	21	15	24	17	17	Yes	
440B Cudgen Road	21	15	27	17	16	Yes	
458A Cudgen Road	21	16	23	14	17	Yes	
458B Cudgen Road	21	15	22	13	16	Yes	
459 Cudgen Road	22	16	24	13	17	Yes	
396 Melaleuca Road	17	10	20	8	12	Yes	
37 Mccollums Road	18	12	21	10	13	Yes	
41 Mccollums Road	18	11	20	11	12	Yes	
54 Mccollums Road	18	12	21	11	13	Yes	
52 Reardons Road	19	12	21	10	14	Yes	
Noise sensitive places to the north at significant setback from Pacific Motorway	52	52	52	52	52		
271 Pacific Motorway	37	32	34	24	35	Yes	
145 Plantation Road	21	16	23	17	17	Yes	
155A Plantation Road	21	15	23	14	16	Yes	
155B Plantation Road	21	15	23	14	16	Yes	
Noise sensitive places to the north and west within proximity to Pacific Motorway	54	54	54	54	54		
139A Pacific Motorway	26	22	26	13	20	Yes	
139B Pacific Motorway	31	24	26	13	27	Yes	
141 Pacific Motorway	28	25	25	13	26	Yes	
9394 Tweed Valley Way	25	20	27	20	22	Yes	



4.3.4 Scenario 4 (Year 14-18)

L_{eq} noise level assessment

The noise levels associated with the HTSP during Phase 8 (year 14-18), assessed against the project trigger levels, are presented in Table 4.10.

Table 4.10 Operational holse		vels		
Receiver name		Leq,adj,15min, dB(A)	 Complies with project trigger
	Day	Evening	Night	levels?
NSW EPA Noise Policy for Industry – Project trigger levels				
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen Road and Plantation Road)	42	42	38	
2 Clarke Street	18	21	21	Yes
3 Clarke Street	19	22	22	Yes
6 Clarke Street	18	21	21	Yes
1 Collier Street	20	23	23	Yes
2 Collier Street	20	23	23	Yes
4 Collier Street	20	23	23	Yes
6 Collier Street	19	22	22	Yes
8 Collier Street	19	22	22	Yes
10 Collier Street	19	22	22	Yes
16 Collier Street	20	23	23	Yes
17 Collier Street	19	22	22	Yes
18 Collier Street	20	23	23	Yes
20 Collier Street	19	22	22	Yes
22 Collier Street	19	22	22	Yes
24 Collier Street	18	21	21	Yes
1 Crescent Street	19	22	22	Yes
3 Crescent Street	18	21	21	Yes
4 Crescent Street	19	22	22	Yes
5 Crescent Street	18	21	21	Yes
7 Crescent Street	18	21	21	Yes
8 Crescent Street	19	22	22	Yes
9 Crescent Street	19	22	22	Yes
10 Crescent Street	18	21	21	Yes
11 Crescent Street	18	21	21	Yes
12 Crescent Street	18	21	21	Yes
13 Crescent Street	19	22	22	Yes
14 Crescent Street	19	22	22	Yes
16 Crescent Street	19	22	22	Yes
17 Crescent Street	14	17	17	Yes
18 Crescent Street	18	21	21	Yes
19 Crescent Street	19	22	22	Yes
20 Crescent Street	18	21	21	Yes
20A Crescent Street	17	20	20	Yes

Table 4.10 Operational noise levels – Leq assessment – Scenario 4 (year 14-18)



	Calculated noise levels					
Receiver name		L _{eq,adj,15min} , dB(A)	1	 Complies with project trigger 		
	Day	Evening	Night	levels?		
21 Crescent Street	19	22	22	Yes		
22-24 Crescent Street	20	23	23	Yes		
23 Crescent Street	15	18	18	Yes		
26 Crescent Street	18	21	21	Yes		
28 Crescent Street	19	22	22	Yes		
29 Crescent Street	16	19	19	Yes		
30 Crescent Street	18	21	21	Yes		
32 Crescent Street	18	21	21	Yes		
34 Crescent Street	19	22	22	Yes		
36 Crescent Street	19	22	22	Yes		
38 Crescent Street	14	17	17	Yes		
1-5 Cudgen Road	19	22	22	Yes		
7 Cudgen Road	18	21	21	Yes		
11 Cudgen Road	15	18	18	Yes		
463 Cudgen Road	22	25	25	Yes		
480 Cudgen Road	21	24	24	Yes		
480A Cudgen Road	22	25	25	Yes		
482 Cudgen Road	23	26	26	Yes		
501 Cudgen Road	22	25	25	Yes		
529A Cudgen Road	29	32	32	Yes		
529B Cudgen Road	28	31	31	Yes		
531 Cudgen Road	24	27	27	Yes		
535A Cudgen Road	24	27	27	Yes		
535B Cudgen Road	25	28	28	Yes		
535C Cudgen Road	30	33	33	Yes		
542 Cudgen Road	23	26	26	Yes		
543 Cudgen Road	30	33	33	Yes		
576 Cudgen Road	22	25	25	Yes		
592 Cudgen Road	24	27	27	Yes		
604 Cudgen Road	19	22	22	Yes		
607 Cudgen Road	27	30	30	Yes		
609 Cudgen Road	23	26	26	Yes		
611A Cudgen Road	21	24	24	Yes		
611B Cudgen Road	26	29	29	Yes		
626 Cudgen Road	20	23	23	Yes		
647 Cudgen Road	20	23	23	Yes		
5 Denman Drive	16	19	19	Yes		
7 Denman Drive	17	20	20	Yes		
9 Denman Drive	19	22	22	Yes		
11 Denman Drive	19	22	22	Yes		
13 Denman Drive	19	22	22	Yes		
14 Denman Drive	24	27	27	Yes		
15 Denman Drive	19	22	22	Yes		
16 Denman Drive	24	27	27	Yes		
17 Denman Drive	20	23	23	Yes		



	Ca	Complies with		
Receiver name		Leq,adj,15min, dB(A))	project trigger
	Day	Evening	Night	levels?
18 Denman Drive	24	27	27	Yes
19 Denman Drive	20	23	23	Yes
20 Denman Drive	24	27	27	Yes
21 Denman Drive	20	23	23	Yes
22 Denman Drive	24	27	27	Yes
23 Denman Drive	22	25	25	Yes
24 Denman Drive	23	26	26	Yes
25 Denman Drive	19	22	22	Yes
26 Denman Drive	23	26	26	Yes
27 Denman Drive	18	21	21	Yes
28 Denman Drive	23	26	26	Yes
30 Denman Drive	23	26	26	Yes
32 Denman Drive	22	25	25	Yes
34 Denman Drive	21	24	24	Yes
36 Denman Drive	21	24	24	Yes
38 Denman Drive	20	23	23	Yes
40 Denman Drive	19	22	22	Yes
42 Denman Drive	19	22	22	Yes
3 Murraya Way	15	18	18	Yes
6 Murraya Way	18	21	21	Yes
8 Murraya Way	18	21	21	Yes
9 Murraya Way	17	20	20	Yes
10 Murraya Way	17	20	20	Yes
12 Murraya Way	18	21	21	Yes
14 Murraya Way	18	21	21	Yes
15 Murraya Way	17	20	20	Yes
16 Murraya Way	18	21	21	Yes
17 Murraya Way	18	21	21	Yes
142 Plantation Road	21	24	24	Yes
154A Plantation Road	20	23	23	Yes
154B Plantation Road	22	25	25	Yes
2 The Village Lane	17	20	20	Yes
146 Tweed Coast Road	18	21	21	Yes
Noise sensitive places to the south and south-west (south of intersection between Cudgen Road and Plantation Road)	41	41	38	
278A Cudgen Road	18	21	21	Yes
278B Cudgen Road	18	21	21	Yes
293 Cudgen Road	24	27	27	Yes
297 Cudgen Road	24	27	27	Yes
298A Cudgen Road	21	24	24	Yes
298B Cudgen Road	20	23	23	Yes
301 Cudgen Road	25	28	28	Yes
302 Cudgen Road	22	25	25	Yes
306 Cudgen Road	24	27	27	Yes
307 Cudgen Road	25	28	28	Yes



	vels	Complies with		
Receiver name		L _{eq,adj,15min} , dB(A)	project trigger
	Day	Evening	Night	levels?
310 Cudgen Road	24	27	27	Yes
312 Cudgen Road	24	27	27	Yes
317 Cudgen Road	25	28	28	Yes
320 Cudgen Road	25	28	28	Yes
346 Cudgen Road	20	23	23	Yes
351 Cudgen Road	26	29	29	Yes
353 Cudgen Road	28	31	31	Yes
355 Cudgen Road	26	29	29	Yes
372 Cudgen Road	20	23	23	Yes
379 Cudgen Road	25	28	28	Yes
389 Cudgen Road	25	28	28	Yes
394 Cudgen Road	24	27	27	Yes
396 Cudgen Road	20	23	23	Yes
401 Cudgen Road	25	28	28	Yes
413A Cudgen Road	25	28	28	Yes
413B Cudgen Road	25	28	28	Yes
416 Cudgen Road	20	23	23	Yes
422 Cudgen Road	21	24	24	Yes
438 Cudgen Road	23	26	26	Yes
440A Cudgen Road	21	24	24	Yes
440B Cudgen Road	23	26	26	Yes
458A Cudgen Road	20	23	23	Yes
458B Cudgen Road	19	22	22	Yes
459 Cudgen Road	20	23	23	Yes
396 Melaleuca Road	16	19	19	Yes
37 Mccollums Road	17	20	20	Yes
41 Mccollums Road	16	19	19	Yes
54 Mccollums Road	17	20	20	Yes
52 Reardons Road	17	20	20	Yes
Noise sensitive places to the north at significant setback from Pacific Motorway	42	42	38	
271 Pacific Motorway	31	34	34	Yes
145 Plantation Road	20	23	23	Yes
155A Plantation Road	19	22	22	Yes
155B Plantation Road	19	22	22	Yes
Noise sensitive places to the north and west within proximity to Pacific Motorway	46	46	38	
139A Pacific Motorway	19	22	22	Yes
139B Pacific Motorway	24	27	27	Yes
141 Pacific Motorway	25	28	28	Yes
9394 Tweed Valley Way	26	29	29	Yes
School class room	38	38	38	
11A Collier Street	19	22	22	Yes
11B Collier Street	20	23	23	Yes



The maximum noise levels associated with distinct night-time noise events at the HTSP during Phase 8 (year 14-18), assessed against the maximum noise level criteria, are presented in Table 4.11.

	Calculated noise levels							
Dessiver nome		L _{AFmax} , dB(A)						
Receiver name	Loader	Pump	Dredge	Booster	Wash plant	with criteria?		
NSW EPA Noise Policy for Industry –								
Maximum noise level criteria								
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen								
Road and Plantation Road)	52	52	52	52	52			
2 Clarke Street	21	14	22	8	17	Yes		
3 Clarke Street	21	15	21	6	17	Yes		
6 Clarke Street	21	14	21	6	17	Yes		
1 Collier Street	24	18	23	8	21	Yes		
2 Collier Street	22	15	22	8	18	Yes		
4 Collier Street	22	15	22	7	18	Yes		
6 Collier Street	22	15	21	6	18	Yes		
8 Collier Street	22	16	21	6	18	Yes		
10 Collier Street	23	17	21	6	20	Yes		
16 Collier Street	22	17	22	7	18	Yes		
17 Collier Street	22	16	21	7	18	Yes		
18 Collier Street	23	18	22	8	20	Yes		
20 Collier Street	23	17	21	7	20	Yes		
22 Collier Street	22	16	23	8	18	Yes		
24 Collier Street	21	15	22	8	17	Yes		
1 Crescent Street	21	15	22	8	18	Yes		
3 Crescent Street	20	14	21	6	17	Yes		
4 Crescent Street	23	17	22	7	20	Yes		
5 Crescent Street	20	14	21	6	16	Yes		
7 Crescent Street	22	17	21	7	19	Yes		
8 Crescent Street	23	17	22	6	20	Yes		
9 Crescent Street	22	15	22	8	18	Yes		
10 Crescent Street	22	17	21	7	19	Yes		
11 Crescent Street	21	15	21	6	17	Yes		
12 Crescent Street	21	14	21	6	17	Yes		
13 Crescent Street	22	15	22	7	18	Yes		
14 Crescent Street	21	15	21	6	17	Yes		
16 Crescent Street	21	14	21	6	17	Yes		
17 Crescent Street	17	8	20	4	9	Yes		
18 Crescent Street	21	14	21	6	17	Yes		
19 Crescent Street	22	15	22	7	18	Yes		
20 Crescent Street	21	15	21	6	17	Yes		
20A Crescent Street	21	15	17	6	17	Yes		
21 Crescent Street	21	15	21	6	17	Yes		

 Table 4.11 Operational noise levels – L_{max} assessment – Scenario 4 (year 14-18)



		Calcu	ated noise	elevels		
Receiver name		L	AFmax, dB(4)		Complies with
	Loader	Pump	Dredge	Booster	Wash plant	criteria?
22-24 Crescent Street	23	17	21	8	20	Yes
23 Crescent Street	19	12	17	3	14	Yes
26 Crescent Street	21	15	21	6	16	Yes
28 Crescent Street	21	15	21	6	18	Yes
29 Crescent Street	19	10	20	6	12	Yes
30 Crescent Street	21	14	20	6	16	Yes
32 Crescent Street	21	14	21	6	17	Yes
34 Crescent Street	22	15	21	6	17	Yes
36 Crescent Street	22	16	20	8	19	Yes
38 Crescent Street	18	9	18	5	11	Yes
1-5 Cudgen Road	23	17	22	7	20	Yes
7 Cudgen Road	21	14	21	7	17	Yes
11 Cudgen Road	19	10	19	5	13	Yes
463 Cudgen Road	24	19	26	13	20	Yes
480 Cudgen Road	22	17	24	11	18	Yes
480A Cudgen Road	23	19	25	11	20	Yes
482 Cudgen Road	24	19	25	11	20	Yes
501 Cudgen Road	24	18	25	11	19	Yes
529A Cudgen Road	30	26	32	13	27	Yes
529B Cudgen Road	31	26	29	14	28	Yes
531 Cudgen Road	26	21	28	12	22	Yes
535A Cudgen Road	26	20	27	12	22	Yes
535B Cudgen Road	26	21	27	12	23	Yes
535C Cudgen Road	31	27	33	18	28	Yes
542 Cudgen Road	25	20	26	11	22	Yes
543 Cudgen Road	31	27	32	17	28	Yes
576 Cudgen Road	24	19	25	10	21	Yes
592 Cudgen Road	24	18	29	14	21	Yes
604 Cudgen Road	21	15	22	7	17	Yes
607 Cudgen Road	28	22	30	15	26	Yes
609 Cudgen Road	25	19	26	12	22	Yes
611A Cudgen Road	23	17	23	8	19	Yes
611B Cudgen Road	28	22	29	14	26	Yes
626 Cudgen Road	22	16	22	8	18	Yes
647 Cudgen Road	22	17	22	8	20	Yes
5 Denman Drive	22	15	18	5	8	Yes
7 Denman Drive	22	16	21	6	18	Yes
9 Denman Drive	23	16	21	8	19	Yes
11 Denman Drive	23	17	24	7	19	Yes
13 Denman Drive	23	17	21	8	19	Yes
14 Denman Drive	24	17	25	12	24	Yes
15 Denman Drive	23	17	23	7	19	Yes
16 Denman Drive	25	19	26	12	25	Yes
17 Denman Drive	23	17	23	8	19	Yes
18 Denman Drive	24	18	26	12	24	Yes



Receiver name		Complies with				
Receiver hame	Loader	Pump	AFmax, dB(/ Dredge	Booster	Wash plant	criteria?
19 Denman Drive	24	17	22	9	19	Yes
20 Denman Drive	25	21	26	12	24	Yes
21 Denman Drive	24	17	23	9	20	Yes
22 Denman Drive	25	21	26	12	24	Yes
23 Denman Drive	25	19	23	8	22	Yes
24 Denman Drive	25	21	24	11	24	Yes
25 Denman Drive	24	17	23	7	20	Yes
26 Denman Drive	25	21	23	11	24	Yes
27 Denman Drive	23	16	22	7	19	Yes
28 Denman Drive	25	21	24	10	24	Yes
30 Denman Drive	25	21	24	8	24	Yes
32 Denman Drive	25	21	24	8	24	Yes
34 Denman Drive	24	18	23	9	20	Yes
36 Denman Drive	24	18	23	8	20	Yes
38 Denman Drive	23	17	23	8	20	Yes
40 Denman Drive	23	16	23	8	19	Yes
42 Denman Drive	22	16	23	9	19	Yes
3 Murraya Way	21	13	19	5	15	Yes
6 Murraya Way	23	16	18	6	19	Yes
8 Murraya Way	23	16	19	5	19	Yes
9 Murraya Way	20	13	20	6	15	Yes
10 Murraya Way	22	15	19	9	18	Yes
12 Murraya Way	22	16	20	7	18	Yes
14 Murraya Way	23	16	21	7	19	Yes
15 Murraya Way	22	16	21	7	18	Yes
16 Murraya Way	23	16	22	8	19	Yes
17 Murraya Way	22	16	22	7	18	Yes
142 Plantation Road	22	16	24	9	18	Yes
154A Plantation Road	22	16	23	9	17	Yes
154B Plantation Road	23	18	24	11	20	Yes
2 The Village Lane	21	16	22	8	18	Yes
146 Tweed Coast Road	21	15	21	5	16	Yes
Noise sensitive places to the south and south- west (south of intersection between Cudgen Road and Plantation Road)	52	52	52	52	52	
278A Cudgen Road	19	13	22	14	14	Yes
278B Cudgen Road	19	12	22	9	14	Yes
293 Cudgen Road	25	20	28	19	22	Yes
297 Cudgen Road	24	19	28	17	20	Yes
298A Cudgen Road	21	15	25	15	16	Yes
298B Cudgen Road	21	14	24	13	16	Yes
301 Cudgen Road	26	21	29	17	22	Yes
302 Cudgen Road	23	17	26	14	18	Yes
306 Cudgen Road	24	19	28	14	21	Yes
307 Cudgen Road	25	19	29	16	21	Yes



Receiver name		Complies with				
	Loader	Pump	AFmax, dB(A	Booster	Wash plant	criteria?
310 Cudgen Road	25	19	27	17	21	Yes
312 Cudgen Road	25	20	27	17	21	Yes
317 Cudgen Road	25	20	28	16	21	Yes
320 Cudgen Road	25	20	29	17	22	Yes
346 Cudgen Road	21	15	24	13	17	Yes
351 Cudgen Road	27	22	30	19	23	Yes
353 Cudgen Road	28	23	31	20	25	Yes
355 Cudgen Road	26	21	29	18	22	Yes
372 Cudgen Road	21	15	23	13	16	Yes
379 Cudgen Road	25	20	28	16	21	Yes
389 Cudgen Road	25	20	28	16	21	Yes
394 Cudgen Road	25	19	28	15	21	Yes
396 Cudgen Road	22	15	23	12	17	Yes
401 Cudgen Road	25	20	29	16	22	Yes
413A Cudgen Road	25	21	29	17	22	Yes
413B Cudgen Road	25	20	28	15	21	Yes
416 Cudgen Road	21	15	23	12	16	Yes
422 Cudgen Road	21	16	25	12	17	Yes
438 Cudgen Road	22	15	28	12	17	Yes
440A Cudgen Road	21	15	24	15	17	Yes
440B Cudgen Road	21	15	28	14	16	Yes
458A Cudgen Road	21	16	23	15	17	Yes
458B Cudgen Road	21	15	22	14	16	Yes
459 Cudgen Road	22	16	24	11	17	Yes
396 Melaleuca Road	17	10	20	7	12	Yes
37 Mccollums Road	18	12	21	8	13	Yes
41 Mccollums Road	18	11	20	8	12	Yes
54 Mccollums Road	18	12	21	10	13	Yes
52 Reardons Road	19	12	21	8	14	Yes
Noise sensitive places to the north at significant setback from Pacific Motorway	52	52	52	52	52	
271 Pacific Motorway	37	32	29	16	35	Yes
145 Plantation Road	21	16	23	9	17	Yes
155A Plantation Road	21	15	23	9	16	Yes
155B Plantation Road	21	15	23	9	16	Yes
Noise sensitive places to the north and west within proximity to Pacific Motorway	54	54	54	54	54	
139A Pacific Motorway	26	22	22	12	20	Yes
139B Pacific Motorway	31	24	25	12	27	Yes
141 Pacific Motorway	28	25	24	14	26	Yes
9394 Tweed Valley Way	25	20	26	27	22	Yes



4.3.5 Scenario 5 (Year 19-22)

L_{eq} noise level assessment

The noise levels associated with the HTSP during Phase 9 (year 19-22), assessed against the project trigger levels, are presented in Table 4.12.

Table 4.12 Operational noise				
Receiver name		Complies with project trigger		
	Day	L _{eq,adj,15min} , dB(A Evening	, Night	levels?
NSW EPA Noise Policy for Industry –				
Project trigger levels				
Noise sensitive places to the east, and to the	40	42	20	
south-east (north of intersection between Cudgen Road and Plantation Road)	42	42	38	
2 Clarke Street	17	20	20	Yes
3 Clarke Street	19	22	22	Yes
6 Clarke Street	18	21	21	Yes
1 Collier Street	20	23	23	Yes
2 Collier Street	20	23	23	Yes
4 Collier Street	20	23	23	Yes
6 Collier Street	19	22	22	Yes
8 Collier Street	19	22	22	Yes
10 Collier Street	19	22	22	Yes
16 Collier Street	20	23	23	Yes
17 Collier Street	19	22	22	Yes
18 Collier Street	20	23	23	Yes
20 Collier Street	18	21	21	Yes
22 Collier Street	19	22	22	Yes
24 Collier Street	19	22	22	Yes
1 Crescent Street	19	22	22	Yes
3 Crescent Street	18	21	21	Yes
4 Crescent Street	19	22	22	Yes
5 Crescent Street	18	21	21	Yes
7 Crescent Street	18	21	21	Yes
8 Crescent Street	19	22	22	Yes
9 Crescent Street	19	22	22	Yes
10 Crescent Street	18	21	21	Yes
11 Crescent Street	19	22	22	Yes
12 Crescent Street	18	21	21	Yes
13 Crescent Street	19	22	22	Yes
14 Crescent Street	19	22	22	Yes
16 Crescent Street	18	21	21	Yes
17 Crescent Street	15	18	18	Yes
18 Crescent Street	18	21	21	Yes
19 Crescent Street	19	22	22	Yes
20 Crescent Street	18	21	21	Yes
20A Crescent Street	17	20	20	Yes

Table 4.12 Operational noise levels – Leg assessment – Scenario 5 (year 19-22)



	Calculated noise levels				
Receiver name		L _{eq,adj,15min} , dB(A)		 Complies with project trigger 	
	Day	Evening	Night	levels?	
21 Crescent Street	18	21	21	Yes	
22-24 Crescent Street	20	23	23	Yes	
23 Crescent Street	15	18	18	Yes	
26 Crescent Street	18	21	21	Yes	
28 Crescent Street	19	22	22	Yes	
29 Crescent Street	15	18	18	Yes	
30 Crescent Street	18	21	21	Yes	
32 Crescent Street	18	21	21	Yes	
34 Crescent Street	18	21	21	Yes	
36 Crescent Street	19	22	22	Yes	
38 Crescent Street	14	17	17	Yes	
1-5 Cudgen Road	19	22	22	Yes	
7 Cudgen Road	18	21	21	Yes	
11 Cudgen Road	15	18	18	Yes	
463 Cudgen Road	24	27	27	Yes	
480 Cudgen Road	22	25	25	Yes	
480A Cudgen Road	23	26	26	Yes	
482 Cudgen Road	23	26	26	Yes	
501 Cudgen Road	24	27	27	Yes	
529A Cudgen Road	28	31	31	Yes	
529B Cudgen Road	29	32	32	Yes	
531 Cudgen Road	25	28	28	Yes	
535A Cudgen Road	24	27	27	Yes	
535B Cudgen Road	25	28	28	Yes	
535C Cudgen Road	31	34	34	Yes	
542 Cudgen Road	23	26	26	Yes	
543 Cudgen Road	30	33	33	Yes	
576 Cudgen Road	23	26	26	Yes	
592 Cudgen Road	22	25	25	Yes	
604 Cudgen Road	19	22	22	Yes	
607 Cudgen Road	27	30	30	Yes	
609 Cudgen Road	23	26	26	Yes	
611A Cudgen Road	21	24	24	Yes	
611B Cudgen Road	26	29	29	Yes	
626 Cudgen Road	20	23	23	Yes	
647 Cudgen Road	20	23	23	Yes	
5 Denman Drive	16	19	19	Yes	
7 Denman Drive	17	20	20	Yes	
9 Denman Drive	19	22	22	Yes	
11 Denman Drive	18	21	21	Yes	
13 Denman Drive	19	22	22	Yes	
14 Denman Drive	24	27	27	Yes	
15 Denman Drive	20	23	23	Yes	
16 Denman Drive	24	27	27	Yes	
17 Denman Drive	20	23	23	Yes	



	Ca	Complies with project trigger		
Receiver name				
	Day	Evening	Night	levels?
18 Denman Drive	24	27	27	Yes
19 Denman Drive	20	23	23	Yes
20 Denman Drive	24	27	27	Yes
21 Denman Drive	20	23	23	Yes
22 Denman Drive	23	26	26	Yes
23 Denman Drive	22	25	25	Yes
24 Denman Drive	23	26	26	Yes
25 Denman Drive	20	23	23	Yes
26 Denman Drive	23	26	26	Yes
27 Denman Drive	18	21	21	Yes
28 Denman Drive	23	26	26	Yes
30 Denman Drive	23	26	26	Yes
32 Denman Drive	22	25	25	Yes
34 Denman Drive	21	24	24	Yes
36 Denman Drive	21	24	24	Yes
38 Denman Drive	20	23	23	Yes
40 Denman Drive	19	22	22	Yes
42 Denman Drive	19	22	22	Yes
3 Murraya Way	15	18	18	Yes
6 Murraya Way	18	21	21	Yes
8 Murraya Way	18	21	21	Yes
9 Murraya Way	17	20	20	Yes
10 Murraya Way	17	20	20	Yes
12 Murraya Way	18	21	21	Yes
14 Murraya Way	18	21	21	Yes
15 Murraya Way	17	20	20	Yes
16 Murraya Way	18	21	21	Yes
17 Murraya Way	18	21	21	Yes
142 Plantation Road	21	24	24	Yes
154A Plantation Road	21	24	24	Yes
154B Plantation Road	22	25	25	Yes
2 The Village Lane	18	21	21	Yes
146 Tweed Coast Road	18	21	21	Yes
Noise sensitive places to the south and south-west (south of intersection between Cudgen Road and Plantation Road)	41	41	38	
278A Cudgen Road	20	23	23	Yes
278B Cudgen Road	19	22	22	Yes
293 Cudgen Road	26	29	29	Yes
297 Cudgen Road	26	29	29	Yes
298A Cudgen Road	22	25	25	Yes
298B Cudgen Road	22	25	25	Yes
301 Cudgen Road	27	30	30	Yes
302 Cudgen Road	24	27	27	Yes
306 Cudgen Road	26	29	29	Yes
307 Cudgen Road	27	30	30	Yes



	Ca	Complies with		
Receiver name		project trigger		
	Day	Evening	Night	levels?
310 Cudgen Road	26	29	29	Yes
312 Cudgen Road	27	30	30	Yes
317 Cudgen Road	27	30	30	Yes
320 Cudgen Road	28	31	31	Yes
346 Cudgen Road	23	26	26	Yes
351 Cudgen Road	31	34	34	Yes
353 Cudgen Road	35	38	38	Yes
355 Cudgen Road	32	35	35	Yes
372 Cudgen Road	23	26	26	Yes
379 Cudgen Road	29	32	32	Yes
389 Cudgen Road	30	33	33	Yes
394 Cudgen Road	27	30	30	Yes
396 Cudgen Road	23	26	26	Yes
401 Cudgen Road	30	33	33	Yes
413A Cudgen Road	28	31	31	Yes
413B Cudgen Road	29	32	32	Yes
416 Cudgen Road	22	25	25	Yes
422 Cudgen Road	22	25	25	Yes
438 Cudgen Road	25	28	28	Yes
440A Cudgen Road	25	28	28	Yes
440B Cudgen Road	25	28	28	Yes
458A Cudgen Road	23	26	26	Yes
458B Cudgen Road	22	25	25	Yes
459 Cudgen Road	21	24	24	Yes
396 Melaleuca Road	17	20	20	Yes
37 Mccollums Road	19	22	22	Yes
41 Mccollums Road	18	21	21	Yes
54 Mccollums Road	19	22	22	Yes
52 Reardons Road	19	22	22	Yes
Noise sensitive places to the north at significant setback from Pacific Motorway	42	42	38	
271 Pacific Motorway	31	34	34	Yes
145 Plantation Road	20	23	23	Yes
155A Plantation Road	20	23	23	Yes
155B Plantation Road	20	23	23	Yes
Noise sensitive places to the north and west within proximity to Pacific Motorway	46	46	38	
139A Pacific Motorway	20	23	23	Yes
139B Pacific Motorway	25	28	28	Yes
141 Pacific Motorway	24	27	27	Yes
9394 Tweed Valley Way	25	28	28	Yes
School class room	38	38	38	
11A Collier Street	19	22	22	Yes
11B Collier Street	20	23	23	Yes



The maximum noise levels associated with distinct night-time noise events at the HTSP during Phase 9 (year 19-22), assessed against the maximum noise level criteria, are presented in Table 4.13.

Bassiver name		Complies				
Receiver name	Loader	Pump	AFmax, dB(A	Booster	Wash plant	with criteria?
NSW EPA Noise Policy for Industry –						
Maximum noise level criteria						
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen						
Road and Plantation Road)	52	52	52	52	52	
2 Clarke Street	21	14	22	11	17	Yes
3 Clarke Street	21	15	21	9	17	Yes
6 Clarke Street	21	14	21	9	17	Yes
1 Collier Street	24	18	23	10	21	Yes
2 Collier Street	22	15	22	10	18	Yes
4 Collier Street	22	15	22	11	18	Yes
6 Collier Street	22	15	21	9	18	Yes
8 Collier Street	22	16	22	9	18	Yes
10 Collier Street	23	17	22	9	20	Yes
16 Collier Street	22	17	22	10	18	Yes
17 Collier Street	22	16	19	2	18	Yes
18 Collier Street	23	18	22	11	20	Yes
20 Collier Street	23	17	22	9	20	Yes
22 Collier Street	22	16	22	9	18	Yes
24 Collier Street	21	15	22	10	17	Yes
1 Crescent Street	21	15	22	9	18	Yes
3 Crescent Street	20	14	21	10	17	Yes
4 Crescent Street	23	17	22	9	20	Yes
5 Crescent Street	20	14	21	10	16	Yes
7 Crescent Street	22	17	22	9	19	Yes
8 Crescent Street	23	17	22	9	20	Yes
9 Crescent Street	22	15	22	9	18	Yes
10 Crescent Street	22	17	22	10	19	Yes
11 Crescent Street	21	15	21	9	17	Yes
12 Crescent Street	21	14	21	9	17	Yes
13 Crescent Street	22	15	22	9	18	Yes
14 Crescent Street	21	15	21	9	17	Yes
16 Crescent Street	21	14	21	9	17	Yes
17 Crescent Street	17	8	20	8	9	Yes
18 Crescent Street	21	14	21	9	17	Yes
19 Crescent Street	22	15	21	9	18	Yes
20 Crescent Street	21	15	20	4	17	Yes
20A Crescent Street	21	15	15	0	17	Yes
21 Crescent Street	21	15	22	8	17	Yes

 Table 4.13 Operational noise levels – L_{max} assessment – Scenario 5 (year 14-18)



		Calculated noise levels						
Receiver name		L _{AFmax} , dB(A)						
	Loader	Pump	Dredge	Booster	Wash plant	with criteria?		
22-24 Crescent Street	23	17	22	10	20	Yes		
23 Crescent Street	19	12	17	4	14	Yes		
26 Crescent Street	21	15	20	5	16	Yes		
28 Crescent Street	21	15	21	7	18	Yes		
29 Crescent Street	19	10	19	5	12	Yes		
30 Crescent Street	21	14	20	7	16	Yes		
32 Crescent Street	21	14	19	5	17	Yes		
34 Crescent Street	22	15	20	7	17	Yes		
36 Crescent Street	22	16	20	6	19	Yes		
38 Crescent Street	18	9	19	3	11	Yes		
1-5 Cudgen Road	23	17	22	9	20	Yes		
7 Cudgen Road	21	14	22	10	17	Yes		
11 Cudgen Road	19	10	21	10	13	Yes		
463 Cudgen Road	24	19	28	21	20	Yes		
480 Cudgen Road	22	17	26	17	18	Yes		
480A Cudgen Road	23	19	26	19	20	Yes		
482 Cudgen Road	24	19	27	18	20	Yes		
501 Cudgen Road	24	18	27	20	19	Yes		
529A Cudgen Road	30	26	30	19	27	Yes		
529B Cudgen Road	31	26	30	20	28	Yes		
531 Cudgen Road	26	21	30	18	22	Yes		
535A Cudgen Road	26	20	28	15	22	Yes		
535B Cudgen Road	26	21	28	18	23	Yes		
535C Cudgen Road	31	27	34	23	28	Yes		
542 Cudgen Road	25	20	26	16	22	Yes		
543 Cudgen Road	31	27	34	22	28	Yes		
576 Cudgen Road	24	19	26	14	21	Yes		
592 Cudgen Road	24	18	26	13	21	Yes		
604 Cudgen Road	21	15	22	10	17	Yes		
607 Cudgen Road	28	22	30	14	26	Yes		
609 Cudgen Road	25	19	26	13	22	Yes		
611A Cudgen Road	23	17	24	12	19	Yes		
611B Cudgen Road	28	22	29	17	26	Yes		
626 Cudgen Road	22	16	23	10	18	Yes		
647 Cudgen Road	22	17	22	10	20	Yes		
5 Denman Drive	22	15	17	0	8	Yes		
7 Denman Drive	22	16	17	0	18	Yes		
9 Denman Drive	23	16	22	9	19	Yes		
11 Denman Drive	23	17	22	8	19	Yes		
13 Denman Drive	23	17	22	8	19	Yes		
14 Denman Drive	24	17	27	11	24	Yes		
15 Denman Drive	23	17	23	9	19	Yes		
16 Denman Drive	25	19	26	11	25	Yes		
17 Denman Drive	23	17	22	11	19	Yes		
18 Denman Drive	24	18	26	11	24	Yes		



Receiver name		Complies with				
	Loader	Pump	AFmax, dB(/ Dredge	Booster	Wash plant	criteria?
19 Denman Drive	24	17	22	12	19	Yes
20 Denman Drive	25	21	26	11	24	Yes
21 Denman Drive	24	17	23	11	20	Yes
22 Denman Drive	25	21	24	11	24	Yes
23 Denman Drive	25	19	23	10	22	Yes
24 Denman Drive	25	21	24	11	24	Yes
25 Denman Drive	24	17	22	10	20	Yes
26 Denman Drive	25	21	24	11	24	Yes
27 Denman Drive	23	16	23	10	19	Yes
28 Denman Drive	25	21	23	11	24	Yes
30 Denman Drive	25	21	23	12	24	Yes
32 Denman Drive	25	21	23	11	24	Yes
34 Denman Drive	24	18	23	12	20	Yes
36 Denman Drive	24	18	23	10	20	Yes
38 Denman Drive	23	17	23	10	20	Yes
40 Denman Drive	23	16	22	10	19	Yes
42 Denman Drive	22	16	23	10	19	Yes
3 Murraya Way	21	13	18	2	15	Yes
6 Murraya Way	23	16	17	1	19	Yes
8 Murraya Way	23	16	17	4	19	Yes
9 Murraya Way	20	13	20	5	15	Yes
10 Murraya Way	22	15	17	3	18	Yes
12 Murraya Way	22	16	18	4	18	Yes
14 Murraya Way	23	16	19	8	19	Yes
15 Murraya Way	22	16	21	9	18	Yes
16 Murraya Way	23	16	20	8	19	Yes
17 Murraya Way	22	16	22	10	18	Yes
142 Plantation Road	22	16	25	16	18	Yes
154A Plantation Road	22	16	24	15	17	Yes
154B Plantation Road	23	18	25	17	20	Yes
2 The Village Lane	21	16	22	9	18	Yes
146 Tweed Coast Road	21	15	19	11	16	Yes
Noise sensitive places to the south and south- west (south of intersection between Cudgen Road and Plantation Road)	52	52	52	52	52	
278A Cudgen Road	19	13	24	14	14	Yes
278B Cudgen Road	19	12	23	11	14	Yes
293 Cudgen Road	25	20	30	24	22	Yes
297 Cudgen Road	24	19	30	23	20	Yes
298A Cudgen Road	21	15	26	20	16	Yes
298B Cudgen Road	21	14	26	19	16	Yes
301 Cudgen Road	26	21	31	25	22	Yes
302 Cudgen Road	23	17	28	20	18	Yes
306 Cudgen Road	24	19	30	20	21	Yes
307 Cudgen Road	25	19	31	23	21	Yes



Receiver name		Complies with				
	Loader	Pump	AFmax, dB(A	Booster	Wash plant	criteria?
310 Cudgen Road	25	19	30	22	21	Yes
312 Cudgen Road	25	20	30	25	22	Yes
317 Cudgen Road	25	20	31	25	21	Yes
320 Cudgen Road	26	21	32	29	22	Yes
346 Cudgen Road	22	16	27	23	17	Yes
351 Cudgen Road	27	23	33	34	24	Yes
353 Cudgen Road	29	24	36	40	25	Yes
355 Cudgen Road	27	22	33	37	23	Yes
372 Cudgen Road	21	16	26	24	17	Yes
379 Cudgen Road	26	21	31	33	22	Yes
389 Cudgen Road	26	21	31	33	22	Yes
394 Cudgen Road	25	20	31	27	22	Yes
396 Cudgen Road	22	15	26	25	17	Yes
401 Cudgen Road	25	20	32	33	22	Yes
413A Cudgen Road	25	21	31	30	22	Yes
413B Cudgen Road	25	20	31	32	21	Yes
416 Cudgen Road	21	15	26	19	16	Yes
422 Cudgen Road	21	16	26	18	17	Yes
438 Cudgen Road	22	15	30	21	17	Yes
440A Cudgen Road	21	15	30	23	17	Yes
440B Cudgen Road	21	15	30	22	16	Yes
458A Cudgen Road	21	16	26	26	17	Yes
458B Cudgen Road	21	15	25	24	16	Yes
459 Cudgen Road	22	16	24	22	17	Yes
396 Melaleuca Road	17	10	21	10	12	Yes
37 Mccollums Road	19	12	23	13	13	Yes
41 Mccollums Road	18	11	22	13	12	Yes
54 Mccollums Road	19	12	23	14	14	Yes
52 Reardons Road	19	12	22	17	14	Yes
Noise sensitive places to the north at significant setback from Pacific Motorway	52	52	52	52	52	
271 Pacific Motorway	37	32	31	18	35	Yes
145 Plantation Road	21	16	24	14	17	Yes
155A Plantation Road	21	15	24	14	16	Yes
155B Plantation Road	21	15	24	17	16	Yes
Noise sensitive places to the north and west within proximity to Pacific Motorway	54	54	54	54	54	
139A Pacific Motorway	26	22	25	12	20	Yes
139B Pacific Motorway	31	24	27	13	27	Yes
141 Pacific Motorway	28	25	22	11	26	Yes
9394 Tweed Valley Way	25	20	29	16	22	Yes



4.3.6 Scenario 6 (Year 23-26)

L_{eq} noise level assessment

The noise levels associated with the HTSP during Phase 10 (year 23-26), assessed against the project trigger levels, are presented in Table 4.14.

Table 4.14 Operational holse	Ca	Complies with		
Receiver name)	project trigger	
	Day	Evening	Night	levels?
NSW EPA Noise Policy for Industry – Project trigger levels				
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen Road and Plantation Road)	42	42	38	
2 Clarke Street	19	22	22	Yes
3 Clarke Street	19	22	22	Yes
6 Clarke Street	18	21	21	Yes
1 Collier Street	22	25	25	Yes
2 Collier Street	19	22	22	Yes
4 Collier Street	19	22	22	Yes
6 Collier Street	19	22	22	Yes
8 Collier Street	19	22	22	Yes
10 Collier Street	20	23	23	Yes
16 Collier Street	20	23	23	Yes
17 Collier Street	20	23	23	Yes
18 Collier Street	21	24	24	Yes
20 Collier Street	20	23	23	Yes
22 Collier Street	19	22	22	Yes
24 Collier Street	19	22	22	Yes
1 Crescent Street	19	22	22	Yes
3 Crescent Street	18	21	21	Yes
4 Crescent Street	20	23	23	Yes
5 Crescent Street	18	21	21	Yes
7 Crescent Street	20	23	23	Yes
8 Crescent Street	21	24	24	Yes
9 Crescent Street	19	22	22	Yes
10 Crescent Street	20	23	23	Yes
11 Crescent Street	18	21	21	Yes
12 Crescent Street	18	21	21	Yes
13 Crescent Street	19	22	22	Yes
14 Crescent Street	19	22	22	Yes
16 Crescent Street	19	22	22	Yes
17 Crescent Street	16	19	19	Yes
18 Crescent Street	18	21	21	Yes
19 Crescent Street	19	22	22	Yes
20 Crescent Street	19	22	22	Yes
20A Crescent Street	19	22	22	Yes

Table 4.14 Operational noise levels – Leq assessment – Scenario 6 (year 23-26)



	Calculated noise levels				
Receiver name		L _{eq,adj,15min} , dB(A)	1	 Complies with project trigger 	
	Day	Evening	Night	levels?	
21 Crescent Street	19	22	22	Yes	
22-24 Crescent Street	21	24	24	Yes	
23 Crescent Street	17	20	20	Yes	
26 Crescent Street	19	22	22	Yes	
28 Crescent Street	19	22	22	Yes	
29 Crescent Street	17	20	20	Yes	
30 Crescent Street	18	21	21	Yes	
32 Crescent Street	19	22	22	Yes	
34 Crescent Street	19	22	22	Yes	
36 Crescent Street	20	23	23	Yes	
38 Crescent Street	17	20	20	Yes	
1-5 Cudgen Road	20	23	23	Yes	
7 Cudgen Road	19	22	22	Yes	
11 Cudgen Road	17	20	20	Yes	
463 Cudgen Road	21	24	24	Yes	
480 Cudgen Road	19	22	22	Yes	
480A Cudgen Road	20	23	23	Yes	
482 Cudgen Road	21	24	24	Yes	
501 Cudgen Road	21	24	24	Yes	
529A Cudgen Road	27	30	30	Yes	
529B Cudgen Road	28	31	31	Yes	
531 Cudgen Road	23	26	26	Yes	
535A Cudgen Road	22	25	25	Yes	
535B Cudgen Road	23	26	26	Yes	
535C Cudgen Road	28	31	31	Yes	
542 Cudgen Road	23	26	26	Yes	
543 Cudgen Road	28	31	31	Yes	
576 Cudgen Road	21	24	24	Yes	
592 Cudgen Road	21	24	24	Yes	
604 Cudgen Road	19	22	22	Yes	
607 Cudgen Road	26	29	29	Yes	
609 Cudgen Road	23	26	26	Yes	
611A Cudgen Road	20	23	23	Yes	
611B Cudgen Road	26	29	29	Yes	
626 Cudgen Road	19	22	22	Yes	
647 Cudgen Road	20	23	23	Yes	
5 Denman Drive	19	22	22	Yes	
7 Denman Drive	20	23	23	Yes	
9 Denman Drive	21	24	24	Yes	
11 Denman Drive	21	24	24	Yes	
13 Denman Drive	21	24	24	Yes	
14 Denman Drive	24	27	27	Yes	
15 Denman Drive	21	24	24	Yes	
16 Denman Drive	24	27	27	Yes	
17 Denman Drive	21	24	24	Yes	



	Ca	Calculated noise levels					
Receiver name		 Complies with project trigger 					
	Day	Evening	Night	levels?			
18 Denman Drive	24	27	27	Yes			
19 Denman Drive	22	25	25	Yes			
20 Denman Drive	24	27	27	Yes			
21 Denman Drive	22	25	25	Yes			
22 Denman Drive	24	27	27	Yes			
23 Denman Drive	23	26	26	Yes			
24 Denman Drive	24	27	27	Yes			
25 Denman Drive	22	25	25	Yes			
26 Denman Drive	24	27	27	Yes			
27 Denman Drive	21	24	24	Yes			
28 Denman Drive	24	27	27	Yes			
30 Denman Drive	24	27	27	Yes			
32 Denman Drive	23	26	26	Yes			
34 Denman Drive	22	25	25	Yes			
36 Denman Drive	21	24	24	Yes			
38 Denman Drive	21	24	24	Yes			
40 Denman Drive	21	24	24	Yes			
42 Denman Drive	20	23	23	Yes			
3 Murraya Way	18	21	21	Yes			
6 Murraya Way	20	23	23	Yes			
8 Murraya Way	20	23	23	Yes			
9 Murraya Way	18	21	21	Yes			
10 Murraya Way	19	22	22	Yes			
12 Murraya Way	20	23	23	Yes			
14 Murraya Way	20	23	23	Yes			
15 Murraya Way	20	23	23	Yes			
16 Murraya Way	20	23	23	Yes			
17 Murraya Way	20	23	23	Yes			
142 Plantation Road	19	22	22	Yes			
154A Plantation Road	19	22	22	Yes			
154B Plantation Road	20	23	23	Yes			
2 The Village Lane	19	22	22	Yes			
146 Tweed Coast Road	19	22	22	Yes			
Noise sensitive places to the south and south-west (south of intersection between Cudgen Road and Plantation Road)	41	41	38				
278A Cudgen Road	17	20	20	Yes			
278B Cudgen Road	16	19	19	Yes			
293 Cudgen Road	23	26	26	Yes			
297 Cudgen Road	22	25	25	Yes			
298A Cudgen Road	18	21	21	Yes			
298B Cudgen Road	19	22	21	Yes			
301 Cudgen Road	23	26	26	Yes			
302 Cudgen Road	20	23	23	Yes			
306 Cudgen Road	20	25	25	Yes			
307 Cudgen Road	22	25	25	Yes			



	Calculated noise levels					
Receiver name		 Complies with project trigger 				
	Day	Evening	Night	levels?		
310 Cudgen Road	22	25	25	Yes		
312 Cudgen Road	23	26	26	Yes		
317 Cudgen Road	23	26	26	Yes		
320 Cudgen Road	23	26	26	Yes		
346 Cudgen Road	19	22	22	Yes		
351 Cudgen Road	25	28	28	Yes		
353 Cudgen Road	26	29	29	Yes		
355 Cudgen Road	24	27	27	Yes		
372 Cudgen Road	18	21	21	Yes		
379 Cudgen Road	23	26	26	Yes		
389 Cudgen Road	23	26	26	Yes		
394 Cudgen Road	23	26	26	Yes		
396 Cudgen Road	19	22	22	Yes		
401 Cudgen Road	23	26	26	Yes		
413A Cudgen Road	23	26	26	Yes		
413B Cudgen Road	22	25	25	Yes		
416 Cudgen Road	19	22	22	Yes		
422 Cudgen Road	18	21	21	Yes		
438 Cudgen Road	20	23	23	Yes		
440A Cudgen Road	19	22	22	Yes		
440B Cudgen Road	18	21	21	Yes		
458A Cudgen Road	19	22	22	Yes		
458B Cudgen Road	18	21	21	Yes		
459 Cudgen Road	19	22	22	Yes		
396 Melaleuca Road	15	18	18	Yes		
37 Mccollums Road	16	19	19	Yes		
41 Mccollums Road	15	18	18	Yes		
54 Mccollums Road	16	19	19	Yes		
52 Reardons Road	16	19	19	Yes		
Noise sensitive places to the north at significant setback from Pacific Motorway	42	42	38			
145 Plantation Road	19	22	22	Yes		
155A Plantation Road	18	21	21	Yes		
155B Plantation Road	18	21	21	Yes		
Noise sensitive places to the north and west within proximity to Pacific Motorway	46	46	38			
139A Pacific Motorway	31	34	34	Yes		
139B Pacific Motorway	33	36	36	Yes		
141 Pacific Motorway	31	34	34	Yes		
9394 Tweed Valley Way	24	27	27	Yes		
School class room	38	38	38			
11A Collier Street	20	23	23	Yes		
11B Collier Street	20	23	23	Yes		



The maximum noise levels associated with distinct night-time noise events at the HTSP during Phase 10 (year 23-26), assessed against the maximum noise level criteria, are presented in Table 4.15.

			ated noise		-	Complies		
Dessiver nome		L _{AFmax} , dB(A)						
Receiver name	Loader	Pump	Dredge	Booster	Wash plant	with criteria?		
NSW EPA Noise Policy for Industry – Maximum noise level criteria								
Noise sensitive places to the east, and to the						·		
south-east (north of intersection between Cudgen								
Road and Plantation Road)	52	52	52	52	52			
2 Clarke Street	21	14	21	10	17	Yes		
3 Clarke Street	21	15	21	10	17	Yes		
6 Clarke Street	21	14	21	9	17	Yes		
1 Collier Street	24	18	23	13	21	Yes		
2 Collier Street	22	15	21	10	18	Yes		
4 Collier Street	22	15	21	10	18	Yes		
6 Collier Street	22	15	21	10	18	Yes		
8 Collier Street	22	16	21	10	18	Yes		
10 Collier Street	23	17	22	11	20	Yes		
16 Collier Street	22	17	22	12	18	Yes		
17 Collier Street	22	16	22	11	18	Yes		
18 Collier Street	23	18	22	12	20	Yes		
20 Collier Street	23	17	22	12	20	Yes		
22 Collier Street	22	16	22	10	18	Yes		
24 Collier Street	21	15	21	10	17	Yes		
1 Crescent Street	21	15	21	10	18	Yes		
3 Crescent Street	20	14	21	11	17	Yes		
4 Crescent Street	23	17	21	10	20	Yes		
5 Crescent Street	20	14	21	9	16	Yes		
7 Crescent Street	22	17	21	11	19	Yes		
8 Crescent Street	23	17	22	11	20	Yes		
9 Crescent Street	22	15	21	10	18	Yes		
10 Crescent Street	22	17	22	11	19	Yes		
11 Crescent Street	21	15	21	9	17	Yes		
12 Crescent Street	21	14	20	9	17	Yes		
13 Crescent Street	22	15	22	11	18	Yes		
14 Crescent Street	21	15	21	9	17	Yes		
16 Crescent Street	21	14	21	10	17	Yes		
17 Crescent Street	17	8	21	9	9	Yes		
18 Crescent Street	21	14	21	9	17	Yes		
19 Crescent Street	22	15	22	11	18	Yes		
20 Crescent Street	21	15	21	9	17	Yes		
20A Crescent Street	21	15	21	10	17	Yes		
21 Crescent Street	21	15	21	11	17	Yes		

Table 4.15 Operational noise levels – L_{max} assessment – Scenario 6 (year 23-26)



		Calculated noise levels						
Receiver name		L	AFmax, dB(4)		Complies with		
	Loader	Pump	Dredge	Booster	Wash plant	criteria?		
22-24 Crescent Street	23	17	22	12	20	Yes		
23 Crescent Street	19	12	21	9	14	Yes		
26 Crescent Street	21	15	21	10	16	Yes		
28 Crescent Street	21	15	21	10	18	Yes		
29 Crescent Street	19	10	21	9	12	Yes		
30 Crescent Street	21	14	21	10	16	Yes		
32 Crescent Street	21	14	21	10	17	Yes		
34 Crescent Street	22	15	21	11	17	Yes		
36 Crescent Street	22	16	21	11	19	Yes		
38 Crescent Street	18	9	21	11	11	Yes		
1-5 Cudgen Road	23	17	21	10	20	Yes		
7 Cudgen Road	21	14	21	10	17	Yes		
11 Cudgen Road	19	10	21	9	13	Yes		
463 Cudgen Road	24	19	22	12	20	Yes		
480 Cudgen Road	22	17	21	10	18	Yes		
480A Cudgen Road	23	19	21	12	20	Yes		
482 Cudgen Road	24	19	22	12	20	Yes		
501 Cudgen Road	24	18	22	11	19	Yes		
529A Cudgen Road	30	26	27	18	27	Yes		
529B Cudgen Road	31	26	28	19	28	Yes		
531 Cudgen Road	26	21	23	14	22	Yes		
535A Cudgen Road	26	20	23	13	22	Yes		
535B Cudgen Road	26	21	24	14	23	Yes		
535C Cudgen Road	31	27	27	19	28	Yes		
542 Cudgen Road	25	20	23	13	22	Yes		
543 Cudgen Road	31	27	27	19	28	Yes		
576 Cudgen Road	24	19	22	12	21	Yes		
592 Cudgen Road	24	18	22	12	21	Yes		
604 Cudgen Road	21	15	21	9	17	Yes		
607 Cudgen Road	28	22	27	17	26	Yes		
609 Cudgen Road	25	19	26	14	22	Yes		
611A Cudgen Road	23	17	22	11	19	Yes		
611B Cudgen Road	28	22	27	16	26	Yes		
626 Cudgen Road	22	16	21	10	18	Yes		
647 Cudgen Road	22	17	22	11	20	Yes		
5 Denman Drive	22	15	22	11	8	Yes		
7 Denman Drive	22	16	22	11	18	Yes		
9 Denman Drive	23	16	24	13	19	Yes		
11 Denman Drive	23	17	23	12	19	Yes		
13 Denman Drive	23	17	23	12	19	Yes		
14 Denman Drive	24	17	27	16	24	Yes		
15 Denman Drive	23	17	23	11	19	Yes		
16 Denman Drive	25	19	27	16	25	Yes		
17 Denman Drive	23	17	23	13	19	Yes		
18 Denman Drive	24	18	27	16	24	Yes		



		Calculated noise levels						
Receiver name		L _{AFmax} , dB(A)						
Receiver hame	Loader	Pump	Dredge	Booster	Wash plant	with criteria?		
19 Denman Drive	24	17	25	12	19	Yes		
20 Denman Drive	25	21	27	16	24	Yes		
21 Denman Drive	24	17	25	13	20	Yes		
22 Denman Drive	25	21	26	16	24	Yes		
23 Denman Drive	25	19	25	13	22	Yes		
24 Denman Drive	25	21	26	16	24	Yes		
25 Denman Drive	24	17	25	12	20	Yes		
26 Denman Drive	25	21	26	16	24	Yes		
27 Denman Drive	23	16	23	11	19	Yes		
28 Denman Drive	25	21	26	16	24	Yes		
30 Denman Drive	25	21	25	15	24	Yes		
32 Denman Drive	25	21	25	15	24	Yes		
34 Denman Drive	24	18	24	14	20	Yes		
36 Denman Drive	24	18	25	12	20	Yes		
38 Denman Drive	23	17	24	12	20	Yes		
40 Denman Drive	23	16	24	11	19	Yes		
42 Denman Drive	22	16	22	11	19	Yes		
3 Murraya Way	21	13	22	10	15	Yes		
6 Murraya Way	23	16	22	10	19	Yes		
8 Murraya Way	23	16	22	10	19	Yes		
9 Murraya Way	20	13	21	9	15	Yes		
10 Murraya Way	22	15	21	9	18	Yes		
12 Murraya Way	22	16	21	11	18	Yes		
14 Murraya Way	23	16	22	11	19	Yes		
15 Murraya Way	22	16	21	10	18	Yes		
16 Murraya Way	23	16	23	11	19	Yes		
17 Murraya Way	22	16	22	12	18	Yes		
142 Plantation Road	22	16	21	10	18	Yes		
154A Plantation Road	22	16	20	9	17	Yes		
154B Plantation Road	23	18	21	12	20	Yes		
2 The Village Lane	21	16	21	9	18	Yes		
146 Tweed Coast Road	21	15	23	12	16	Yes		
Noise sensitive places to the south and south- west (south of intersection between Cudgen Road and Plantation Road)	52	52	52	52	52			
278A Cudgen Road	19	13	19	7	14	Yes		
278B Cudgen Road	19	12	19	7	14	Yes		
293 Cudgen Road	25	20	24	14	22	Yes		
297 Cudgen Road	24	19	24	13	20	Yes		
298A Cudgen Road	21	15	19	9	16	Yes		
298B Cudgen Road	21	14	21	9	16	Yes		
301 Cudgen Road	26	21	25	15	22	Yes		
302 Cudgen Road	23	17	22	11	18	Yes		
306 Cudgen Road	24	19	24	13	21	Yes		
307 Cudgen Road	25	19	25	14	21	Yes		



		Calcul	ated noise	levels		
Receiver name		L	AFmax, dB(4)		Complies with
	Loader	Pump	Dredge	Booster	Wash plant	criteria?
310 Cudgen Road	25	19	23	15	21	Yes
312 Cudgen Road	25	20	24	13	22	Yes
317 Cudgen Road	25	20	24	13	21	Yes
320 Cudgen Road	26	21	25	13	22	Yes
346 Cudgen Road	22	16	20	9	17	Yes
351 Cudgen Road	27	23	25	13	24	Yes
353 Cudgen Road	29	24	26	14	25	Yes
355 Cudgen Road	27	22	24	12	23	Yes
372 Cudgen Road	21	16	20	9	17	Yes
379 Cudgen Road	26	21	24	11	22	Yes
389 Cudgen Road	26	21	24	11	22	Yes
394 Cudgen Road	25	20	23	11	22	Yes
396 Cudgen Road	22	15	22	9	17	Yes
401 Cudgen Road	25	20	24	11	22	Yes
413A Cudgen Road	25	21	24	11	22	Yes
413B Cudgen Road	25	20	23	11	21	Yes
416 Cudgen Road	21	15	21	8	16	Yes
422 Cudgen Road	21	16	20	9	17	Yes
438 Cudgen Road	22	15	23	10	17	Yes
440A Cudgen Road	21	15	20	9	17	Yes
440B Cudgen Road	21	15	20	9	16	Yes
458A Cudgen Road	21	16	20	9	17	Yes
458B Cudgen Road	21	15	20	9	16	Yes
459 Cudgen Road	22	16	20	9	17	Yes
396 Melaleuca Road	17	10	17	5	12	Yes
37 Mccollums Road	19	12	18	6	13	Yes
41 Mccollums Road	18	11	17	5	12	Yes
54 Mccollums Road	19	12	18	6	14	Yes
52 Reardons Road	19	12	18	6	14	Yes
Noise sensitive places to the north at significant setback from Pacific Motorway	52	52	52	52	52	
145 Plantation Road	21	16	20	9	17	Yes
155A Plantation Road	21	15	20	8	16	Yes
155B Plantation Road	21	15	20	8	16	Yes
Noise sensitive places to the north and west within proximity to Pacific Motorway	54	54	54	54	54	
139A Pacific Motorway	29	22	36	30	24	Yes
139B Pacific Motorway	29	25	38	30	26	Yes
141 Pacific Motorway	29	25	35	28	27	Yes
9394 Tweed Valley Way	25	20	26	17	22	Yes



4.3.7 Scenario 7 (Year 27-30)

L_{eq} noise level assessment

The noise levels associated with the HTSP during Phase 11 (year 27-30), assessed against the project trigger levels, are presented in Table 4.16.

Table 4.16 Operational noise	Ca	Complies with		
Receiver name)	project trigger	
	Day	Evening	Night	levels?
NSW EPA Noise Policy for Industry – Project trigger levels				
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen Road and Plantation Road)	42	42	38	
2 Clarke Street	18	21	21	Yes
3 Clarke Street	18	21	21	Yes
6 Clarke Street	18	21	21	Yes
1 Collier Street	21	24	24	Yes
2 Collier Street	19	22	22	Yes
4 Collier Street	19	22	22	Yes
6 Collier Street	19	22	22	Yes
8 Collier Street	19	22	22	Yes
10 Collier Street	20	23	23	Yes
16 Collier Street	19	22	22	Yes
17 Collier Street	19	22	22	Yes
18 Collier Street	20	23	23	Yes
20 Collier Street	20	23	23	Yes
22 Collier Street	19	22	22	Yes
24 Collier Street	19	22	22	Yes
1 Crescent Street	19	22	22	Yes
3 Crescent Street	18	21	21	Yes
4 Crescent Street	20	23	23	Yes
5 Crescent Street	17	20	20	Yes
7 Crescent Street	19	22	22	Yes
8 Crescent Street	20	23	23	Yes
9 Crescent Street	19	22	22	Yes
10 Crescent Street	19	22	22	Yes
11 Crescent Street	18	21	21	Yes
12 Crescent Street	18	21	21	Yes
13 Crescent Street	19	22	22	Yes
14 Crescent Street	18	21	21	Yes
16 Crescent Street	18	21	21	Yes
17 Crescent Street	16	19	19	Yes
18 Crescent Street	18	21	21	Yes
19 Crescent Street	19	22	22	Yes
20 Crescent Street	18	21	21	Yes
20A Crescent Street	18	21	21	Yes

Table 4.16 Operational noise levels – L_{eq} assessment – Scenario 7 (year 27-30)



	Calculated noise levels					
Receiver name		L _{eq,adj,15min} , dB(A)	1	 Complies with project trigger 		
	Day	Evening	Night	levels?		
21 Crescent Street	19	22	22	Yes		
22-24 Crescent Street	20	23	23	Yes		
23 Crescent Street	17	20	20	Yes		
26 Crescent Street	18	21	21	Yes		
28 Crescent Street	19	22	22	Yes		
29 Crescent Street	16	19	19	Yes		
30 Crescent Street	18	21	21	Yes		
32 Crescent Street	18	21	21	Yes		
34 Crescent Street	19	22	22	Yes		
36 Crescent Street	20	23	23	Yes		
38 Crescent Street	16	19	19	Yes		
1-5 Cudgen Road	20	23	23	Yes		
7 Cudgen Road	18	21	21	Yes		
11 Cudgen Road	16	19	19	Yes		
463 Cudgen Road	21	24	24	Yes		
480 Cudgen Road	19	22	22	Yes		
480A Cudgen Road	20	23	23	Yes		
482 Cudgen Road	21	24	24	Yes		
501 Cudgen Road	20	23	23	Yes		
529A Cudgen Road	28	31	31	Yes		
529B Cudgen Road	28	31	31	Yes		
531 Cudgen Road	23	26	26	Yes		
535A Cudgen Road	22	25	25	Yes		
535B Cudgen Road	23	26	26	Yes		
535C Cudgen Road	28	31	31	Yes		
542 Cudgen Road	22	25	25	Yes		
543 Cudgen Road	28	31	31	Yes		
576 Cudgen Road	21	24	24	Yes		
592 Cudgen Road	21	24	24	Yes		
604 Cudgen Road	18	21	21	Yes		
607 Cudgen Road	25	28	28	Yes		
609 Cudgen Road	23	26	26	Yes		
611A Cudgen Road	20	23	23	Yes		
611B Cudgen Road	25	28	28	Yes		
626 Cudgen Road	19	22	22	Yes		
647 Cudgen Road	20	23	23	Yes		
5 Denman Drive	18	21	21	Yes		
7 Denman Drive	19	22	22	Yes		
9 Denman Drive	21	24	24	Yes		
11 Denman Drive	20	23	23	Yes		
13 Denman Drive	20	23	23	Yes		
14 Denman Drive	24	27	27	Yes		
15 Denman Drive	20	23	23	Yes		
16 Denman Drive	24	27	27	Yes		
17 Denman Drive	20	23	23	Yes		



	alculated noise lev	vels	Complies with	
Receiver name		Leq,adj,15min , dB(A))	project trigger
	Day	Evening	Night	levels?
18 Denman Drive	24	27	27	Yes
19 Denman Drive	21	24	24	Yes
20 Denman Drive	24	27	27	Yes
21 Denman Drive	22	25	25	Yes
22 Denman Drive	24	27	27	Yes
23 Denman Drive	22	25	25	Yes
24 Denman Drive	24	27	27	Yes
25 Denman Drive	21	24	24	Yes
26 Denman Drive	24	27	27	Yes
27 Denman Drive	21	24	24	Yes
28 Denman Drive	23	26	26	Yes
30 Denman Drive	23	26	26	Yes
32 Denman Drive	23	26	26	Yes
34 Denman Drive	21	24	24	Yes
36 Denman Drive	21	24	24	Yes
38 Denman Drive	21	24	24	Yes
40 Denman Drive	20	23	23	Yes
42 Denman Drive	20	23	23	Yes
3 Murraya Way	18	21	21	Yes
6 Murraya Way	20	23	23	Yes
8 Murraya Way	20	23	23	Yes
9 Murraya Way	18	21	21	Yes
10 Murraya Way	19	22	22	Yes
12 Murraya Way	19	22	22	Yes
14 Murraya Way	20	23	23	Yes
15 Murraya Way	19	22	22	Yes
16 Murraya Way	20	23	23	Yes
17 Murraya Way	19	22	22	Yes
142 Plantation Road	19	22	22	Yes
154A Plantation Road	19	22	22	Yes
154B Plantation Road	20	23	23	Yes
2 The Village Lane	18	21	21	Yes
146 Tweed Coast Road	20	23	23	Yes
Noise sensitive places to the south and south-west (south of intersection between Cudgen Road and Plantation Road)	41	41	38	
278A Cudgen Road	17	20	20	Yes
278B Cudgen Road	16	19	19	Yes
293 Cudgen Road	22	25	25	Yes
297 Cudgen Road	22	25	25	Yes
298A Cudgen Road	18	21	21	Yes
298B Cudgen Road	19	22	22	Yes
301 Cudgen Road	24	27	27	Yes
302 Cudgen Road	20	23	23	Yes
306 Cudgen Road	22	25	25	Yes
307 Cudgen Road	23	26	26	Yes



	Calculated noise levels					
Receiver name		Leq,adj,15min, dB(A)		 Complies with project trigger 		
	Day	Evening	Night	levels?		
310 Cudgen Road	22	25	25	Yes		
312 Cudgen Road	23	26	26	Yes		
317 Cudgen Road	23	26	26	Yes		
320 Cudgen Road	23	26	26	Yes		
346 Cudgen Road	19	22	22	Yes		
351 Cudgen Road	25	28	28	Yes		
353 Cudgen Road	26	29	29	Yes		
355 Cudgen Road	24	27	27	Yes		
372 Cudgen Road	18	21	21	Yes		
379 Cudgen Road	23	26	26	Yes		
389 Cudgen Road	23	26	26	Yes		
394 Cudgen Road	23	26	26	Yes		
396 Cudgen Road	19	22	22	Yes		
401 Cudgen Road	23	26	26	Yes		
413A Cudgen Road	23	26	26	Yes		
413B Cudgen Road	22	25	25	Yes		
416 Cudgen Road	18	21	21	Yes		
422 Cudgen Road	18	21	21	Yes		
438 Cudgen Road	20	23	23	Yes		
440A Cudgen Road	19	22	22	Yes		
440B Cudgen Road	20	23	23	Yes		
458A Cudgen Road	18	21	21	Yes		
458B Cudgen Road	18	21	21	Yes		
459 Cudgen Road	19	22	22	Yes		
396 Melaleuca Road	15	18	18	Yes		
37 Mccollums Road	16	19	19	Yes		
41 Mccollums Road	15	18	18	Yes		
54 Mccollums Road	16	19	19	Yes		
52 Reardons Road	16	19	19	Yes		
Noise sensitive places to the north at significant setback from Pacific Motorway	42	42	38			
145 Plantation Road	18	21	21	Yes		
155A Plantation Road	18	21	21	Yes		
155B Plantation Road	18	21	21	Yes		
Noise sensitive places to the north and west within proximity to Pacific Motorway	46	46	38			
139A Pacific Motorway	30	33	33	Yes		
139B Pacific Motorway	32	35	35	Yes		
141 Pacific Motorway	32	35	35	Yes		
9394 Tweed Valley Way	25	28	28	Yes		
School class room	38	38	38			
11A Collier Street	19	22	22	Yes		
11B Collier Street	20	23	23	Yes		



The maximum noise levels associated with distinct night-time noise events at the HTSP during Phase 11 (year 27-30), assessed against the maximum noise level criteria, are presented in Table 4.17.

			ated noise	levels		Complies		
Dessiver nome		L _{AFmax} , dB(A)						
Receiver name	Loader	Pump	Dredge	Booster	Wash plant	with criteria?		
NSW EPA Noise Policy for Industry – Maximum noise level criteria								
Noise sensitive places to the east, and to the								
south-east (north of intersection between Cudgen								
Road and Plantation Road)	52	52	52	52	52			
2 Clarke Street	21	14	20	8	17	Yes		
3 Clarke Street	21	15	20	7	17	Yes		
6 Clarke Street	21	14	20	7	17	Yes		
1 Collier Street	24	18	22	11	21	Yes		
2 Collier Street	22	15	20	8	18	Yes		
4 Collier Street	22	15	21	8	18	Yes		
6 Collier Street	22	15	20	8	18	Yes		
8 Collier Street	22	16	20	7	18	Yes		
10 Collier Street	23	17	21	9	20	Yes		
16 Collier Street	22	17	21	9	18	Yes		
17 Collier Street	22	16	21	8	18	Yes		
18 Collier Street	23	18	21	9	20	Yes		
20 Collier Street	23	17	21	9	20	Yes		
22 Collier Street	22	16	21	8	18	Yes		
24 Collier Street	21	15	20	8	17	Yes		
1 Crescent Street	21	15	20	8	18	Yes		
3 Crescent Street	20	14	20	8	17	Yes		
4 Crescent Street	23	17	20	8	20	Yes		
5 Crescent Street	20	14	20	7	16	Yes		
7 Crescent Street	22	17	20	8	19	Yes		
8 Crescent Street	23	17	21	9	20	Yes		
9 Crescent Street	22	15	20	8	18	Yes		
10 Crescent Street	22	17	21	9	19	Yes		
11 Crescent Street	21	15	20	7	17	Yes		
12 Crescent Street	21	14	20	7	17	Yes		
13 Crescent Street	22	15	21	9	18	Yes		
14 Crescent Street	21	15	20	7	17	Yes		
16 Crescent Street	21	14	20	7	17	Yes		
17 Crescent Street	17	8	20	7	9	Yes		
18 Crescent Street	21	14	20	7	17	Yes		
19 Crescent Street	22	15	21	9	18	Yes		
20 Crescent Street	21	15	20	7	17	Yes		
20A Crescent Street	21	15	20	8	17	Yes		
21 Crescent Street	21	15	20	8	17	Yes		

Table 4.17 Operational noise levels – L_{max} assessment – Scenario 7 (year 27-30)



		Calcul	ated noise	levels		Complies with
Receiver name		L	AFmax, dB(A)		
	Loader	Pump	Dredge	Booster	Wash plant	criteria?
22-24 Crescent Street	23	17	21	10	20	Yes
23 Crescent Street	19	12	20	7	14	Yes
26 Crescent Street	21	15	20	7	16	Yes
28 Crescent Street	21	15	20	8	18	Yes
29 Crescent Street	19	10	20	7	12	Yes
30 Crescent Street	21	14	20	7	16	Yes
32 Crescent Street	21	14	20	8	17	Yes
34 Crescent Street	22	15	21	8	17	Yes
36 Crescent Street	22	16	21	10	19	Yes
38 Crescent Street	18	9	20	8	11	Yes
1-5 Cudgen Road	23	17	20	7	20	Yes
7 Cudgen Road	21	14	20	7	17	Yes
11 Cudgen Road	19	10	19	6	13	Yes
463 Cudgen Road	24	19	21	10	20	Yes
480 Cudgen Road	22	17	20	8	18	Yes
480A Cudgen Road	23	19	21	9	20	Yes
482 Cudgen Road	24	19	21	9	20	Yes
501 Cudgen Road	24	18	21	9	19	Yes
529A Cudgen Road	30	26	27	15	27	Yes
529B Cudgen Road	31	26	28	16	28	Yes
531 Cudgen Road	26	21	23	12	22	Yes
535A Cudgen Road	26	20	22	11	22	Yes
535B Cudgen Road	26	21	23	11	23	Yes
535C Cudgen Road	31	27	28	16	28	Yes
542 Cudgen Road	25	20	22	10	22	Yes
543 Cudgen Road	31	27	28	16	28	Yes
576 Cudgen Road	24	19	22	10	21	Yes
592 Cudgen Road	24	18	22	9	21	Yes
604 Cudgen Road	21	15	20	7	17	Yes
607 Cudgen Road	28	22	26	14	26	Yes
609 Cudgen Road	25	19	24	12	22	Yes
611A Cudgen Road	23	17	21	9	19	Yes
611B Cudgen Road	28	22	26	14	26	Yes
626 Cudgen Road	22	16	20	8	18	Yes
647 Cudgen Road	22	17	20	9	20	Yes
5 Denman Drive	22	15	21	8	8	Yes
7 Denman Drive	22	16	21	9	18	Yes
9 Denman Drive	23	16	23	11	19	Yes
11 Denman Drive	23	17	22	9	19	Yes
13 Denman Drive	23	17	22	9	19	Yes
14 Denman Drive	24	17	26	13	24	Yes
15 Denman Drive	23	17	22	9	19	Yes
16 Denman Drive	25	19	26	13	25	Yes
17 Denman Drive	23	10	23	10	19	Yes
18 Denman Drive	20	18	26	13	24	Yes



		Calculated noise levels						
Receiver name		L _{AFmax} , dB(A)						
Receiver hame	Loader	Pump	Dredge	Booster	Wash plant	with criteria?		
19 Denman Drive	24	17	24	11	19	Yes		
20 Denman Drive	25	21	26	13	24	Yes		
21 Denman Drive	24	17	24	10	20	Yes		
22 Denman Drive	25	21	25	13	24	Yes		
23 Denman Drive	25	19	24	10	22	Yes		
24 Denman Drive	25	21	25	13	24	Yes		
25 Denman Drive	24	17	23	10	20	Yes		
26 Denman Drive	25	21	25	13	24	Yes		
27 Denman Drive	23	16	24	9	19	Yes		
28 Denman Drive	25	21	25	13	24	Yes		
30 Denman Drive	25	21	24	13	24	Yes		
32 Denman Drive	25	21	24	12	24	Yes		
34 Denman Drive	24	18	23	11	20	Yes		
36 Denman Drive	24	18	22	10	20	Yes		
38 Denman Drive	23	17	23	9	20	Yes		
40 Denman Drive	23	16	23	9	19	Yes		
42 Denman Drive	22	16	21	8	19	Yes		
3 Murraya Way	21	13	20	8	15	Yes		
6 Murraya Way	23	16	21	8	19	Yes		
8 Murraya Way	23	16	21	8	19	Yes		
9 Murraya Way	20	13	20	8	15	Yes		
10 Murraya Way	22	15	21	8	18	Yes		
12 Murraya Way	22	16	21	8	18	Yes		
14 Murraya Way	23	16	21	8	19	Yes		
15 Murraya Way	22	16	21	8	18	Yes		
16 Murraya Way	23	16	22	9	19	Yes		
17 Murraya Way	22	16	21	9	18	Yes		
142 Plantation Road	22	16	20	8	18	Yes		
154A Plantation Road	22	16	20	7	17	Yes		
154B Plantation Road	23	18	21	10	20	Yes		
2 The Village Lane	21	16	20	7	18	Yes		
146 Tweed Coast Road	21	15	23	9	16	Yes		
Noise sensitive places to the south and south- west (south of intersection between Cudgen Road and Plantation Road)	52	52	52	52	52			
278A Cudgen Road	19	13	19	8	14	Yes		
278B Cudgen Road	19	12	19	8	14	Yes		
293 Cudgen Road	25	20	24	14	22	Yes		
297 Cudgen Road	24	19	24	13	20	Yes		
298A Cudgen Road	21	15	20	9	16	Yes		
298B Cudgen Road	21	14	22	9	16	Yes		
301 Cudgen Road	26	21	25	15	22	Yes		
302 Cudgen Road	23	17	23	13	18	Yes		
306 Cudgen Road	24	19	24	11	21	Yes		
307 Cudgen Road	25	19	25	14	21	Yes		



		Calcu	ated noise	elevels		
Receiver name		L	AFmax, dB(4)		Complies with
	Loader	Pump	Dredge	Booster	Wash plant	criteria?
310 Cudgen Road	25	19	24	13	21	Yes
312 Cudgen Road	25	20	25	13	22	Yes
317 Cudgen Road	25	20	24	13	21	Yes
320 Cudgen Road	26	21	25	13	22	Yes
346 Cudgen Road	22	16	20	9	17	Yes
351 Cudgen Road	27	23	26	11	24	Yes
353 Cudgen Road	29	24	25	13	25	Yes
355 Cudgen Road	27	22	24	11	23	Yes
372 Cudgen Road	21	16	20	8	17	Yes
379 Cudgen Road	26	21	23	11	22	Yes
389 Cudgen Road	26	21	24	11	22	Yes
394 Cudgen Road	25	20	23	10	22	Yes
396 Cudgen Road	22	15	22	8	17	Yes
401 Cudgen Road	25	20	24	11	22	Yes
413A Cudgen Road	25	21	23	11	22	Yes
413B Cudgen Road	25	20	23	10	21	Yes
416 Cudgen Road	21	15	19	8	16	Yes
422 Cudgen Road	21	16	19	8	17	Yes
438 Cudgen Road	22	15	23	10	17	Yes
440A Cudgen Road	21	15	20	8	17	Yes
440B Cudgen Road	21	15	23	9	16	Yes
458A Cudgen Road	21	16	19	7	17	Yes
458B Cudgen Road	21	15	19	7	16	Yes
459 Cudgen Road	22	16	20	8	17	Yes
396 Melaleuca Road	17	10	17	4	12	Yes
37 Mccollums Road	19	12	18	6	13	Yes
41 Mccollums Road	18	11	17	5	12	Yes
54 Mccollums Road	19	12	18	6	14	Yes
52 Reardons Road	19	12	18	5	14	Yes
Noise sensitive places to the north at significant setback from Pacific Motorway	52	52	52	52	52	
145 Plantation Road	21	16	19	7	17	Yes
155A Plantation Road	21	15	19	7	16	Yes
155B Plantation Road	21	15	19	7	16	Yes
Noise sensitive places to the north and west within proximity to Pacific Motorway	54	54	54	54	54	
139A Pacific Motorway	29	22	36	25	24	Yes
139B Pacific Motorway	29	25	38	25	26	Yes
141 Pacific Motorway	29	25	37	27	27	Yes
9394 Tweed Valley Way	25	20	28	21	22	Yes



4.3.8 Scenario 8 (Proposed Haulage Road)

The noise levels associated with the proposed HTSP haulage road assessed against the project amenity noise levels, are presented in Table 4.18.

		alculated noise lev		
Receiver name		L _{eq,adj,15min} , dB(A))	 Complies with project trigger
	Day	Evening	, Night	levels?
NSW EPA Noise Policy for Industry – Project amenity noise levels				
Noise sensitive places to the east, and to the south-east (north of intersection between Cudgen Road and Plantation Road)	53	43	38	
2 Clarke Street	20	23	23	Yes
3 Clarke Street	21	24	24	Yes
6 Clarke Street	20	23	23	Yes
1 Collier Street	24	27	27	Yes
2 Collier Street	22	25	25	Yes
4 Collier Street	22	25	25	Yes
6 Collier Street	21	24	24	Yes
8 Collier Street	21	24	24	Yes
10 Collier Street	21	24	24	Yes
16 Collier Street	22	25	25	Yes
17 Collier Street	22	25	25	Yes
18 Collier Street	23	26	26	Yes
20 Collier Street	21	24	24	Yes
22 Collier Street	21	24	24	Yes
24 Collier Street	20	23	23	Yes
1 Crescent Street	20	23	23	Yes
3 Crescent Street	20	23	23	Yes
4 Crescent Street	21	24	24	Yes
5 Crescent Street	20	23	23	Yes
7 Crescent Street	21	24	24	Yes
8 Crescent Street	22	25	25	Yes
9 Crescent Street	22	25	25	Yes
10 Crescent Street	21	24	24	Yes
11 Crescent Street	18	21	21	Yes
12 Crescent Street	18	21	21	Yes
13 Crescent Street	21	24	24	Yes
14 Crescent Street	20	23	23	Yes
16 Crescent Street	20	23	23	Yes
17 Crescent Street	18	21	21	Yes
18 Crescent Street	20	23	23	Yes
19 Crescent Street	22	25	25	Yes
20 Crescent Street	20	23	23	Yes
20A Crescent Street	20	23	23	Yes
21 Crescent Street	20	23	23	Yes
22-24 Crescent Street	23	26	26	Yes

Table 4.18 Operational noise levels – L_{eq} assessment – Scenario 8 (proposed haulage road)



	Ca	alculated noise lev	/els	Complies with
Receiver name		Leq,adj,15min, dB(A))	project trigger
	Day	Evening	Night	levels?
23 Crescent Street	19	22	22	Yes
26 Crescent Street	20	23	23	Yes
28 Crescent Street	21	24	24	Yes
29 Crescent Street	17	20	20	Yes
30 Crescent Street	20	23	23	Yes
32 Crescent Street	19	22	22	Yes
34 Crescent Street	20	23	23	Yes
36 Crescent Street	21	24	24	Yes
38 Crescent Street	18	21	21	Yes
1-5 Cudgen Road	20	23	23	Yes
7 Cudgen Road	20	23	23	Yes
11 Cudgen Road	18	21	21	Yes
463 Cudgen Road	19	22	22	Yes
480 Cudgen Road	16	19	19	Yes
480A Cudgen Road	19	22	22	Yes
482 Cudgen Road	20	23	23	Yes
501 Cudgen Road	19	22	22	Yes
529A Cudgen Road	25	28	28	Yes
529B Cudgen Road	26	29	29	Yes
531 Cudgen Road	23	26	26	Yes
535A Cudgen Road	23	26	26	Yes
535B Cudgen Road	23	26	26	Yes
535C Cudgen Road	26	29	29	Yes
542 Cudgen Road	22	25	25	Yes
543 Cudgen Road	27	30	30	Yes
576 Cudgen Road	23	26	26	Yes
592 Cudgen Road	23	26	26	Yes
604 Cudgen Road	20	23	23	Yes
607 Cudgen Road	26	29	29	Yes
609 Cudgen Road	24	27	27	Yes
611A Cudgen Road	23	26	26	Yes
611B Cudgen Road	27	30	30	Yes
626 Cudgen Road	21	24	24	Yes
647 Cudgen Road	22	25	25	Yes
5 Denman Drive	21	24	24	Yes
7 Denman Drive	21	24	24	Yes
9 Denman Drive	23	26	26	Yes
11 Denman Drive	22	25	25	Yes
13 Denman Drive	22	25	25	Yes
14 Denman Drive	27	30	30	Yes
15 Denman Drive	22	25	25	Yes
16 Denman Drive	27	30	30	Yes
17 Denman Drive	22	25	25	Yes
18 Denman Drive	27	30	30	Yes
19 Denman Drive	23	26	26	Yes



	Ca	alculated noise lev	vels	Complies with		
Receiver name		L _{eq,adj,15min} , dB(A))	project trigger		
	Day	Evening	Night	levels?		
20 Denman Drive	27	30	30	Yes		
21 Denman Drive	24	27	27	Yes		
22 Denman Drive	27	30	30	Yes		
23 Denman Drive	24	27	27	Yes		
24 Denman Drive	27	30	30	Yes		
25 Denman Drive	23	26	26	Yes		
26 Denman Drive	27	30	30	Yes		
27 Denman Drive	22	25	25	Yes		
28 Denman Drive	27	30	30	Yes		
30 Denman Drive	26	29	29	Yes		
32 Denman Drive	26	29	29	Yes		
34 Denman Drive	24	27	27	Yes		
36 Denman Drive	23	26	26	Yes		
38 Denman Drive	23	26	26	Yes		
40 Denman Drive	23	26	26	Yes		
42 Denman Drive	22	25	25	Yes		
3 Murraya Way	19	22	22	Yes		
6 Murraya Way	20	23	23	Yes		
8 Murraya Way	19	22	22	Yes		
9 Murraya Way	19	22	22	Yes		
10 Murraya Way	20	23	23	Yes		
12 Murraya Way	20	23	23	Yes		
14 Murraya Way	21	24	24	Yes		
15 Murraya Way	20	23	23	Yes		
16 Murraya Way	21	24	24	Yes		
17 Murraya Way	20	23	23	Yes		
142 Plantation Road	18	21	21	Yes		
154A Plantation Road	17	20	20	Yes		
154B Plantation Road	17	20	20	Yes		
2 The Village Lane	20	23	23	Yes		
146 Tweed Coast Road	21	24	24	Yes		
Noise sensitive places to the south and south-west (south of intersection between Cudgen Road and Plantation Road)	48	43	38			
278A Cudgen Road	13	16	16	Yes		
278B Cudgen Road	13	16	16	Yes		
293 Cudgen Road	18	21	21	Yes		
297 Cudgen Road	17	20	20	Yes		
298A Cudgen Road	15	18	18	Yes		
298B Cudgen Road	15	18	18	Yes		
301 Cudgen Road	19	22	22	Yes		
302 Cudgen Road	17	20	20	Yes		
306 Cudgen Road	17	20	20	Yes		
307 Cudgen Road	19	22	22	Yes		
310 Cudgen Road	18	21	21	Yes		
312 Cudgen Road	18	21	21	Yes		



	Ca	Iculated noise lev	vels	Complies with		
Receiver name		Leq,adj,15min, dB(A)	1	project trigger		
	Day	Evening	Night	levels?		
317 Cudgen Road	18	21	21	Yes		
320 Cudgen Road	18	21	21	Yes		
346 Cudgen Road	15	18	18	Yes		
351 Cudgen Road	19	22	22	Yes		
353 Cudgen Road	20	23	23	Yes		
355 Cudgen Road	18	21	21	Yes		
372 Cudgen Road	14	17	17	Yes		
379 Cudgen Road	18	21	21	Yes		
389 Cudgen Road	18	21	21	Yes		
394 Cudgen Road	18	21	21	Yes		
396 Cudgen Road	15	18	18	Yes		
401 Cudgen Road	18	21	21	Yes		
413A Cudgen Road	18	21	21	Yes		
413B Cudgen Road	18	21	21	Yes		
416 Cudgen Road	15	18	18	Yes		
422 Cudgen Road	16	19	19	Yes		
438 Cudgen Road	17	20	20	Yes		
440A Cudgen Road	16	19	19	Yes		
440B Cudgen Road	16	19	19	Yes		
458A Cudgen Road	16	19	19	Yes		
458B Cudgen Road	16	19	19	Yes		
459 Cudgen Road	17	20	20	Yes		
396 Melaleuca Road	11	14	14	Yes		
37 Mccollums Road	12	15	15	Yes		
41 Mccollums Road	11	14	14	Yes		
54 Mccollums Road	13	16	16	Yes		
52 Reardons Road	14	17	17	Yes		
Noise sensitive places to the north at significant setback from Pacific Motorway	48	43	38			
145 Plantation Road	17	20	20	Yes		
155A Plantation Road	17	20	20	Yes		
155B Plantation Road	17	20	20	Yes		
Noise sensitive places to the north and west within proximity to Pacific Motorway	48	43	38			
139A Pacific Motorway	31	34	34	Yes		
139B Pacific Motorway	33	36	36	Yes		
141 Pacific Motorway	32	35	35	Yes		
9394 Tweed Valley Way	23	26	26	Yes		
School classroom	40	40	40			
11A Collier Street	21	24	24	Yes		
11B Collier Street	23	26	26	Yes		

SoundPLAN tabulated noise levels, ISO9613 calculation parameters and noise contour maps are presented in Appendix F.



5. Discussion and Recommendations

5.1 Operational Noise Criteria

Noise monitoring was carried out at the nearest noise sensitive places using automated noise loggers to obtain information about the existing background noise levels during day, evening and night-time. The Rating Background Levels (RBL) were calculated based on the background noise levels when there were no dredging operations taking place at the HTSP.

As per the NSW EPA *Noise Policy for Industry*, the intrusiveness, amenity and maximum noise level criteria were determined based on the results of the background noise monitoring, the methodology for which is presented in Section 3.

It is proposed that the project trigger levels, as per Table 3.5, be adopted as the new Operational Noise Criteria for the HTSP. It is important to note that special consideration is given to private haulage roads under the NSW EPA *Noise Policy for Industry*. To this end, the use of the proposed private haulage road should be assessed separately, against project amenity noise level criteria, which are presented in Table 3.4.

The noise criteria do not apply if the Tweed Sand Plant has an agreement with any impacted landowner to exceed the noise criteria, and the Tweed Sand Plant has advised the NSW Department of Planning, Industry and Environment in writing of the terms of this agreement.

5.2 Operational Noise Impact Assessment

Detailed noise propagation modelling was carried out to assess potential noise impacts from the future operation of the HTSP on the nearest sensitive land uses over the 30-year planning horizon.

In the 3D noise propagation model, all proposed activities at the site were considered, including dredging activities (dredge and booster), shoreline processing (water pump, wash plant and loader) and truck movements (trucks along the haulage route and dispatch of loaded trucks from the plant).

The relevant noise criteria from the NSW EPA *Noise Policy for Industry* was considered in this assessment. The results of the noise propagation modelling indicate that without noise control measures, there is a potential for noise impacts on the nearest noise sensitive receptors from the operation of the extended HTSP as per various planned phases of expansion.

The noise impacts on the nearest noise sensitive receptors are associated with the use of the dredge, the booster, and the wash plant, mainly during night-time operations, and when the dredge is operated at location nearest to the sensitive receptors. To protect the noise amenity at the nearest noise sensitive places (mainly residential dwellings), it is recommended to attenuate noise from the dredge, the booster, and the wash plant.

5.2.1 Noise Mitigation of Dredge

Recent noise attenuation works have been carried out on the dredge at the existing HTSP, including:

- Installation of a new exhaust silencer;
- Installation of an acoustic enclosure to the engine bay;



- Installation of acoustic louvres to the ventilation openings at the front and rear walls of the engine room;
- Acoustic lagging added to the external high-pressure line; and
- Acoustic upgrade to the engine room maintenance doors adjacent to the suction pipe.

The noise levels associated with the dredge, after the installation of the noise attenuation works, were assessed during the attended noise measurements carried out on 21 August 2020. The operational noise modelling was carried out considering the attenuated noise levels, assessed at the nearest noise sensitive receptors to the proposed expansions considering the proposed continuous operation, daytime, evening, and night-time.

The dredge as it operates now, is sufficiently attenuated to operate during daytime for all phases barring phase 9, as well as evening for phase 8 and 11, and night for phase 8. Should the existing dredge be further acoustically upgraded, it may expand its operations further.

However, under some scenarios (e.g. operating during evening or night time within close proximity to some receivers), the level of noise reduction required is not practicable with the current dredge. Therefore, it is recommended that the existing dredge be replaced with a dredge that has been acoustically treated to comply with the applicable noise limits.

The maximum allowable dredge noise levels to achieve compliance with the noise criteria during daytime, evening and night-time for each project phase are presented in Table 5.1.

		Table	on open		Jise level	requirem		neuge		
		Sou	nd power l	evel	Sound p	ressure lev	vel at 3m	Sound pr	essure lev	vel at 10m
		dB(A)	dB(C)	dB(Z)	dB(A)	dB(Z)	dB(A)	dB(C)	dB(Z)	
	Day	108	115	115	90	97	97	80	87	87
Phase 5	Evening	104	111	111	86	93	93	76	83	83
Ŭ	Night	94	101	101	76	83	83	66	73	73
	Day	108	115	115	90	97	97	80	87	87
	Phase Evening	104	111	111	86	93	93	76	83	83
Ŭ	Night	88	95	95	70	77	77	60	67	67
	Day	108	115	115	90	97	97	80	87	87
Phase 7	Evening	107	114	114	89	96	96	79	86	86
	Night	99	106	106	81	88	88	71	78	78
Dhaaa	Day	108	115	115	90	97	97	80	87	87
Phase 8	Evening	108	115	115	90	97	97	80	87	87
Ŭ	Night	108	115	115	90	97	97	80	87	87
	Day	96	103	103	78	85	85	68	75	75
Phase 9	Evening	93	100	100	75	82	82	65	72	72
Ŭ	Night	88	95	95	70	77	77	60	67	67
Dharas	Day	108	115	115	90	97	97	80	87	87
Phase 10	Evening	106	113	113	88	95	95	78	85	85
	Night	94	101	101	76	83	83	66	73	73
Disas	Day	108	115	115	90	97	97	80	87	87
Phase 11	Evening	108	115	115	90	97	97	80	87	87
	Night	101	108	108	83	90	90	73	80	80

Table 5.1 Operational noise level requirements for dredge

Note: Refer to Table 4.1 and Appendix A for phasing as it relates to lot plan numbers.



Based on the operational noise level requirements for the dredge presented in Table 5.1, ATP proposes the following five options for levels of noise attenuation in order to comply with the applicable noise criteria during different operating scenarios:

- Option 1 Existing dredge Existing dredge, which currently achieves a sound pressure level of 90dB(A), 97dB(C) or 97dB(Z) measured at a 3-metre setback, and 80dB(A), 87dB(C) or 87dB(Z) measured at a 10-metre setback.
- Option 2 Existing dredge with acoustic upgrades Existing dredge, with additional acoustic upgrades to achieve a sound pressure level of not more than 86dB(A), 93dB(C) or 93dB(Z) measured at a 3-metre setback, and no more than 76dB(A), 83dB(C) or 83dB(Z) measured at a 10-metre setback.
- Option 3 Dredge 1 Dredge noise levels attenuated to achieve a sound pressure level of not more than 78dB(A), 85dB(C) or 85dB(Z) measured at a 3-metre setback, and no more than 68dB(A), 75dB(C) or 75dB(Z) measured at a 10-metre setback.
- Option 4 Dredge 2 Dredge noise levels attenuated to achieve a sound pressure level of not more than 74dB(A), 81dB(C) or 81dB(Z) measured at a 3-metre setback, and no more than 64dB(A), 71dB(C) or 71dB(Z) measured at a 10-metre setback.
- Option 5 Dredge 3 Dredge noise levels attenuated to achieve a sound pressure level of not more than 70dB(A), 77dB(C) or 77dB(Z) measured at a 3-metre setback, and no more than 60dB(A), 67dB(C) or 67dB(Z) measured at a 10-metre setback.

Summary of the abovementioned options for levels of noise attenuation for the dredge, as they relate to the project phases and periods, is presented in Table 5.2.

	Table 3.2 Summary of options for levels of hoise attenuation for dredg											ige				
		Option ting dro		Exis wit	Option sting dread th acount opgrade	edge Istic		Option Dredge			Option Dredge		Option 5 Dredge 3			
L _w , dB(A)		108			104			96			92			88		
L _{p@3m} , dB(A)		90			86			78			74			70		
L _{p@10m} , dB(A)		80			76			68			64		60			
	D E N			D	Е	Ν	D	Е	Ν	D	Е	Ν	D	Е	Ν	
Phase 5	✓	×	×	✓	✓	×	✓	✓	 Image: A second s	✓	✓	✓	~	✓	 Image: A second s	
Phase 6	✓	×	×	✓	✓	×	✓	✓	×	✓	 Image: A second s	×	✓	✓	 Image: A set of the set of the	
Phase 7	✓	×	×	✓	✓	×	✓	✓	✓	✓	 Image: A second s	 Image: A second s	✓	✓	 Image: A second s	
Phase 8	~	√	~	~	~	\checkmark	~	√	~	~	V V V		<	\checkmark	 Image: A second s	
Phase 9	×	×	×	×	×	×	✓	×	×	✓	✓	×	✓	✓	✓	
Phase 10	✓	×	×	✓	✓	×	✓	✓	×	✓	√	✓	~	\checkmark	 Image: A set of the set of the	
Phase 11	~	\checkmark	×	 Image: A second s	√	×	√	√	√	√	√	√	~	✓	✓	

 Table 5.2 Summary of options for levels of noise attenuation for dredge

Notes: L_w : Sound power level; $L_{p@3m}$: Sound pressure level at 3m setback distance; $L_{p@10m}$: Sound pressure level at 10m setback distance; D: Daytime (7:00am to 6:00pm); E: Evening (6:00pm to 10:00pm); N: Night-time (10:00pm to 7:00am); \checkmark : appropriate option for project phase and period; X: inappropriate option for project phase and/or period.



Based on the information presented in Tables 5.1 and 5.2, it can be seen that for the existing dredge to be able to operate evening for phases 5, 6, 7 and 10, additional acoustic upgrades will be required to achieve a minimum 4dB noise attenuation (i.e. Option 2). After these upgrades, ATP does not expect that further significant improvement could be achieved with the existing dredge, and a replacement dredge would be required to operate under more stringent conditions.

For any dredge to be able operate daytime during project phase 9, a level of noise attenuation corresponding to Option 3 will be required, as a minimum. Further levels of noise attenuation (Options 4 and 5) will allow for expanded operations into evening and night-time of phase 9.

5.2.2 Noise Mitigation of Booster

The results of the operational noise modelling indicate that during night-time, when the booster is positioned within proximity to the nearest noise sensitive receptors, a minor exceedance of the noise criteria may occur.

ATP has carried out assessment of the existing noise attenuation works installed on the booster and have deemed them to be state of the art and sufficient for most operational scenarios. Because the booster is always located between the dredge and the processing plant, the noise impacts from the booster can be readily managed by appropriate positioning. Therefore, it is recommended that maximum distance is maintained between the booster and the nearest noise sensitive receptors during daytime, evening and night time.

5.2.3 Noise Mitigation of Wash Plant

The results of the operational noise modelling indicate that during night-time operation the existing wash plant has the potential to cause minor exceedance of the noise criteria at the nearest noise sensitive receptors along Cudgen Road. To ensure the night-time operation of the wash plant does not impact the noise amenity at the nearest noise sensitive receptors it is recommended that a partial acoustic enclosure be installed around the wash plant motor, enclosing it on the south-east and south-west sides. Following design specifications are required for the acoustic enclosure:

- The enclosure is to be constructed using a material with minimum surface density of 15kg/m² (e.g. timber palings with minimum thickness of 22mm, fibre cement sheeting with minimum thickness of 12mm, or aerated concrete);
- The height of the enclosure is to be minimum 0.3m above the top of the wash plant motor, with returns along the south-east and south-west sides of the wash plant motor;
- The enclosure should be free of any gaps;
- If the walls of the enclosure are constructed of timber palings, planks should have minimum 35mm overlap; and
- The enclosure should be of durable construction.



5.2.4 Attended Compliance Noise Monitoring

To ensure ongoing compliance with the new Operational Noise Criteria (i.e. the project trigger levels, as per Table 3.5), annual attended compliance noise monitoring must be carried out at the nearest noise sensitive receivers (i.e. private residences or privately owned land).

Furthermore, attended compliance noise monitoring must be carried out at the nearest noise sensitive receivers following the commencement of dredging activities in new project phase areas (see Phasing Plan presented in Appendix A).

Noise generated by the development is to be measured in accordance with the *NSW Noise Policy for Industry 2017.*

Provided the recommended noise control measures are fully implemented at detailed design and construction, there are no further acoustic constraints on the establishment of the proposed expanded operations of the Hanson Tweed Sand Plant in Cudgen.




6. References

- Australian Standard AS 1055.1-2018 (Acoustics Description and measurement of environmental noise)
- Australian Standard AS 2436-2010 (*Guide to noise and vibration control on construction, demolition and maintenance sites*)
- Australian Standard AS/NZS IEC61672.1-2019 (Electroacoustics Sound level meters Specifications)
- Bass, J., Bullmore, A., Robinson, P., & Sloth, E. (1996), *Development of a wind farm noise propagation prediction model*, Contract JOR3-CT95-0051
- International Standard ISO 9613 (Acoustics Attenuation of sound during propagation outdoors)
- Kochanowski, R. & Mackenzie, N. (2008), *Atmospheric stability specific noise criteria and noise predictions for wind farms*, Technical Presentation at the Acoustics '08 Conference of the Australian Acoustical Society, 24 to 26 November 2008, Geelong, Australia
- NSW EPA, 2017 Noise Policy for Industry (2017)
- NSW EPA, 2009 Interim Construction Noise Guideline (2009)
- NSW EPA, 2013 Noise Guide for Local Government (2013)
- NSW Government, 1979 Environmental Planning and Assessment Act 1979
- NSW Government, 1997 Protection of the Environment Operations Act 1997
- NSW Government Transport for NSW, 2018 Construction Noise and Vibration Strategy (2018)
- Parry, G. (2008), A review of the use of different noise prediction models for windfarms and the effects of meteorology, Technical Presentation at the Acoustics '08 Conference of the European Acoustics Association, 29 June to 4 July 2008, Paris, France
- Pasquill, F. (1961), *The estimation of dispersion of windborne material*, Meteorological Magazine, Vol. 90 (1063), pp 33-49





Appendix A – Phasing Plan







Appendix B – Nearest Noise Sensitive Places











ATP190611 Tweed Sand Plant Cudgen Noise Sensitive Land Uses Part 1
































CONSULTING ENGINEERS ATP190611 **Tweed Sand Plant** Cudgen Noise Sensitive Land Uses Part 5


















Appendix C – Site Photos





Photo 1: Noise monitoring location 1



Photo 2: Noise monitoring location 2





Photo 3: Noise monitoring location 3



Photo 4: Noise monitoring location 4





Photo 5: Noise monitoring location 5



Appendix D – Meteorological Data

Coolangatta, Queensland September 2020 Daily Weather Observations



Australian Government

Bureau of Meteorology

		Tem	ps	Rain	Evap	Sun	Max	x wind g	ust			9a	m					3р	m		
Date	Day	Min	Max	Kalli	Evap	Sun	Dirn	Spd	Time	Temp	RH	Cld	Dirn	Spd	MSLP	Temp	RH	Cld	Dirn	Spd	MSLP
		°C	°C	mm	mm	hours		km/h	local	°C	%	eighths		km/h	hPa	°C	%	eighths		km/h	hPa
1	Tu	12.9	23.7	0			SE	46	12:06	20.8			SSW	22	1021.2	21.4	62	6	SE	30	1019.8
2	We	15.5	23.9	0			NNE	31	10:52	21.3		2	NNE	20	1025.4	22.4	59		NNE	22	1022.2
3	Th	16.2	24.9	0			N	37	15:00	23.0			NW	17	1024.6	22.9	65	1	N	28	1021.4
4	Fr	16.8	24.3	0			N	41	15:44	22.6			NNW	22	1023.2	22.7	63	8	N	31	1018.7
5	Sa	16.6	25.2	0			N	41	12:58	22.0			NW	22	1019.2	22.5	65		N	26	1016.2
6	Su	17.1	20.7	3.4			S	44	09:35	19.6		8	S	17	1023.8	17.4	84	8	SSW	22	1024.9
7	Мо	16.2	23.5	2.4			S	43	10:41	20.7	64	3	S	20	1030.5	20.4	61	8	SSE	22	1028.7
8	Tu	15.1	23.6	0.2			ESE	37	12:28	20.6		4	S	19	1030.7	22.0	60	2	ESE	20	1027.6
9	We	13.4	22.7	0			ENE	28	12:16	20.1	56	7	ESE	9	1025.6	21.2	55		ENE	19	1021.9
10	Th	11.6	20.5	0			S	50	15:18	17.8	74	8	SSW	20	1021.5	15.8	93	8	S	22	1020.3
11	Fr	14.1	22.0	28.6						20.4	53		SE	39	1025.9	20.8	51	8	SE	31	1024.9
12	Sa															20.9	50	1	SE	19	1025.2
13	Su	14.1	23.0				E	26	13:57	18.7	75	6	S	11	1026.7	21.5	57	6	ENE	19	1023.5
14	Мо	11.4	23.9	0			NE	26	13:12	21.9			NW	13	1024.7	23.0	64		NE	17	1022.2
15	Tu	13.4	24.7	0			SE	48	13:46	20.9	-		SSE	13	1027.6	21.5	59	8	SE	31	1025.4
16	We	12.7	24.3	0.2			ENE	22	15:03	19.9		8	S	13	1027.5	23.0	57	1	ENE	17	1023.6
17	Th	11.1	24.2	0			NE	28	12:05	22.5			NNE	15	1025.8	22.9	62		NE	19	1022.8
18	Fr	15.4	25.3	0.2						22.5	70		SSE	13	1028.1	23.2	60	1	SE	30	1025.0
19	Sa															23.0	57		ENE	17	1023.1
20	Su	17.0	25.3				N	30	02:04	22.2	72	3	ESE	6	1020.5	23.1	75	4	NNE	19	1015.7
21	Мо	19.8	26.3	0			N	48	15:19	24.9			NNW	24	1017.4	24.6	72		N	35	1014.1
22	Tu	20.8	26.8	0						22.8	79	8	NNW	30	1015.8	22.0	83	8	N	26	1012.8
23	We	18.8	25.7				ENE	22	12:23	21.1	89	7	NNW	6	1015.8	23.2	69	7	NE	15	1011.7
24	Th	14.8	25.7	0			E	28	11:52	23.6			SSE	15	1016.1	23.4	37		ENE	19	1012.9
25	Fr	10.8	24.9	0			N	50	15:27	23.7	63		N	22	1014.3	23.7	70		N	33	1007.8
26	Sa	10.9	24.4	0			NE	35	10:54	21.6			SSW	9	1013.4	22.7	28		E	17	1012.0
27	Su	3.8	21.8	0.2			E	31	13:17	19.1	27		SW	7	1021.8	20.2	32		SE	22	1019.4
28	Мо	11.2	22.9	0			SE	43	13:57	18.3		5	S	17	1025.8	19.3	57	8	SE	31	1023.0
29	Tu	13.5	23.0	0			ESE	41	12:27	20.2			S	19	1026.3	21.2	42		SE	24	1022.0
30	We	8.5	23.8	0			NNE	28	16:54	20.3	53	7	S	7	1022.6	20.7	50	8	NNE	17	1018.9
Statistic	s for Se																				
	Mean	14.1	24.0							21.2		5		16	1022.9	21.8		5		23	1020.3
	Lowest	3.8	20.5							17.8		2	#		1013.4	15.8	28	1	NE	15	1007.8
	Highest	20.8	26.8	28.6			#	50		24.9	89	8	SE	39	1030.7	24.6	93	8	N	35	1028.7
	Total			35.2																	

Observations were drawn from Coolangatta {station 040717}

Some cloud observations are from automated equipment; these are somewhat different to those made by a human observer and may not appear every day. Averages for Southport should be used as a guide only.

IDCJDW4036.202009 Prepared at 15:37 AEDT on 15 Oct 2020 Copyright © 2020 Bureau of Meteorology

Users of this product are deemed to have read the information and accepted the conditions described in the notes at http://www.bom.gov.au/climate/dwo/IDCJDW0000.pdf



Appendix E – Noise Measurement Results



Unattended Noise Measurements Noise Logger Location 1 - 543 Cudgen Road, Cudgen

Environmental Noise Levels Day, Evening and Night

Logger Location - North-western side of		L _{Aeq,T} dB(A)			L _{A01,T} dB(A)			L _{A10,T} dB(A)			L _{A90,T} dB(A)			Assessment Background Levels, dB(A)			
existing dwelling on allotment	Date Day			Е	Ν	D	Е	Ν	D	Е	Ν	D	Е	Ν	D	Е	Ν
ARL Environmental Noise Logger	16/09/2020	Wednesday	_	44	46	_	48	52	_	45	48	_	40	42	_	38	39
Logger Serial Number 8781BC	17/09/2020	Thursday	50	46	46	59	49	52	52	47	48	43	43	41	39	41	37
Measurement Title Location 1	18/09/2020	Friday	48	51	43	59	53	50	50	52	44	39	49	38	36	41	34
Measurement started at 16/09/2020 - 13:17:04	19/09/2020	Saturday	47	43	40	58	46	46	49	44	42	38	41	37	37	37	34
Measurement stopped at 30/09/2020 - 13:00:26	20/09/2020	Sunday	48	48	44	58	50	49	49	49	45	39	46	40	38	40	37
Frequency Weighting A	21/09/2020	Monday	54	51	48	63	55	53	56	53	50	48	49	45	46	47	43
Time Averaging Fast	22/09/2020	Tuesday	52	48	45	60	52	50	53	50	47	47	45	41	46	44	39
Statistical Interval 15 min	23/09/2020	Wednesday	47	49	42	56	53	50	48	51	45	41	45	37	38	43	33
Pre-measurement Ref. 94.0	24/09/2020	Thursday	48	47	46	58	52	51	49	48	48	41	43	42	39	42	39
Post-measurement Ref. 94.0	25/09/2020	Friday	52	50	45	61	54	50	54	52	46	48	48	41	45	45	37
Engineering Units dB SPL	26/09/2020	Saturday	46	41	40	56	48	50	48	44	42	39	36	30	37	33	25
	27/09/2020	Sunday	46	40	41	57	48	48	48	41	43	38	35	35	35	33	32
Note	28/09/2020	Monday	49	41	42	58	48	49	50	43	44	42	35	36	40	33	32
	29/09/2020	Tuesday	46	41	45	55	47	51	48	43	47	39	37	40	37	35	37
 No noise data available 	Ave	rage	47	44	44	56	49	50	48	46	46	39	41	39	—		_

Note

Day (D): 7:00am to 6:00pm

Evening (E): 6:00pm to 10:00pm

Night (N): 10:00pm to 7:00am

Data excluded due to meteorological effects or extraneous noise


Data excluded due to missing meteorological data

Data excluded due to dredging

Rating Background Levels, dB(A)	37	38	37




Unattended Noise Measurements 16 to 30 September 2020







Unattended Noise Measurements Wednesday 16 September 2020




Thursday 17 September 2020













Unattended Noise Measurements Saturday 19 September 2020
















Unattended Noise Measurements Tuesday 22 September 2020


Wednesday 23 September 2020













Unattended Noise Measurements Friday 25 September 2020


Saturday 26 September 2020













Unattended Noise Measurements Monday 28 September 2020

Tuesday 29 September 2020









Unattended Noise Measurements Noise Logger Location 2 - Subject Site

Environmental Noise Levels Day, Evening and Night

Logger Location - South-eastern		ate Day				L _{Aeq,T} dB(A)			L _{A01,T} dB(A)			L _{A10,T} dB(A)			L _{A90,T} dB(A)		Assessment Background Levels, dB(A)			
shoreline of lake on subject site	Date	Day	D	Е	Ν	D	Е	Ν	D	Е	N	D	Е	Ν	D	Ш	N			
SVANTEK - 977A Class 1 Sound Level Meter	16/09/2020	Wednesday		49	48	_	53	53	_	50	51	_	45	44	_	42	41			
Logger Serial Number 81347	17/09/2020	Thursday	54	48	47	62	52	53	55	50	49	49	45	43	39	43	40			
Measurement Title Location 2	18/09/2020	Friday	51	51	45	62	55	51	52	53	47	39	49	40	36	42	37			
Measurement started at 16/09/2020 - 12:58:59	19/09/2020	Saturday	49	51	43	60	54	48	51	53	44	40	49	39	37	44	36			
Measurement stopped at 30/09/2020 - 13:23:41	20/09/2020	Sunday	50	50	44	62	53	49	51	51	46	39	47	40	38	43	37			
Frequency Weighting A	21/09/2020	Monday	57	56	52	62	60	57	59	58	54	55	53	49	48	52	47			
Time Averaging Fast	22/09/2020	Tuesday	55	50	44	61	54	50	56	52	46	51	48	39	48	44	36			
Statistical Interval 15 min	23/09/2020	Wednesday	49	50	43	60	53	49	50	51	45	41	46	37	38	43	33			
Pre-measurement Ref. 94.0	24/09/2020	Thursday	53	48	49	63	54	54	54	49	51	44	44	44	40	42	41			
Post-measurement Ref. 94.0	25/09/2020	Friday	55	54	47	62	58	53	57	56	49	51	51	42	47	48	34			
Engineering Units dB SPL	26/09/2020	Saturday	48	41	39	59	47	48	49	44	42	38	37	30	35	32	24			
	27/09/2020	Sunday	46	40	42	57	48	49	49	42	45	36	35	36	33	34	31			
Note	28/09/2020	Monday	50	43	43	59	51	50	52	44	46	44	37	37	41	35	34			
	29/09/2020	Tuesday	49	44	46	59	49	51	51	46	48	39	39	42	36	35	38			
 No noise data available 	Ave	erage	49	47	45	59	52	51	50	48	48	39	43	40	-	-	—			

Note

Day (D): 7:00am to 6:00pm

Evening (E): 6:00pm to 10:00pm

Night (N): 10:00pm to 7:00am

Data excluded due to meteorological effects or extraneous noise


Data excluded due to missing meteorological data

Data excluded due to dredging operations

Rating Background	36	42	36
Levels, dB(A)	5	74	30




Unattended Noise Measurements 16 to 30 September 2020







Unattended Noise Measurements Wednesday 16 September 2020




Thursday 17 September 2020













Unattended Noise Measurements Saturday 19 September 2020


Sunday 20 September 2020













Unattended Noise Measurements Tuesday 22 September 2020


Wednesday 23 September 2020













Unattended Noise Measurements Friday 25 September 2020


Saturday 26 September 2020













Unattended Noise Measurements Monday 28 September 2020











Unattended Noise Measurements Noise Logger Location 3 - 139 Pacific Motorway, Chinderah

Environmental Noise Levels Day, Evening and Night

Logger Location - So				L _{Aeq,T} dB(A)			L _{A01,T} dB(A)			L _{A10,T} dB(A)			L _{A90,T} dB(A)			Assessment Background Levels, dB(A)		
existing dwelling on a	allotment	Date	Day	D	Е	N	D	Е	N	D	Е	N	D	Е	N	D	Ш	N
ARL Environmental Noise Lo	ogger	16/09/2020	Wednesday	_	55	54	_	61	60	_	58	57	_	51	45	_	47	40
Logger Serial Number	16-707-017	17/09/2020	Thursday	49	55	53	55	60	59	51	57	57	46	50	44	42	47	37
Measurement Title	Location 3	18/09/2020	Friday	49	49	53	57	54	60	50	51	56	43	45	46	39	40	40
Measurement started at	16/09/2020 - 14:23:48	19/09/2020	Saturday	48	55	49	55	58	56	49	57	52	44	51	42	43	44	39
Measurement stopped at	30/09/2020 - 14:20:00	20/09/2020	Sunday	48	59	55	55	61	59	49	60	57	44	56	49	42	46	40
Frequency Weighting	A	21/09/2020	Monday	58	58	55	64	65	61	60	61	58	55	54	50	53	52	44
Time Averaging	Fast	22/09/2020	Tuesday	59	57	55	64	62	59	61	59	57	55	54	51	53	52	44
Statistical Interval	15 min	23/09/2020	Wednesday	50	56	52	56	61	58	51	59	55	46	51	43	42	46	35
Pre-measurement Ref.	94.0	24/09/2020	Thursday	49	54	54	54	60	60	50	57	57	45	50	45	42	48	40
Post-measurement Ref.	94.0	25/09/2020	Friday	56	55	51	62	61	58	59	58	54	53	50	43	50	47	36
Engineering Units	dB SPL	26/09/2020	Saturday	49	52	47	55	58	55	51	55	51	45	46	35	41	41	29
		27/09/2020	Sunday	46	50	51	54	56	58	48	53	54	41	45	41	39	43	35
Note		28/09/2020	Monday	50	52	52	56	58	58	52	55	55	46	47	43	42	43	37
		29/09/2020	Tuesday	48	53	53	55	58	59	49	56	56	43	49	45	41	46	39
 No noise data availa 	able	Ave	rage	48	54	52	55	59	59	50	57	55	44	50	44	-	_	—

Note

Day (D): 7:00am to 6:00pm

Evening (E): 6:00pm to 10:00pm

Night (N): 10:00pm to 7:00am

Data excluded due to meteorological effects or extraneous noise


Data excluded due to missing meteorological data

Data excluded due to dredging

Rating Background Levels, dB(A)	41	46	39




Unattended Noise Measurements 16 to 30 September 2020







Unattended Noise Measurements Wednesday 16 September 2020




Thursday 17 September 2020













Unattended Noise Measurements Saturday 19 September 2020


Sunday 20 September 2020













Unattended Noise Measurements Tuesday 22 September 2020


Wednesday 23 September 2020













Unattended Noise Measurements Friday 25 September 2020


Saturday 26 September 2020













Unattended Noise Measurements Monday 28 September 2020

Tuesday 29 September 2020









Unattended Noise Measurements Noise Logger Location 4 - 271 Pacific Motorway, Chinderah

Environmental Noise Levels Day, Evening and Night

Logger Location - North-east of existing			L _{Aeq,T} dB(A)			L _{A01,T} dB(A)			L _{A10,T} dB(A)				L _{A90,T} dB(A)		Assessment Background Levels, dB(A)		
dwelling on allotment	Date	Day	D	Е	Ν	D	Е	N	D	Е	Ν	D	D E N		D	Е	Ν
SVANTEK - 977A Class 1 Sound Level Meter	16/09/2020	Wednesday	_	51	49	_	55	56	-	52	52	_	48	43	_	45	40
Logger Serial Number 92176	17/09/2020	Thursday	44	50	48	50	54	55	45	52	51	41	48	43	38	44	39
Measurement Title Location 4	18/09/2020	Friday	46	50	49	53	53	55	47	50	51	41	47	44	36	44	38
Measurement started at 16/09/2020 - 15:09:18	19/09/2020	Saturday	46	54	46	53	56	52	46	55	48	41	52	43	39	48	38
Measurement stopped at 30/09/2020 - 14:23:41	20/09/2020	Sunday	46	54	49	53	56	52	46	55	50	40	51	46	37	46	41
Frequency Weighting A	21/09/2020	Monday	48	53	49	53	56	53	50	54	50	46	52	46	44	49	42
Time Averaging Fast	22/09/2020	Tuesday	50	51	46	55	55	51	51	53	48	47	49	42	46	47	38
Statistical Interval 15 min	23/09/2020	Wednesday	46	53	47	52	57	53	46	55	50	41	50	42	37	45	40
Pre-measurement Ref. 94.0	24/09/2020	Thursday	46	51	50	53	56	57	47	52	53	41	47	44	38	45	40
Post-measurement Ref. 94.0	25/09/2020	Friday	49	49	46	55	53	52	50	51	48	46	46	41	43	44	38
Engineering Units dB SPL	26/09/2020	Saturday	47	48	43	55	55	51	48	49	46	41	42	35	38	39	31
	27/09/2020	Sunday	44	46	47	52	51	55	46	47	51	38	40	40	35	39	37
Note	28/09/2020	Monday	50	48	48	57	54	54	52	49	51	45	42	42	40	40	38
	29/09/2020	Tuesday	49	48	50	57	53	56	50	49	53	42	44	44	40	40	41
 No noise data available 	Ave	rage	46	50	48	54	55	54	47	52	50	41	47	42	—	_	—

Day (D): 7:00am to 6:00pm

Evening (E): 6:00pm to 10:00pm

Night (N): 10:00pm to 7:00am

Data excluded due to meteorological effects or extraneous noise

Data excluded due to missing meteorological data


Data excluded due to dredging

Rating Background	37	45	39
Levels, dB(A)	51	43	33


L



Unattended Noise Measurements 16 to 30 September 2020









Unattended Noise Measurements Wednesday 16 September 2020


Thursday 17 September 2020













Unattended Noise Measurements Saturday 19 September 2020


Sunday 20 September 2020













Unattended Noise Measurements Tuesday 22 September 2020


Wednesday 23 September 2020













Unattended Noise Measurements Friday 25 September 2020


Saturday 26 September 2020













Unattended Noise Measurements Monday 28 September 2020

Tuesday 29 September 2020









Unattended Noise Measurements Noise Logger Location 5 - 353 Cudgen Road, Cudgen

Environmental Noise Levels Day, Evening and Night

Logger Location - South-western boundary of subject site and 353			L _{Aeq,T} dB(A)				L _{A01,T} dB(A)		L _{A10,T} dB(A)				L _{A90,T} dB(A)		Assessment Background Levels, dB(A)		
Cudgen Road	Date	Day	D	Е	Ν	D	Е	Ν	D	Е	Ν	D	Е	Ν	D	Е	Ν
ARL Environmental Noise Logger	16/09/2020	Wednesday	_	50	48	-	53	54	_	51	50	_	48	43	_	46	40
Logger Serial Number 15-203-537	17/09/2020	Thursday	48	50	45	57	54	52	49	52	47	41	48	40	38	44	38
Measurement Title Location 5	18/09/2020	Friday	48	50	47	59	53	53	50	51	49	38	48	43	35	44	41
Measurement started at 16/09/2020 - 12:12:00	19/09/2020	Saturday	48	52	45	59	54	51	51	53	46	39	50	41	37	47	38
Measurement stopped at 30/09/2020 - 14:02:05	20/09/2020	Sunday	47	53	47	57	55	52	49	54	48	39	51	43	37	49	39
Frequency Weighting A	21/09/2020	Monday	55	56	51	62	61	58	57	58	54	49	52	47	46	50	45
Time Averaging Fast	22/09/2020	Tuesday	53	52	45	60	56	51	56	54	47	48	48	42	46	46	38
Statistical Interval 15 min	23/09/2020	Wednesday	48	51	44	57	54	51	49	52	46	40	49	40	37	45	35
Pre-measurement Ref. 94.0	24/09/2020	Thursday	46	50	48	56	55	54	48	52	50	38	47	43	35	45	39
Post-measurement Ref. 94.0	25/09/2020	Friday	56	54	46	63	59	52	59	56	48	51	51	42	45	47	37
Engineering Units dB SPL	26/09/2020	Saturday	45	42	36	55	47	45	47	44	38	36	40	28	33	34	24
	27/09/2020	Sunday	44	39	40	55	45	48	46	39	42	36	36	36	32	32	30
Note	28/09/2020	Monday	47	42	41	57	48	49	48	43	43	39	39	37	37	38	35
	29/09/2020	Tuesday	46	44	43	56	48	49	47	46	45	38	42	40	36	40	38
 No noise data available 	Ave	rage	46	48	45	56	52	51	48	49	47	38	45	40	—	—	—

Note

Day (D): 7:00am to 6:00pm

Evening (E): 6:00pm to 10:00pm

Night (N): 10:00pm to 7:00am

Data excluded due to meteorological effects or extraneous noise


Data excluded due to missing meteorological data

Data excluded due to dredging operations


Rating Background Levels, dB(A)	6	45	38
------------------------------------	---	----	----



Unattended Noise Measurements 16 to 30 September 2020









Unattended Noise Measurements Wednesday 16 September 2020


Thursday 17 September 2020













Unattended Noise Measurements Saturday 19 September 2020


Sunday 20 September 2020













Unattended Noise Measurements Tuesday 22 September 2020


Wednesday 23 September 2020













Unattended Noise Measurements Friday 25 September 2020


Saturday 26 September 2020













Unattended Noise Measurements Monday 28 September 2020

Tuesday 29 September 2020













Appendix F – SoundPLAN Results – Operational Noise







Hanson Tweed Sand Plant Altona Road, Cudgen Scenario 2 Phase 6 (Year 4-8) Operational noise level L_{eq,adj,15min} dB(A) <= 30 30 < <= 33 33 < <= 36 <= 39 36 < 39 < <= 42 42 < <= 45 45 < <= 48 48 < <= 51 51 < <= 54 54 < <= 57 57 < <= 60 60 < <= 63 63 < <= 66 66 < <= 69 69 <






Altona Road, Cudgen Scenario 3 Phase 7 (Year 9-13) Operational noise level L_{eq,adj,15min} dB(A) <= 30 30 < <= 33 33 < <= 36 36 < <= 39 39 < <= 42 42 < <= 45 45 < <= 48 48 < <= 51 51 < <= 54 54 < <= 57 57 < <= 60 60 < <= 63 63 < <= 66 66 < <= 69 69 <








Point source


Grid Spacing: 50m Project Engineer: Aidan Daniels Created: 9/04/2021 Processed with SoundPLAN 8.2

750

1000



<= 30



<= 30

<= 33

<= 36

<= 39

<= 42

<= 45

<= 48

<= 51

<= 54

<= 57


<= 60


<= 63

<= 66

<= 69

750





Grid Spacing: 50m Project Engineer: Aidan Daniels Created: 9/04/2021 Processed with SoundPLAN 8.2

