

Moorebank Intermodal Terminal Project Environmental Impact Statement

Volume 5b

October 2014





Technical Paper 5 Environmental Site Assessment (Phase 2) – Appendix C - F



Contents of the EIS

EIS Summary

a	5
4	
Ш	
\geq	

Chapter 1 - Introduction

Chapter 2 - Site context and environmental values

Chapter 3 - Strategic context and need for the Project

Chapter 4 - Planning and statutory requirements

Chapter 5 - Stakeholder and community consultation

Chapter 6 - Project development and alternatives

Chapter 7 - Project built form and operations

Chapter 8 - Project development phasing and construction

Chapter 9 - Project sustainability

Chapter 10 - Impact assessment approach

Chapter 11 - Traffic, transport and access

Chapter 12 - Noise and vibration

Chapter 13 - Biodiversity

Chapter 14 - Hazards and risks

Chapter 15 - Contamination and soils

Chapter 16 - Hydrology, groundwater and water quality

Chapter 17 - Local air quality

Chapter 18 - Regional air quality

Chapter 19 - Greenhouse gas assessment

Chapter 20 - Aboriginal heritage

Chapter 21 - European heritage

Chapter 22 - Visual and urban design

Chapter 23 - Property and infrastructure

Chapter 24 - Social and economic impacts

Chapter 25 – Human health risks and impacts

Chapter 26 - Waste and resource management

Chapter 27 - Cumulative impacts

Chapter 28 - Environmental management framework

Chapter 29 - Environmental risk analysis

Chapter 30 - Project justification and conclusions

Chapter 31 - References

Appendix A - EIS Project team

Appendix B - EIS guidelines and requirements

Appendix C - Compliance with the Georges River REP principles

Appendix D - Consultation information, materials and outcomes

Appendix E - MCA criteria relating to Project objectives

Appendix F - Layouts of shortlisted Project alternatives

Appendix G - Peer review endorsement letters

Appendix H - Provisional EMPs

Appendix I - Environmental record of Proponent

Appendix J - Compliance with Schedule 1, Part 1 and 2 of the (NSW) Environmental Planning and Assessment

Regulation 2000

Appendix K - Tenure history of the Project site

TECHNICAL PAPERS

EIS Volume 3

1 - Traffic and Transport Impact Assessment

2 - Noise and Vibration Impact Assessment

EIS Volume 4

3 - Ecological Impact Assessment (with associated Biodiversity Offset Strategy)

4 - Preliminary Risk Assessment

EIS Volume 5a

5 - Environmental Site Assessment (Phase 2)

EIS Volume 5b

5 - Environmental Site Assessment (Phase 2) Appendices C to F

EIS Volume 6

6 - Surface Water Assessment

7 - Local Air Quality Impact Assessment

8 - Regional Air Quality Impact Assessment

9 - Greenhouse Gas Assessment

EIS Volume 7

10 - Aboriginal Heritage Impact Assessment

EIS Volume 8

11 - European Heritage Impact Assessment

12 - Visual Impact Assessment

EIS Volume 9

13 - Light Spill Impact Assessment

14 - Social Impact Assessment

15 - Human Health Risk Assessment

16 - Health Impact Assessment

SET NE 2

Contents

VOLUME 1A - MAIN VOLUME

Declaration

Glossary and abbreviations

Executive summary

Chapter 1	Introduction
Chapter 2	Site context and environmental values
Chapter 3	Strategic context and need for the Project
Chapter 4	Planning and statutory requirements
Chapter 5	Stakeholder and community consultation
Chapter 6	Project development and alternatives
Chapter 7	Project built form and operations
Chapter 8	Project development phasing and construction
Chapter 9	Project sustainability
Chapter 10	Impact assessment approach
Chapter 11	Traffic, transport and access
Chapter 12	Noise and vibration
Chapter 13	Biodiversity
Chapter 14	Hazards and risks
Chapter 15	Contamination and soils

VOLUME 1B - MAIN VOLUME

Chapter 16	Hydrology, groundwater and water quality
Chapter 17	Local air quality
Chapter 18	Regional air quality
Chapter 19	Greenhouse gas assessment
Chapter 20	Aboriginal heritage
Chapter 21	European heritage
Chapter 22	Visual and urban design
Chapter 23	Property and infrastructure
Chapter 24	Social and economic impacts
Chapter 25	Human health risks and impacts
Chapter 26	Waste and resource management

Chapter 27 Cumulative impacts

Chapter 28 Environmental management framework

Chapter 29 Environmental risk analysis

Chapter 30 Project justification and conclusions

Chapter 31 References

VOLUME 2 - APPENDICES

Appendix A EIS Project team

Appendix B EIS guidelines and requirements

Appendix C Compliance with the Georges River Regional

Environment Plan (REP) principles

Appendix D Consultation information, materials and outcomes

Appendix E MCA criteria relating to Project objectives

Appendix F Layouts of shortlisted Project alternatives

Appendix G Peer review endorsements

Appendix H Provisional EMPs

Appendix I Environmental record of Proponent

Appendix J Compliance with Schedule 1, Part 1 and 2 of the

Environmental Planning and Assessment Regulation

2000 (NSW)

Appendix K Tenure history of the Project site

VOLUME 3

Technical Paper 1 Traffic and Transport Impact Assessment
Technical Paper 2 Noise and Vibration Impact Assessment

VOLUME 4

Technical Paper 3 Ecological Impact Assessment (with associated

Biodiversity Offset Strategy)

Technical Paper 4 Preliminary Risk Assessment

VOLUME 5A

Technical Paper 5 Environment Site Assessment (Phase 2)

VOLUME 5B

Technical Paper 5 Environment Site Assessment (Phase 2)

Appendices C-F

VOLUME 6

Technical Paper 6 Surface Water Assessment

Technical Paper 7 Local Air Quality Impact Assessment

Technical Paper 8 Regional Air Quality Impact Assessment

Technical Paper 9 Greenhouse Gas Assessment

VOLUME 7

Technical Paper 10 Aboriginal Heritage Impact Assessment

VOLUME 8

Technical Paper 11 European Heritage Impact Assessment

Technical Paper 12 Visual Impact Assessment

VOLUME 9

Technical Paper 13 Light Spill Impact Assessment

Technical Paper 14 Social Impact Assessment

Technical Paper 15 Human Health Risk Assessment

Technical Paper 16 Health Impact Assessment

Contents

VOLUME 5a

Phase 2 ESA report

Appendix A Phase 2 ESA data

Appendix B Phase 1 ESA - Main IMT site

VOLUME 5b

Appendix C Phase 1 ESA - Northern Rail Access Option

Appendix D Phase 1 ESA - Central Rail Access Option

Appendix E Phase 1 ESA - Southern Rail Access Option

Appendix F Preliminary Remediation Action Plan

Appendix C

Phase 1 ESA – Northern Rail Access Option



Moorebank Intermodal Company

Phase 1 Environmental Site Assessment, Moorebank Intermodal Terminal

Northern Rail Access Option

11 May 2014





Document information

Client: Moorebank Intermodal Company

Title: Phase 1 Environmental Site Assessment, Moorebank Intermodal Terminal

Subtitle: Northern Rail Access Option

Document No: 2189293E-CLM-REP-6053 RevC

Date: 11 May 2014

Rev	Date	Details
А	07/09/2012	Original draft
В	22/10/2012	Update based on Auditor comments
С	11/05/2014	Update based on site walkover
D	14/07/2014	Update based on Auditor comments

Author, Reviewer and Approver details					
Prepared by:	Lisa Powell	Date: 14/07/2014	Signature:	Chell	
Reviewed by:	Yung Kho	Date: 14/07/2014	Signature:	Yken	
Approved by:	Anthea Sargeant	Date: 14/07/2014	Signature:	Aargeant	

Distribution

Moorebank Intermodal Company, Parsons Brinckerhoff file, Parsons Brinckerhoff Library

©Parsons Brinckerhoff Australia Pty Limited 2014

Copyright in the drawings, information and data recorded in this document (the information) is the property of Parsons Brinckerhoff. This document and the information are solely for the use of the authorised recipient and this document may not be used, copied or reproduced in whole or part for any purpose other than that for which it was supplied by Parsons Brinckerhoff. Parsons Brinckerhoff makes no representation, undertakes no duty and accepts no responsibility to any third party who may use or rely upon this document or the information.

Document owner

Parsons Brinckerhoff Australia Pty Limited

ABN 80 078 004 798

Level 27 Ernst & Young Centre 680 George Street Sydney NSW 2000 GPO Box 5394 Sydney NSW 2001 Australia

Tel: +61 2 9272 5100 Fax: +61 2 9272 5101 www.pbworld.com

Certified to ISO 9001, ISO 14001, OHSAS 18001

Contents

				Page number
Abb	oreviati	ions		V
Exe	cutive	summa	ry	vii
1.	Intro	duction		1
	1.1	Objecti	ves	1
	1.2	Scope	of works	2
2.	Site	setting		3
	2.1	Locatio	on	3
	2.2	Surrou	nding land uses	3
	2.3	Physica	al setting	4
		2.3.1 2.3.2 2.3.3	Regional and local geology Topography and hydrology Acid sulfate soils	4 4 4
		2.3.4 2.3.5	Regional and local hydrogeology Groundwater database search	4 5
	2.4	Site wa	alkover	6
3.	Site	history		7
	3.1	Land ti	tles search	7
	3.2	Section	n 149 (2) and (5) planning certificate information	7
	3.3	NSW E	PA online notice records database search	8
	3.4	Dangei	rous goods	9
	3.5	Aerial p	photographs	9
	3.6	Historio	cal land use summary	9
		3.6.1 3.6.2	Site Surroundings	9 10
	3.7	Reliand	ce on source information	10
4.	Pote	ntial for	contamination	11
	4.1	Conce	otual site model	11
	12	Potenti	al offsite sources of contamination	12

Contents (Continued)

		Page number
5.	Conclusions and recommendations	13
6.	Limitations	15
7.	References	17
8.	Figures	19

List of tables

		Page number
Table 2.1	Groundwater database search results summary	5
Table 3.1	Titles search summary	7
Table 3.2	S149 search summary	7
Table 3.3	Aerial photograph review summary	9
Table 4.1	Conceptual site model	11

List of appendices		
Appendix A	Registered groundwater bore search information	
Appendix B	Site photographs	
Appendix C	Land titles	
Appendix D	Section 149 certificates	
Appendix E	NSW EPA Notice records	
Appendix F	Aerial photographs	

Abbreviations

ACM asbestos containing materials

AHD Australian Height Datum

ASS acid sulfate soils

DNSDC Defence National Support and Distribution Centre

EPA Environment Protection Authority

EPL Environmental Protection Licence

ESA environmental site assessment

GWS Glenfield Waste Services

ha hectares

IMT Intermodal Terminal

m metres

MIC Moorebank Intermodal Company

m BGL metres below ground level
m BTOC metres below top of casing
PASS potential acid sulfate soils

SSFL Southern Sydney Freight Line

SME School of Military Engineering

SWL standing water level

Executive summary

Introduction

Parsons Brinckerhoff Pty Ltd (Parsons Brinckerhoff) was commissioned by Moorebank Intermodal Company (MIC) to undertake a site walkover of an area of open space along the western bank of the Georges River, Casula NSW identified as part of Lot 10 in DP881265 (the site). The walkover was undertaken to augment the Phase 1 environmental site assessment (ESA) that was prepared by Parsons Brinckerhoff in October 2012.

Purpose and scope

The Phase 1 ESA was completed to assess the potential contamination issues at the site with the purpose of evaluating the feasibility of the site for the future proposed use as the Moorebank Intermodal Terminal (IMT). The Moorebank IMT Project (the Project) includes a rail link connecting the site to the Southern Sydney Freight Line (SSFL) and road entry and exit points from Moorebank Avenue. At the time of preparing this Phase 1 ESA, three separate rail access options are being considered, which are:

- northern rail access option with rail access from the north-western corner of the Moorebank IMT site, passing through the former Casula Powerhouse Golf Course (which is currently owned by Liverpool City Council (LCC)) and crossing the Georges River and floodplain;
- central rail access option with rail access from the centre of the western boundary of the Moorebank IMT site, passing through Commonwealth land on the western bank of the Georges River (also referred to as the 'hourglass land'); and
- southern rail access option rail access from the south-western corner of the Moorebank IMT site, passing through the Glenfield Landfill site (owned by Glenfield Waste Services (GWS)) and crossing the Georges River and floodplain.

The site subject to this Phase 1 ESA is known as the northern rail access option. The Moorebank IMT site and the other rail access options are the subject of separate ESA reports.

The scope of works for the Phase 1 ESA comprised a desktop review including identification of the site, a review of aerial photographs, historical land titles, council records, local geology, hydrology and hydrogeology, a site walkover (undertaken 5 May 2014) and preparation of a Phase 1 ESA report. No previous reports pertaining to the environmental condition of the land are known.

Site description

The site is owned by Liverpool City Council comprising a triangular area of open space along the western bank of the Georges River covering an area of approximately 12.4 ha. The area that would be impacted by the construction footprint of the northern rail access option is approximately 10.5 ha based on the concept design. The site surface is undulating with a terrace along the eastern edge which slopes steeply towards the Georges River. The site is underlain by alluvial sands, silts and clays overlying shale of the Wianamatta Group and Hawkesbury Sandstone. The Georges River flows to the north along the eastern boundary of the site. The M5 South Western Motorway extends east to west to the north of the site and a Glenfield Waste Services (landfill) is located immediately to the south of the site. Immediately west of the site is the recently completed Powerhouse Road and the SSFL beyond, both extend in a north and south direction along the western boundary of the site.

Based on local topography, it is considered that the inferred groundwater flow beneath the site would be towards the north-east in the direction of the Georges River. Based on a review of aerial photographs, the site was undeveloped from the 1930s up to the 1950s when it was developed into a golf course. Based on observations made during the site walkover, the site is currently publically accessible open space with cycle and walking tracks. Mounds and depressions exist across the site, likely to be associated with regrading of the site to develop the Powerhouse Road and former use of the site as a golf course. Fill (such as concrete, road base, geotextile, ballast material etc.) was observed across some of the site surface but there were no obvious visual or olfactory indications of significant contamination present (such as staining, odours, dumped material or vegetation stress). Two stormwater drains extending from the Powerhouse Road were observed along the western boundary of the site and a water retention pond was present at the southern end of the site, however, this area is likely to be outside of the design footprint of the northern rail access option. Land use surrounding the site has evolved from vacant bushland to residential, commercial and industrial uses since the 1970s until the present day.

Findings and recommendations

Based on the review of available information, it is considered that there is limited potential for contamination to exist. There is the potential for buried waste and tipped waste (potentially including asbestos containing materials) and imported fill to be present and potential impacts from dispersed aerial deposition of contaminants from the roadway and former Casula power station and deposition of potential contaminant via stormwater drainage from the adjacent road. Due to the landfill located to the south and the inferred northeasterly groundwater flow direction, there may also be the potential for contamination from offsite to have migrated beneath the site through groundwater flow.

It is recommended that at subsequent project approval stages (under the NSW Environmental Planning and Assessment Act 1979) an intrusive soil and groundwater investigation be undertaken to gather site specific data on soil and groundwater quality within the design footprint of the proposed northern rail access option so that remediation requirements can be evaluated (if required) prior to development of the site.

Introduction

Parsons Brinckerhoff Pty Ltd (Parsons Brinckerhoff) was commissioned by Moorebank Intermodal Company (MIC) to undertake a site walkover of an area of open space along the western bank of the Georges River, Casula NSW identified as part of Lot 10 in DP881265 (the site). The walkover was undertaken to augment the Phase 1 environmental site assessment (ESA) that was prepared by Parsons Brinckerhoff in October 2012. The site location is presented in section 8 Figure 1.

The site, which covers approximately 12.4ha, is being considered as one of three potential options for the construction of a rail link to connect the proposed Moorebank Intermodal Terminal (IMT) site to the Southern Sydney Freight Line (SSFL) and road entry and exit points from Moorebank Avenue. At the time of preparing this Phase 1 ESA, three separate rail access options are being considered, which are:

- northern rail access option with rail access from the north-western corner of the Moorebank IMT site, passing through the former Casula Powerhouse Golf Course (which is currently owned by Liverpool City Council (LCC)) and crossing the Georges River and floodplain;
- central rail access option with rail access from the centre of the western boundary of the Moorebank IMT site, passing through Commonwealth land on the western bank of the Georges River (also referred to as the 'hourglass land'); and
- southern rail access option rail access from the south-western corner of the Moorebank IMT site, passing through the Glenfield Landfill site (owned by Glenfield Waste Services (GWS)) and crossing the Georges River and floodplain.

The site subject to this Phase 1 ESA is known as the northern rail access option, presented in Figure 2 section 8. The area that would be impacted by the construction footprint of the northern rail access option is approximately 10.5 ha based on the concept design. The Moorebank IMT site and the other rail access options are the subject of separate ESA reports.

The Phase 1 ESA was completed by Parsons Brinckerhoff in October 2012 in order to assess the potential for contamination to exist at the site with the purpose of evaluating the feasibility of the northern rail access option. A review of available site information was undertaken to evaluate the environmental setting and potential contamination concerns at the site. This included a review of regional and local geological and hydrological information including topographic maps, geological maps, registered groundwater bore records, relevant public records and council records. In May 2014 a site walkover was undertaken in order to augment the desktop study by establishing if any identifiable contaminant sources or visual or olfactory indicators of existing contamination were present at the site.

Objectives 1.1

The objectives of the Phase 1 ESA were to:

- assess the site history and historical uses of the site and surrounding land uses;
- undertake a site walkover to identify areas of potential environmental concern;
- assess the potential for any contamination identified to impact human health or environmental receptors relative to the proposed land use and the potential exposure pathways; and
- provide recommendations for additional works/site assessment.

1.2 Scope of works

The scope of works for the Phase 1 ESA comprised:

- desktop review including:
 - identification of the site, including location of surrounding infrastructure, area, boundaries and title descriptions;
 - a review of aerial photographs;
 - a review of historical land titles;
 - a review of council records (Section 149 certificates);
 - a review of the local geology, hydrology and hydrogeology;
- a site walkover (5 May 2014); and
- preparation of a Phase 1 ESA report.

2. Site setting

2.1 Location

The site comprises a strip of land along the western bank of the Georges River which is located approximately 30 km south-west of Sydney, between Liverpool and Campbelltown. The site is located to the west of the School of Military Engineering (SME) at Moorebank and to the south of the M5 South Western Motorway. The coordinates for the arbitrary central point of the site are easting 307537 and northing 6242151.

The site covers an area of approximately 12.4 ha comprising public open space used for recreational purposes with grassland, trees, footpaths and a cycleway. The area that would be impacted by the construction footprint of the northern rail access option is approximately 10.5 ha based on the concept design. The site can be accessed all along the western boundary from the newly constructed Powerhouse Road which runs north to south. The SSFL runs north to south on the western side Powerhouse Road (refer to Figure 1 section 8).

2.2 Surrounding land uses

The land use surrounding the site consists of:

- north M5 South Western Motorway and industrial, commercial and residential land beyond;
- east SME, Moorebank Avenue and the Defence National Storage and Distribution Centre (DNSDC) beyond;
- south former quarry and current Glenfield Waste Services (GWS) landfill and waste transfer station, a decommissioned diesel fuelled power station (now the Casula Powerhouse Arts Centre), the Casula railway station and residential properties beyond; and
- west Powerhouse Road and the Main South/Cumberland Rail Line and the SSFL and residential properties of Casula and the Hume Highway beyond.

The Environmental Protection Licence (EPL) for the adjacent GWS landfill is held by L.A. Kennett Enterprises Pty Ltd trading as Glenfield Waste Disposal. The EPL (Number 4614) stipulates that the landfill is permitted to accept non putrescible general solid waste and waste tyres and permitted activities are nonthermal treatment of general waste, waste storage, waste disposal by application to land, crushing, grinding or separating and land-based extractive activity. The depth of the waste landfilled including capping and any other material placed above the cap must not exceed 30 metres.

The decommissioned power station was built in 1953 and fuelled by oil and coal. The power station was decommissioned in 1976 and remained disused until 1994 when it was redeveloped as a multi-arts facility. No details are known of the decommissioning.

The site and surrounding features are shown in Figure 3, section 8.

2.3 Physical setting

2.3.1 Regional and local geology

The Department of Mineral Resources Penrith 1:100,000 geological series sheet 9030 showed that the underlying geology comprises silts, sands and clays from quaternary fluvial deposition underlain by tertiary clayey sand and clay. The alluvial deposits overlay shales of the Wianamatta group which are typically black to dark grey shales and laminates from the Triassic period.

2.3.2 Topography and hydrology

A review of topographical data provided by the Department of Lands Spatial Information Exchange showed that the site lies at an approximate elevation of 10 m Australian Height Datum (AHD). Based on the local topography, it is considered that surface water is likely to flow across the site to the north and north-east towards the Georges River.

Part of the land is affected by flood inundation and therefore flood related development controls are applicable. Development of the project site has been planned around existing regional flooding constraints which are in line with the NSW Flood Prone Land policy as outlined in the NSW Floodplain Development Manual (DIPNR 2005). Technical Paper 6 – *Surface water assessment* prepared by Parsons Brinckerhoff (June 2014) identified that the impacts from the project on regional flooding are relatively minor and do not significantly affect the existing flood risk associated with the Georges River and its floodplain.

2.3.3 Acid sulfate soils

Acid sulfate soils (ASS) are acidic soil horizons or layers resulting from the aeration of soil materials that are rich in iron sulfides, primarily pyrite (FeS₂). They are likely to be present in marine and estuarine sediments of the recent (Holocene) geological age, soils usually not more than 5 m above mean sea level and in marine or estuarine settings.

Landform elements in which the geomorphic processes have been suitable for the formation of ASS have been classed as having a 'high probability of occurrence'. These landforms include sediments of estuaries, rivers, creeks and lakes. Where environments have not generally been suitable for ASS formation, or where ASS is highly localised or sporadic, they have been classed as having a 'low probability of occurrence'. In general, landforms above 10 m AHD are classed as having no known occurrence of ASS.

A review of the ASS risk maps from the online CSIRO Australian Soil Resource Information System showed a low probability of ASS across the site. However, based on previous site investigation (Parsons Brinckerhoff 2011) potential ASS is known to exist to the immediate south east of the site on the eastern side of the Georges River.

2.3.4 Regional and local hydrogeology

Groundwater is likely to be present in the alluvium and shale. Alluvial deposits occur in valleys, creeks and river beds in the region. The alluvial deposits are generally shallow, discontinuous and relatively permeable and are likely to be responsive to rainfall and stream flow. The shallow alluvium is likely to be hydraulically connected to the Georges River. Groundwater from within the alluvium is likely to sustain groundwater dependent ecosystems. Locally groundwater flow is likely to be towards the Georges River.

In contrast, groundwater within the shale is likely to be characterised by more saline conditions. Regionally, the shale generally has a low hydraulic conductivity and thus behaves as an aquitard, restricting groundwater flow into the underlying Hawkesbury Sandstone unit. Locally, groundwater is likely to flow along the interface of the shale and alluvium following the gradient of the shale. During previous works undertaken on the adjacent site (Parsons Brinckerhoff 2011), shallow groundwater was encountered within the alluvium at a minimum depth of 5.2 m below ground level (m BGL).

2.3.5 Groundwater database search

A search of the NSW Office of Water licensed borehole register showed that 13 registered bores are present within a 1 km radius of the site. A summary is provided in Table 2.1.

Table 2.1 Groundwater database search results summary

Bore ID	Authorised purpose	Approximate distance (m) and direction	Date installed	SWL (m BTOC)	Total depth (m)
GW109798	Monitoring	250 south	Jan-2007	Unknown	29.8
GW109802	Monitoring	100 west	Jan-2007	Unknown	10.0
GW110390	Monitoring	200 north-east	Sep-2005	7.2	9
GW110391	Monitoring	200 north-east	Sep-2005	7.5	8.7
GW110392	Monitoring	200 north-east	Sep-2005	7.3	8.5
GW110393	Monitoring	200 north-east	Sep-2005	7.8	9
GW110394	Monitoring	200 north-east	Sep-2005	9.4	10
GW110395	Monitoring	200 north-east	Sep-2005	6.8	8.5
GW110386	Monitoring	200 north-east	Sep-2005	6	8.5
GW110387	Monitoring	200 north-east	Sep-2005	8	10
GW110388	Monitoring	200 north-east	Sep-2005	7.6	10
GW110389	Monitoring	200 north-east	Sep-2005	7.9	10
GW016829	Domestic	900 north-east	Feb-1958	3.6	5.4

Source: **NSW Natural Resource Atlas** m BTOC: metres below top of casing

SWL: standing water level

The majority of the bores identified are monitoring bores associated with ABB Transmissions Pty Ltd located north of the site on the eastern side of the Georges River and Glenfield Waste Services located to the south of the site on the western side of the Georges River. Bore search information is provided in Appendix A for reference and a map showing the registered borehole locations is provided in Figure 4 section 8.

2.4 Site walkover

The site was inspected by Parsons Brinckerhoff environmental scientists on 5 May 2014. The following observations were noted:

- The site was grass covered with trees and shrubs with more dense vegetation on the eastern boundary of the site along the bank of the Georges River.
- A concrete cycleway/footpath traverses the site from north to south (terminating at the Casula Powerhouse) adjacent with the bank of the Georges River along the eastern boundary.
- The site is unfenced with access along the western boundary from Powerhouse Road. A chain wire panel fence (considered likely to be associated with the former golf course) was present in the central area of the site. This fence was in good condition.
- The northern area of the site was low lying with signage indicating that this area was prone to flooding in periods of heavy rain.
- Some mounds and depressions did exist at the site. These were generally covered with vegetation suggesting they were well established. No obvious evidence of dumping/fly tipping of wastes was observed.
- The site appears to have been recently graded from the newly constructed Powerhouse Road gently sloping downwards towards the Georges River. Grass cover in this area was sparse with fill material scattered over the surface including concrete, ballast like stones, road base material within a sandy clay matrix. Fragments of brick, geotextile (silt fence) and plastic fragments were also observed across the site surface.
- Two stormwater drains, which appeared to provide drainage outflow of stormwater from the up gradient Powerhouse Road and SSFL were situated present along the side of the site. These comprised of a concrete outflow pipe with sandstone blocks.
- No monitoring or abstraction wells were observed to be present at the site.
- Stormwater retention ponds were present in the southern portion of the site although these are situated outside of the proposed northern rail access option footprint.
- There were no visible impacts observed that may be indicative of contamination such as surface staining, discolouration or retarded or stressed vegetation.

Photographs taken during the site walkover are provided in Appendix B.

Site history

Land titles search 3.1

Historical land title information for Lot 10 in DP881265 has been summarised in Table 3.1.

Table 3.1 Titles search summary

Dates	Ownership Details
1972-Present	the Council of the City of Liverpool
1969–1971	Birnleigh Investments Pty Limited
1969	John Hitter (Sydney) Pty Limited
1952–1969	Liverpool Golf Club Limited
1945–1955	leased to John Gillick Marsden and Jack Jones hotelkeepers and Charles Clark, orchardist
1943–1952	Thomas Ashcroft, electrical engineer and John Edward Kidd, Company Director
1939–1945	leased to Francis Augustine Crowe, grazier
1938–1943	Thomas Ashcroft, electrical engineer/trustee and Geoffrey William Andrew, engineer/trustee
1923–1938	Leslie James Ashcroft, master butcher
1910–1923	Edward James Ashcroft, butcher

Title search documentation (held by the NSW Land and Property Information) is provided in Appendix C.

3.2 Section 149 (2) and (5) planning certificate information

Section 149 (2) and (5) planning certificates were acquired from the Liverpool City Council. A review of this information showed that the site is subject to the following local, regional and development plans:

- Liverpool Local Environment Plan 2008;
- Liverpool Development Control Plan 2008 (as amended); and
- Greater Metropolitan Regional Environment Plan No. 2- Georges River Catchment.

Relevant information has been summarised in Table 3.2.

Table 3.2 S149 search summary

Subject	Detail
Zoning	RE1 Public Recreation SP2 Infrastructure, Classified Road.
Critical habitat	No
Conservation area	No

Subject	Detail
Environmental heritage	Yes. An item of the Environmental Heritage is situated on the land comprising two railway viaducts, located on Woodbrook Road, Casula associated with the SSFL. These viaducts are items of local significance (as per Schedule 5 – Environmental Heritage under Liverpool Local Environmental Plan (LEP) 2008). It is not considered that the proposed development or potential contamination would have a detrimental effect to the heritage items identified.
Mine subsidence	No
Coastal Protection Act 1979	No
Bushfire prone land	Yes
Flood related controls	Yes. The property is affected by flood inundation and therefore the controls applying to all forms of development contained with the Liverpool Local Environmental Plan 2008 and Development Control Plan 2008 apply to this property. Based on the concept design, flood liable land has been designated for a conservation area has been purposefully avoided for construction.
Tree preservation provisions	Yes. The land is subject to a tree preservation provision under the Liverpool LEP 2008.
Notices	No
Environmentally significant land	Yes. The subject property is identified as containing environmentally significant land under Division 2 General provisions of the Liverpool LEP 2008.
Archeological management plan	No
Unhealthy building land proclamation	No
Matters arising to the Contaminated Land Management Act 2009	No
Contaminated land	No

Source: Liverpool City Council S149 Records

A copy of the Section 149 certificate is provided in Appendix D.

3.3 NSW EPA online notice records database search

An online search of the NSW EPA Contaminated Land Records Database returned no notice records for the site. An online search of the NSW EPA Contaminated Land Records Database returned no notice records for the Project site. One site was identified within a 5km radius the central alignment study area that was subject to notice.

Nine records (eight former and one current) were returned for ABB Transmissions Pty Ltd (ABB) located on Bapaume Road to the north on the eastern side of the Georges River to the north of the main Moorebank IMT Site Area. Notices have been issued under Section 35 of the *Environmentally Hazardous Chemicals (EHC) Act 1985*. The notices dated between 1990 and 2013 detailed that the premises are reasonably believed to be affected by chemical contamination including polychlorinated biphenyl (PCB) compounds. The site is subject to an ongoing maintenance order associated with PCB contamination. Based on the geographical location in relation to the Phase 1 study area and separation by the Georges River, it is not considered that ABB constitutes an offsite source of contamination to the central alignment area.

A copy of the management order is in Appendix E for reference.

3.4 Dangerous goods

A WorkCover search was not undertaken for the site as a letter of authority from the landowner (Liverpool City Council) could not be obtained.

Aerial photographs 3.5

Available historical aerial photographs dating back to 1930 were reviewed to assess any major changes to the site and surrounding areas over time. No available aerial photos have been identified prior to 1930. The main features noted for the site and surrounding areas in each of the photographs are summarised in Table 3.3. Aerial photographs are provided in Appendix F.

Table 3.3 Aerial photograph review summary

Year	Site features and surrounding areas
Current	No significant change from previous record except vegetation appears to be less tended, likely due to the fact that the land is no longer utilised and maintained as a golf course. Extensive excavated areas visible on GWS landfill area to the south.
1994	No significant change on the site from 1986.
1986	Vegetation has become better established at the site but the general appearance of a golf course remains (including the apparent ponds and fairways). Increased residential development to the west (Casula).
1978	No significant change on the site from the previous description. Increased residential development to the west (Casula).
1970	It appears that the vegetation is sparse across the majority of the site with some darker circular and linear areas visible (thought to be ponds, fairways and greens associated with the golf course).
1965	It appears that the vegetation has been removed across the majority of the site with some circular areas visible (thought to be ponds). Some quarrying activity is visible in the GWS area to the south of the site, while there is vacant land with increased residential development beyond.
1961	Vacant land with appearance of a pond in the north of the site and some ground disturbance in the central area of the site. Initial stages of residential land use can be seen in the surrounding areas with road networks developing beyond. The Liverpool to Holsworthy Rail line is visible. A number of surface water ponds/tributaries are also noted on the western bank of the Georges River, thought to be associated with the development of the golf course.
1930	Sparsely vegetated farmland. The current Glenfield Waste Services (GWS) landfill appears to be farmland.

Historical aerial photographs can be obtained from NSW Land and Property Information. Source:

3.6 Historical land use summary

Site 3.6.1

From the historical land use records reviewed, it appears the site has generally been used as farmland from the 1930s to 1950s, and then it was used for recreational purpose as a golf course until the mid-1990s. More recently a cycleway and footpath has been constructed in a north-south direction on the eastern side of the site and Powerhouse Road has been constructed along the western boundary between the site and the SSFL providing access to Casula Powerhouse. The site is now public open space.

3.6.2 Surroundings

Residential and industrial developments have gradually increased in the area since the 1970s with transport infrastructure increasing with the construction of the M5 Motorway to the north, the East Hills Rail Line to the south-west and the SSFL to the east. Areas surrounding the site can be generally characterised by industrial and residential land uses.

3.7 Reliance on source information

Historical information has been obtained from government held land use records and is considered reliable. Identified data gaps in information include the following:

- interpretation of low resolution aerial images; and
- WorkCover Dangerous Goods records were not obtained/reviewed.

Notwithstanding the data gaps identified above, Parsons Brinckerhoff considers that the information reviewed as part of this Phase 1 ESA is reliable and is adequate to inform the conclusions and recommendations presented in this report.

Potential for contamination

Conceptual site model 4.1

The conceptual site model (CSM) has been developed based on the available information to outline the potential sources of impacts, transport mechanisms and receptors based on the site setting including surrounding land uses. For a potential risk to be present, a source, a receptor (human or environmental) and a pathway between the source and receptor must be present for a complete exposure pathway to exist. The CSM is summarised in Table 4.1.

Table 4.1 Conceptual site model

CSM inputs	Factors (contaminants of potential concern)
Potential sources	Residual contamination in surface soils affected by historical aerial contaminants dispersed from adjacent site uses (roadway, railway) (including but not limited to petroleum hydrocarbons (TPH), benzene, toluene, ethylbenzene, xylene (BTEX), heavy metals and polycyclic aromatic hdyrocarbons (PAH))
	Residual contamination in surface soils due to the application of fertilizers and pesticides used historically in golf course maintenance (including but not limited to organochlorine and organophosphorous pesticides and herbicides)
	Residual contamination associated with the former diesel fuelled power station (TPH,BTEX and PAH)
	Buried fill and soils (potentially contaminated with asbestos containing materials (ACM))
	Imported fill used in grading of the former golf course and recently constructed Powerhouse Road (including but not limited to TPH, PAH, heavy metals and asbestos)
	Stormwater, surface waters and sediments in existing retention ponds
	Residual soils that may have the potential to be acid generating if exposed (PASS)
	Leachate and contaminated groundwater from adjacent landfill (including but not limited to TPH, BTEX, PAHs, heavy metals, polychlorinated biphenyl (PCBs), ammonia, nitrogen and dissolved methane)
	The potential for the presence of landfill gas (including methane, carbon dioxide and hydrogen sulfide) associated with the adjacent landfill
Potential	Direct contact with contaminated surface soils (dermal contact, ingestion and inhalation
pathways	Migration of airborne dust during ground disturbance of surface soils impacted by contamination
	Leaching and migration of contaminants from surface soils vertically into underlying groundwater systems and migration/seepage including lateral migration of contaminated water through preferential pathways such as drainage lines or geological features
	Direct contact with surface water or groundwater via pumping to other areas of the site or abstraction of potentially impacted groundwater from the identified registered bores
Potential	Landfill gas migration from adjacent land via soil or groundwater
receptors	Current and future site users and utility/construction personnel involved in ground disturbance activities
	Offsite receptors if contaminants become airborne in dust and particulates
	Groundwater beneath the site and potential down gradient users of abstracted groundwater for domestic use
	Leaching and migration of contaminants from surface soils to surface waters on and adjacent to the site

CSM inputs	Factors (contaminants of potential concern)	
	Terrestrial ecosystems	
	Items of Environmental Heritage situated at the site	

If contamination were to exist in the subsurface, the key exposure pathways would likely be via direct contact with soils, surface water or groundwater (dermal contact, ingestion and inhalation) by construction/utility workers, site users and through the migration of airborne dust to offsite receptors and uptake via dermal contact, ingestion and inhalation.

4.2 Potential offsite sources of contamination

Two potentially polluting operations have been identified in the near vicinity of the site

- ABB Transmissions Pty Ltd (ABB) is located to the north-east of the site on the eastern bank of the Georges River. ABB are involved in the manufacture of electrical and electronic equipment such as switch gear and transformers. An online search of the NSW EPA Contaminated Land Record database returned nine records (eight inactive and one current) for ABB Power Transmissions Pty Ltd facility under the *Environmentally Hazardous Chemical Act, 1985*. Notices detailed that chemical wastes, including polychlorinated biphenyl (PCB) contamination was considered to be present at the premises.
- Glenfield Waste Services (GWS) is an active landfill and waste transfer facility located to the south and hydraulically up gradient of the site. The landfill has the potential to cause contamination that may affect the site should impacted groundwater (if any) have migrated from the landfill. The potential for the presence of landfill gas beneath the site associated with the adjacent landfill is considered to be low based on the nature of the landfill which is only licensed to accept non-putrescible materials and the distance of the landfill from the site.

Conclusions and recommendations

The Phase 1 ESA comprising a desktop study and site walkover was completed to assess the potential contamination issues with the purpose of evaluating the feasibility of the site for the future proposed use as the Moorebank IMT. The Project includes a rail link connecting the proposed Moorebank IMT to the SSFL.

At the time of preparing this Phase 1 ESA, three separate rail access options were being considered. The site subject to this Phase 1 ESA is known as the northern rail access option with rail access from the northwestern corner of the Moorebank IMT site, passing through the former Casula Powerhouse Golf Course and crossing the Georges River and floodplain.

The scope of works for the Phase 1 ESA comprised a desktop review including identification of the site, a review of aerial photographs, historical land titles, council records, local geology, hydrology and hydrogeology, a site walkover (undertaken 5 May 2014) and preparation of a Phase 1 ESA report. No previous reports pertaining to the environmental condition of the land are known.

The site is owned by Liverpool City Council and is currently public open space. The site covers an area of approximately 12.4 ha and is undulating with sparse to moderate vegetation cover. The area that would be impacted by the construction footprint of the northern rail access option is approximately 10.5 ha based on the concept design. The site is underlain by alluvial sands, silts and clays overlying shale and sandstone. The inferred groundwater flow direction is considered likely to be towards the north-east in the direction of the Georges River which flows to the north along eastern boundary of the site. Based on a review of aerial photographs, it appears that the site has generally been used as farmland from the 1930s to 1950s when it was then developed for recreational use as a public golf course until the mid-1990s.

Based on the review of available information for the site and the site walkover, it is considered that there is limited potential for contamination to exist. However, there is the potential for buried waste and tipped waste (potentially including ACMs) and imported fill to be present and for adjacent site uses, to have impacted the condition of the land, with contaminants of concern including, but not limited to TPH, PAH, PCBs, heavy metals and asbestos). There may also be contaminant impacts associated with the stormwater outflows located along the western side of the site and the water retention pond located in the southern area of the site (although these areas are likely to be outside of the northern rail access option construction footprint based on the current concept design). Due to the previous use of the site as a public golf course, there may also be the potential for contaminants associated with the application of fertilizers and pesticides used in golf course maintenance.

Due to the landfill located to the south (GWS) and the inferred north-easterly groundwater flow direction, there may also be the potential contamination from offsite to have migrated onsite through groundwater flow including landfill leachate and/or or landfill gases (methane, carbon dioxide and hydrogen sulfide). Should landfill gases be present beneath the site, there is a potential risk of exposure to hazardous gases via inhalation and the potential for explosive atmospheres to be generated. Migration of potential contamination associated with the EPA public notice records listed for ABB is considered less likely to impact the study site due to the Georges River which flows between the two areas of land.

If contamination were to exist in the subsurface, the key exposure pathways would likely be via direct contact with soils, surface water or groundwater (dermal contact, ingestion and inhalation) by construction/utility workers, site users and future land users and through the migration of airborne dust to on and offsite receptors and uptake via dermal contact, ingestion and inhalation. It is considered that these exposure pathways can be adequately managed by implementing good health and safety practices during any future works to avoid contact with potentially contaminated soils and groundwater.

It is recommended that at subsequent project approval stages (under the NSW Environmental Planning and Assessment Act 1979), a targeted intrusive soil investigation be undertaken in order to gather data on soil and groundwater quality so that management and/or remediation options can be evaluated (if required) prior to any development of the site. Such an investigation may also serve to gather additional information on the geotechnical suitability of the subsurface for the proposed development as required.

6. Limitations

Scope of services

This environmental site assessment report (the report) has been prepared in accordance with the scope of services set out in the contract, or as otherwise agreed, between the client and Parsons Brinckerhoff (scope of services). In some circumstances the scope of services may have been limited by a range of factors such as time, budget, access and/or site disturbance constraints.

Reliance on data

In preparing the report, Parsons Brinckerhoff has relied upon data, surveys, analyses, designs, plans and other information provided by the client and other individuals and organisations, most of which are referred to in the report (the data). Except as otherwise stated in the report, Parsons Brinckerhoff has not verified the accuracy or completeness of the data. To the extent that the statements, opinions, facts, information, conclusions and/or recommendations in the report (conclusions) are based in whole or part on the data, those conclusions are contingent upon the accuracy and completeness of the data. Parsons Brinckerhoff will not be liable in relation to incorrect conclusions should any data, information or condition be incorrect or have been concealed, withheld, misrepresented or otherwise not fully disclosed to Parsons Brinckerhoff.

Environmental conclusions

In accordance with the scope of services, Parsons Brinckerhoff has relied upon the data and has not conducted any environmental field monitoring or testing in the preparation of the report. The conclusions are based upon the data and visual observations and are therefore merely indicative of the environmental condition of the site at the time of preparing the report, including the presence or otherwise of contaminants or emissions.

Within the limitations imposed by the scope of services, the assessment of the site and preparation of this report have been undertaken and performed in a professional manner, in accordance with generally accepted practices and using a degree of skill and care ordinarily exercised by reputable environmental consultants under similar circumstances. No other warranty, expressed or implied, is made.

Report for benefit of client

The report has been prepared for the benefit of the client (MIC) and no other party. Parsons Brinckerhoff assumes no responsibility and will not be liable to any other person or organisation for or in relation to any matter dealt with or conclusions expressed in the report, or for any loss or damage suffered by any other person or organisation arising from matters dealt with or conclusions expressed in the report (including without limitation matters arising from any negligent act or omission of Parsons Brinckerhoff or for any loss or damage suffered by any other party in relying upon the matters dealt with or conclusions expressed in the report). Other parties should not rely upon the report or the accuracy or completeness of any conclusions and should make their own enquiries and obtain independent advice in relation to such matters.

Other limitations


Parsons Brinckerhoff will not be liable to update or revise the report to take into account any events, emergent circumstances or facts occurring or becoming apparent after the date of the report.

The scope of services did not include any assessment of the title to nor ownership of the properties, buildings and structures referred to in the report, nor the application or interpretation of laws in the jurisdiction in which those properties, buildings and structures are located.

References

- ANZECC (1992) Australian and New Zealand Guidelines for the Assessment and Management of Contaminated Sites.
- Department of Lands Spatial Information Exchange http://gsp.maps.nsw.gov.au.
- Department of Land and Water Conservation (1998) Guidelines for the use of acid sulfate soils risk maps (2nd Edition) - March 1998.
- Department of Mineral Resources (1991), Penrith 1:100,000 Geological Series Sheet 9030.
- NSW EPA Contaminated Land Records Database http://www.environment.nsw.gov.au/prclmapp/searchregister.aspx.
- NSW Land and Property Information http://www.lpi.nsw.gov.au/.
- NSW Natural Resource Atlas http://www.nratlas.nsw.gov.au.
- Parsons Brinckerhoff (2014), Moorebank Intermodal Terminal Surface Water Assessment (Reference 2103829E-TPT-REP-003 RevA).


8. Figures





Rail line & station

Study area

Figure 1: Site location







Appendix A

Registered groundwater bore search information



For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW109798

Works Details (top)

GROUNDWATER NUMBER GW109798 **LIC-NUM** 10BL601720

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Bore

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2007-01-29
FINAL-DEPTH (metres) 29.80
DRILLED-DEPTH (metres) 29.80

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY GLENFIELD WASTE DISPOSALS

GWMA -GW-ZONE -STANDING-WATER-LEVEL

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6240724.00 EASTING 306970.00 LATITUDE 33 57' 23" LONGITUDE 150 54' 40"

Form-A (top)

COUNTY CUMBERLAND

PARISH MINTO PORTION-LOT-DP 22//230435

Licensed (top)

COUNTY CUMBERLAND

PARISH MINTO PORTION-LOT-DP 22 230435

Construction (top)

Negative depths indicate Above Ground Level; H-Hole; P-Pipe; OD-Outside Diameter; ID-Inside Diameter; C-Cemented; SL-Slot Length; A-Aperture; GS-Grain Size; Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	10.00	100			Auger - Solid Flight
1		Hole	Hole	10.00	29.80	100			Auger - Solid Flight
1	1	Casing	P.V.C.	-0.70	23.80	50			Screwed
1	1	Opening	Screen	23.80	29.80	50			PVC; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 2- 5mm

Water Bearing Zones (top)

no details

FROM TO	THICKNESS	DESC	GEO- MATERIAL	COMMENT
0.00 3.50	3.50	SANDY CLAY, BROWN, FINE TO MEDIUM GRAINED		
3.50 9.00	5.50	SANDY CLAY,LIGHT GREY,DRY TO MOIST		
9.00 10.00	1.00	SILTY SAND,WET BROWN,DARK GREY,COURSE GRAINED		
10.00 20.50	10.50	SHALE,DARK GREY,MEDIUM STRENGTH,TRACE CLAY		

20.50	22.50 2.00	SHALE.LAMINATED SANDSTONE,DARK GREY
22.50	29.80 7.30	SANDSTONE, LIGHT GREY, MEDIUM GRAINED

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110390

Works Details (top)

GROUNDWATER NUMBER GW110390 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-06

FINAL-DEPTH (metres) 9.00 DRILLED-DEPTH (metres) 9.00

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA GW-ZONE STANDING-WATER-LEVEL 7.20

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE

SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242487.00 EASTING 307849.00 LATITUDE 33 56' 26" LONGITUDE 150 55' 15"

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level; H-Hole; P-Pipe; OD-Outside Diameter; ID-Inside Diameter; C-Cemented; SL-Slot Length; A-Aperture; GS-Grain Size; Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	9.00	125			Auger - Solid Flight
1	1	Casing	PVC Class 18	0.00	5.90	63			Screwed; Seated on Bottom
1	1	Opening	Screen	5.90	8.90	63			PVC Class 18; A: .4mm; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 1- 2mm

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
7.20	9.00	1.80		7.20					

FROM	TO	THICKNESS	DESC	GEO-MATERIAL COMMENT
0.00	0.70	0.70	FILL, SANDY SILT	
0.70	1.30	0.60	FILL,SANDY CLAY	
1.30	3.50	2.20	SANDY CLAY, RED BROWN	
3.50	4.50	1.00	CLAYEY SAND, FINE/M/GRAINED	

4.50 9.00 4.50 SANDY CLAY, GREY, L/BROWN MOTTLING.

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110391

Works Details (top)

GROUNDWATER NUMBER GW110391 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-05

FINAL-DEPTH (metres) 8.70

DRILLED-DEPTH (metres) 8.70

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA - GW-ZONE - STANDING-WATER-LEVEL 7.50

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242439.00 EASTING 307916.00 LATITUDE 33 56' 28" LONGITUDE 150 55' 18"

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	8.70	125			Auger - Solid Flight
1	1	Casing	PVC Class 18	0.00	4.70	63			Screwed; Seated
1	1	Opening	Screen	5.70	8.70	63			PVC Class 18; A: .4mm; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 1- 2mm

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
7.20	8.70	1.50		7.50					

FROM	TO	THICKNESS	DESC	GEO-MATERIAL COMMENT	
0.00	0.30	0.30	FILL,GRAVELLY SILT		
0.30	2.50	2.20	SAND,FINE,RED/BROWN		
2.50	3.50	1.00	SANDY CLAY, RED/BROWN		
3.50	4.40	0.90	SILTY SAND,LIGHT BROWN		
4.40	8.70	4.30	SAND,FINE,M/GRAINED,RED/BROWN		

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110392

Works Details (top)

GROUNDWATER NUMBER GW110392 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-05

FINAL-DEPTH (metres) 8.50 DRILLED-DEPTH (metres) 8.50

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA GW-ZONE STANDING-WATER-LEVEL 7.25

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN AREA-DISTRICT CMA-MAP GRID-ZONE

SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242504.00 EASTING 307902.00 LATITUDE 33 56' 26" LONGITUDE 150 55' 17"

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level; H-Hole; P-Pipe; OD-Outside Diameter; ID-Inside Diameter; C-Cemented; SL-Slot Length; A-Aperture; GS-Grain Size; Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD ID (mm) INTERVAL	DETAIL
1		Hole	Hole	0.00	8.50	125	Auger - Solid Flight
1	1	Casing	PVC Class 18	0.00	5.50	63	Screwed; Seated on Bottom
1	1	Opening	Screen	5.50	8.50	63	PVC Class 18; A: .4mm; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00		Graded; GS: 1- 2mm

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
7.00	8.50	1.50		7.25					

FROM	TO	THICKNESS	DESC	GEO-MATERIAL COMMENT
0.00	1.00	1.00	FILL,SAND,BROWN,DRY	
1.00	3.50	2.50	CLAYEY SAND, FINE TO MEDIUM GRAINED	
3.50	5.00	1.50	CLAY, RED/BROWN,FINE GRAINED SAND	
5.00	5.50	0.50	GRADING INTO SANDY CLAY, SOFT, DRY	

5.50 8.50 3.00

INCREASED SAND, RED/BROWN, MOIST, WET

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110393

Works Details (top)

GROUNDWATER NUMBER GW110393 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-05

FINAL-DEPTH (metres) 9.00 DRILLED-DEPTH (metres) 9.00

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA GW-ZONE STANDING-WATER-LEVEL 7.80

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242475.00 EASTING 307931.00 LATITUDE 33 56' 26" LONGITUDE 150 55' 18"

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level; H-Hole; P-Pipe; OD-Outside Diameter; ID-Inside Diameter; C-Cemented; SL-Slot Length; A-Aperture; GS-Grain Size; Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	9.00	125			Auger - Solid Flight
1	1	Casing	PVC Class 18	0.00	6.00	63			Screwed; Seated on Bottom
1	1	Opening	Screen	6.00	9.00	63			PVC Class 18; A: .4mm; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 1- 2mm

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
7.60	9.00	1.40		7.80					

FROM	TO	THICKNESS	DESC	GEO-MATERIAL COMMENT
0.00	0.30	0.30	FILL, SANDY GRAVEL	
0.30	2.50	2.20	SAND, FINE MEDIUM GRAINED	
2.50	3.40	0.90	SANDY CLAY, BROWN, SAND MOIST, SOFT	
3.40	4.50	1.10	CLAYEY SAND, FINE GRAINED	

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110394

Works Details (top)

GROUNDWATER NUMBER GW110394 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-06

FINAL-DEPTH (metres) 10.00

DRILLED-DEPTH (metres) 10.00

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA GW-ZONE STANDING-WATER-LEVEL 9.40

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE

SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242402.00 EASTING 307802.00 LATITUDE 33 56' 29" LONGITUDE 150 55' 13"

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level; H-Hole; P-Pipe; OD-Outside Diameter; ID-Inside Diameter; C-Cemented; SL-Slot Length; A-Aperture; GS-Grain Size; Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	10.00	125			Auger - Solid Flight
1	1	Casing	PVC Class 18	0.00	6.60	63			Screwed; Seated on Bottom
1	1	Opening	Screen	6.60	9.60	63			PVC Class 18; A: .4mm; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 1- 2mm

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
9.00	10.00	1.00		9.40					

FROM	ТО	THICKNESS	DESC	GEO- MATERIAL	COMMENT
0.00	0.05	0.05	ASPHALT		
0.05	0.20	0.15	CONCRETE		
0.20	0.70	0.50	FILL,SAND,RED/BROWN		

4.50	6.50 2.00	SANDY CLAY, FINE GRAINED SAND
6.50	9.00 2.50	CLAYEY SAND, FINE MEDIUM GRAINED

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110395

Works Details (top)

GROUNDWATER NUMBER GW110395 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-07

FINAL-DEPTH (metres) 8.50

DRILLED-DEPTH (metres) 8.50

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA - GW-ZONE - STANDING-WATER-LEVEL 6.80

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN AREA-DISTRICT CMA-MAP GRID-ZONE

SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242502.00 EASTING 307830.00 LATITUDE 33 56' 26" LONGITUDE 150 55' 14"

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level; H-Hole; P-Pipe; OD-Outside Diameter; ID-Inside Diameter; C-Cemented; SL-Slot Length; A-Aperture; GS-Grain Size; Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	8.50	125			Auger - Solid Flight
1	1	Casing	PVC Class 18	0.00	5.20	63			Screwed; Seated on Bottom
1	1	Opening	Screen	5.20	8.20	63			PVC Class 18; A: .4mm; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 1- 2mm

Water Bearing Zones (top)

no details

FROM	TO	THICKNESS	DESC	GEO-MATERIAL	COMMENT
0.00	0.90	0.90	FILL, GRAVELLY SAND		
0.90	1.50	0.60	SANDY CLAY L/PLASTICITY, RED/BROWN		
1.50	2.30	0.80	GRADING INTO CLAYEY SAND		
2.30	8.50	6.20	SAND,F/M/GRAINED,RED/BROWN/CLAY		

0.70	1.50	0.80	SILTY SAND,RED BROWN,SILT AND CLAY
1.50	4.00	2.50	GRADING INTO SAND, RED BROWN
4.00	6.50	2.50	SANDY CLAY, LOW PLASTICITY, STIFF, SOFT
6.50	10.00	3.50	CLAYEY SAND,FINE,TO MEDIUM GRAINED,RED,LOOSE

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110386

Works Details (top)

GROUNDWATER NUMBER GW110386 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-06

FINAL-DEPTH (metres) 8.50

DRILLED-DEPTH (metres) 8.50

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA GW-ZONE STANDING-WATER-LEVEL 6.00

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242396.00 EASTING 307864.00 LATITUDE 33 56' 29" LONGITUDE 150 55' 16"

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level; H-Hole; P-Pipe; OD-Outside Diameter; ID-Inside Diameter; C-Cemented; SL-Slot Length; A-Aperture; GS-Grain Size; Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	8.50	125			
1	1	Casing	PVC Class 18	0.00	5.20	63			Seated on Bottom
1	1	Opening	Screen	5.20	8.30	63			PVC Class 18; A: .4mm; Packer
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 1- 2mm

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
6.00	8.50	2.50		6.00					

Drillers Log (top)

FROM	TO	THICKNESS	DESC	GEO-MATERIAL CO	MMENT
0.00	0.50	0.50	FILL, GRAVELLY SAND		
0.50	4.10	3.60	SANDY CLAY, BROWN, FINE GRAINED		
4.10	6.50	2.40	SANDY CLAY, GREY, FINE GRAINED SAND		
6.50	8.50	2.00	CLAYEY SAND, FINE GRAINED, L/BROWN		

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110387

Works Details (top)

GROUNDWATER NUMBER GW110387 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-07
FINAL-DEPTH (metres) 10.00
DRILLED-DEPTH (metres) 10.00

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA GW-ZONE STANDING-WATER-LEVEL 8.00

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242475.00 EASTING 307897.00 LATITUDE 33 56' 26" LONGITUDE 150 55' 17"

GS-MAP

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level; H-Hole; P-Pipe; OD-Outside Diameter; ID-Inside Diameter; C-Cemented; SL-Slot Length; A-Aperture; GS-Grain Size; Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	10.00	125			Auger - Solid Flight
1	1	Casing	PVC Class 18	0.00	7.00	63			Screwed; Seated on Bottom
1	1	Opening	Screen	7.00	10.00	63			PVC Class 18; A: .4mm; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 1- 2mm

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
8.00	10.00	2.00		8.00					

Drillers Log (top)

FROM	ТО	THICKNESS	DESC	GEO- MATERIAL	COMMENT
0.00	0.20	0.20	ASPHALT		
0.20	0.90	0.70	FILL.SAND,BROWN,FINE,DRY,LOOSE		
0.90	1.90	1.00	CLAYEY SAND, FINE, M/GRAINED, L/BROWN		

1.90	3.30	1.40	CLAY, MODERATE PLASTICITY
3.30	4.80	1.50	SANDY CLAY, LOW PLASTICITY
4.80	7.00	2.20	SAND, FINE MEDIUM GRAINED, BROWN
7.00	8.80	1.80	CLAYEY SAND, FINE GRAINED, BROWN
8.80	10.00	1.20	SAND,FINE MEDIUM GRAINED,GREY,SOME CLAY

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110388

Works Details (top)

GROUNDWATER NUMBER GW110388 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-07 **FINAL-DEPTH (metres)** 10.00

DRILLED-DEPTH (metres)
CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA GW-ZONE STANDING-WATER-LEVEL 7.60

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242460.00 EASTING 307799.00 LATITUDE 33 56' 27" LONGITUDE 150 55' 13"

GS-MAP

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level; H-Hole; P-Pipe; OD-Outside Diameter; ID-Inside Diameter; C-Cemented; SL-Slot Length; A-Aperture; GS-Grain Size; Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	10.00	125			Auger - Solid Flight
1	1	Casing	PVC Class 18	0.00	6.50	63			Screwed; Seated on Bottom
1	1	Opening	Screen	6.50	9.50	63			PVC Class 18; A: .4mm; Screwed

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
7.60	10.00	2.40		7.60					

Drillers Log (top)

FROM TO	THICKNESS	DESC	GEO-MATERIAL COMMENT
0.00 0.10	0.10	ASPHALT	
0.10 0.30	0.20	FILL, SANDY GRAVEL	
0.30 0.80	0.50	FILL, SANDY SILT	
0.80 2.20	1.40	FILL,GRAVELLY SAND	
2.20 5.40	3.20	CLAYEY SAND	
5.40 6.60	1.20	SAND, FINE-MEDIUM GRAINED	
6.60 8.00	1.40	CLAYEY SAND, MEDIUM GRAINED	

8.00 10.00 2.00

SAND, MEDIUM GRAINED, BROWN, LOOSE

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW110389

Works Details (top)

GROUNDWATER NUMBER GW110389 **LIC-NUM** 10BL165522

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Well

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2005-09-06

FINAL-DEPTH (metres) 10.00 DRILLED-DEPTH (metres) 10.00

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY A B B AUSTRALIA

GWMA GW-ZONE STANDING-WATER-LEVEL 7.90

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN AREA-DISTRICT CMA-MAP GRID-ZONE

SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6242407.00 EASTING 307916.00 LATITUDE 33 56' 29" LONGITUDE 150 55' 18"

GS-MAP

Form-A (top)

COUNTY CUMBERLAND
PARISH HOLSWORTHY
PORTION-LOT-DP 2//32998

Licensed (top)

COUNTYPARISHPORTION-LOT-DPCUMBERLANDHOLSWORTHY

Construction (top)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL	DETAIL
1		Hole	Hole	0.00	10.00	125			Auger - Solid Flight
1	1	Casing	PVC Class 18	0.00	6.90	63			Screwed; Seated on Bottom
1	1	Opening	Screen	6.90	9.90	63			PVC Class 18; A: .4mm; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00				Graded; GS: 1- 2mm; Q: 33m ³

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO-DEPTH (metres)	THICKNESS (metres)	ROCK- CAT- DESC	S- W-L	D- D- L	YIELD	TEST-HOLE- DEPTH (metres)	DURATION	SALINITY
7.70	10.00	2.30		7.90					

Drillers Log (top)

FROM TO THICKNESS		THICKNESS	DESC	GEO- MATERIAL	COMMENT		
0.00	0.10	0.10	ASPHALT				
0.10	0.20	0.10	FILL,GRAVEL				

0.20	0.70	0.50	FILL CLAYEY SAND
0.70	1.30	0.60	FILL,GRAVELLY CLAYEY
1.30	2.40	1.10	CLAY, MODERATE, TO HIGH PLASTICITY
2.40	5.40	3.00	SANDY CLAY, FINE GRAINED SAND
5.40	6.50	1.10	CLAYEY SAND,L/BROWN,GREY MOTTLING
6.50	10.00	3.50	GRADING INTO SAND,M/GRAINED,RED BROWN

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Monday, October 11, 2010

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW016829

Works Details (top)

GROUNDWATER NUMBER GW016829
LIC-NUM 10BL007470
AUTHORISED-PURPOSES DOMESTIC
INTENDED-PURPOSES GENERAL USE

WORK-TYPE Well

WORK-STATUS (Unknown)
CONSTRUCTION-METHOD (Unknown)
OWNER-TYPE Private

COMMENCE-DATE

FINAL-DEPTH (metres) 5.40

DRILLED-DEPTH (metres) 0.00

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY N/A

GWMA 603 - SYDNEY BASIN

GW-ZONE -STANDING-WATER-LEVEL

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN 213 - SYDNEY COAST - GEORGES RIVER

AREA-DISTRICT

 CMA-MAP
 9030-2S

 GRID-ZONE
 56/1

 SCALE
 1:25,000

ELEVATION

 ELEVATION-SOURCE
 (Unknown)

 NORTHING
 6243074.00

 EASTING
 308350.00

 LATITUDE
 33 56' 7"

 LONGITUDE
 150 55' 35"

 GS-MAP
 0056D4

AMG-ZONE 56

COORD-SOURCE GD., ACC. MAP

REMARK

Form-A (top)

COUNTY CUMBERLAND PARISH HOLSWORTHY

PORTION-LOT-DP 58

Licensed (top)

COUNTY CUMBERLAND HOLSWORTHY PORTION-LOT-DP A 752034

Construction (top)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLI NO	E- PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD (mm)	ID (mm)	INTERVAL DETAIL
1	1	Casing	Concrete Cyloder	-0.90	-0.90	2006		(Unknown)

Water Bearing Zones (top)

FROM- DEPTH (metres)	TO- DEPTH (metres)	THICKNESS (metres)	ROCK- CAT-DESC	S- W-L	D- D- YIELD L	TEST- HOLE- DEPTH (metres)	DURATION SALINITY
4.20	5.40	1.20	(Unknown)	3.60	2.27		(Unknown)

Drillers Log (top)

no details

For information on the meaning of fields please see <u>Glossary</u> Document Generated on Friday, May 16, 2014

Print Report

Works Details Site Details Form A Licensed Construction Water Bearing Zones Drillers Log

Work Requested -- GW109802

Works Details (top)

GROUNDWATER NUMBER GW109802 **LIC-NUM** 10BL601720

AUTHORISED-PURPOSES MONITORING BORE **INTENDED-PURPOSES** MONITORING BORE

WORK-TYPE Bore

WORK-STATUS

CONSTRUCTION-METHOD Auger - Solid Flight

OWNER-TYPE Private

COMMENCE-DATE

COMPLETION-DATE 2007-01-29
FINAL-DEPTH (metres) 10.00

DRILLED-DEPTH (metres) 10.00

CONTRACTOR-NAME

DRILLER-NAME

PROPERTY GLENFIELD WASTE DISPOSALS

GWMA -GW-ZONE -STANDING-WATER-LEVEL

SALINITY YIELD

Site Details (top)

REGION 10 - SYDNEY SOUTH COAST

RIVER-BASIN
AREA-DISTRICT
CMA-MAP
GRID-ZONE
SCALE

ELEVATION

ELEVATION-SOURCE

NORTHING 6240725.00 EASTING 306967.00 LATITUDE 33 57' 23" LONGITUDE 150 54' 39"

GS-MAP

Form-A (top)

COUNTY CUMBERLAND

PARISH MINTO PORTION-LOT-DP 22//230435

Licensed (top)

COUNTY CUMBERLAND

PARISH MINTO PORTION-LOT-DP 22 230435

Construction (top)

Negative depths indicate Above Ground Level;H-Hole;P-Pipe;OD-Outside Diameter; ID-Inside Diameter;C-Cemented;SL-Slot Length;A-Aperture;GS-Grain Size;Q-Quantity

HOLE- NO	PIPE- NO	COMPONENT- CODE	COMPONENT- TYPE	DEPTH- FROM (metres)	DEPTH- TO (metres)	OD ID INTERVAL	DETAIL
1		Hole	Hole	0.00	10.00	100	Auger - Solid Flight
1	1	Casing	P.V.C.	-0.60	6.00	50	Screwed
1	1	Opening	Screen	6.00	10.00	50	PVC; Screwed
1		Annulus	Waterworn/Rounded	0.00	0.00		Graded; GS: 2- 5mm; Q: 4000m ³

Water Bearing Zones (top)

no details

Drillers Log (top)

FROM	ТО	THICKNESS	DESC	GEO- MATERIAL	COMMENT
0.00	3.50	3.50	SANDY CLAY,BROWN,FINE TO MEDIUM GRAINED,TRACE CLAY,DRY		
3.50	9.00	5.50	SANDY CLAY,LIGHT GREY,DRY TO MOIST		
9.00	10.00	1.00	SILTY SAND, WET, BROWN, DARK GREY		

Appendix B

Site photographs





Photograph 1: View east from cycleway towards the Georges River taken near the northern boundary of the Casula Powerhouse.



Photograph 2: View west from cycleway towards Powerhouse Road taken at the northern boundary of the Casula Powerhouse.



Photograph 3: View north west from cycleway towards southern rail line take near the northern boundary of the site.



Photograph 4: View south towards Casula Powerhouse taken near the southern boundary of the site (central footpath)

Appendix B: Site photographs



Photograph 5: Ballast mound near central footpath.



Photograph 6: Geotextile/silt fence identified along the central footpath in the central area of the site.



Photograph 7: Recently graded surface adjacent to Powerhouse Road (grass has not yet become established).



Photograph 8: Stormwater drain adjacent to Powerhouse Road.



Photograph 9: View east from Powerhouse Road at the southern end of site, steep embankment leading to retention ponds.



Photograph 10: View north east from Powerhouse Road at the southern end of site, steep embankment and water retention ponds.



Photograph 11: Existing fence in the central area of the site.



Photograph 12: Fill mound in the central area of the site adjacent to the cycle way.

Appendix B: Site photographs



Photograph 13 View north from the central area showing undulating topography (mounds and depressions).



Photograph 14 View west from the central area showing recently graded soils and Powerhouse Road beyond.



Land titles



ADVANCE LEGAL SEARCH PTY LIMITED

(ACN 077 067 068) ABN 49 077 067 068

PO Box 149 Telephone: +612 9754 1590 Yagoona NSW 2199 Mobile: 0412 169 809

Facsimile: +612 9754 1364 Email: <u>alsearch@optusnet.com.au</u>

28th October 2010

PARSONS BRINCKERHOFF AUSTRALIA PTY LIMITED GPO Box 5394, SYDNEY NSW 2001

Attention: Lisa Warwick

RE: Land Off, Georges River, Liverpool / Moorebank

Current Search

Folio Identifier 10/881265 (title attached)
DP 881265 (plan attached)
Dated 23rd October 2010
Registered Proprietor:
THE COUNCIL OF THE CITY OF LIVERPOOL

Title Tree Lot 10 DP 881265

Folio Identifier 10/881265

Folio Identifier 3/746078

Folio Identifier 1002/550917

Certificate of Title Volume 11746 Folio 151

Certificate of Title Volume 11636 Folio 137

Certificate of Title Volume 11575 Folio 134

Certificate of Title Volume 10444 Folio 10

Certificate of Title Volume 10027 Folios 44 & 45

Certificate of Title Volume 4207 Folio 212


Certificate of Title Volume 2047 Folio 210


Summary of Proprietors Lot 10 DP 881265


Year Proprietor


	(Lot 10 DP 881265)
1999 – todate	The Council of the City of Liverpool
	(Lot 3 DP 746078)
1993 – 1999	The Council of the City of Liverpool
	(Lot 1002 DP 550917)
1988 – 1993	The Council of the City of Liverpool
	(Lot 1002 DP 550917 – CTVol 11746 Fol 151)
1972 – 1988	The Council of the City of Liverpool
	(Lot 187 DP 241158 – CTVol 11636 Fol 137)
1971 – 1972	Birnleigh Investments Pty Limited
	(Lot 11 DP 547546 – CTVol 11575 Fol 134)
1971 – 1971	Birnleigh Investments Pty Limited
	(Lot 3 DP 229794 – CTVol 10444 Fol 10)
1969 – 1971	Birnleigh Investments Pty Limited
1969 – 1969	John Hitter (Sydney) Pty Limited
1966 – 1969	Liverpool Golf Club Limited
	(Lots 1 & 2 DP 515035 – CTVol 10027 Fol's 44 & 45)
1965 – 1966	Liverpool Golf Club Limited
	(Part Portion 270 Parish St Luke – Area 226 Acres 3 Roods
	34 ¾ Perches – CTVol 4207 Fol 212)
1952 – 1965	Liverpool Golf Club Limited
(1945 - 1955)	(lease to John Gillick Marsden and Jack Jones hotelkeepers and
1010 1070	Charles Clark, orchardist)
1943 – 1952	Thomas Ashcroft, electrical engineer
(1020 1045)	John Edward Kidd, company director
(1939 – 1945)	(lease to Francis Augustine Crowe, grazier)
1938 – 1943	Thomas Ashcroft, electrical engineer / trustee
1020 1020	Geoffrey William Andrew, engineer / trustee
1928 – 1938	Leslie James Ashcroft, master butcher (Part Portion 270 Parish St Luke and other lands – Area
	383 Acres 0 Roods 34 ³ / ₄ Perches – CTVol 2047 Fol 210)
1923 – 1928	Leslie James Ashcroft, master butcher
1923 – 1928	Edward James Ashcroft, butcher
1910 – 1923	Edward James Asheront, butcher


Ref	:R641114 /Doc:DP 0881265 P /Rev:02-Dec-1998 /Sts:OK.OK /Prt:25-Sep-2006 14:27 /Pgs:ALL /Seq:1 of 8 :ALSP /Src:M			
SURVEYOR'S REFERENCE: SP2014 CHECKL	Crown Lands Office Approval Crown Lands Office Approval Certificate Council Certificate Land District Land District Land District Land Solvidan of the Lead Surrement Act, 1937 (after Land Solvidan 2 of the Part of Solvidan 2 of the Part of Solvidan 2 of the Part of Corporation Act 1937 (after 10 to 12 ft of 1937) (after 10 to 12 ft of 1937) (after 10 to 12 ft of 1937) (after 10 to 13 ft of 1937) (af	EXECUTED FOR THE ROADS AND TRAFFIC AUTHORITY, N.S.W. BY ITS DELEGATE PAUL GREGORY PURSUANT TO DELEGATIONS BOOK 4008 NO.809 AND BOOK 4117 NO.182.	ments o create ts, rest enants.	PLAN FORM 2
IST	TATA PART OF MAN SOUTHERN ALLIAND SECIONATION TATA PART OF MAN SOUTHERN ALLIAND SECONDATION TATA PART DESIGNATION TATA	97°35'40" 5.025 LOT 22 IS UNLIMITED IN HEIGHT AND DEPTH EXCEPT FOR THAT PART DESIGNATED (S) WHICH IS LIMITED TO A STRATUM UNLIMITED IN DEPTH LYING BELOW A HORIZO PLANE AT R.L. 18 A.H.D. AS IDENTIFIED ON SHEET 7 A BOUNDARY OF LOT 14, WHICH EXCLUDES THOSE PARTS DESIGNATED (R) WHICH ARE LIMITED IN DEPTH TO A HORIZONTAL PLANE AT R.L. 11.8 A.H.D.	LOT IN IS A STRATUM A HORIZONTAL PLANE , INCLUSIVE OF THOSE P AND 5.5 m² SHOWN ON HEIGHT AND DEPTH EX (Q) WHICH ARE LIMITED	Plan Drawing only to appear
L LEAD TO REJECTION R.T.A. FILE : F5/259.1690 R.	506 600 20 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	46078 D. P. S65600 SER SING SING SING SING SING SING SING SING		in this space ————————————————————————————————————
R.T.A. PLAN: 6005 259 SS 0365	OF LAND TO BE RPOSES OF THE R OF LAND TO BE RPOSES OF THE R OF LAND TO BE RPOSES OF THE R LIVERP LIVERP LIVERP MOOREI ST. LU ST. LU ST. LU ST. LU ST. LU ST. LU HOLSW COMBER OR USE ONLY for sta to dedicate public ro serves, drainage rese ons on the use of lan to dedicate public ro serves, drainage rese ons on the use of lan b.P.746078; LOT of my pl (Delete if inappl) ST. LU ST. LU ST. LU HOLSW CUMBER CUMBER RESTRIC UNDARIES MARKED ONED: "NOT WITHIN A in "NOT WITHIN A i	Purpose: ROAD ACT 1999 Ref.Map: U 9/37-13,14 12,41	DP 881265 Registered:	* FICE USE ONLY













Section 149 certificates





 Ref.: EMAIL
 Cert. No.:
 2201

 Ppty: 12889
 Page No.:
 1

Applicant: Receipt No.: 1821329
PARSONS BRINCKERHOFF Receipt Amt.: 100.00
LEVEL 27, 680 GEORGE STREET Date: 11-Nov-2010
SYDNEY NSW 2001

Owner: (as recorded by Council): LIVERPOOL CITY COUNCIL LOCKED BAG 7064

LIVERPOOL BC NSW 1871

Property Desc: MILL PARK, 474 HUME HIGHWAY, CASULA NSW 2170 LOT 10 DP 881265

PART A PRESCRIBED INFORMATION PROVIDED PURSUANT TO SECTION 149(2) OF THE ENVIRONMENTAL PLANNING AND ASSESSMENT ACT 1979

NOTE: The following information is provided pursuant to Section 149(2) of the Environmental Planning and Assessment Act (EP&A Act) 1979 as prescribed by Schedule 4 of the Environmental Planning and Assessment Regulation (EP&A Regulation) 2000 and is applicable to the subject land as of the date of this certificate.

The Environmental Planning and Assessment Amendment Act 1997 commenced operation on the 1 July 1998. As a consequence of this Act the information contained in this certificate needs to be read in conjunction with the provisions of the Environmental Planning and Assessment (Amendment) Regulation 1998, Environmental Planning and Assessment (Further Amendment) Regulation 1998 and Environmental Planning and Assessment (Savings and Transitional) Regulation, 1998.



1. Names of Relevant LEP's, DCP's, REPs, and SEPPs

(1)(a) The names of each local environment plan and deemed environmental planning instrument applying to the land is/are listed below: -

Name of Instrument: Liverpool Local Environmental Plan 2008

Name of Zone: RE1 Public RecreationSP2 Infrastructure - Classified Road

(1)(b) Draft Local Environmental Plan(s)

The names of each draft Local Environmental Plan applying to the land that has been placed on exhibition under section 66(1)(b) of the Act, is/are listed below: -

Name of Draft Instrument: Draft Liverpool Local Environmental Plan 2008

Amendment No: 5 - Anomalies

Cert. No.: 2201

Page No.: 2

Name of Zone: Subject to all zones

(1)(c) Development Control Plan(s) under Section 72

The names of each Development Control Plan applying to the land has been prepared by the council under section 72 of the Act is/are listed below: -

Liverpool Development Control Plan 2008 (as amended).

Development Control Plan(s) under Section 51A

The names of each Development Control Plan applying to the land that has been prepared by the Director-General under section 51A of the Act are listed as follows: -

Nil

(2)(a) Regional Environmental Plan(s)

The names of each Regional Environmental Plan applying to the land is/are listed below:

Greater Metropolitan Regional Environmental Plan No. 2 – Georges River Catchment This plan aims to preserve and protect and to encourage the restoration or rehabilitation of regionally significant sensitive natural environments, to preserve, enhance and protect the freshwater and estuarine ecosystems within the Catchment and to ensure that development achieves the environmental objectives for the Catchment.

(2)(b) Draft Regional Environmental Plan(s)

The names of each draft Regional Environmental Plan applying to the land that has been placed on exhibition under section 47(b) of the Act is/are listed below:

Nil



(3)(a) State Environmental Planning Policy(s)

The names of each State Environmental Planning Policy applying to the land are listed below: -

State Environmental Planning Policy No. 6 - Number of Storeys in a Building

State Environmental Planning Policy No. 19 – Bushland in Urban Areas

State Environmental Planning Policy No. 21 – Caravan Parks

State Environmental Planning Policy No. 30 – Intensive Agriculture

State Environmental Planning Policy No. 32 – Urban Consolidation (Redevelopment of Urban Land)

Cert. No.: 2201

Page No.: 3

State Environmental Planning Policy No. 33 – Hazardous and Offensive Development

State Environmental Planning Policy No. 44 – Koala Habitat

State Environmental Planning Policy No. 50 – Canal Estate Development

State Environmental Planning Policy No. 55 - Remediation of Land

State Environmental Planning Policy – (Exempt and Complying Development Codes) 2008

State Environmental Planning Policy No 62 – Sustainable Aquaculture

State Environmental Planning Policy No. 64 – Advertising and Signage

State Environmental Planning Policy No. 65 – Design Quality of Residential Flat Development

State Environmental Planning Policy - (Building Sustainability Index: BASIX) 2004

State Environmental Planning Policy - (Major Development) 2005

State Environmental Planning Policy - Affordable Housing (Revised Scheme) 2009

State Environmental Planning Policy - (Infrastructure) 2007

State Environmental Planning Policy – (Mine, Petrol Prod and Extractive Ind) 2007 State Environmental Planning Policy – (Temporary Structures and Places Public

Entertainment) 2007

State Environmental Planning Policy - (Affordable Rental Housing) 2009

3(b) Draft State Environmental Planning Policy(s)

The names of each draft State Environmental Planning Policy applying to the land that has been publicised as referred to in section 39(2) of the Act are listed below: -

Draft State Environmental Planning Policy No. 66 – Integration of Land Use and Transport

2. ZONING AND LAND USE UNDER RELEVANT LOCAL ENIVIRONMENTAL PLANS

(a) The identity of the zone, whether by reference to a name or by reference to a number is/are listed in: -

Section (1)(a) of this Planning Certificate.

(b) The purposes for which the plan or instrument provides that development may be carried out within the zone without the need for development consent is/are detailed in the Liverpool Local Environmental Plan 2008: -



See Part 2 (Permitted or prohibited development), Part 3 (Exempt and complying development), and Schedule 2 (Exempt development) of Liverpool Local Environmental Plan 2008.

Cert. No.: 2201

Page No.: 4

(c) The purposes for which the plan or instrument provides that development may not be carried out within the zone except with development consent is/are detailed in the Liverpool Local Environmental Plan 2008: -

See Part 2 (Permitted or prohibited development), Part 3 (Exempt and complying development), Schedule 1 (Additional uses) and Schedule 3 (Complying development) of Liverpool Local Environmental Plan 2008.

(d) The purposes for which the plan or instrument provides that development is/are prohibited within the zone are detailed in the Liverpool Local Environmental Plan 2008: -

See Part 2 (Permitted or prohibited development) of Liverpool Local Environmental Plan 2008.

Should you require further information about development standards and restrictions on development for any particular purpose or any purpose that may have an effect of prohibiting development, it is recommended that you consult the Liverpool Local Environmental Plan 2008 and/or Liverpool Development Control Plan 2008.

(e) Dwelling House

The development standards applying to the land that fix minimum land dimensions for the erection of a dwelling house on the land is/are listed below: -

The land's dimensions (when considered in isolation) are not such as to prohibit the erection of a dwelling house on the land. However, Liverpool Local Environmental Plan 2008 prohibits the erection of a dwelling house within the zone that applies to the land

(f) Critical Habitat

The provisions applying to the land that relate to critical habitat is/are outlined below:-

The land is subject to the provisions of Clause 5.9 of the Liverpool Local Environmental Plan 2008. The clause relates to the preservation of trees or vegetation on the land.

The land is subject to the provisions of Clause 7.6 of the Liverpool Local Environmental Plan 2008. The clause relates to additional considerations given to development on environmentally significant land.

The land does not include or comprise critical habitat.



(g) Conservation Area

The provisions applying to the land that relate to a conservation areas is/are outlined below: -

Land is not located in a Conservation Area.

(h) Environmental Heritage

The provisions applying to the land that relate to an item of environmental heritage is/are outlined below: -

An item of the Environmental Heritage is situated on the land. Refer to Schedule 5 – Environmental Heritage under Liverpool Local Environmental Plan 2008.

Cert. No.: 2201

Page No.: 5

3. COMPLYING DEVELOPMENT

Complying development under the General Housing Code may not be carried out on the land.

Complying development under the Housing Internal Alterations Code may not be carried out on the land.

Complying Development under the General Commercial and Industrial Code may not be carried out on this land.

This land is excluded being land that is identified in an environmental planning instrument as being within an area that is environmentally sensitive.

This land is excluded being land that comprises, or on which there is a local heritage item or draft local heritage item identified in an Environmental Planning Instrument.

This land is excluded being land that is identified in as being bush fire prone land.

This land is excluded being land identified in an environmental planning instrument as being a flood control lot.

4. Coastal Protection Act 1979

There has been no notification from the Department of Public Works that the land is subject to the operation of Section 38 or 39 of the Coastal Protection Act, 1979.

5. Mine Subsidence

The land is not within an area proclaimed to be a mine subsidence district within the meaning of the Mine Subsidence Compensation Act, 1961.

6. Road Widening and Road Realignment

The provisions applying to the land that relate to road widening or road realignment is/are outlined below: -



The land is not affected by any road widening or road realignment under Division 2 of Part 3 of the Roads Act 1993, any environmental planning instrument or any resolution of the Council.

Cert. No.: 2201

Page No.: 6

7. Council and Other Public Authority Policies on Hazard Risk Restrictions
The policies applying to the land from Council and other Public Authorities regarding
hazard risk restrictions is/are outlined below: -

(a) Council Policy - Other Risks

The land is not affected by a policy adopted by Council that restricts the development of the land because of the likelihood of land slip, bushfire, tidal inundation, subsidence or any other risk.

However, the land is affected by Liverpool Local Environmental Plan 2008 that restricts the development of the land because of the likelihood of acid sulphate soils. The land is not affected by a policy adopted by Council that restricts the development of the land because of the likelihood of land slip, tidal inundation, subsidence, acid sulphate soils or any other risk.

However, the land is affected by the *Rural Fires Act 1997* that restricts the development of the land because of the likelihood of bushfire.

(b) Public Authority Policies

The land is not affected by a policy adopted by any other public authority and notified to the Council for the express purpose of its adoption by that authority being referred to in the planning certificates issued by the Council, that restricts the development of the land because of the likelihood of land slip, bushfire, flooding, tidal inundation, subsidence, acid sulphate soils or any other risk.

7A. Flood Related Development Controls Information

- The property is affected by flood inundation and therefore the controls applying to residential forms of development contained with the Liverpool Local Environmental Plan 2008 and Development Control Plan 2008 apply to this property.
- 2. The property is affected by flood inundation and therefore the controls applying to all forms of development contained with the Liverpool Local Environmental Plan 2008 and Development Control Plan 2008 apply to this property.
- 3. The expressions "dwelling houses, "dual occupancies," "multi dwelling housing" and "residential flat buildings" as used in clauses (1) and (2) above have the same meanings as in the instrument set out in the Schedule of the Standard Instrument (Local Environmental Plans) Order 2006 but do not include development for the purposes of "group homes" or "seniors housing".

8. Land Reserved for Acquisition

Administration Centre 1 Hoxton Park Road, Liverpool NSW 2170, DX 5030 Liverpool Customer Service Centre Liverpool City Library, 170 George Street, Liverpool NSW 2170

All correspondence to The General Manager, Locked Bag 7064 Liverpool BC NSW 1871 Call Centre 1300 36 2170

Fax 9821 9333 Email Icc@liverpool.nsw.gov.au Web www.liverpool.nsw.gov.au TTY 9821 8800 ABN 84 181 182 471



The provisions applying to the land that relate to acquisition of the land by a public authority is/are listed below: -

Nil

Liverpool Local Environmental Plan 2008 applies to the land and provides for the acquisition of the land by a public authority, as referred to in Section 27 of the Act.

Cert. No.: 2201

Page No.: 7

9. CONTRIBUTION PLANS

The name of each contribution plan applying to the land is/are outlined below: - Liverpool Contributions Plan 2001

 Matters arising to the Contaminated Land Management Amendment Act 2009 NSW)

Nil

11. Bushfire Prone Land

Part of the land subject to this certificate is bushfire prone land as defined in the Environmental Planning and Assessment Act 1979.

12. Property Vegetation Plans

The provisions applying to the land that relate to property vegetation plans is/are listed below:-

The land subject to this certificate is not affected by the Native Vegetation Act 2003 as defined in the Environmental Planning and Assessment Act 1979.

13. Orders under Trees (Disputes Between Neighbours Act 2006)

There has been no notification that the land subject of this certificate is affected by an order to carry out work in relation to a tree on the land under the Trees (Disputes Between Neighbours Act 2006).

14. Directions under Part 3A

There has been no notification of a direction by the Minister in force under section 75P (2) (c1) of the Act that a provision of an environmental planning instrument prohibiting or restricting the carrying out of a project or stage of a project on the land under Part 4 of the Act does not have effect.

15. Site Compatibility Certificates and Conditions for Seniors Housing

There has been no notification of a current site compatibility certificate issued under clause 25 of the State Environmental Planning Policy (Housing for Seniors or People with a Disability) 2004 in respect of proposed development on the land.

16. Site Compatibility Certificates for Infrastructure



There has been no notification of a valid site compatibility certificate for the land subject of this certificate issued under clause 19 of the State Environmental Planning Policy (Infrastructure) 2007.

Cert. No.: 2201

Page No.: 8

17. Site Compatibility Certificates and Condition for Affordable Rental Housing Council is not aware of a current site compatibility certificate (affordable rental housing) in respect of proposed development on the land.

PART B ADDITIONAL INFORMATION PROVIDED PURSUANT TO SECTION 149(5) OF THE ENVIRONMENTAL PLANNING & ASSESSMENT ACT 1979

1. Threatened Species Conservation Act

It is advisable for any application intending to purchase and/or develop land within the Liverpool Local Government Area to approach Council to ascertain if the requirements of the Threatened Species Act, 1995 are likely to apply to their land.

If the land has native vegetation of any sort (ie trees, shrubs, ground covers etc), has recently been cleared or is vacant land, it may have impediments to development under the Threatened Species Act, 1995.

This notation should be read in conjunction with Liverpool Local Environmental Plan 2008, and the Threatened Species Act, 1995.

Enquiries should be directed to Council's Department of Environment and Community.

2. Tree Preservation Provision

The land is subject to a tree preservation provision under the Liverpool Local Environmental Plan 2008.

3. Controlled Access Road

The land does not have a boundary to a controlled access road under the provisions of the Liverpool Local Environmental Plan 2008.

4. Notices

No notices/orders have been served in respect of a breach of the provisions of an environmental planning instrument occurring on the land.

5. Other Information in Relation to Water

The property is identified as flood prone and is with the high risk flood category. High Flood Risk Category means land below the 1% Annual Exceedence Probability flood that is either subject to high hydraulic hazard or where there are significant evacuation difficulties (see Liverpool Development Control Plan 2008 for controls relating to flood prone land). For further information on flood risk contact Council on 9821 9222.



6. Sydney Water Corporation
Nil

- 7. Foreshore Building Line Nil
- 8. Contaminated Land Nil
- Airport Noise Affectation Badgery's Creek Airport Nil

Hoxton Park Airport Nil

10. Airport Acquisition
Nil

11. Environmentally Significant Land Environmentally Significant Land

The subject property is identified as containing environmentally significant land under Division 2 General provisions of the Liverpool Local Environmental Plan 2008.

- (1) The objectives of this clause are as follows:
 - (a) to maintain bushland, wetlands and wildlife corridors of high conservation value,

Cert. No.: 2201

Page No.: 9

- to identify areas of significance for revegetation to connect to or buffer bushland, wetlands and wildlife corridors,
- (c) to protect rare and threatened native flora and native fauna,
- (d) to ensure consideration of the significance of vegetation, the sensitivity of the land and the impact of development on the environment prior to the giving of any development consent.

Further information in this regard is available from Council's City Strategy Department or the Liverpool Local Environmental Plan 2008.

- 12. Archaeological Management Plan Nil
- 13. Unhealthy Building Land Proclamation

Administration Centre 1 Hoxton Park Road, Liverpool NSW 2170, DX 5030 Liverpool

Customer Service Centre Liverpool City Library, 170 George Street, Liverpool NSW 2170

All correspondence to The General Manager, Locked Bag 7064 Liverpool BC NSW 1871 Call Centre 1300 36 2170

Fax 9821 9333 Email Icc@liverpool.nsw.gov.au Web www.liverpool.nsw.gov.au TTY 9821 8800 ABN 84 181 182 471



Nil

For further information, please contact CALL CENTRE – 9821 9222

Mr Milan Marecic Director – City Strategy Liverpool City Council

Cert. No.: 2201

Page No.: 10

ANNEXURE TO SECTION 149(5) CERTIFICATE



Issue Date:

11/11/2010

Issue No:

2025769

File No:

2010/0038

Premises at

Lot 10

DP 881265

Hume Highway

Casula

Further to the advice contained in the Section 149(2) Certificate and on the basis of the latest information available to the Council:

- the maximum calculated level of the probable maximum flood (PMF) in the 1. vicinity of your property in metres AHD is 12.9.
- the maximum calculated level of the 1% annual exceedance probability flood 2. (previously referred to as the 1 in 100 year) in the vicinity of your property in metres AHD is 10.8.
- the maximum calculated level of the 2% annual exceedance probability flood 3. (previously referred to as the 1 in 50 year) in the vicinity of your property in metres AHD is 10.3.
- 4. the maximum calculated level of the 5% annual exceedance probability flood (previously referred to as the 1 in 20 year) in the vicinity of your property in metres AHD is 9.6.

The Council does not possess accurate information on the natural surface levels of individual allotments or on constructed building levels, and these should be established by private survey to ascertain their relationship to the above flood levels.

Flood levels are obtained from Georges River Floodplain Risk Mangement Study & Plan - July 2004

Name of Assessor: W. Siripala

Signature:



NSW EPA Notice records



Environment Protection Authority NSW

Ongoing maintenance order

(Section 28 of the Contaminated Land Management Act 1997)

Notice Number 20132801; Area Number 3054

Service: By registered mail

ABB Australia Pty Limited ACN: 003 337 611 1 Bapaume Road Moorebank NSW 2170

Attention: [Name Withheld]

This notice is issued under section 28 of the Contaminated Land Management Act 1997 (CLM Act).

ABB Australia Pty Limited, "the recipient", must maintain management action in accordance with the requirements set out in this order.

1. Land to which this notice applies ("the land")

This notice applies to Lots 2 and 3 in Deposited Plan 32998 located at 1 Bapaume Road, Moorebank NSW.

2. Background

- A. ABB Australia Pty Limited is the owner of the land to which this notice applies.
- B. Investigations have identified polychlorinated biphenyls (PCB) in soil at the site. The contamination is associated with the use of PCB containing materials during the production of electrical condensers and transformers at the site in the past.
- C. PCB-contaminated soils remain at the site. The Environment Protection Authority (EPA) has been advised that a layer of capping material has been placed over in-situ contaminated soil and that recently excavated soil will be contained on the site.
- D. The EPA regulated the land to which this notice applies using notice powers under section 35 of the *Environmentally Hazardous Chemicals Act 1985*.
- E. The section 35 notices relating to the site have either been revoked by the EPA or ceased to have legal effect.

3. Commencement of maintenance of management action

This order takes effect from the date of this order and continues in force, unless it is varied or revoked, while the recipient is the owner or occupier of the land.

4. Maintenance requirements

The EPA requires the recipient to maintain the following management action in relation to the land:

- Maintain the integrity of the capping layer over the PCB-contaminated soil as well as any future PCB containment areas in order to prevent the escape of PCBs and any associated exposures; and
- b) Report to the EPA as soon as practicable any incident that causes or threatens to cause the escape of PCBs to the environment (e.g. the Georges River); and
- c) Implement a Site Environmental Management Plan (SEMP) for the site that outlines measures designed to:

- Ensure the long-term integrity of the capping material/containment areas, including inspections; and
- Prevent human health and environmental risks including the escape of PCBs to the surrounding environment; and

Ensure that:

- Prior to any person carrying out any work or activity that may result in the disturbance of PCB-contaminated soil, samples of the soil are collected and tested for PCBs; and
- o If PCBs are detected above 50 mg/kg, the work or activity that may result in the disturbance of PCB-contaminated soil is not to be undertaken unless prior written approval has been obtained from the EPA and the work is undertaken in accordance with all requirements of that approval. The work must be conducted in accordance with the *Polychlorinated Biphenyl (PCB) Chemical Control Order 1997*; and
- Provide guidance to builders and contractors who may access PCB-contaminated soil and specifically addresses the following:
 - The disturbance of potentially PCB-contaminated soil which may promote the mobility of PCBs; and
 - Any controls or protective equipment required to minimise worker exposure to potentially PCB-contaminated soil; and
- d) Submit the SEMP to the EPA within **three months** from the date of this notice.

5. Notification of change of owner/occupier

At least 30 days prior to the recipient ceasing to be the owner or occupier of the land, as the case may be, the recipient must give written notification to the EPA of the name and contact details of the prospective owner or occupier.

[Signed]

NIALL JOHNSTON
Manager Contaminated Sites
Environment Protection Authority

Date: 13 May 2013

NOTE:

Breaches of this Notice

A person who fails to comply with an order issued under section 28 of the CLM Act is guilty of an offence. Heavy penalties may be imposed where a person fails to comply with directions given in an order issued under section 28 of the CLM Act.

Information recorded by the EPA

Section 58 of the CLM Act requires the EPA to maintain a public record. A copy of this order will be included in the public record.

Information recorded by councils

Section 59 of the CLM Act requires the EPA to inform the relevant local council that this order has been served. The council is then required to note on its planning certificate issued pursuant to s.149 (2) of the *Environmental Planning and Assessment Act 1979* that the land is subject to an ongoing maintenance order. The EPA is required to notify council as soon as practicable when the order is revoked and the notation on the s.149 (2) certificate is no longer required.


Relationship with other regulatory instruments


This notice does not affect the provisions of any relevant environmental regulatory instruments which apply to the land or provisions of any other environmental protection legislation administered by the EPA, including licence No.86 issued under the *Environmentally Hazardous Chemicals Act 1985* and the *Polychlorinated Biphenyl (PCB) Chemical Control Order 1997*.


Appendix F


Aerial photographs
















Historical aerial (1986)



