

Andrew Hartcher - Crawfords DA

From: "Fernando, Sohan" <Sohan.Fernando@workcover.nsw.gov.au>
To: Andrew Hartcher <Andrew.Hartcher@planning.nsw.gov.au>, Lilia Donkova <Lilia.Donkova@planning.nsw.gov.au>
Date: 3/19/2013 5:23 PM
Subject: Crawfords DA
CC: "Lau, Abe" <abe.lau@workcover.nsw.gov.au>, "Cook, Sharon" <Sharon.Cook@workcover.nsw.gov.au>

Crawfords Freightliners Pty Ltd
Ammonium Nitrate Storage and Distribution Facility (SSD-5119)

Hi Andrew,

Thank you for your letter dated 30 January 2013 inviting WorkCover NSW to review the EIS during the exhibition period.

As you may recall, the Department of Planning and Infrastructure had invited WorkCover, by letters dated 18 October 2012 and 7 January 2013, to review the EIS prior to public exhibition, and WorkCover provided comments dated 12 November 2012 and 16 January 2013.

While some issues have been addressed in the exhibited version, others have not been completely addressed.

Under the MHF regime, Crawfords submitted a Safety Report to WorkCover. During the detailed assessment of the Safety Report, WorkCover reviewed the Hazard Analysis (revision 4) dated 12 December 2012, which was included as annex B in the EIS. Matters for clarification with regard to the Hazard Analysis were sent to Crawfords with WorkCover letter dated 25 January 2013 under the MHF regime. These issues will be resolved through the MHF Safety Report assessment regime.

On 6 February 2013 WorkCover received the Crawford's EIS issued for public exhibition. As far as we could verify, the 'public exhibition' version of the Hazard Analysis was identical to the version that WorkCover had reviewed and commented on earlier. All versions are Revision 4 and dated 12 December.

Therefore there are no significant MHF related issues to preclude approval of the proposal.

However, to ensure that the hazards related studies required by DOPI under the DOPI conditions of consent are comprehensive and address all MHF related matters, WorkCover suggests that DOPI includes the following condition should DOPI determine to approve the proposal.

When preparing the Final Hazard Analysis (see condition No. XXX), Safety Management System(condition No.zzz) and the Emergency Plan(condition No.YYY) for the site, the Proponent must address all hazards that can contribute to both on-site and off-site risks and ensure that both on-site and off-site risks are evaluated. All maps showing risk contours must include the contours for on-site risk in addition to off site risk.

Should you have any queries please contact me on telephone 8281 6485 or email sohan.fernando@workcover.nsw.gov.au.

Best regards,

Sohan Fernando
Senior Safety Analyst
Major Hazard Facilities Team
WorkCover NSW
PO Box 1476 Strawberry Hills NSW 2012
Tel: 8281 6485 Fax:9271 6485

This message, including any attached files, is intended solely for the addressee :
information. If you are not the intended recipient, please delete it and notify the sender.
message are those of the individual sender and are not necessarily the views of WorkCover
before printing this E-mail.
