


GRATED INLET PIT FILTER DETAIL N.T.S


 $\underline{\text{NOTE}}$: ADDPT ABOVE DETAILS AROUND $\underline{\text{ALL}}$ PITS WITHIN AREA ENCOMPASSED BY SILT FENCE & TO PITS ON THE ROAD ADJACENT TO SITE BOUNDARY.




- STOCKPILE NOTES

 1. PLACE ALL STOCKPILES IN LOCATIONS MORE THAN 5m FROM EXISTING VEGETATION, ROADS & HAZARD AREAS.
 2. CONSTRUCT ON THE CONTOUR AS LOW, FLAT ELONGATED MOUNDS. SIDE SLOPE TO BE 1 V. 2 H MAX.
 3. WHERE THERE IS SUFFICIENT AREA, TOPSOIL STOCKPILES SHALL BE ITESS THAN 7m IN HEIGHT.


- 3. WHERE THERE IS SUFFICIENT AREA, TOPSOIL STOUCHFILES SHALL BE LESS THAN 7M IN HEIGHT. 4. WHERE STOCKPILES ARE TO BE IN PLACE FOR MORE THAN 10 DAYS, STABILISE USING WOOD CHIP MULCH 16 TONNE/HA. 5. CONSTRUCT SILT FENCE WITH CATCH DRAIN ON UPSLOPE SIDE TO DIVERT WATER AROUND STOCKPILES & SILT FENCE ONLY 1 TO 2m DOWNSLOPE AS SHOWN.



SILT FENCE WITH HAY BAIL DETAIL N.T.S.



TYPICAL CROSSING OVER DIVERSION CHANNEL



STABILISED CONSTRUCTION ENTRANCE 'TRUCK SHAKER' SCALE 1: 20

FOR SECTION 96

PROJECT EASTERN CREEK BUSINESS HUB Costin Roe Consulting Pty Ltd.
Consulting Engineers Consulting Engineers Consulting Engineers Consulting Consu DRAWING TITLE EROSION & SEDIMENT Consulting Western Sydney
Parklands Trust
EVEL 7, 10 VALENTINE AVE
PARRAMATTA NSW 2150 NSW CONTROL DETAILS SSUED FOR SECTION 96 DRAWING Nº CO12693.00-DA25 Value in Engineering and Management