


PLAN WATER QUALITY/RECYCLING POND

SCALE 1:250

OFFSET	EXISTING LEVEL	DESIGN LEVEL
0	16.95	16.95
3		19.2
5	17.0	21.30
13.21		15.85
22.87		15.85
28.5		19.15
36		19.80
42		19.80

PART OF SECTION A-A


SCALE H=1:500 V=1:250



SECTION D-D


SCALE H=1:500 V=1:250

Revision	Amendment or reason for issue	Issue date	Drawn by	Authorised
G	HOW SHEET "B" IS	8 MAY 2015	WM	WM
F	AMENDED AS PER COMMENTS	10/06/2014	A.P.	WM
E	EXTRA NOTES RE FINCES	20/03/2014	A.P.	WM
D	AMENDED TO REF OF PLANNING COMMENTS	26/02/2014	A.P.	WM
C	AMENDED AS PER LANDSCAPE ARCHITECTS COMMENTS 08.08.2013	08.08.2013	B.P	
B	AMENDED AS PER COMMENTS	29.07.2013	B.P	
A	NOTE ADDED	08/04/2013		



SECTION E-E OUTLET OF POND

SCALE 1:100




SECTION E-E/C10 CATCH DRAIN

TABLE DRAIN SIMILAR

SCALE 1:25


SCALE REDUCTION

SCALE 1:1000 @ A3 = SCALE 1:500 @ A4
 SCALE 1:500 @ A3 = SCALE 1:250 @ A1
 SCALE 1:50 @ A3 = SCALE 1:25 @ A1
 SCALE 1:40 @ A3 = SCALE 1:20 @ A1



TYPICAL FENCE DETAIL

SCALE 1:50



SUBSOIL NOTES

1. SUBSOIL DRAIN PIPE TO BE 100mm DIAM FILTER SOCK, UNDER HEAVILY TRAFFICKED AREA THE SUBSOIL DRAIN IS TO BE SLOTTED UPVC
2. TRENCH TO BE MINIMUM 300mm WIDE BACKFILL TO BE CLEAN GRANULAR MATERIAL COMPACTED TO D1 80
3. MINIMUM GRADE OF TRENCH/SUBSOIL DRAIN PIPE IS TO BE 0.5%

Surveyor DENNIS SMITH	Date NOV 2012	Drawing Title PROPOSED INDUSTRIAL DEVELOPMENT LOT 10 DP 878167 WYLLIE ROAD, KEMBLA GRANGE POND DETAILS	Project No. KE#110816
Date of Survey	Drawn A PROUDLOVE		
Height Datum AHD	Designed MLE, Aust. C.P. Eng		
Origin	Checked		
Hotk. Datum	Approved		
Scale 1:250 @ A1 1:500 @ A3	Drawing Status ISSUED FOR DA APPROVAL	Drawing No. C12	Sheet 3 OF 18
		Revision G	