

Brick Type 1 colour (earthy rust). Bowral pressed or similar. Final selection as per materials board. Rendered Masonry with integrated anodised aluminium window Balustrade, Frameless glazing with powder coated 8mm plate aluminium portal framing. Glazing is not captured all round Profiled anodised aluminium vertical batten using "clip-on" fixing as Stainless steel Bollard BYR1 Stainless steel Bicycle Rail DG1 Decomposed Granite Gravel DG2 **Decorative Gravel** HR2 Lighting strip P1 P2 Paving Type 2
Precast Concrete Paving with Granite stone inlay P3 Paving Type 3 Granite Sets (to parking bays) Paving Type 4
Exposed Aggregate Concrete path Paving Type 5
Precast paving to traffic areas
Paving Type 6
Brick Paving Brick base with a Timber capping Retaining wall Brick base with a Precast concrete capping Retaining wall Insitu concrete Retaining wall Heritage Interpretation wall ST1 Corten Steel Edging Timber Bench Seats TD1 TD2 Timber Composite vertical batten screen TD3 FJMT FJMT 02 03/07/2015 REFER REVISION CLOUDS 01 24/10/2014 ISSUED FOR SSDA APPROVAL BY REV. DATE DESCRIPTION CLIENT Frasers Broadway FRASERS
PROPERTY
Suite 11, Lumiere Commercial,
Level 12, 101 Bathurst Street,
Sydney, NSW, 2000, Australia ARCHITECT SYDNEY Level 5, 70 King Street Sydney NSW 2000 Australia T +61 2 9251 7077 F +61 2 9251 7072 E fjmt@fjmt.com.au W www.fjmt.com.au francis-jones morehen thorp NOMINATED ARCHITECT: RICHARD FRANCIS-JONES (REG NO 5301) **PROJECT** Central Park Block 11 O'Connor Street, Chippendale Sydney Frasers Broadway **GROUND PLANE DETAIL ELEVATIONS Detail Elevations - East and West** SCALE 1:100 @ A1 DRAWN FJMT PROJECT CODE DATE 24/10/2014 APPROVED SHEET NO. REVISION 02 SSDA-11-503 **Issued for Approval**

GENERAL NOTES

1 BED + MEDIA NOOK

2 BED + MEDIA NOOK
2 BED + STUDY
2 BED DUAL KEY

2 BED 2 STOREY TERRACE

RETAIL + NON-RESIDENTIAL

COURTYARD/BALCONY/WINTER-GARDEN

WIDE FRONTAGE NATURALLY VENTILLATED

2 HOURS OF SUNLIGHT ACCESS NATURAL VENTILATION (NV)

ASSISTED VENTILATION
SOUTH FACING APARTMENT
ADAPTABLE APARTMENT

NATURAL VENTILATION

Full height timber batten screens

LOBBY CROSS VENTILATION

Anodised aluminium Curtain Wall System with integrated operable windows (allow for euro style multifunction hardware) clip-on custom profiled extrusions

Anodised aluminium Window Wall System with integrated operable windows (allow for euro style multifunction hardware) and door systems (allow for 50/50 split between sliding and bi-fold functionality). Fenestration to facade system being anodised aluminium operable bi-fold perforated sunshade screens (allow for floor to floor coverage)

Anodised aluminium Window Wall System with integrated operable window (allow for euro style multifunction hardware) and door systems (allow for 50/50 split between sliding and bi-fold functionality).

Terracotta cladding (allow for minimum 1200 wide module)

Anodised aluminium sliding sunshade screen batten panels with battens at typically 100mm CC, 50mm SHS profile to framing and

Anodised aluminium Window Wall System with integrated operable windows (allow for euro style multifunction hardware) and door systems (allow for 50/50 split between sliding and bi-fold functionality). Profiled timber battens using "clip-on" fixing as noted in elevation.

Anodised aluminium Window Wall System with integrated operable windows (allow for panel lift type e.g. "Renita") and door systems (allow for full height pivot functionality). Fenestration to facade system being profiled timber battens using "clip-on" fixing as noted in elevation.

CHILDCARE

EXTERNAL AREA

3 BED + MEDIA NOOK
3 BED + STUDY
3 BED DUAL KEY

2 BED

ALL DIMENSIONS AND EXISITING CONDITIONS SHALL BE CHECKED AND VERIFIED BY THE CONTRACTOR BEFORE PROCEEDING WITH THE WORK

ALL LEVELS RELATIVE TO 'AUSTRALIAN HEIGHT DATUM'
 DO NOT SCALE DRAWINGS. USE FIGURED DIMENSIONS ONLY